



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 08:14 AM UTC

PDB ID : 4BSM / pdb_00004bsm
Title : Crystal structure of the Nuclear Export Receptor CRM1 (exportin-1) lacking the C-terminal helical extension at 4.5Å
Authors : Dian, C.; Bernaudat, F.; Langer, K.; Oliva, M.F.; Fornerod, M.; Schoehn, G.; Muller, C.W.; Petosa, C.
Deposited on : 2013-06-10
Resolution : 4.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Xtrriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 4.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1127 (5.10-3.90)
Clashscore	190562	1002 (5.06-3.94)
Ramachandran outliers	187476	1060 (5.10-3.90)
Sidechain outliers	187428	1043 (5.10-3.90)
RSRZ outliers	180081	1122 (5.10-3.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1032	

2 Entry composition

There is only 1 type of molecule in this entry. The entry contains 6854 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called EXPORTIN-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	896	6854	4379	1169	1262	44	0	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: EXPORTIN-1



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	148.64Å 248.33Å 107.20Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.59 – 4.50 48.59 – 4.50	Depositor EDS
% Data completeness (in resolution range)	99.8 (48.59-4.50) 99.8 (48.59-4.50)	Depositor EDS
R_{merge}	0.15	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.47 (at 4.45Å)	Xtrriage
Refinement program	PHENIX (PHENIX.REFINE: 1.8_1056)	Depositor
R, R_{free}	0.229 , 0.269 0.232 , 0.269	Depositor DCC
R_{free} test set	1213 reflections (10.02%)	wwPDB-VP
Wilson B-factor (Å ²)	145.8	Xtrriage
Anisotropy	0.606	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 204.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.36$, $\langle L^2 \rangle = 0.20$	Xtrriage
Estimated twinning fraction	0.086 for 1/2*h-1/2*k,-3/2*h-1/2*k,-l 0.074 for 1/2*h+1/2*k,3/2*h-1/2*k,-l	Xtrriage
F_o, F_c correlation	0.89	EDS
Total number of atoms	6854	wwPDB-VP
Average B, all atoms (Å ²)	144.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.73% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.32	0/6978	0.79	4/9473 (0.0%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	236	ILE	CA-C-N	5.54	126.77	119.84
1	A	236	ILE	C-N-CA	5.54	126.77	119.84
1	A	778	PRO	N-CA-C	5.10	116.92	110.70
1	A	647	GLN	CB-CA-C	-5.02	110.40	117.23

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6854	0	6542	124	0
All	All	6854	0	6542	124	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (124) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:387:SER:HB3	1:A:468:ASP:HA	1.61	0.82
1:A:483:GLN:HG2	1:A:494:LEU:HD13	1.71	0.71
1:A:168:MET:HE2	1:A:225:THR:HA	1.76	0.67
1:A:616:ASN:ND2	1:A:617:ASN:OD1	2.29	0.65
1:A:524:LEU:HD13	1:A:544:ILE:HG12	1.78	0.65
1:A:55:GLU:HG3	1:A:90:ARG:HH2	1.62	0.64
1:A:809:ASN:OD1	1:A:858:HIS:NE2	2.33	0.62
1:A:600:VAL:HG11	1:A:644:GLN:HB2	1.82	0.61
1:A:56:HIS:N	1:A:57:PRO:HD2	2.16	0.61
1:A:406:ARG:NH2	1:A:467:LEU:HA	2.15	0.60
1:A:338:GLU:HG2	1:A:408:LEU:HD13	1.84	0.60
1:A:62:ARG:NH1	1:A:75:THR:O	2.33	0.60
1:A:696:VAL:HG12	1:A:758:LEU:HD13	1.83	0.59
1:A:476:MET:HE1	1:A:504:ILE:HG13	1.84	0.59
1:A:370:LEU:HD11	1:A:457:MET:HG2	1.86	0.58
1:A:485:ASN:OD1	1:A:487:THR:OG1	2.19	0.58
1:A:298:LEU:O	1:A:353:TYR:OH	2.22	0.57
1:A:417:ARG:NH1	1:A:471:ASP:OD2	2.38	0.57
1:A:422:SER:OG	1:A:479:LYS:NZ	2.36	0.57
1:A:388:THR:HG22	1:A:406:ARG:NH1	2.21	0.56
1:A:879:ILE:HG22	1:A:883:LYS:HE3	1.88	0.56
1:A:157:SER:HB2	1:A:208:LEU:HD11	1.87	0.55
1:A:233:LEU:HD23	1:A:270:GLU:HB3	1.89	0.55
1:A:563:LYS:HG3	1:A:610:PHE:HE1	1.72	0.55
1:A:852:LEU:HD11	1:A:874:VAL:HG13	1.89	0.54
1:A:453:LEU:O	1:A:457:MET:HG3	2.08	0.54
1:A:28:LEU:HD13	1:A:71:GLN:HA	1.89	0.54
1:A:458:ARG:HG3	1:A:503:SER:HB2	1.88	0.54
1:A:388:THR:HG23	1:A:467:LEU:O	2.07	0.54
1:A:362:GLU:HB3	1:A:365:ILE:HG22	1.90	0.54
1:A:495:ASN:ND2	1:A:543:ASN:OD1	2.42	0.53
1:A:717:MET:HE2	1:A:755:THR:HG23	1.90	0.53
1:A:892:THR:O	1:A:896:ILE:HG13	2.10	0.52
1:A:464:LEU:HA	1:A:467:LEU:HD12	1.91	0.51
1:A:251:ILE:HG21	1:A:289:LEU:HB3	1.93	0.51
1:A:763:VAL:HG11	1:A:807:ILE:HG22	1.93	0.51
1:A:728:ILE:HG23	1:A:745:ILE:HD12	1.93	0.50
1:A:113:THR:HG21	1:A:126:TYR:HE2	1.75	0.50
1:A:559:TRP:HH2	1:A:610:PHE:HB2	1.77	0.50
1:A:116:ASP:OD2	1:A:118:THR:OG1	2.28	0.50
1:A:146:TRP:HB3	1:A:149:PHE:HB2	1.94	0.49
1:A:536:ASN:O	1:A:540:ILE:HG12	2.12	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:199:CYS:SG	1:A:200:ASN:N	2.85	0.49
1:A:360:VAL:HB	1:A:365:ILE:HD13	1.94	0.49
1:A:325:PHE:HD2	1:A:326:LEU:HD22	1.77	0.49
1:A:56:HIS:O	1:A:58:ASP:N	2.46	0.48
1:A:160:SER:OG	1:A:161:GLU:N	2.46	0.48
1:A:495:ASN:HA	1:A:543:ASN:HD21	1.78	0.48
1:A:403:PRO:HG2	1:A:406:ARG:HD2	1.94	0.48
1:A:545:MET:HG3	1:A:583:MET:SD	2.53	0.48
1:A:379:GLU:OE1	1:A:405:ARG:NH1	2.47	0.47
1:A:500:ALA:O	1:A:504:ILE:HG12	2.14	0.47
1:A:168:MET:HE3	1:A:228:THR:HB	1.96	0.47
1:A:559:TRP:CD2	1:A:603:GLN:HG3	2.49	0.47
1:A:57:PRO:O	1:A:60:TRP:NE1	2.48	0.47
1:A:497:LEU:O	1:A:501:ILE:HG12	2.15	0.47
1:A:340:ARG:HD2	1:A:343:LEU:HD23	1.97	0.46
1:A:406:ARG:HH21	1:A:467:LEU:HD23	1.80	0.46
1:A:52:HIS:CE1	1:A:85:ASN:HB3	2.49	0.46
1:A:344:ARG:HG3	1:A:408:LEU:HD21	1.97	0.46
1:A:498:CYS:SG	1:A:543:ASN:HB3	2.55	0.46
1:A:284:VAL:HG21	1:A:340:ARG:HH21	1.80	0.46
1:A:333:HIS:HB3	1:A:336:LEU:HD12	1.97	0.46
1:A:87:ILE:O	1:A:91:TRP:HB2	2.16	0.46
1:A:357:VAL:HG12	1:A:365:ILE:HD11	1.98	0.46
1:A:388:THR:HG22	1:A:406:ARG:HH11	1.81	0.46
1:A:491:TRP:NE1	1:A:536:ASN:OD1	2.49	0.46
1:A:261:ARG:NH1	1:A:314:ASP:OD2	2.49	0.45
1:A:502:GLY:HA3	1:A:546:TYR:CE2	2.51	0.45
1:A:881:ALA:HB3	1:A:893:GLY:HA3	1.98	0.45
1:A:206:PHE:CE2	1:A:240:TYR:HB3	2.51	0.45
1:A:298:LEU:HA	1:A:299:PRO:HD3	1.79	0.45
1:A:454:TYR:OH	1:A:546:TYR:OH	2.18	0.45
1:A:739:VAL:HG12	1:A:745:ILE:HG13	1.99	0.45
1:A:545:MET:HE3	1:A:572:PHE:HD2	1.81	0.45
1:A:491:TRP:CD1	1:A:539:ILE:HG13	2.52	0.45
1:A:879:ILE:HG21	1:A:925:HIS:HB3	1.99	0.45
1:A:353:TYR:O	1:A:357:VAL:HG23	2.17	0.44
1:A:660:LEU:HB2	1:A:661:PRO:HD3	2.00	0.44
1:A:150:ILE:HD12	1:A:150:ILE:H	1.82	0.44
1:A:556:ARG:O	1:A:598:HIS:NE2	2.51	0.44
1:A:119:CYS:SG	1:A:120:VAL:N	2.91	0.44
1:A:388:THR:OG1	1:A:389:SER:N	2.51	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:367:LYS:NZ	1:A:449:ASP:OD1	2.48	0.44
1:A:247:ILE:HG13	1:A:248:SER:H	1.83	0.44
1:A:40:GLY:O	1:A:44:ARG:HB2	2.17	0.43
1:A:658:MET:SD	1:A:709:GLN:HG2	2.57	0.43
1:A:175:SER:OG	1:A:231:ARG:HG2	2.19	0.43
1:A:637:VAL:HA	1:A:640:MET:HE2	1.99	0.43
1:A:317:ASN:O	1:A:321:ASN:ND2	2.51	0.43
1:A:581:GLN:H	1:A:581:GLN:HG2	1.67	0.43
1:A:650:GLN:HG3	1:A:651:GLU:N	2.34	0.43
1:A:251:ILE:HG22	1:A:252:TYR:CD1	2.54	0.43
1:A:693:LYS:O	1:A:697:ARG:HG2	2.19	0.43
1:A:96:ARG:HG3	1:A:145:HIS:CE1	2.53	0.42
1:A:257:VAL:HA	1:A:258:PRO:HD3	1.87	0.42
1:A:284:VAL:HG21	1:A:340:ARG:NH2	2.34	0.42
1:A:55:GLU:HB3	1:A:57:PRO:HD2	2.01	0.42
1:A:589:ILE:HG12	1:A:636:ALA:HB2	2.01	0.42
1:A:165:GLN:HB3	1:A:221:LEU:HD13	2.02	0.42
1:A:305:ARG:HD3	1:A:359:GLU:O	2.19	0.42
1:A:251:ILE:HD11	1:A:290:THR:HG23	2.02	0.42
1:A:527:LEU:HD22	1:A:527:LEU:HA	1.90	0.41
1:A:359:GLU:OE1	1:A:423:ARG:NH2	2.47	0.41
1:A:299:PRO:O	1:A:302:THR:OG1	2.38	0.41
1:A:570:PHE:HA	1:A:573:MET:HE3	2.02	0.41
1:A:918:TYR:O	1:A:922:ILE:HG13	2.20	0.41
1:A:899:THR:HG22	1:A:903:ASN:ND2	2.35	0.41
1:A:332:GLU:HB3	1:A:333:HIS:CE1	2.56	0.41
1:A:791:ASN:OD1	1:A:792:VAL:N	2.53	0.41
1:A:915:TYR:O	1:A:919:PHE:HB3	2.21	0.41
1:A:44:ARG:N	1:A:44:ARG:HD3	2.36	0.41
1:A:175:SER:HB3	1:A:232:PHE:CE1	2.56	0.41
1:A:110:ILE:HD11	1:A:134:LEU:HB2	2.02	0.41
1:A:83:LEU:HD23	1:A:133:ILE:HD13	2.02	0.41
1:A:343:LEU:O	1:A:346:THR:OG1	2.31	0.41
1:A:403:PRO:HB2	1:A:406:ARG:HB2	2.02	0.41
1:A:650:GLN:O	1:A:654:ILE:HG13	2.21	0.41
1:A:192:LYS:HD2	1:A:192:LYS:HA	1.89	0.40
1:A:198:MET:HE3	1:A:198:MET:HB3	1.99	0.40
1:A:265:LEU:HD22	1:A:265:LEU:HA	1.95	0.40
1:A:188:GLN:O	1:A:192:LYS:HG2	2.21	0.40
1:A:432:VAL:HG21	1:A:542:SER:HB2	2.01	0.40
1:A:867:PRO:HA	1:A:868:PRO:HD3	1.90	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	870/1032 (84%)	834 (96%)	33 (4%)	3 (0%)	36 71

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	54	LYS
1	A	57	PRO
1	A	505	SER

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	711/940 (76%)	672 (94%)	39 (6%)	19 42

All (39) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	48	GLU
1	A	62	ARG
1	A	102	ILE
1	A	153	ILE
1	A	173	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	189	VAL
1	A	192	LYS
1	A	265	LEU
1	A	279	TYR
1	A	290	THR
1	A	301	ASN
1	A	332	GLU
1	A	379	GLU
1	A	380	LEU
1	A	386	PHE
1	A	399	HIS
1	A	408	LEU
1	A	419	LEU
1	A	434	GLU
1	A	442	ARG
1	A	483	GLN
1	A	524	LEU
1	A	527	LEU
1	A	544	ILE
1	A	553	ARG
1	A	574	HIS
1	A	589	ILE
1	A	598	HIS
1	A	602	VAL
1	A	630	VAL
1	A	634	TYR
1	A	727	ASN
1	A	781	LEU
1	A	875	LEU
1	A	889	VAL
1	A	904	VAL
1	A	927	PHE
1	A	929	VAL
1	A	931	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	140	GLN
1	A	145	HIS
1	A	166	ASN
1	A	321	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	333	HIS
1	A	483	GLN
1	A	493	ASN
1	A	495	ASN
1	A	543	ASN
1	A	581	GLN
1	A	616	ASN
1	A	652	HIS
1	A	662	ASN
1	A	870	GLN
1	A	916	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	896/1032 (86%)	0.22	31 (3%) 47 38	27, 133, 293, 328	0

All (31) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	657	TYR	4.4
1	A	871	PHE	4.0
1	A	72	ASN	3.5
1	A	887	ARG	2.9
1	A	738	MET	2.9
1	A	545	MET	2.7
1	A	799	GLU	2.5
1	A	3	ALA	2.5
1	A	694	THR	2.4
1	A	874	VAL	2.4
1	A	784	VAL	2.3
1	A	752	LYS	2.3
1	A	744	LEU	2.3
1	A	614	ILE	2.3
1	A	755	THR	2.3
1	A	637	VAL	2.3
1	A	71	GLN	2.3
1	A	829	CYS	2.2
1	A	815	ILE	2.2
1	A	18	ASP	2.2
1	A	844	HIS	2.2
1	A	30	ASN	2.2
1	A	795	ALA	2.1
1	A	38	GLY	2.1
1	A	894	LEU	2.1
1	A	620	THR	2.1
1	A	634	TYR	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	872	LYS	2.1
1	A	833	MET	2.0
1	A	751	VAL	2.0
1	A	873	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.