



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 4, 2026 – 10:07 PM UTC

PDB ID : 4G8G / pdb_00004g8g
Title : Crystal Structure of C12C TCR-HA B2705-KK10
Authors : Gras, S.; Wilmann, P.G.; Rossjohn, J.
Deposited on : 2012-07-23
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Xtrriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4912 (2.40-2.40)
Clashscore	190562	5391 (2.40-2.40)
Ramachandran outliers	187476	5320 (2.40-2.40)
Sidechain outliers	187428	5321 (2.40-2.40)
RSRZ outliers	180081	4916 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	276	<div style="display: flex; align-items: center;"> <div style="width: 2%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 76%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 22%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 0%; height: 10px; background-color: orange; margin-right: 5px;"></div> <div style="width: 0%; height: 10px; background-color: grey;"></div> </div> <p style="text-align: center;">2% 76% 22%</p>
2	B	100	<div style="display: flex; align-items: center;"> <div style="width: 77%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 23%; height: 10px; background-color: yellow; margin-right: 5px;"></div> </div> <p style="text-align: center;">77% 23%</p>
3	C	10	<div style="display: flex; align-items: center;"> <div style="width: 60%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 40%; height: 10px; background-color: yellow; margin-right: 5px;"></div> </div> <p style="text-align: center;">60% 40%</p>
4	D	204	<div style="display: flex; align-items: center;"> <div style="width: 2%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 64%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 31%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 0%; height: 10px; background-color: orange; margin-right: 5px;"></div> <div style="width: 0%; height: 10px; background-color: grey;"></div> </div> <p style="text-align: center;">2% 64% 31%</p>
5	E	248	<div style="display: flex; align-items: center;"> <div style="width: 0%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 67%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 28%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 5%; height: 10px; background-color: orange; margin-right: 5px;"></div> </div> <p style="text-align: center;">0% 67% 28% 5%</p>

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 7129 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called HLA class I histocompatibility antigen, B-27 alpha chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	276	2267	1409	411	440	7	2	0	

- Molecule 2 is a protein called Beta-2-microglobulin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	100	846	538	142	162	4	3	1	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	0	MET	-	initiating methionine	UNP P61769

- Molecule 3 is a protein called P24.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
3	C	10	88	59	17	12	0	0	0

- Molecule 4 is a protein called alpha chain C12C TCR.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
4	D	204	1638	1026	269	332	11	4	2	0

- Molecule 5 is a protein called beta chain C12C TCR.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
5	E	248	1953	1225	341	378	9	4	1	0


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	122	Total 122	O 122	0	0
6	B	49	Total 49	O 49	0	0
6	C	6	Total 6	O 6	0	0
6	D	82	Total 82	O 82	0	0
6	E	78	Total 78	O 78	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: HLA class I histocompatibility antigen, B-27 alpha chain




- Molecule 2: Beta-2-microglobulin




- Molecule 3: P24



- Molecule 4: alpha chain C12C TCR



- Molecule 5: beta chain C12C TCR



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	56.68Å 70.32Å 107.77Å 90.00° 98.77° 90.00°	Depositor
Resolution (Å)	46.73 – 2.40 46.73 – 2.40	Depositor EDS
% Data completeness (in resolution range)	100.0 (46.73-2.40) 100.0 (46.73-2.40)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.23 (at 2.39Å)	Xtrriage
Refinement program	PHENIX 1.7.1_743	Depositor
R, R_{free}	0.178 , 0.257 0.174 , 0.251	Depositor DCC
R_{free} test set	1674 reflections (5.07%)	wwPDB-VP
Wilson B-factor (Å ²)	19.0	Xtrriage
Anisotropy	0.325	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 34.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	7129	wwPDB-VP
Average B, all atoms (Å ²)	22.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.53% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.52	0/2329	0.79	0/3167
2	B	0.47	0/869	0.78	0/1174
3	C	0.52	0/89	0.80	0/116
4	D	0.50	0/1673	0.79	0/2257
5	E	0.52	0/2004	0.91	8/2729 (0.3%)
All	All	0.51	0/6964	0.83	8/9443 (0.1%)

There are no bond length outliers.

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	E	257	ALA	N-CA-C	6.53	118.98	111.02
5	E	192	GLN	CA-C-N	5.74	125.59	119.28
5	E	192	GLN	C-N-CA	5.74	125.59	119.28
5	E	257	ALA	CA-C-N	5.67	131.91	121.70
5	E	257	ALA	C-N-CA	5.67	131.91	121.70
5	E	185	ASP	CA-C-N	5.27	124.45	118.97
5	E	185	ASP	C-N-CA	5.27	124.45	118.97
5	E	151	GLN	N-CA-C	-5.11	107.41	113.38

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2267	0	2120	51	0
2	B	846	0	808	12	0
3	C	88	0	104	6	0
4	D	1638	0	1541	61	0
5	E	1953	0	1852	80	0
6	A	122	0	0	3	0
6	B	49	0	0	0	0
6	C	6	0	0	1	0
6	D	82	0	0	4	0
6	E	78	0	0	0	0
All	All	7129	0	6425	197	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (197) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:E:259:GLY:CA	5:E:260:LEU:HB2	1.85	1.05
4:D:171:MET:HA	4:D:171:MET:HE2	1.36	1.04
5:E:257:ALA:N	5:E:258:SER:HB3	1.73	1.04
5:E:259:GLY:HA3	5:E:260:LEU:CB	1.87	1.03
1:A:6:ARG:HD2	1:A:98:MET:HE1	1.48	0.96
5:E:259:GLY:HA3	5:E:260:LEU:HB2	0.94	0.91
4:D:84:LEU:HD11	4:D:174:LYS:HD3	1.56	0.87
1:A:5:MET:HE1	3:C:1:LYS:N	1.89	0.86
5:E:216:PRO:HD3	5:E:255:ALA:HB2	1.58	0.86
4:D:89:MET:SD	4:D:111[A]:LYS:HG2	2.17	0.85
1:A:218[B]:GLN:HE22	1:A:223:ASP:HA	1.41	0.85
1:A:48:ARG:O	1:A:239:ARG:NH2	2.10	0.84
1:A:255:GLN:NE2	1:A:276:PRO:HG3	1.92	0.84
5:E:257:ALA:HB3	5:E:258:SER:HB2	1.60	0.83
1:A:275:GLU:HG2	6:A:315:HOH:O	1.78	0.81
1:A:5:MET:HE3	1:A:33:PHE:CZ	2.22	0.74
4:D:4:ILE:HD11	4:D:94:MET:HB3	1.68	0.74
1:A:35:ARG:HD3	1:A:48:ARG:NH2	2.02	0.73
4:D:171:MET:HA	4:D:171:MET:CE	2.17	0.73
4:D:132:LYS:O	4:D:134:SER:N	2.22	0.71
1:A:6:ARG:HD2	1:A:98:MET:CE	2.19	0.71
5:E:173:VAL:HG23	5:E:178:VAL:HG11	1.73	0.71
5:E:195:LEU:HD12	5:E:195:LEU:N	2.06	0.70
1:A:5:MET:HE3	1:A:33:PHE:HZ	1.54	0.70

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:218[B]:GLN:NE2	1:A:223:ASP:HA	2.07	0.69
2:B:98:ASP:O	2:B:99:MET:HG3	1.92	0.69
5:E:190:LYS:HG3	5:E:200:TYR:CE1	2.28	0.69
4:D:3:LYS:HB3	4:D:26:ASP:HB3	1.74	0.69
5:E:257:ALA:N	5:E:258:SER:CB	2.54	0.69
5:E:13:LEU:HD11	5:E:19:MET:HB3	1.75	0.69
1:A:111:ARG:HD2	6:A:304:HOH:O	1.92	0.68
5:E:192:GLN:HB3	5:E:195:LEU:HD13	1.73	0.68
1:A:163:GLU:OE2	3:C:1:LYS:HE2	1.95	0.67
1:A:217:TRP:O	1:A:224:GLN:HB2	1.95	0.67
5:E:191:GLU:HG3	5:E:199:ARG:O	1.94	0.66
1:A:5:MET:HE1	3:C:1:LYS:H3	1.57	0.66
1:A:111:ARG:CZ	1:A:128:GLU:HG2	2.26	0.66
4:D:183:ASN:OD1	4:D:183:ASN:N	2.24	0.66
5:E:14:LYS:HB2	5:E:129:LEU:HD11	1.77	0.66
4:D:34:LEU:HD21	4:D:94:MET:HE3	1.79	0.65
4:D:34:LEU:HD13	4:D:75:ALA:HB2	1.78	0.64
1:A:255:GLN:HB2	6:A:407:HOH:O	1.96	0.64
2:B:22:PHE:CE1	2:B:69:GLU:HG2	2.33	0.64
5:E:14:LYS:HB2	5:E:129:LEU:CD1	2.29	0.63
1:A:166:GLU:OE1	1:A:169:ARG:NH2	2.33	0.62
1:A:5:MET:CE	1:A:171:TYR:HE2	2.13	0.62
4:D:89:MET:HE1	4:D:109:GLY:HA3	1.82	0.61
1:A:5:MET:HE2	1:A:7:TYR:CE2	2.35	0.60
4:D:166:LEU:HD12	4:D:166:LEU:C	2.27	0.59
4:D:42:SER:OG	4:D:44:GLU:OE2	2.17	0.58
1:A:129:ASP:HB3	1:A:131:SER:H	1.68	0.58
4:D:45:MET:HE1	4:D:91:PHE:CD2	2.40	0.57
1:A:81:LEU:HD23	1:A:118:TYR:CD1	2.39	0.57
5:E:98:GLN:O	5:E:123:LEU:HD23	2.04	0.57
1:A:238:ASP:O	1:A:239:ARG:HB2	2.02	0.56
5:E:134:PRO:HD3	5:E:242:PRO:HB3	1.86	0.56
4:D:104:PHE:HZ	5:E:115:ALA:CB	2.19	0.56
1:A:117:ALA:HB2	2:B:60:TRP:CE2	2.40	0.56
5:E:25:GLN:HG2	5:E:27:MET:H	1.70	0.56
1:A:81:LEU:HD23	1:A:118:TYR:CG	2.41	0.56
5:E:10:PHE:HE1	5:E:122:ARG:HD3	1.71	0.56
5:E:128:ASP:OD2	5:E:130:ASN:HB3	2.06	0.56
4:D:159:TYR:O	4:D:180:ALA:HA	2.06	0.55
4:D:198:ILE:HD12	4:D:199:PRO:O	2.06	0.55
5:E:257:ALA:H	5:E:258:SER:HB3	1.67	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:E:256:ASP:C	5:E:258:SER:HB3	2.32	0.55
1:A:5:MET:CE	1:A:33:PHE:HZ	2.20	0.54
4:D:177:SER:OG	5:E:205:ARG:NE	2.39	0.54
4:D:45:MET:HE1	4:D:91:PHE:CE2	2.41	0.54
4:D:148:THR:HB	6:D:318:HOH:O	2.07	0.54
5:E:257:ALA:CA	5:E:258:SER:CB	2.86	0.53
1:A:262:GLN:HG2	1:A:269:PRO:HB3	1.90	0.53
5:E:61:ILE:N	5:E:61:ILE:HD12	2.23	0.53
4:D:38:LYS:HB2	4:D:48:LEU:HD11	1.90	0.52
5:E:122:ARG:NH2	5:E:165:ASP:OD2	2.42	0.52
1:A:5:MET:HE1	3:C:1:LYS:H2	1.69	0.52
4:D:34:LEU:HD23	4:D:94:MET:HB2	1.90	0.52
5:E:192:GLN:HB2	5:E:198:SER:HB2	1.92	0.52
5:E:195:LEU:HD12	5:E:195:LEU:H	1.73	0.51
5:E:18:SER:HA	5:E:91:LEU:O	2.10	0.51
4:D:153:SER:HB2	4:D:155:ASP:OD1	2.10	0.51
5:E:195:LEU:HB3	5:E:197[B]:ASP:OD2	2.10	0.51
4:D:173:PHE:CE2	5:E:152:LYS:HE2	2.45	0.51
1:A:6:ARG:CD	1:A:98:MET:HE1	2.30	0.50
5:E:24:ALA:HA	5:E:85:GLU:O	2.11	0.50
2:B:42:ASN:HA	2:B:77:GLU:HG3	1.94	0.50
1:A:5:MET:HE1	1:A:171:TYR:HE2	1.77	0.50
2:B:22:PHE:CZ	2:B:69:GLU:HG2	2.47	0.50
5:E:68:GLN:HB3	5:E:72:PRO:HG3	1.94	0.50
5:E:256:ASP:HB3	5:E:258:SER:HB3	1.94	0.50
1:A:57:PRO:HD2	1:A:58:GLU:OE1	2.12	0.49
5:E:126:VAL:CG2	5:E:129:LEU:HD12	2.42	0.49
5:E:190:LYS:HD2	5:E:193:PRO:HA	1.92	0.49
1:A:45:GLU:OE1	1:A:67:CYS:SG	2.67	0.49
1:A:224:GLN:NE2	1:A:224:GLN:HA	2.27	0.49
4:D:25:TYR:CD1	4:D:94:MET:HE1	2.48	0.49
5:E:142:PRO:HD3	5:E:155:LEU:HG	1.93	0.49
5:E:195:LEU:C	5:E:197[A]:ASP:H	2.20	0.49
4:D:166:LEU:HD12	4:D:166:LEU:O	2.12	0.49
4:D:173:PHE:CD2	5:E:152:LYS:HE2	2.48	0.49
3:C:7:GLY:HA2	6:C:106:HOH:O	2.13	0.49
4:D:89:MET:CE	4:D:109:GLY:HA3	2.43	0.49
4:D:141:PHE:HB2	4:D:193:PHE:CE1	2.48	0.48
5:E:53:ILE:HG23	5:E:71:VAL:O	2.13	0.48
4:D:166:LEU:HB3	5:E:183:CYS:HB2	1.95	0.48
5:E:195:LEU:N	5:E:195:LEU:CD1	2.74	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:D:16:LYS:O	4:D:81:ALA:HA	2.14	0.47
2:B:25:CYS:HB2	2:B:39:LEU:HD21	1.96	0.47
5:E:215:ASP:OD1	5:E:217:ARG:HB2	2.13	0.47
5:E:257:ALA:CB	5:E:258:SER:HB2	2.39	0.47
5:E:235:TRP:CZ2	5:E:242:PRO:HD3	2.50	0.47
5:E:150:THR:O	5:E:151:GLN:HB2	2.14	0.47
4:D:98:ARG:CZ	4:D:98:ARG:HB2	2.43	0.47
5:E:59:ALA:HB2	5:E:84:THR:HG23	1.96	0.47
2:B:23:LEU:O	2:B:67:TYR:HA	2.14	0.47
5:E:59:ALA:HA	5:E:80:ARG:HG3	1.97	0.47
5:E:155:LEU:HD12	5:E:155:LEU:N	2.29	0.47
5:E:71:VAL:O	5:E:71:VAL:HG23	2.15	0.47
4:D:127:GLN:C	4:D:128:LEU:HD12	2.40	0.46
1:A:49:ALA:O	1:A:52:ILE:HG22	2.16	0.46
5:E:185:ASP:HB2	5:E:202:LEU:CD1	2.45	0.46
1:A:6:ARG:NH2	1:A:113:TYR:CE2	2.84	0.46
1:A:106:ASP:OD2	1:A:108:ARG:HB2	2.15	0.46
4:D:73:LYS:HG2	6:D:309:HOH:O	2.14	0.46
5:E:175:GLY:O	5:E:176:LYS:HD3	2.16	0.46
2:B:51:HIS:HA	2:B:65:LEU:O	2.16	0.45
4:D:36:TRP:HB2	4:D:49:ILE:HG22	1.98	0.45
4:D:89:MET:HE1	4:D:109:GLY:C	2.40	0.45
4:D:157:ASP:CB	4:D:184:LYS:HE3	2.47	0.45
4:D:34:LEU:HD13	4:D:75:ALA:CB	2.46	0.45
3:C:3:TRP:CZ2	3:C:5:ILE:HG12	2.51	0.45
4:D:34:LEU:CD2	4:D:94:MET:HE3	2.46	0.45
5:E:147:ILE:HD11	5:E:213:TRP:CD1	2.52	0.45
5:E:164:PRO:HG2	5:E:166:HIS:CG	2.52	0.45
5:E:231:GLU:O	5:E:241:LYS:NZ	2.50	0.45
4:D:89:MET:HE1	4:D:109:GLY:CA	2.46	0.45
5:E:4:VAL:HG13	5:E:118:GLY:HA2	1.99	0.44
4:D:7:THR:O	4:D:9:PRO:HD3	2.18	0.44
4:D:15:GLU:O	4:D:16:LYS:HB2	2.17	0.44
4:D:36:TRP:CE2	4:D:77:LEU:HB2	2.52	0.44
4:D:126:TYR:CE1	5:E:146:GLU:HA	2.53	0.44
5:E:42:TYR:CZ	5:E:52:LEU:HD13	2.53	0.44
5:E:173:VAL:CG2	5:E:178:VAL:HG11	2.45	0.44
1:A:137:ASP:O	1:A:141:GLN:HG3	2.17	0.44
5:E:169:LEU:C	5:E:169:LEU:HD23	2.42	0.44
1:A:225:THR:C	1:A:227:ASP:H	2.25	0.44
4:D:27:THR:HG21	4:D:32:TYR:CD2	2.52	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:D:111[A]:LYS:HG3	6:D:340:HOH:O	2.16	0.43
5:E:185:ASP:HA	5:E:186:PRO:HD3	1.86	0.43
1:A:35:ARG:CD	1:A:48:ARG:NH2	2.79	0.43
4:D:67:ASN:ND2	6:D:366:HOH:O	2.50	0.43
1:A:5:MET:O	1:A:100:GLY:HA3	2.18	0.43
4:D:165:VAL:HG22	4:D:176:ASN:OD1	2.18	0.43
1:A:97:ASN:HB2	1:A:116:ASP:OD1	2.19	0.43
1:A:78:LEU:HG	1:A:95:LEU:HD23	2.01	0.42
4:D:17:GLU:OE1	4:D:17:GLU:HA	2.19	0.42
5:E:169:LEU:HD23	5:E:170:SER:N	2.33	0.42
5:E:131:LYS:HD2	5:E:197[A]:ASP:OD2	2.19	0.42
5:E:142:PRO:HD2	5:E:213:TRP:CZ2	2.54	0.42
5:E:126:VAL:HG23	5:E:129:LEU:HD12	2.01	0.42
1:A:253:GLU:OE2	1:A:256:ARG:NH2	2.52	0.42
1:A:209:TYR:C	1:A:209:TYR:CD2	2.98	0.42
5:E:59:ALA:HA	5:E:80:ARG:CG	2.49	0.42
4:D:100:ASN:O	4:D:101:PHE:HB2	2.20	0.42
2:B:5:PRO:CA	2:B:30:PHE:HB3	2.50	0.42
2:B:51:HIS:HB3	2:B:66:TYR:CD1	2.55	0.42
5:E:14:LYS:O	5:E:15:THR:C	2.62	0.42
5:E:185:ASP:HB2	5:E:202:LEU:HD12	2.01	0.42
5:E:216:PRO:HA	5:E:253:GLY:O	2.19	0.42
5:E:260:LEU:HD12	5:E:260:LEU:HA	1.78	0.42
1:A:88:SER:C	1:A:90:ALA:H	2.28	0.41
1:A:249:VAL:HB	1:A:257:TYR:CE2	2.54	0.41
4:D:69:GLN:HB3	4:D:72:ARG:HB2	2.01	0.41
4:D:172:ASP:O	4:D:172:ASP:CG	2.62	0.41
4:D:84:LEU:HD11	4:D:174:LYS:CD	2.39	0.41
4:D:87:SER:HA	4:D:112:LEU:O	2.19	0.41
1:A:126:LEU:HD21	1:A:130:LEU:HA	2.02	0.41
4:D:128:LEU:HD12	4:D:128:LEU:N	2.36	0.41
5:E:91:LEU:N	5:E:91:LEU:HD12	2.36	0.41
5:E:166:HIS:CD2	5:E:166:HIS:N	2.89	0.41
1:A:19:GLU:HB2	1:A:75:ARG:NH2	2.36	0.41
2:B:29:GLY:HA2	2:B:61:SER:OG	2.20	0.41
4:D:37:TYR:OH	5:E:115:ALA:HB3	2.20	0.41
5:E:128:ASP:O	5:E:131:LYS:HG2	2.21	0.41
5:E:19:MET:HE3	5:E:19:MET:HB2	1.89	0.41
5:E:195:LEU:H	5:E:195:LEU:CD1	2.33	0.41
1:A:225:THR:C	1:A:227:ASP:N	2.79	0.41
2:B:59:ASP:O	2:B:60:TRP:HB2	2.21	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:D:104:PHE:HB3	4:D:106:PHE:CE2	2.55	0.40
1:A:114:HIS:CB	1:A:156:LEU:HD21	2.51	0.40
4:D:116:PRO:HD3	4:D:165:VAL:HG21	2.03	0.40
5:E:150:THR:C	5:E:152:LYS:N	2.78	0.40
4:D:44:GLU:H	4:D:44:GLU:CD	2.28	0.40
4:D:104:PHE:CZ	5:E:115:ALA:HB1	2.56	0.40
4:D:132:LYS:C	4:D:134:SER:N	2.79	0.40
5:E:41:TRP:CH2	5:E:104:CYS:HB2	2.56	0.40
1:A:95:LEU:HD13	1:A:95:LEU:HA	1.95	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	276/276 (100%)	262 (95%)	12 (4%)	2 (1%)	18	28
2	B	99/100 (99%)	95 (96%)	4 (4%)	0	100	100
3	C	8/10 (80%)	8 (100%)	0	0	100	100
4	D	204/204 (100%)	194 (95%)	8 (4%)	2 (1%)	12	20
5	E	247/248 (100%)	237 (96%)	7 (3%)	3 (1%)	10	16
All	All	834/838 (100%)	796 (95%)	31 (4%)	7 (1%)	16	25

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
4	D	133	SER
5	E	165	ASP
5	E	258	SER
5	E	260	LEU
1	A	129	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	D	184	LYS
1	A	42	SER

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	237/235 (101%)	229 (97%)	8 (3%)	32	54
2	B	96/95 (101%)	92 (96%)	4 (4%)	26	45
3	C	9/9 (100%)	9 (100%)	0	100	100
4	D	185/183 (101%)	171 (92%)	14 (8%)	12	21
5	E	212/211 (100%)	201 (95%)	11 (5%)	21	36
All	All	739/733 (101%)	702 (95%)	37 (5%)	22	38

All (37) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	35	ARG
1	A	95	LEU
1	A	98	MET
1	A	138	THR
1	A	169	ARG
1	A	268	LYS
1	A	270	LEU
1	A	272	LEU
2	B	4	THR
2	B	40	LEU
2	B	47	GLU
2	B	70	PHE
4	D	21	LEU
4	D	41	SER
4	D	44	GLU
4	D	69	GLN
4	D	94	MET

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	D	100	ASN
4	D	112	LEU
4	D	129	ARG
4	D	138	VAL
4	D	148	THR
4	D	157	ASP
4	D	182	SER
4	D	183	ASN
4	D	195	ASN
5	E	25	GLN
5	E	67	ASP
5	E	165	ASP
5	E	178	VAL
5	E	187	GLN
5	E	189	LEU
5	E	195	LEU
5	E	198	SER
5	E	205	ARG
5	E	217	ARG
5	E	256	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	86	ASN
1	A	155	GLN
1	A	180	GLN
4	D	67	ASN
4	D	69	GLN
5	E	237	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	276/276 (100%)	-0.52	4 (1%) 73 69	5, 17, 38, 58	19 (6%)
2	B	100/100 (100%)	-0.51	0 100 100	8, 19, 43, 51	7 (7%)
3	C	10/10 (100%)	-0.70	0 100 100	10, 12, 16, 18	1 (10%)
4	D	204/204 (100%)	-0.22	4 (1%) 65 60	8, 20, 52, 67	11 (5%)
5	E	248/248 (100%)	-0.38	3 (1%) 76 73	8, 20, 43, 60	11 (4%)
All	All	838/838 (100%)	-0.41	11 (1%) 75 71	5, 19, 46, 67	49 (5%)

All (11) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	11[A]	SER	3.2
4	D	133	SER	2.9
5	E	259	GLY	2.7
1	A	276	PRO	2.3
1	A	197	HIS	2.3
5	E	188	PRO	2.3
1	A	226	GLN	2.3
4	D	152	GLN	2.3
4	D	183	ASN	2.1
5	E	196	ASN	2.1
4	D	72	ARG	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands

There are no ligands in this entry.

6.5 Other polymers

There are no such residues in this entry.