



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 24, 2025 – 02:24 pm BST

PDB ID : 5ADW / pdb_00005adw
Title : The Periplasmic Binding Protein CeuE of Campylobacter jejuni preferentially binds the iron(III) complex of the Linear Dimer Component of Enterobactin
Authors : Raines, D.J.; Moroz, O.V.; Turkenburg, J.P.; Wilson, K.S.; Duhme-Klair, A.K.
Deposited on : 2015-08-24
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0rc1
Mogul : 1.8.4, CSD as541be (2020)
Xtrriage (Phenix) : 2.0rc1
EDS : 3.0
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.003 (Gargrove)
Density-Fitness : 1.0.11
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.44


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	7293 (1.90-1.90)
Clashscore	180529	8090 (1.90-1.90)
Ramachandran outliers	177936	8022 (1.90-1.90)
Sidechain outliers	177891	8022 (1.90-1.90)
RSRZ outliers	164620	7292 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	287	 3% 86% 12% .
1	B	287	 26% 83% 15% .
1	C	287	 6% 84% 14% ..

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	DMS	C	1311	-	-	X	-

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 6792 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called ENTEROCHELIN UPTAKE PERIPLASMIC BINDING PROTEIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	287	Total 2180	C 1408	N 355	O 415	S 2	0	0	0
1	B	287	Total 2197	C 1414	N 361	O 420	S 2	0	0	0
1	C	287	Total 2204	C 1419	N 359	O 424	S 2	0	0	0

- Molecule 2 is FE (III) ION (CCD ID: FE) (formula: Fe).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total 1	Fe 1	0	0
2	B	1	Total 1	Fe 1	0	0
2	C	1	Total 1	Fe 1	0	0

- Molecule 3 is 2S-2-[(2,3-DIHYDROXYPHENYL)CARBONYLAMINO]-3-[(2S)-2-[(2,3-DIHYDROXYPHENYL)CARBONYLAMINO]-3-HYDROXY-PROPANOYL]OXY-PROPANOIC ACID (CCD ID: EHS) (formula: C₂₀H₂₀N₂O₁₁).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
3	A	1	33	20	2	11	0	0
3	B	1	33	20	2	11	0	0

- Molecule 4 is DIMETHYL SULFOXIDE (CCD ID: DMS) (formula: C₂H₆OS).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	O	S		
4	A	1	4	2	1	1	0	0
4	A	1	4	2	1	1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	C	1	Total	C	O	S	0	0
			4	2	1	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	59	Total	O	0	0
			59	59		
5	B	33	Total	O	0	0
			33	33		
5	C	38	Total	O	0	0
			38	38		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: ENTEROCHELIN UPTAKE PERIPLASMIC BINDING PROTEIN



- Molecule 1: ENTEROCHELIN UPTAKE PERIPLASMIC BINDING PROTEIN



- Molecule 1: ENTEROCHELIN UPTAKE PERIPLASMIC BINDING PROTEIN



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	58.46Å 63.02Å 67.01Å 83.36° 76.57° 78.24°	Depositor
Resolution (Å)	65.01 – 1.90 65.01 – 1.90	Depositor EDS
% Data completeness (in resolution range)	97.8 (65.01-1.90) 97.8 (65.01-1.90)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.20 (at 1.89Å)	Xtrriage
Refinement program	REFMAC 5.8.0049	Depositor
R, R_{free}	0.225 , 0.264 0.231 , 0.267	Depositor DCC
R_{free} test set	3495 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å ²)	34.9	Xtrriage
Anisotropy	0.034	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 24.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	6792	wwPDB-VP
Average B, all atoms (Å ²)	42.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.53% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: EHS, FE, DMS

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.09	3/2213 (0.1%)	1.07	4/2997 (0.1%)
1	B	1.03	2/2230 (0.1%)	1.06	3/3014 (0.1%)
1	C	1.06	2/2237 (0.1%)	1.11	6/3024 (0.2%)
All	All	1.06	7/6680 (0.1%)	1.08	13/9035 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	208	ILE	CA-CB	6.12	1.61	1.54
1	C	46	ILE	N-CA	5.99	1.51	1.46
1	B	109	LYS	CA-CB	5.78	1.56	1.52
1	A	240	ASN	C-O	5.69	1.26	1.23
1	C	258	ARG	CZ-NH2	-5.34	1.26	1.33
1	B	99	GLN	CA-C	5.24	1.59	1.53
1	A	110	PRO	CA-C	-5.03	1.46	1.52

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	31	GLU	N-CA-C	10.38	122.66	110.41
1	B	129	ILE	N-CA-CB	7.33	126.18	111.24
1	C	74	VAL	CB-CA-C	-7.27	102.94	110.93

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	258	ARG	NE-CZ-NH2	-6.36	113.48	119.20
1	C	31	GLU	N-CA-C	-6.32	97.35	110.80
1	A	74	VAL	CB-CA-C	-6.13	104.19	110.93
1	C	226	THR	N-CA-C	-5.97	98.08	110.80
1	C	26	ILE	N-CA-C	-5.82	100.02	108.87
1	A	258	ARG	NE-CZ-NH1	5.69	127.19	121.50
1	A	258	ARG	NE-CZ-NH2	-5.68	114.08	119.20
1	B	26	ILE	CB-CA-C	-5.49	102.44	110.62
1	C	109	LYS	CA-C-O	5.32	124.58	120.48
1	B	111	ASP	CB-CA-C	-5.03	100.07	109.72

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	31	GLU	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2180	0	2201	26	0
1	B	2197	0	2235	32	0
1	C	2204	0	2247	30	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
3	A	33	0	0	0	0
3	B	33	0	0	1	0
4	A	8	0	12	1	0
4	C	4	0	6	6	0
5	A	59	0	0	0	0
5	B	33	0	0	0	0
5	C	38	0	0	0	0
All	All	6792	0	6701	85	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including

hydrogen atoms). The all-atom clashscore for this structure is 6.

All (85) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:106:ASN:OD1	1:B:129:ILE:HD12	1.67	0.94
1:A:26:ILE:H	1:A:148:ASN:HD21	1.20	0.85
1:C:24:LEU:HD13	4:C:1311:DMS:S	2.17	0.85
1:C:134:PHE:HE2	4:C:1311:DMS:H22	1.42	0.83
1:C:30:ASP:OD1	1:C:31:GLU:O	1.99	0.81
1:C:118:ARG:NH2	1:C:288:TYR:O	2.15	0.79
1:C:26:ILE:H	1:C:148:ASN:HD21	1.30	0.76
1:C:249:ARG:NH1	1:C:253:LEU:HD11	2.07	0.70
1:B:271:THR:HG23	1:B:274:ALA:H	1.57	0.69
1:B:194:SER:H	1:B:250:ASN:HD21	1.39	0.69
1:A:268:VAL:O	1:A:271:THR:HG22	1.93	0.69
1:B:135:VAL:HG12	1:B:135:VAL:O	1.92	0.68
1:B:268:VAL:O	1:B:271:THR:HG22	1.94	0.68
1:C:271:THR:HG23	1:C:274:ALA:H	1.58	0.68
1:B:60:ILE:HG12	1:B:135:VAL:HG11	1.77	0.66
1:B:166:LYS:O	1:B:169:ASP:OD1	2.13	0.65
1:C:268:VAL:O	1:C:271:THR:HG22	1.96	0.65
1:C:70:ASN:HD22	1:C:70:ASN:H	1.45	0.65
1:B:135:VAL:HG13	1:B:149:ASN:CG	2.24	0.62
1:B:52:LYS:HB2	1:B:111:ASP:OD1	2.00	0.62
1:C:226:THR:HG23	1:C:227:HIS:H	1.65	0.62
1:A:271:THR:HG23	1:A:274:ALA:H	1.63	0.61
1:B:106:ASN:OD1	1:B:129:ILE:CD1	2.47	0.61
1:B:194:SER:N	1:B:250:ASN:HD21	1.97	0.61
1:A:249:ARG:NH1	1:A:253:LEU:HD11	2.16	0.61
1:C:24:LEU:CD1	4:C:1311:DMS:S	2.89	0.60
1:C:134:PHE:CE2	4:C:1311:DMS:H22	2.31	0.60
1:B:250:ASN:HD22	1:B:255:ASN:HD22	1.50	0.59
1:A:257:GLU:O	1:A:258:ARG:HD3	2.02	0.59
1:C:250:ASN:HD22	1:C:255:ASN:HD22	1.48	0.59
1:C:24:LEU:HD13	4:C:1311:DMS:C2	2.33	0.58
1:B:129:ILE:CG1	1:B:129:ILE:O	2.54	0.56
1:C:194:SER:H	1:C:250:ASN:HD21	1.51	0.56
1:A:70:ASN:H	1:A:70:ASN:HD22	1.54	0.56
1:C:194:SER:N	1:C:250:ASN:HD21	2.03	0.56
1:B:106:ASN:HA	1:B:129:ILE:HD13	1.90	0.54
1:A:257:GLU:OE1	1:A:257:GLU:N	2.36	0.54
1:A:89:LYS:HE2	1:C:90:ASN:O	2.08	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:70:ASN:H	1:B:70:ASN:HD22	1.55	0.54
1:A:194:SER:OG	1:A:195:ASN:N	2.40	0.54
1:A:97:VAL:HG13	1:A:119:GLN:HE22	1.73	0.54
1:B:26:ILE:H	1:B:148:ASN:HD21	1.57	0.53
1:B:235:PHE:HA	1:B:238:GLU:HG2	1.90	0.53
1:C:26:ILE:H	1:C:148:ASN:ND2	2.04	0.52
1:A:89:LYS:NZ	1:C:90:ASN:O	2.42	0.52
1:B:129:ILE:O	1:B:129:ILE:HG12	2.09	0.52
1:C:249:ARG:CZ	1:C:253:LEU:HD11	2.41	0.51
1:B:135:VAL:HG12	1:B:293:ASN:ND2	2.26	0.51
1:A:208:ILE:HD12	1:A:208:ILE:H	1.76	0.51
1:B:213:LEU:HD21	1:B:302:ILE:HD12	1.93	0.50
1:A:180:ILE:C	1:A:180:ILE:HD12	2.37	0.49
1:C:250:ASN:ND2	1:C:255:ASN:HD22	2.10	0.49
1:A:106:ASN:ND2	1:A:129:ILE:HG12	2.27	0.48
1:B:27:SER:HB2	1:C:121:LYS:HE3	1.95	0.47
1:B:194:SER:OG	1:B:195:ASN:N	2.48	0.47
1:B:194:SER:H	1:B:250:ASN:ND2	2.11	0.46
1:A:97:VAL:HG13	1:A:119:GLN:NE2	2.30	0.46
1:A:30:ASP:OD1	1:A:32:GLY:HA2	2.16	0.46
1:A:26:ILE:H	1:A:148:ASN:ND2	2.00	0.46
1:A:97:VAL:HG12	1:A:118:ARG:HD2	1.97	0.46
1:B:250:ASN:ND2	1:B:255:ASN:HD22	2.14	0.46
1:B:58:LEU:HD12	1:B:289:LEU:HB3	1.97	0.45
1:C:28:MET:HE3	1:C:155:LYS:CE	2.47	0.45
1:A:89:LYS:CE	1:C:90:ASN:O	2.64	0.44
1:C:40:SER:OG	4:C:1311:DMS:C2	2.65	0.44
3:B:312:EHS:O8	3:B:312:EHS:N11	2.50	0.44
1:C:185:LYS:HD2	1:C:243:TYR:OH	2.18	0.44
1:A:97:VAL:CG1	1:A:119:GLN:NE2	2.82	0.43
1:A:292:GLY:H	4:A:1311:DMS:H22	1.84	0.43
1:B:135:VAL:HG13	1:B:149:ASN:ND2	2.33	0.43
1:A:185:LYS:HD2	1:A:243:TYR:OH	2.19	0.43
1:A:55:ILE:O	1:A:77:PRO:HD3	2.19	0.42
1:C:255:ASN:O	1:C:258:ARG:NH2	2.51	0.42
1:B:235:PHE:O	1:B:238:GLU:HG2	2.20	0.42
1:B:58:LEU:CD1	1:B:289:LEU:HD13	2.49	0.42
1:B:25:PRO:O	1:B:39:ASP:HA	2.20	0.41
1:B:135:VAL:O	1:B:135:VAL:CG1	2.64	0.41
1:A:97:VAL:CG1	1:A:118:ARG:HD2	2.50	0.41
1:A:142:PHE:CD1	1:A:142:PHE:C	2.98	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:185:LYS:HD2	1:B:243:TYR:OH	2.20	0.41
1:A:97:VAL:CG1	1:A:119:GLN:HE22	2.32	0.41
1:B:55:ILE:O	1:B:77:PRO:HD3	2.21	0.41
1:C:28:MET:HE3	1:C:155:LYS:HE2	2.01	0.40
1:C:41:LEU:HD11	1:C:120:SER:OG	2.22	0.40
1:C:80:ASN:HD22	1:C:97:VAL:H	1.69	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	285/287 (99%)	276 (97%)	9 (3%)	0	100	100
1	B	285/287 (99%)	275 (96%)	9 (3%)	1 (0%)	30	22
1	C	285/287 (99%)	274 (96%)	10 (4%)	1 (0%)	30	22
All	All	855/861 (99%)	825 (96%)	28 (3%)	2 (0%)	44	36

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	25	PRO
1	C	226	THR

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	231/250 (92%)	222 (96%)	9 (4%)	27	20
1	B	237/250 (95%)	220 (93%)	17 (7%)	12	5
1	C	240/250 (96%)	225 (94%)	15 (6%)	15	7
All	All	708/750 (94%)	667 (94%)	41 (6%)	17	9

All (41) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	34	SER
1	A	36	LEU
1	A	60	ILE
1	A	70	ASN
1	A	120	SER
1	A	159	LEU
1	A	179	SER
1	A	191	LEU
1	A	257	GLU
1	B	31	GLU
1	B	34	SER
1	B	36	LEU
1	B	40	SER
1	B	60	ILE
1	B	71	ASP
1	B	98	GLN
1	B	111	ASP
1	B	159	LEU
1	B	161	LYS
1	B	180	ILE
1	B	191	LEU
1	B	194	SER
1	B	208	ILE
1	B	224	VAL
1	B	257	GLU
1	B	258	ARG
1	C	24	LEU
1	C	34	SER
1	C	60	ILE
1	C	70	ASN
1	C	81	LEU
1	C	116	SER
1	C	125	LYS
1	C	159	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	161	LYS
1	C	180	ILE
1	C	196	LYS
1	C	208	ILE
1	C	257	GLU
1	C	258	ARG
1	C	270	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	70	ASN
1	A	106	ASN
1	A	148	ASN
1	A	276	ASN
1	B	70	ASN
1	B	148	ASN
1	B	149	ASN
1	B	250	ASN
1	B	276	ASN
1	C	70	ASN
1	C	80	ASN
1	C	86	GLN
1	C	106	ASN
1	C	148	ASN
1	C	250	ASN
1	C	276	ASN
1	C	307	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry

Of 8 ligands modelled in this entry, 3 are monoatomic - leaving 5 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	DMS	C	1311	-	3,3,3	0.53	0	3,3,3	1.36	1 (33%)
3	EHS	A	312	2	34,34,34	1.47	3 (8%)	46,47,47	1.75	10 (21%)
4	DMS	A	1311	-	3,3,3	0.60	0	3,3,3	1.25	0
3	EHS	B	312	2	34,34,34	1.49	2 (5%)	46,47,47	1.70	12 (26%)
4	DMS	A	1312	-	3,3,3	0.46	0	3,3,3	0.79	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	EHS	B	312	2	-	4/31/31/31	0/2/2/2
3	EHS	A	312	2	-	6/31/31/31	0/2/2/2

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	312	EHS	O19-C18	7.13	1.48	1.33
3	A	312	EHS	O19-C18	6.47	1.46	1.33
3	A	312	EHS	C31-C32	-2.35	1.37	1.40
3	B	312	EHS	C27-C25	2.35	1.55	1.50
3	A	312	EHS	C2-C1	-2.02	1.37	1.40

All (23) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	312	EHS	C6-C1-C2	-5.06	116.78	119.99
3	B	312	EHS	O19-C18-C12	4.90	123.50	111.59
3	B	312	EHS	C27-C32-C31	4.52	122.85	119.99

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	312	EHS	C5-C6-C1	3.75	122.42	118.74
3	A	312	EHS	C21-O19-C18	3.51	123.75	116.84
3	A	312	EHS	O19-C18-C12	3.09	119.10	111.59
3	A	312	EHS	O8-C1-C6	2.83	126.09	121.07
3	B	312	EHS	C21-O19-C18	2.82	122.40	116.84
3	A	312	EHS	C27-C32-C31	-2.81	118.21	119.99
3	B	312	EHS	O11-C7-C22	2.77	122.61	113.40
3	B	312	EHS	C21-C22-N23	-2.73	105.06	111.40
3	A	312	EHS	C21-C22-N23	-2.70	105.11	111.40
3	A	312	EHS	C7-C22-N23	2.64	116.81	110.55
3	A	312	EHS	C28-C27-C32	2.57	121.26	118.74
3	B	312	EHS	O20-C18-C12	-2.37	116.85	123.92
3	B	312	EHS	O19-C18-O20	-2.37	119.64	124.13
3	B	312	EHS	C22-N23-C25	2.22	127.03	121.60
3	A	312	EHS	C3-C2-C1	2.19	122.30	120.06
3	B	312	EHS	O11-C7-O9	-2.09	119.34	124.09
3	B	312	EHS	O37-C32-C31	-2.07	113.98	119.50
3	B	312	EHS	C5-C6-C1	2.07	120.77	118.74
4	C	1311	DMS	O-S-C1	2.05	117.02	106.54
3	B	312	EHS	O10-C9-C6	-2.00	117.36	121.01

There are no chirality outliers.

All (10) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	312	EHS	C12-C18-O19-C21
3	B	312	EHS	C18-C12-C14-O15
3	B	312	EHS	N11-C12-C14-O15
3	A	312	EHS	O20-C18-O19-C21
3	B	312	EHS	O20-C18-O19-C21
3	B	312	EHS	C12-C18-O19-C21
3	A	312	EHS	O26-C25-C27-C32
3	A	312	EHS	N11-C12-C18-O20
3	A	312	EHS	N23-C25-C27-C32
3	A	312	EHS	N11-C12-C18-O19

There are no ring outliers.

3 monomers are involved in 8 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	C	1311	DMS	6	0


Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	1311	DMS	1	0
3	B	312	EHS	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	287/287 (100%)	0.19	8 (2%) 55 57	23, 36, 59, 85	4 (1%)
1	B	287/287 (100%)	1.25	75 (26%) 2 1	27, 46, 74, 106	11 (3%)
1	C	287/287 (100%)	0.41	18 (6%) 27 28	24, 38, 66, 91	12 (4%)
All	All	861/861 (100%)	0.61	101 (11%) 10 11	23, 39, 67, 106	27 (3%)

All (101) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	24	LEU	6.1
1	C	24	LEU	5.5
1	B	129	ILE	5.3
1	B	46	ILE	5.2
1	B	25	PRO	5.1
1	A	24	LEU	4.5
1	B	41	LEU	4.2
1	B	26	ILE	4.2
1	B	38	LYS	4.2
1	B	150	VAL	4.0
1	A	253	LEU	4.0
1	B	37	VAL	3.8
1	C	222	ILE	3.8
1	B	163	ALA	3.6
1	B	50	PRO	3.6
1	B	135	VAL	3.6
1	C	224	VAL	3.6
1	B	134	PHE	3.6
1	B	153	VAL	3.5
1	C	227	HIS	3.5
1	C	226	THR	3.5
1	B	102	PHE	3.4
1	B	133	LEU	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	122	PHE	3.4
1	C	228	GLY	3.4
1	B	114	ILE	3.3
1	B	27	SER	3.3
1	B	64	PHE	3.2
1	B	45	LYS	3.2
1	B	99	GLN	3.2
1	B	107	ALA	3.2
1	B	103	GLU	3.1
1	B	253	LEU	3.1
1	B	162	GLU	3.1
1	B	151	LEU	3.0
1	B	73	VAL	3.0
1	B	113	ILE	3.0
1	B	36	LEU	2.9
1	A	254	GLY	2.9
1	B	96	GLY	2.9
1	B	56	LEU	2.9
1	B	155	LYS	2.9
1	B	132	THR	2.8
1	B	167	ILE	2.8
1	B	166	LYS	2.8
1	B	67	LEU	2.8
1	B	28	MET	2.8
1	B	122	PHE	2.8
1	B	149	ASN	2.8
1	C	98	GLN	2.8
1	B	157	TYR	2.8
1	B	125	LYS	2.8
1	C	97	VAL	2.7
1	C	78	ALA	2.7
1	B	136	GLY	2.7
1	B	77	PRO	2.7
1	B	126	LEU	2.7
1	C	121	LYS	2.7
1	B	90	ASN	2.6
1	B	47	PRO	2.6
1	B	159	LEU	2.6
1	C	96	GLY	2.6
1	B	52	LYS	2.6
1	B	112	LEU	2.6
1	A	225	GLY	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	227	HIS	2.5
1	B	69	LEU	2.5
1	B	252	ILE	2.5
1	B	121	LYS	2.5
1	B	143	LEU	2.4
1	C	235	PHE	2.4
1	C	225	GLY	2.4
1	B	74	VAL	2.4
1	B	35	PHE	2.4
1	B	48	LYS	2.3
1	B	119	GLN	2.3
1	B	110	PRO	2.3
1	B	148	ASN	2.3
1	B	51	SER	2.3
1	B	116	SER	2.3
1	B	152	SER	2.3
1	A	224	VAL	2.2
1	C	80	ASN	2.2
1	B	29	SER	2.2
1	B	169	ASP	2.2
1	B	42	GLY	2.2
1	B	55	ILE	2.2
1	A	255	ASN	2.1
1	B	106	ASN	2.1
1	C	81	LEU	2.1
1	A	208	ILE	2.1
1	B	108	LEU	2.1
1	B	164	LEU	2.1
1	B	131	PRO	2.1
1	B	60	ILE	2.1
1	B	40	SER	2.1
1	B	139	ASN	2.1
1	C	100	VAL	2.1
1	B	295	LEU	2.1
1	C	102	PHE	2.1
1	B	115	ILE	2.1

6.2 Non-standard residues in protein, DNA, RNA chains

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
4	DMS	A	1312	4/4	0.80	0.19	69,71,74,75	0
4	DMS	A	1311	4/4	0.85	0.21	45,64,68,71	0
3	EHS	A	312	33/33	0.87	0.11	35,61,77,90	0
3	EHS	B	312	33/33	0.87	0.11	31,54,60,64	0
4	DMS	C	1311	4/4	0.88	0.16	62,71,72,77	0
2	FE	C	311	1/1	0.91	0.17	38,38,38,38	1
2	FE	A	311	1/1	0.99	0.03	41,41,41,41	0
2	FE	B	311	1/1	1.00	0.03	39,39,39,39	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around EHS A 312:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.