Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 11:47 AM UTC

PDB ID	:	5I6V / pdb_00005i6v
Title	:	Structure of F285S, a Cancer-Associated Mutation of the Oncogenic Phosphatase SHP2
Authors	:	Xu, X.; Blacklow, S.C.
Deposited on	:	2016-02-16
Resolution	:	1.87 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references ⓘ) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 1.87 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1220 (1.88-1.88)
Clashscore	190562	1234 (1.88-1.88)
Ramachandran outliers	187476	1222 (1.88-1.88)
Sidechain outliers	187428	1222 (1.88-1.88)
RSRZ outliers	180081	1220 (1.88-1.88)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	525	9% 82% 10% • 7%
1	B	525	10% 80% 14% • 6%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 8927 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Tyrosine-protein phosphatase non-receptor type 11.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	488	Total	C	N	O	S	0	0	0
			3880	2440	689	733	18			
1	B	496	Total	C	N	O	S	0	1	0
			3927	2467	695	747	18			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	285	SER	PHE	engineered mutation	UNP Q06124
B	285	SER	PHE	engineered mutation	UNP Q06124

- Molecule 2 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	B	1	Total	C	O	0	0
			6	3	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	B	1	Total C O 6 3 3	0	0

- Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	548	Total O 548 548	0	0
3	B	560	Total O 560 560	0	0

3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Tyrosine-protein phosphatase non-receptor type 11

Chain A:





• Molecule 1: Tyrosine-protein phosphatase non-receptor type 11

Chain B:





4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α, β, γ	45.82Å 214.26Å 55.47Å 90.00° 96.08° 90.00°	Depositor
Resolution (Å)	55.16 – 1.87 55.16 – 1.87	Depositor EDS
% Data completeness (in resolution range)	99.0 (55.16-1.87) 92.9 (55.16-1.87)	Depositor EDS
R_{merge}	0.14	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ [1]	1.51 (at 1.87Å)	Xtriage
Refinement program	PHENIX 1.8.4_1496	Depositor
R, R_{free}	0.201 , 0.232 0.202 , 0.229	Depositor DCC
R_{free} test set	4332 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å^2)	14.5	Xtriage
Anisotropy	0.498	Xtriage
Bulk solvent k_{sol}(e/Å^3), B_{sol}(Å^2)	0.34 , 48.6	EDS
L-test for twinning[2]	$< \|L\| > = 0.47$, $< L^2 > = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o,F_c correlation	0.92	EDS
Total number of atoms	8927	wwPDB-VP
Average B, all atoms (Å^2)	25.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.13% of the height of the origin peak. No significant pseudotranslation is detected.*

[1] Intensities estimated from amplitudes.

[2] Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#$\|Z\|$ >5	RMSZ	#$\|Z\|$ >5
1	A	0.55	3/3960 (0.1%)	0.74	5/5351 (0.1%)
1	B	0.50	5/4011 (0.1%)	0.77	5/5432 (0.1%)
All	All	0.53	8/7971 (0.1%)	0.76	10/10783 (0.1%)

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	296	ASP	C-N	6.56	1.40	1.34
1	B	141	GLN	N-CA	-5.75	1.40	1.46
1	A	300	PRO	N-CD	5.51	1.55	1.47
1	B	140	SER	C-O	-5.46	1.17	1.23
1	B	478	ILE	C-O	-5.28	1.18	1.24
1	A	299	GLU	C-N	5.24	1.41	1.34
1	B	411	THR	C-O	-5.17	1.17	1.24
1	B	140	SER	CA-C	-5.10	1.46	1.52

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
1	B	140	SER	CA-C-N	9.44	135.05	120.89
1	B	140	SER	C-N-CA	9.44	135.05	120.89
1	A	296	ASP	CA-C-N	-6.35	113.07	120.12
1	A	296	ASP	C-N-CA	-6.35	113.07	120.12
1	A	88	LEU	N-CA-C	-6.33	98.41	108.73
1	A	87	GLN	N-CA-C	5.61	121.02	113.72
1	B	141	GLN	N-CA-CB	-5.53	102.25	110.10
1	A	154	GLY	N-CA-C	5.06	117.42	110.58
1	B	140	SER	O-C-N	5.03	128.79	122.86
1	B	140	SER	N-CA-CB	5.01	117.39	110.17

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3880	0	3751	41	0
1	B	3927	0	3757	49	0
2	B	12	0	16	1	0
3	A	548	0	0	17	5
3	B	560	0	0	16	8
All	All	8927	0	7524	90	10

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (90) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:40:ASP:OD2	3:A:601:HOH:O	1.81	0.97
1:A:272:GLU:HG3	1:A:301:VAL:HG21	1.58	0.86
1:B:313:GLU:OE1	3:B:701:HOH:O	1.94	0.83
1:B:256:GLN:OE1	3:B:702:HOH:O	1.99	0.80
1:A:84:HIS:HB3	1:A:87:GLN:NE2	2.00	0.77
1:B:426:HIS:O	3:B:703:HOH:O	2.04	0.74
1:A:84:HIS:HB3	1:A:87:GLN:HE21	1.51	0.74
1:A:524:THR:OG1	3:A:602:HOH:O	2.06	0.73
1:A:260:LYS:NZ	3:A:611:HOH:O	2.27	0.68
1:B:95:VAL:N	3:B:706:HOH:O	2.26	0.68
1:A:246:GLY:N	3:A:609:HOH:O	2.26	0.67
1:A:64:ASP:OD2	3:A:603:HOH:O	2.13	0.67
1:B:195:GLU:OE1	1:B:198:LYS:NZ	2.27	0.66
1:B:476:ILE:HD12	1:B:521:TYR:CG	2.31	0.65
1:B:405:LYS:HD2	1:B:408:GLN:OE1	1.96	0.64
1:B:95:VAL:O	3:B:706:HOH:O	2.15	0.64
1:B:65:LEU:HD12	1:B:68:GLY:HA3	1.80	0.63
1:A:270:ARG:NH1	3:A:617:HOH:O	2.34	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:24:GLY:O	1:B:46:ARG:NH1	2.34	0.61
1:A:186:ARG:HD2	3:A:739:HOH:O	2.00	0.61
1:B:257[B]:GLN:NE2	3:B:720:HOH:O	2.33	0.59
1:A:272:GLU:HG3	1:A:301:VAL:CG2	2.30	0.59
1:B:45:VAL:HB	1:B:96:ILE:HD11	1.85	0.59
1:B:221:ILE:HD11	1:B:226:ILE:HD13	1.84	0.59
1:A:59:THR:HG21	1:A:426:HIS:CD2	2.38	0.58
1:A:296:ASP:OD1	1:A:298:ASN:HB2	2.03	0.58
1:A:259:CYS:HB2	3:A:642:HOH:O	2.05	0.56
1:B:311:MET:HB3	3:B:1211:HOH:O	2.05	0.56
1:A:246:GLY:N	3:A:620:HOH:O	2.38	0.56
1:B:324:LYS:O	3:B:708:HOH:O	2.18	0.56
1:B:222:ASN:HB3	1:B:225:GLU:OE1	2.05	0.55
1:B:226:ILE:HD11	1:B:488:ILE:HD11	1.89	0.55
1:B:274:LYS:NZ	3:B:735:HOH:O	2.39	0.55
1:A:70:LYS:NZ	3:A:604:HOH:O	2.17	0.53
1:B:194:VAL:O	1:B:198:LYS:HG3	2.09	0.53
1:A:195:GLU:O	1:A:199:LYS:HD3	2.10	0.51
1:B:309:ILE:HD13	1:B:328:ILE:HG12	1.93	0.51
1:A:195:GLU:OE1	1:A:199:LYS:NZ	2.44	0.50
1:B:290:VAL:HG11	1:B:344:MET:HG3	1.92	0.50
1:A:290:VAL:HG11	1:A:344:MET:HG3	1.94	0.49
1:A:309:ILE:HD13	1:A:328:ILE:HG12	1.93	0.49
1:A:278:ARG:NH1	1:A:333:CYS:O	2.46	0.49
1:B:441:GLU:OE1	3:B:710:HOH:O	2.20	0.49
1:B:138:ARG:HH22	1:B:141:GLN:HG2	1.77	0.48
1:B:259:CYS:HB2	3:B:749:HOH:O	2.14	0.48
1:B:70:LYS:NZ	3:B:746:HOH:O	2.43	0.48
1:B:233:LEU:HA	1:B:246:GLY:HA2	1.95	0.48
1:B:278:ARG:NH1	1:B:333:CYS:O	2.47	0.48
1:A:451:ASP:HB3	3:A:869:HOH:O	2.13	0.48
1:B:88:LEU:HG	1:B:96:ILE:HG23	1.95	0.47
1:B:287:HIS:CD2	1:B:288:THR:HG23	2.49	0.47
1:B:78:VAL:HG12	1:B:82:MET:HE2	1.97	0.46
1:A:142:SER:O	1:A:144:PRO:HD3	2.16	0.46
1:B:164:LYS:HA	1:B:164:LYS:HD2	1.66	0.46
1:B:28:SER:HA	1:B:100:TYR:O	2.16	0.45
1:B:372:PRO:HG2	1:B:387:ASN:HB2	1.97	0.45
1:B:94:ASP:HB3	3:B:706:HOH:O	2.16	0.44
1:B:421:ARG:NH2	3:B:759:HOH:O	2.49	0.44
1:A:90:GLU:HG3	1:A:96:ILE:HD11	2.00	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:352:VAL:HG11	1:B:442:VAL:HG13	2.00	0.44
1:B:45:VAL:CB	1:B:96:ILE:HD11	2.47	0.44
1:B:47:ARG:HE	1:B:52:THR:HB	1.82	0.44
1:A:225:GLU:N	1:A:225:GLU:OE1	2.52	0.43
1:B:124:LYS:O	1:B:128:GLU:HG3	2.18	0.43
1:A:28:SER:HA	1:A:100:TYR:O	2.19	0.43
1:B:299:GLU:HA	1:B:300:PRO:HD2	1.85	0.43
1:A:40:ASP:OD2	1:A:55:LYS:HE3	2.19	0.43
1:B:497:VAL:HG12	1:B:504:MET:HG3	1.99	0.43
1:B:141:GLN:H	1:B:141:GLN:HG3	1.58	0.43
1:A:442:VAL:HG12	3:A:967:HOH:O	2.19	0.42
1:B:129:LYS:HG2	1:B:220:ARG:NH2	2.33	0.42
1:B:191:THR:O	1:B:195:GLU:HG2	2.19	0.42
1:B:281:ASN:OD1	2:B:601:GOL:H32	2.19	0.42
1:B:437:ASP:HB3	3:B:1125:HOH:O	2.20	0.42
1:A:142:SER:HB2	1:A:143:HIS:ND1	2.35	0.42
1:A:84:HIS:ND1	1:A:87:GLN:NE2	2.67	0.42
1:A:275:ASN:HB2	3:A:1028:HOH:O	2.19	0.42
1:A:225:GLU:HA	3:A:695:HOH:O	2.20	0.41
1:A:24:GLY:O	1:A:46:ARG:NH1	2.54	0.41
1:A:79:GLN:NE2	3:A:643:HOH:O	2.53	0.41
1:A:107:PRO:HG3	1:A:190:LEU:HD12	2.03	0.41
1:A:482:LYS:HD2	1:A:486:CYS:HB3	2.03	0.41
1:B:226:ILE:HD13	1:B:226:ILE:HA	1.90	0.41
1:B:91:LYS:NZ	3:B:711:HOH:O	2.21	0.41
1:A:124:LYS:O	1:A:128:GLU:HG3	2.21	0.41
1:A:95:VAL:N	3:A:646:HOH:O	2.54	0.41
1:A:256:GLN:O	1:A:256:GLN:HG3	2.21	0.41
1:A:496:MET:HE3	1:A:496:MET:HB3	2.01	0.40
1:A:42:THR:OG1	3:A:605:HOH:O	2.22	0.40
1:B:265:ARG:HD2	1:B:283:LEU:HB2	2.02	0.40

All (10) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:1096:HOH:O	3:B:788:HOH:O[2_445]	1.81	0.39
3:A:1075:HOH:O	3:B:1014:HOH:O[2_444]	1.96	0.24
3:A:700:HOH:O	3:B:753:HOH:O[2_445]	2.08	0.12
3:A:1045:HOH:O	3:A:1057:HOH:O[1_554]	2.09	0.11

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:B:827:HOH:O	3:B:1095:HOH:O[1_655]	2.09	0.11
3:B:708:HOH:O	3:B:767:HOH:O[1_455]	2.10	0.10
3:B:1152:HOH:O	3:B:1227:HOH:O[1_655]	2.11	0.09
3:B:1129:HOH:O	3:B:1141:HOH:O[1_455]	2.14	0.06
3:B:1135:HOH:O	3:B:1141:HOH:O[1_455]	2.16	0.04
3:A:991:HOH:O	3:A:1052:HOH:O[1_655]	2.18	0.02

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	476/525 (91%)	468 (98%)	7 (2%)	1 (0%)	43	34
1	B	489/525 (93%)	476 (97%)	11 (2%)	2 (0%)	30	18
All	All	965/1050 (92%)	944 (98%)	18 (2%)	3 (0%)	36	26

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	324	LYS
1	A	505	VAL
1	B	505	VAL

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	418/467 (90%)	411 (98%)	7 (2%)	53 40
1	B	420/467 (90%)	411 (98%)	9 (2%)	47 32
All	All	838/934 (90%)	822 (98%)	16 (2%)	50 36

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	3	SER
1	A	164	LYS
1	A	272	GLU
1	A	296	ASP
1	A	298	ASN
1	A	477	ASP
1	A	508	GLU
1	B	96	ILE
1	B	141	GLN
1	B	164	LYS
1	B	198	LYS
1	B	262	LEU
1	B	293	HIS
1	B	408	GLN
1	B	477	ASP
1	B	508	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	87	GLN
1	A	256	GLN
1	A	271	GLN
1	B	18	ASN
1	B	293	HIS

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.

5.6 Ligand geometry (i)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
2	GOL	B	602	-	5,5,5	0.35	0	5,5,5	0.29	0
2	GOL	B	601	-	5,5,5	0.37	0	5,5,5	0.31	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GOL	B	602	-	-	2/4/4/4	-
2	GOL	B	601	-	-	4/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (6) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	601	GOL	O1-C1-C2-C3
2	B	601	GOL	C1-C2-C3-O3
2	B	602	GOL	O1-C1-C2-C3
2	B	601	GOL	O1-C1-C2-O2
2	B	601	GOL	O2-C2-C3-O3
2	B	602	GOL	O1-C1-C2-O2

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	601	GOL	1	0

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å^2)	Q<0.9
1	A	488/525 (92%)	0.44	46 (9%) 14 16	5, 22, 48, 66	0
1	B	496/525 (94%)	0.57	55 (11%) 10 12	5, 23, 48, 73	1 (0%)
All	All	984/1050 (93%)	0.51	101 (10%) 12 14	5, 23, 48, 73	1 (0%)

All (101) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	409	GLY	5.5
1	B	363	GLY	5.0
1	A	38	PRO	4.9
1	B	298	ASN	4.8
1	A	208	THR	3.9
1	A	39	GLY	3.9
1	B	323	PRO	3.9
1	B	108	THR	3.8
1	A	207	GLY	3.8
1	B	3	SER	3.7
1	B	164	LYS	3.7
1	B	300	PRO	3.6
1	A	3	SER	3.5
1	A	155	ASP	3.4
1	B	301	VAL	3.3
1	B	107	PRO	3.3
1	B	37	ASN	3.3
1	A	324	LYS	3.3
1	B	2	THR	3.2
1	B	362	ARG	3.2
1	B	525	LEU	3.2
1	A	144	PRO	3.2
1	B	293	HIS	3.2
1	A	142	SER	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	484	VAL	3.1
1	B	226	ILE	3.0
1	A	145	GLY	3.0
1	B	296	ASP	3.0
1	B	143	HIS	2.9
1	A	525	LEU	2.9
1	A	246	GLY	2.9
1	B	364	LYS	2.9
1	B	297	PRO	2.8
1	A	18	ASN	2.8
1	B	484	VAL	2.8
1	A	206	LEU	2.8
1	B	408	GLN	2.8
1	A	143	HIS	2.8
1	B	179	TYR	2.7
1	A	481	GLU	2.7
1	A	523	GLU	2.7
1	A	485	ASP	2.7
1	A	95	VAL	2.7
1	A	48	ASN	2.7
1	B	294	ASP	2.7
1	B	299	GLU	2.7
1	B	426	HIS	2.7
1	A	301	VAL	2.7
1	A	218	THR	2.6
1	B	154	GLY	2.6
1	A	298	ASN	2.6
1	B	85	HIS	2.5
1	A	297	PRO	2.5
1	A	225	GLU	2.5
1	A	248	TRP	2.5
1	B	144	PRO	2.5
1	B	263	TYR	2.5
1	B	421	ARG	2.5
1	B	295	GLY	2.5
1	A	85	HIS	2.5
1	A	426	HIS	2.5
1	B	91	LYS	2.5
1	B	324	LYS	2.5
1	B	96	ILE	2.4
1	A	177	LEU	2.4
1	B	524	THR	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	410	ASN	2.4
1	B	145	GLY	2.4
1	A	294	ASP	2.4
1	B	425	ASP	2.4
1	A	524	THR	2.4
1	A	176	GLU	2.3
1	A	299	GLU	2.3
1	A	116	HIS	2.3
1	A	313	GLU	2.3
1	A	86	GLY	2.3
1	B	36	SER	2.3
1	B	109	SER	2.3
1	B	95	VAL	2.2
1	A	205	THR	2.2
1	B	231	ARG	2.2
1	A	224	ALA	2.2
1	B	205	THR	2.2
1	A	164	LYS	2.2
1	A	311	MET	2.2
1	B	248	TRP	2.2
1	A	87	GLN	2.2
1	B	488	ILE	2.1
1	A	128	GLU	2.1
1	B	140	SER	2.1
1	A	209	VAL	2.1
1	B	10	ASN	2.1
1	B	165	SER	2.1
1	A	108	THR	2.1
1	B	183	GLY	2.1
1	A	88	LEU	2.1
1	B	208	THR	2.0
1	B	87	GLN	2.0
1	B	313	GLU	2.0
1	B	147	PHE	2.0
1	B	173	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no oligosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
2	GOL	B	601	6/6	0.74	0.23	52,55,56,56	0
2	GOL	B	602	6/6	0.84	0.16	27,33,37,38	0

6.5 Other polymers (i)

There are no such residues in this entry.