WORLDWIDE PDB
PROTEIN DATA BANK

Full wwPDB X-ray Structure Validation Report ⓘ

Sep 23, 2025 – 10:10 pm BST

PDB ID	:	6ERA / pdb_00006era
Title	:	Crystal structure of cyclohexanone monooxygenase mutant (F249A, F280A and F435A) from Rhodococcus sp. Phi1 bound to NADP+
Authors	:	Karuppiah, V.; Scrutton, N.S.
Deposited on	:	2017-10-17
Resolution	:	2.49 Å(reported)

The following versions of software and data (see references ⓘ) were used in the production of this report:

|		
MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	1.8.4, CSD as541be (2020)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.46

1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.49 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.

Metric	Percentile Ranks	Value
Rfree		0.266
Clashscore		8
Ramachandran outliers		0.1%
Sidechain outliers		3.0%
RSRZ outliers		3.1%

Worse   *Better*

▮ Percentile relative to all X-ray structures

▯ Percentile relative to X-ray structures of similar resolution

Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	5504 (2.50-2.50)
Clashscore	180529	6282 (2.50-2.50)
Ramachandran outliers	177936	6191 (2.50-2.50)
Sidechain outliers	177891	6193 (2.50-2.50)
RSRZ outliers	164620	5504 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	549	2% / 84% · 11% · 5%
1	B	549	3% / 74% · 19% · 5%

WORLDWIDE

wwPDB
PROTEIN DATA BANK

2 Entry composition ⓘ

There are 4 unique types of molecules in this entry. The entry contains 8525 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cyclohexanone monooxygenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	524	Total	C	N	O	S	0	0	0
			4100	2606	692	796	6			
1	B	522	Total	C	N	O	S	0	0	0
			4086	2597	690	793	6			

There are 22 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	249	ALA	PHE	engineered mutation	UNP Q84H73
A	280	ALA	PHE	engineered mutation	UNP Q84H73
A	435	ALA	PHE	engineered mutation	UNP Q84H73
A	542	LEU	-	expression tag	UNP Q84H73
A	543	GLU	-	expression tag	UNP Q84H73
A	544	HIS	-	expression tag	UNP Q84H73
A	545	HIS	-	expression tag	UNP Q84H73
A	546	HIS	-	expression tag	UNP Q84H73
A	547	HIS	-	expression tag	UNP Q84H73
A	548	HIS	-	expression tag	UNP Q84H73
A	549	HIS	-	expression tag	UNP Q84H73
B	249	ALA	PHE	engineered mutation	UNP Q84H73
B	280	ALA	PHE	engineered mutation	UNP Q84H73
B	435	ALA	PHE	engineered mutation	UNP Q84H73
B	542	LEU	-	expression tag	UNP Q84H73
B	543	GLU	-	expression tag	UNP Q84H73
B	544	HIS	-	expression tag	UNP Q84H73
B	545	HIS	-	expression tag	UNP Q84H73
B	546	HIS	-	expression tag	UNP Q84H73
B	547	HIS	-	expression tag	UNP Q84H73
B	548	HIS	-	expression tag	UNP Q84H73
B	549	HIS	-	expression tag	UNP Q84H73

- Molecule 2 is FLAVIN-ADENINE DINUCLEOTIDE (CCD ID: FAD) (formula: $C_{27}H_{33}N_9O_{15}P_2$).

FAD

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	B	1	Total	C	N	O	P	0	0
			53	27	9	15	2		

- Molecule 3 is NADP NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (CCD ID: NAP) (formula: $C_{21}H_{28}N_7O_{17}P_3$).

NAP

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			48	21	7	17	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	B	1	Total	C	N	O	P	0	0
			48	21	7	17	3		

- Molecule 4 is water.

| Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	93	Total	O	0	0
			93	93		
4	B	44	Total	O	0	0
			44	44		

3 Residue-property plots ⓘ

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Cyclohexanone monooxygenase

• Molecule 1: Cyclohexanone monooxygenase

4 Data and refinement statistics ⓘ

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α, β, γ	53.86Å 64.94Å 187.59Å 90.00° 97.03° 90.00°	Depositor
Resolution (Å)	62.06 – 2.49 62.06 – 2.49	Depositor EDS
% Data completeness (in resolution range)	99.8 (62.06-2.49) 99.8 (62.06-2.49)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ [1]	1.62 (at 2.48Å)	Xtriage
Refinement program	PHENIX	Depositor
R, R_{free}	0.214 , 0.262 0.222 , 0.266	Depositor DCC
R_{free} test set	2168 reflections (4.77%)	wwPDB-VP
Wilson B-factor (Å^2)	62.9	Xtriage
Anisotropy	0.219	Xtriage
Bulk solvent k_{sol}(e/Å^3), B_{sol}(Å^2)	0.34 , 67.0	EDS
L-test for twinning[2]	$< |L| > = 0.51, < L^2 > = 0.35$	Xtriage
Estimated twinning fraction	0.014 for h,-k,-h-l	Xtriage
F_o,F_c correlation	0.95	EDS
Total number of atoms	8525	wwPDB-VP
Average B, all atoms (Å^2)	84.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.60% of the height of the origin peak. No significant pseudotranslation is detected.*

---

[1] Intensities estimated from amplitudes.
[2] Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5   Model quality ⓘ

5.1   Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: NAP, FAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#$|Z|$ >5	RMSZ	#$|Z|$ >5
1	A	0.44	0/4203	0.51	5/5730 (0.1%)
1	B	0.48	1/4189 (0.0%)	0.62	10/5710 (0.2%)
All	All	0.46	1/8392 (0.0%)	0.57	15/11440 (0.1%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	207	VAL	C-O	-5.23	1.18	1.24

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	354	ASN	CA-C-N	8.68	130.69	119.84
1	B	354	ASN	C-N-CA	8.68	130.69	119.84
1	B	368	ASP	N-CA-C	-8.45	102.73	113.72
1	A	330	ARG	N-CA-C	-7.34	99.03	109.24
1	B	209	VAL	N-CA-C	6.86	118.69	108.54
1	B	235	TYR	N-CA-C	-6.43	105.45	113.55
1	A	436	THR	N-CA-C	-5.99	100.78	109.59
1	A	330	ARG	CA-C-N	5.92	127.25	119.84
1	A	330	ARG	C-N-CA	5.92	127.25	119.84
1	B	363	GLY	N-CA-C	5.80	117.81	110.38
1	B	367	GLU	N-CA-C	5.54	119.58	113.21
1	B	209	VAL	CB-CA-C	-5.51	104.63	111.08
1	B	488	THR	N-CA-C	5.50	117.99	111.33
1	B	327	TYR	N-CA-C	-5.18	98.25	107.98
1	A	328	ALA	N-CA-C	5.03	118.75	109.24

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4100	0	3930	41	0
1	B	4086	0	3915	85	0
2	A	53	0	31	2	0
2	B	53	0	31	3	0
3	A	48	0	25	0	0
3	B	48	0	25	2	0
4	A	93	0	0	0	0
4	B	44	0	0	2	0
All	All	8525	0	7957	127	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (127) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:330:ARG:CD	1:B:331:PRO:HD2	1.74	1.17
1:B:330:ARG:HD2	1:B:331:PRO:HD2	1.35	1.02
1:B:330:ARG:HD3	1:B:331:PRO:HD2	1.46	0.95
1:B:156:PRO:HG3	1:B:357:ARG:O	1.71	0.91
1:B:155:LEU:HB3	1:B:156:PRO:HD2	1.52	0.91
1:A:493:TRP:H	1:A:493:TRP:CD1	1.96	0.83
1:B:410:GLN:OE1	1:B:410:GLN:N	2.12	0.81
1:B:345:ASN:N	1:B:345:ASN:OD1	2.15	0.79
1:B:155:LEU:CB	1:B:156:PRO:HD2	2.14	0.78
1:B:438:LEU:HD12	2:B:601:FAD:H2'	1.67	0.75
1:A:152:PHE:HE1	1:A:379:PHE:CD2	2.05	0.73
1:A:164:GLU:OE2	1:A:175:LYS:NZ	2.18	0.73
1:B:156:PRO:HG2	1:B:358:GLU:HA	1.71	0.72
1:B:153:PRO:HB2	1:B:155:LEU:HD21	1.73	0.70
1:B:456:ALA:HA	1:B:461:ILE:HD12	1.73	0.70
1:A:61:THR:HG22	1:A:66:TYR:HB2	1.76	0.68
1:A:60:ASP:N	2:A:601:FAD:O4	2.27	0.67
1:B:354:ASN:N	1:B:355:PRO:HD3	2.08	0.67
1:B:436:THR:HG21	1:B:441:SER:OG	1.97	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:7:PRO:HB3	1:A:134:VAL:HG12	1.78	0.65
1:B:495:PHE:HB2	1:B:507:LEU:HD11	1.79	0.64
1:A:208:PHE:HD1	1:A:351:ILE:HD11	1.63	0.63
1:B:151:ASN:ND2	1:B:383:PHE:O	2.32	0.62
1:A:152:PHE:HE1	1:A:379:PHE:HD2	1.45	0.62
1:B:461:ILE:HD13	1:B:533:LEU:HD23	1.82	0.62
1:B:155:LEU:N	1:B:155:LEU:HD23	2.15	0.61
1:B:32:GLN:HB3	1:B:34:LEU:CD1	2.32	0.60
1:A:162:GLU:OE2	1:A:361:ALA:HB1	2.02	0.58
1:A:146:LEU:HG	1:A:386:VAL:HG23	1.86	0.58
1:B:160:THR:HG21	1:B:359:VAL:O	2.04	0.57
1:B:60:ASP:N	2:B:601:FAD:O4	2.34	0.57
1:B:155:LEU:CB	1:B:156:PRO:CD	2.83	0.57
1:B:359:VAL:HA	1:B:364:VAL:HA	1.87	0.56
1:B:493:TRP:CD1	1:B:493:TRP:N	2.72	0.56
1:A:495:PHE:HB2	1:A:507:LEU:HD11	1.87	0.56
1:B:493:TRP:CD1	1:B:493:TRP:H	2.24	0.55
1:B:417:VAL:HG23	1:B:418:THR:HG23	1.89	0.55
1:B:129:THR:CG2	1:B:133:GLU:H	2.19	0.55
1:B:14:VAL:HG22	1:B:141:VAL:HG22	1.89	0.55
1:A:424:ASN:HD22	1:A:424:ASN:N	2.06	0.54
1:A:122:GLU:OE1	1:A:122:GLU:N	2.41	0.53
1:A:152:PHE:CE1	1:A:379:PHE:CD2	2.94	0.52
1:B:448:TRP:O	1:B:452:THR:HG23	2.10	0.52
1:B:129:THR:HG22	1:B:133:GLU:O	2.10	0.51
1:B:330:ARG:HD2	1:B:331:PRO:CD	2.23	0.51
1:B:317:THR:HG22	4:B:719:HOH:O	2.11	0.51
1:B:64:HIS:CD2	1:B:65:LEU:HG	2.45	0.51
1:B:105:ARG:O	1:B:108:ARG:NH1	2.40	0.51
1:B:437:ASN:OD1	1:B:439:PRO:HD2	2.11	0.51
1:B:330:ARG:HD3	1:B:331:PRO:CD	2.30	0.50
1:A:493:TRP:CD1	1:A:493:TRP:N	2.73	0.50
1:B:122:GLU:N	1:B:122:GLU:OE1	2.45	0.50
1:A:432:ASN:HB3	1:A:474:TRP:HE1	1.76	0.50
1:B:147:LEU:HB3	1:B:389:ASN:HD21	1.75	0.50
1:B:316:GLU:OE2	1:B:316:GLU:N	2.40	0.49
1:B:381:THR:HG23	3:B:602:NAP:H8A	1.94	0.49
1:B:29:HIS:CD2	1:B:29:HIS:C	2.91	0.48
1:A:365:VAL:HA	1:A:371:LEU:HA	1.95	0.48
1:B:258:ALA:HA	1:B:287:PHE:CD1	2.49	0.48
1:B:133:GLU:OE2	1:B:134:VAL:N	2.45	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:208:PHE:CD1	1:B:208:PHE:N	2.82	0.48
1:B:393:ILE:HG13	1:B:395:ILE:HD11	1.95	0.48
1:B:156:PRO:CG	1:B:357:ARG:O	2.55	0.48
1:A:158:LEU:HA	1:A:359:VAL:HG11	1.96	0.47
1:B:117:ILE:HG23	1:B:396:ARG:HB2	1.96	0.47
1:B:85:ILE:HG23	1:B:90:ILE:HD11	1.96	0.47
1:B:86:THR:HG22	1:B:89:GLU:OE1	2.15	0.47
1:B:157:GLY:O	1:B:359:VAL:HG13	2.14	0.47
1:B:381:THR:HG23	3:B:602:NAP:C8A	2.45	0.47
1:B:364:VAL:HG12	1:B:374:LEU:HD12	1.97	0.46
1:A:148:SER:OG	1:A:149:ALA:N	2.34	0.46
1:B:469:GLU:OE1	1:B:469:GLU:N	2.47	0.46
1:B:156:PRO:CG	1:B:358:GLU:HA	2.40	0.46
1:B:412:THR:HG23	1:B:471:GLU:OE2	2.16	0.46
1:B:410:GLN:HG3	1:B:505:SER:HB2	1.98	0.45
2:B:601:FAD:H9	2:B:601:FAD:H1'1	1.73	0.45
1:B:196:THR:HA	1:B:340:VAL:HG21	1.98	0.45
1:A:388:GLY:O	1:A:392:ARG:HG2	2.17	0.45
1:B:13:VAL:HG23	1:B:39:PHE:HE1	1.81	0.45
1:B:424:ASN:HD22	1:B:424:ASN:N	2.15	0.45
1:A:495:PHE:CD2	1:A:495:PHE:O	2.70	0.45
1:B:330:ARG:HD3	1:B:330:ARG:HA	1.29	0.45
1:B:360:THR:HG23	1:B:362:LYS:H	1.82	0.44
1:A:181:ARG:NE	1:A:373:GLU:HB2	2.33	0.44
1:B:407:TRP:NE1	1:B:412:THR:HG22	2.32	0.44
1:A:60:ASP:HB3	2:A:601:FAD:C4	2.48	0.44
1:A:343:ARG:HB2	1:A:346:VAL:HG23	1.99	0.44
1:A:366:THR:HG23	1:A:368:ASP:OD1	2.17	0.44
1:B:469:GLU:H	1:B:469:GLU:CD	2.25	0.44
1:B:116:ALA:O	1:B:395:ILE:HA	2.18	0.43
1:B:216:VAL:O	1:B:333:CYS:HA	2.18	0.43
1:B:339:GLU:OE2	1:B:339:GLU:N	2.42	0.43
1:A:150:ILE:HG22	1:A:383:PHE:CE2	2.54	0.43
1:B:147:LEU:HD11	4:B:744:HOH:O	2.19	0.42
1:A:216:VAL:O	1:A:333:CYS:HA	2.18	0.42
1:B:119:LEU:HB2	1:B:122:GLU:HB2	2.00	0.42
1:B:162:GLU:HG2	1:B:361:ALA:HB1	2.01	0.42
1:B:181:ARG:NE	1:B:373:GLU:HG3	2.34	0.42
1:A:410:GLN:N	1:A:410:GLN:OE1	2.52	0.42
1:B:40:ASP:OD2	1:B:41:LYS:N	2.53	0.42
1:B:314:ASP:HA	1:B:315:PRO:HD3	1.87	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:365:VAL:O	1:B:365:VAL:HG13	2.18	0.42
1:B:473:GLU:O	1:B:477:THR:HG23	2.19	0.42
1:A:366:THR:OG1	1:A:367:GLU:N	2.53	0.42
1:B:329:LYS:C	1:B:493:TRP:HZ2	2.28	0.41
1:A:182:VAL:HG22	1:A:376:VAL:HG22	2.02	0.41
1:B:202:VAL:HG12	1:B:204:HIS:N	2.35	0.41
1:A:158:LEU:C	1:A:160:THR:H	2.27	0.41
1:A:294:GLU:CD	1:A:489:ARG:HH12	2.28	0.41
1:A:495:PHE:O	1:A:495:PHE:CG	2.71	0.41
1:A:158:LEU:HA	1:A:359:VAL:CG1	2.51	0.41
1:A:16:GLY:O	1:A:21:GLY:HA3	2.19	0.41
1:A:438:LEU:HB3	1:A:439:PRO:HD2	2.03	0.41
1:B:12:ALA:HB3	1:B:36:VAL:HG22	2.03	0.41
1:B:16:GLY:O	1:B:21:GLY:HA3	2.21	0.41
1:B:34:LEU:HD12	1:B:34:LEU:N	2.36	0.41
1:B:155:LEU:HB3	1:B:156:PRO:CD	2.36	0.41
1:B:357:ARG:HD3	1:B:357:ARG:HA	1.29	0.41
1:A:432:ASN:HB3	1:A:474:TRP:NE1	2.36	0.40
1:B:366:THR:CG2	1:B:370:VAL:HG12	2.50	0.40
1:A:181:ARG:HE	1:A:373:GLU:HB2	1.85	0.40
1:B:158:LEU:H	1:B:158:LEU:HG	1.45	0.40
1:A:462:ARG:NH1	1:A:535:SER:O	2.54	0.40
1:B:180:LYS:HB3	1:B:375:ASP:HB2	2.04	0.40
1:B:356:ILE:O	1:B:356:ILE:CG2	2.69	0.40
1:A:330:ARG:HA	1:A:331:PRO:HD2	1.87	0.40
1:A:387:ASP:O	1:A:391:ARG:HG3	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	520/549 (95%)	495 (95%)	25 (5%)	0	100	100
1	B	518/549 (94%)	481 (93%)	36 (7%)	1 (0%)	44	64
All	All	1038/1098 (94%)	976 (94%)	61 (6%)	1 (0%)	48	69

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	355	PRO

5.3.2   Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	429/449 (96%)	421 (98%)	8 (2%)	52	77
1	B	427/449 (95%)	409 (96%)	18 (4%)	25	49
All	All	856/898 (95%)	830 (97%)	26 (3%)	36	63

All (26) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	61	THR
1	A	152	PHE
1	A	235	TYR
1	A	241	SER
1	A	329	LYS
1	A	441	SER
1	A	492	SER
1	A	493	TRP
1	B	152	PHE
1	B	155	LEU
1	B	158	LEU
1	B	235	TYR
1	B	330	ARG
1	B	345	ASN
1	B	351	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	356	ILE
1	B	357	ARG
1	B	359	VAL
1	B	364	VAL
1	B	366	THR
1	B	367	GLU
1	B	392	ARG
1	B	492	SER
1	B	493	TRP
1	B	506	VAL
1	B	507	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	123	ASN
1	A	192	GLN
1	A	424	ASN
1	B	29	HIS
1	B	32	GLN
1	B	193	GLN
1	B	424	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
3	NAP	A	602	-	45,52,52	0.59	1 (2%)	56,80,80	0.64	2 (3%)
2	FAD	A	601	-	53,58,58	0.46	0	68,89,89	0.60	1 (1%)
3	NAP	B	602	-	45,52,52	0.59	0	56,80,80	0.69	2 (3%)
2	FAD	B	601	-	53,58,58	0.44	0	68,89,89	0.55	1 (1%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAP	A	602	-	-	8/31/67/67	0/5/5/5
2	FAD	A	601	-	-	6/30/50/50	0/6/6/6
3	NAP	B	602	-	-	6/31/67/67	0/5/5/5
2	FAD	B	601	-	-	6/30/50/50	0/6/6/6

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	602	NAP	P2B-O2B	2.06	1.63	1.59

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
3	B	602	NAP	C5A-C6A-N6A	2.35	123.92	120.35
2	B	601	FAD	C5A-C6A-N6A	2.30	123.85	120.35
3	A	602	NAP	C5A-C6A-N6A	2.30	123.84	120.35
3	A	602	NAP	C2N-N1N-C1D	-2.28	114.05	119.14
3	B	602	NAP	C2N-N1N-C1D	-2.23	114.17	119.14
2	A	601	FAD	C5A-C6A-N6A	2.22	123.72	120.35

There are no chirality outliers.

All (26) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	601	FAD	C2'-C1'-N10-C10
2	A	601	FAD	N10-C1'-C2'-O2'
2	A	601	FAD	N10-C1'-C2'-C3'
2	A	601	FAD	O4'-C4'-C5'-O5'
2	B	601	FAD	C2'-C1'-N10-C10
2	B	601	FAD	N10-C1'-C2'-O2'
2	B	601	FAD	O4'-C4'-C5'-O5'
3	A	602	NAP	C5D-O5D-PN-O3
3	A	602	NAP	C5D-O5D-PN-O2N
3	B	602	NAP	C5B-O5B-PA-O3
2	B	601	FAD	O4B-C4B-C5B-O5B
2	A	601	FAD	C3'-C4'-C5'-O5'
3	A	602	NAP	C3D-C4D-C5D-O5D
3	B	602	NAP	O4B-C4B-C5B-O5B
3	A	602	NAP	PN-O3-PA-O5B
3	B	602	NAP	PN-O3-PA-O1A
3	A	602	NAP	C5D-O5D-PN-O1N
3	B	602	NAP	C5B-O5B-PA-O2A
2	B	601	FAD	N10-C1'-C2'-C3'
3	A	602	NAP	C4D-C5D-O5D-PN
2	B	601	FAD	C3B-C4B-C5B-O5B
3	A	602	NAP	PA-O3-PN-O1N
3	B	602	NAP	C2B-O2B-P2B-O2X
3	A	602	NAP	O4B-C4B-C5B-O5B
3	B	602	NAP	C5B-O5B-PA-O1A
2	A	601	FAD	O4B-C4B-C5B-O5B

There are no ring outliers.

3 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	601	FAD	2	0
3	B	602	NAP	2	0
2	B	601	FAD	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be

highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand NAP A 602	
 Bond lengths	 Bond angles
 Torsions	 Rings

Ligand FAD A 601	
 Bond lengths	 Bond angles
 Torsions	 Rings

Ligand NAP B 602

Bond lengths

Bond angles

Torsions

Rings

Ligand FAD B 601

Bond lengths

Bond angles

Torsions

Rings

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å^2)	Q<0.9
1	A	524/549 (95%)	0.04	13 (2%)	58 55	42, 65, 120, 183	0
1	B	522/549 (95%)	0.40	19 (3%)	46 43	45, 92, 143, 175	0
All	All	1046/1098 (95%)	0.22	32 (3%)	51 48	42, 76, 137, 183	0

All (32) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	386	VAL	4.8
1	A	536	ALA	4.1
1	B	7	PRO	3.4
1	B	495	PHE	3.4
1	B	147	LEU	3.4
1	A	147	LEU	3.2
1	B	494	ILE	3.2
1	A	145	GLY	3.1
1	A	146	LEU	3.0
1	A	494	ILE	3.0
1	A	506	VAL	2.9
1	A	5	ILE	2.8
1	B	158	LEU	2.8
1	A	495	PHE	2.7
1	B	351	ILE	2.7
1	A	362	LYS	2.6
1	B	493	TRP	2.6
1	B	386	VAL	2.5
1	B	536	ALA	2.5
1	B	528	TYR	2.5
1	B	356	ILE	2.4
1	A	359	VAL	2.4
1	B	436	THR	2.4
1	B	531	PHE	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	504	PRO	2.4
1	B	362	LYS	2.3
1	A	490	GLY	2.2
1	A	383	PHE	2.2
1	B	381	THR	2.1
1	B	527	SER	2.1
1	B	141	VAL	2.1
1	B	437	ASN	2.1

6.2   Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3   Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4   Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å²)	Q<0.9
3	NAP	B	602	48/48	0.82	0.12	101,120,141,143	0
3	NAP	A	602	48/48	0.86	0.12	76,90,132,138	0
2	FAD	B	601	53/53	0.92	0.12	74,93,127,127	0
2	FAD	A	601	53/53	0.93	0.12	46,67,115,117	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

WORLDWIDE
wwPDB
PROTEIN DATA BANK

Electron density around NAP B 602:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

Electron density around NAP A 602:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

Electron density around FAD B 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

Electron density around FAD A 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

6.5 Other polymers ⓘ

There are no such residues in this entry.