



Full wwPDB X-ray Structure Validation Report ⓘ

Sep 24, 2025 – 12:42 am BST

PDB ID : 6G83 / pdb_00006g83
Title : Crystal structure of M. tuberculosis DprE1 in complex with sPBTZ169 (sulfonylPBTZ)
Authors : Piton, J.; Makarov, V.; Cole, S.T.
Deposited on : 2018-04-07
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	1.8.4, CSD as541be (2020)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.46


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	4642 (2.40-2.40)
Clashscore	180529	5218 (2.40-2.40)
Ramachandran outliers	177936	5158 (2.40-2.40)
Sidechain outliers	177891	5159 (2.40-2.40)
RSRZ outliers	164620	4642 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	481	 3% 77% 10% • 12%
1	B	481	 6% 76% 9% • 14%

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 12659 atoms, of which 6147 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Decaprenylphosphoryl-beta-D-ribose oxidase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	425	Total	C	H	N	O	S	0	0	0
			6259	2007	3089	564	590	9			
1	B	412	Total	C	H	N	O	S	0	0	0
			6018	1941	2954	538	575	10			

There are 40 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MET	-	initiating methionine	UNP P9WJF1
A	-18	GLY	-	expression tag	UNP P9WJF1
A	-17	SER	-	expression tag	UNP P9WJF1
A	-16	SER	-	expression tag	UNP P9WJF1
A	-15	HIS	-	expression tag	UNP P9WJF1
A	-14	HIS	-	expression tag	UNP P9WJF1
A	-13	HIS	-	expression tag	UNP P9WJF1
A	-12	HIS	-	expression tag	UNP P9WJF1
A	-11	HIS	-	expression tag	UNP P9WJF1
A	-10	HIS	-	expression tag	UNP P9WJF1
A	-9	SER	-	expression tag	UNP P9WJF1
A	-8	SER	-	expression tag	UNP P9WJF1
A	-7	GLY	-	expression tag	UNP P9WJF1
A	-6	LEU	-	expression tag	UNP P9WJF1
A	-5	VAL	-	expression tag	UNP P9WJF1
A	-4	PRO	-	expression tag	UNP P9WJF1
A	-3	ARG	-	expression tag	UNP P9WJF1
A	-2	GLY	-	expression tag	UNP P9WJF1
A	-1	SER	-	expression tag	UNP P9WJF1
A	0	HIS	-	expression tag	UNP P9WJF1
B	-19	MET	-	initiating methionine	UNP P9WJF1
B	-18	GLY	-	expression tag	UNP P9WJF1
B	-17	SER	-	expression tag	UNP P9WJF1
B	-16	SER	-	expression tag	UNP P9WJF1
B	-15	HIS	-	expression tag	UNP P9WJF1


Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-14	HIS	-	expression tag	UNP P9WJF1
B	-13	HIS	-	expression tag	UNP P9WJF1
B	-12	HIS	-	expression tag	UNP P9WJF1
B	-11	HIS	-	expression tag	UNP P9WJF1
B	-10	HIS	-	expression tag	UNP P9WJF1
B	-9	SER	-	expression tag	UNP P9WJF1
B	-8	SER	-	expression tag	UNP P9WJF1
B	-7	GLY	-	expression tag	UNP P9WJF1
B	-6	LEU	-	expression tag	UNP P9WJF1
B	-5	VAL	-	expression tag	UNP P9WJF1
B	-4	PRO	-	expression tag	UNP P9WJF1
B	-3	ARG	-	expression tag	UNP P9WJF1
B	-2	GLY	-	expression tag	UNP P9WJF1
B	-1	SER	-	expression tag	UNP P9WJF1
B	0	HIS	-	expression tag	UNP P9WJF1

- Molecule 2 is FLAVIN-ADENINE DINUCLEOTIDE (CCD ID: FAD) (formula: C₂₇H₃₃N₉O₁₅P₂).





Mol	Chain	Residues	Atoms							ZeroOcc	AltConf
3	A	1	Total	C	F	H	N	O	S	0	0
			53	19	3	21	4	4	2		
3	B	1	Total	C	F	H	N	O	S	0	0
			53	19	3	21	4	4	2		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	76	Total	O	0	0
			76	76		
4	B	32	Total	O	0	0
			32	32		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Decaprenylphosphoryl-beta-D-ribose oxidase



- Molecule 1: Decaprenylphosphoryl-beta-D-ribose oxidase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	78.16Å 84.02Å 81.67Å 90.00° 103.98° 90.00°	Depositor
Resolution (Å)	49.18 – 2.40 49.18 – 2.40	Depositor EDS
% Data completeness (in resolution range)	98.8 (49.18-2.40) 91.9 (49.18-2.40)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.36 (at 2.29Å)	Xtriage
Refinement program	PHENIX (1.13_2998: ???)	Depositor
R, R_{free}	0.198 , 0.226 0.201 , 0.227	Depositor DCC
R_{free} test set	1750 reflections (3.84%)	wwPDB-VP
Wilson B-factor (Å ²)	42.3	Xtriage
Anisotropy	0.388	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.41 , 45.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.026 for l,-k,h	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	12659	wwPDB-VP
Average B, all atoms (Å ²)	63.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.29% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: FAD, EQ8

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.46	4/3238 (0.1%)	0.55	1/4403 (0.0%)
1	B	0.33	1/3131 (0.0%)	0.50	0/4263
All	All	0.40	5/6369 (0.1%)	0.53	1/8666 (0.0%)

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	115	LEU	C-O	-6.79	1.16	1.24
1	A	117	GLY	C-O	-6.22	1.17	1.24
1	A	114	VAL	C-O	-5.75	1.17	1.24
1	A	314	TYR	CA-CB	5.34	1.62	1.54
1	B	298	ARG	CZ-NH2	-5.29	1.26	1.33

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	114	VAL	CA-C-O	-5.75	114.68	120.31

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3170	3089	3098	35	0
1	B	3064	2954	2951	27	0
2	A	53	31	31	1	0
2	B	53	31	31	0	0
3	A	32	21	0	1	0
3	B	32	21	0	0	0
4	A	76	0	0	1	0
4	B	32	0	0	0	0
All	All	6512	6147	6111	62	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (62) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:315:HIS:N	1:A:316:PRO:HD3	2.08	0.69
1:B:227:SER:O	1:B:367:LYS:HD3	1.92	0.69
1:A:413:ARG:NH1	1:A:430:MET:O	2.30	0.63
1:A:400:VAL:HG12	1:A:421:ARG:HH21	1.65	0.62
1:A:375:ALA:HB3	1:A:378:SER:HB2	1.85	0.58
1:A:418:LYS:NZ	3:A:502:EQ8:O03	2.37	0.58
1:A:83:ILE:HG23	1:A:90:VAL:HG12	1.86	0.57
1:A:92:ILE:HD12	1:A:123:VAL:HG21	1.86	0.57
1:B:45:SER:O	1:B:45:SER:OG	2.23	0.56
1:B:72:ILE:HD12	1:B:183:ILE:HD11	1.89	0.53
1:A:200:ILE:HG13	1:A:251:ALA:HB2	1.90	0.53
1:A:209:LEU:O	1:A:213:ILE:HG12	2.09	0.52
1:A:346:GLU:OE1	1:A:346:GLU:N	2.37	0.52
1:A:421:ARG:C	1:A:421:ARG:HD3	2.35	0.52
1:B:200:ILE:HD11	1:B:255:GLN:HB3	1.94	0.50
1:B:206:THR:O	1:B:242:ARG:HB2	2.12	0.50
1:B:375:ALA:HB3	1:B:378:SER:HB2	1.94	0.49
1:B:200:ILE:CD1	1:B:255:GLN:CD	2.85	0.49
1:A:115:LEU:O	1:A:314:TYR:OH	2.23	0.49
1:A:421:ARG:O	1:A:421:ARG:NH1	2.46	0.48
1:B:461:LEU:HD22	1:B:461:LEU:H	1.78	0.48
1:B:200:ILE:HD11	1:B:255:GLN:CB	2.44	0.48
1:B:102:MET:HE3	1:B:267:PHE:CZ	2.48	0.47
1:A:75:THR:N	1:A:76:PRO:CD	2.78	0.47
1:A:92:ILE:CD1	1:A:123:VAL:HG21	2.44	0.47
1:A:400:VAL:HG12	1:A:421:ARG:NH2	2.29	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:146:VAL:HG22	1:A:189:ILE:CD1	2.45	0.46
1:A:215:LEU:C	1:A:215:LEU:HD23	2.39	0.46
1:A:434:VAL:HG13	1:A:435:ASP:N	2.30	0.46
1:A:116:PRO:HG2	1:A:118:THR:O	2.15	0.46
1:A:134:LYS:HD3	4:A:665:HOH:O	2.16	0.46
1:B:51:ALA:O	1:B:450:PHE:HA	2.16	0.46
1:B:116:PRO:HG2	1:B:118:THR:O	2.16	0.46
1:B:209:LEU:HB2	1:B:241:GLY:HA3	1.98	0.46
1:B:146:VAL:HG22	1:B:189:ILE:CD1	2.45	0.46
1:B:75:THR:N	1:B:76:PRO:CD	2.81	0.44
1:A:200:ILE:CD1	1:A:255:GLN:CD	2.91	0.44
1:B:200:ILE:HG13	1:B:251:ALA:HB2	2.00	0.44
1:B:373:ASN:C	1:B:373:ASN:OD1	2.61	0.44
1:A:421:ARG:HD3	1:A:422:THR:N	2.33	0.43
1:A:421:ARG:CB	1:A:421:ARG:HH11	2.31	0.43
1:A:77:LEU:O	1:A:93:ASP:HB3	2.19	0.43
1:B:63:ASN:OD1	1:B:63:ASN:N	2.47	0.42
1:B:102:MET:HE3	1:B:267:PHE:CE2	2.55	0.42
1:B:366:PHE:CD2	1:B:366:PHE:C	2.97	0.42
1:A:26:VAL:HA	1:A:71:VAL:O	2.19	0.42
1:B:12:ARG:HA	1:B:23:VAL:HA	2.02	0.42
1:B:26:VAL:HA	1:B:71:VAL:O	2.20	0.42
1:A:72:ILE:HD12	1:A:183:ILE:HD11	2.01	0.41
1:A:51:ALA:O	1:A:450:PHE:HA	2.19	0.41
1:A:239:LYS:O	1:A:240:LEU:C	2.62	0.41
1:B:309:ASN:OD1	1:B:309:ASN:C	2.63	0.41
1:B:365:VAL:O	1:B:386:ILE:HA	2.20	0.41
1:A:25:ASN:O	1:A:70:LEU:HD12	2.21	0.41
1:A:215:LEU:HD21	1:A:247:ARG:CZ	2.51	0.41
1:B:434:VAL:HG13	1:B:435:ASP:N	2.35	0.41
1:A:200:ILE:HD11	1:A:255:GLN:HB2	2.03	0.41
1:A:414:LEU:HG	1:A:430:MET:HE1	2.02	0.41
1:B:240:LEU:HD13	1:B:355:GLN:HG3	2.03	0.41
1:B:129:CYS:O	1:B:130:ASP:C	2.64	0.40
1:A:60:TYR:CE1	2:A:501:FAD:HM83	2.56	0.40
1:A:149:MET:HE2	1:A:171:PHE:CE2	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	419/481 (87%)	411 (98%)	8 (2%)	0	100	100
1	B	406/481 (84%)	394 (97%)	12 (3%)	0	100	100
All	All	825/962 (86%)	805 (98%)	20 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	319/385 (83%)	314 (98%)	5 (2%)	58	76
1	B	306/385 (80%)	299 (98%)	7 (2%)	45	66
All	All	625/770 (81%)	613 (98%)	12 (2%)	52	72

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	121	VAL
1	A	217	SER
1	A	333	LEU
1	A	413	ARG
1	A	421	ARG
1	B	45	SER
1	B	63	ASN
1	B	92	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	121	VAL
1	B	298	ARG
1	B	413	ARG
1	B	422	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	308	GLN
1	A	312	GLN
1	B	428	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	EQ8	B	502	-	32,35,35	4.07	18 (56%)	42,53,53	3.12	14 (33%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	FAD	B	501	-	53,58,58	0.63	1 (1%)	68,89,89	0.62	1 (1%)
2	FAD	A	501	-	53,58,58	0.59	0	68,89,89	0.60	1 (1%)
3	EQ8	A	502	-	32,35,35	4.51	16 (50%)	42,53,53	3.31	13 (30%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	EQ8	B	502	-	-	11/22/42/42	0/3/4/4
2	FAD	B	501	-	-	3/30/50/50	0/6/6/6
2	FAD	A	501	-	-	0/30/50/50	0/6/6/6
3	EQ8	A	502	-	-	8/22/42/42	0/3/4/4

All (35) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	502	EQ8	C11-C09	12.20	1.63	1.48
3	B	502	EQ8	C11-C09	12.03	1.63	1.48
3	A	502	EQ8	C07-N19	10.74	1.59	1.34
3	B	502	EQ8	C07-N19	8.73	1.55	1.34
3	A	502	EQ8	C09-N08	8.31	1.56	1.39
3	A	502	EQ8	C05-S06	8.01	1.90	1.76
3	A	502	EQ8	C24-N19	7.14	1.59	1.47
3	B	502	EQ8	C24-N19	6.97	1.59	1.47
3	B	502	EQ8	C05-S06	6.93	1.88	1.76
3	B	502	EQ8	C09-N08	6.51	1.52	1.39
3	A	502	EQ8	C04-N02	6.28	1.62	1.40
3	B	502	EQ8	C04-N02	5.97	1.61	1.40
3	A	502	EQ8	C21-N22	-5.64	1.42	1.47
3	A	502	EQ8	C20-N19	5.10	1.56	1.47
3	A	502	EQ8	C04-C05	4.85	1.47	1.41
3	B	502	EQ8	C24-C23	4.22	1.67	1.51
3	B	502	EQ8	C21-N22	-4.22	1.43	1.47
3	A	502	EQ8	C15-C13	4.12	1.58	1.49
3	B	502	EQ8	C04-C05	4.04	1.46	1.41
3	B	502	EQ8	C20-N19	3.92	1.54	1.47
3	B	502	EQ8	C23-N22	3.64	1.51	1.47
3	A	502	EQ8	C29-C28	3.11	1.58	1.52
3	A	502	EQ8	C21-C20	2.84	1.62	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	502	EQ8	C33-C28	2.78	1.58	1.52
3	B	502	EQ8	C15-C13	2.61	1.55	1.49
2	B	501	FAD	C1'-C2'	2.55	1.56	1.52
3	A	502	EQ8	C32-C33	2.53	1.59	1.53
3	B	502	EQ8	C14-C04	2.51	1.43	1.40
3	A	502	EQ8	C33-C28	2.50	1.57	1.52
3	B	502	EQ8	C29-C28	2.34	1.57	1.52
3	B	502	EQ8	C21-C20	2.33	1.60	1.51
3	A	502	EQ8	C24-C23	2.27	1.60	1.51
3	B	502	EQ8	C30-C29	2.19	1.58	1.53
3	B	502	EQ8	C14-C13	2.18	1.43	1.39
3	A	502	EQ8	C14-C04	2.14	1.43	1.40

All (29) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	502	EQ8	O27-S25-O26	-12.87	110.95	119.22
3	B	502	EQ8	O27-S25-O26	-10.86	112.23	119.22
3	A	502	EQ8	C24-C23-N22	9.41	116.11	108.91
3	B	502	EQ8	C23-N22-C21	-7.96	103.35	112.17
3	A	502	EQ8	N19-C07-N08	6.41	129.60	115.40
3	B	502	EQ8	C24-C23-N22	6.26	113.70	108.91
3	A	502	EQ8	C23-N22-S25	5.54	128.45	116.93
3	B	502	EQ8	C33-C28-C29	-5.25	107.56	111.45
3	B	502	EQ8	C23-N22-S25	5.03	127.39	116.93
3	B	502	EQ8	N19-C07-N08	5.00	126.49	115.40
3	A	502	EQ8	C20-C21-N22	4.53	112.38	108.91
3	B	502	EQ8	C32-C33-C28	4.26	116.34	109.98
3	A	502	EQ8	C32-C33-C28	4.26	116.34	109.98
3	B	502	EQ8	C24-N19-C07	4.18	132.48	122.03
3	A	502	EQ8	C33-C28-C29	-3.87	108.59	111.45
3	A	502	EQ8	C30-C29-C28	3.79	115.65	109.98
3	B	502	EQ8	C30-C29-C28	3.50	115.21	109.98
3	A	502	EQ8	C23-C24-N19	3.47	117.88	110.44
3	B	502	EQ8	C20-C21-N22	-3.32	106.37	108.91
3	A	502	EQ8	C21-C20-N19	2.91	116.68	110.44
3	B	502	EQ8	C21-N22-S25	2.78	122.71	116.93
3	A	502	EQ8	O10-C09-C11	-2.71	117.40	121.54
3	A	502	EQ8	C11-C09-N08	2.65	121.63	117.88
3	A	502	EQ8	C24-N19-C07	2.60	128.53	122.03
3	B	502	EQ8	C20-N19-C07	-2.56	115.62	122.03
2	A	501	FAD	C5A-C6A-N6A	2.56	124.25	120.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	501	FAD	C5A-C6A-N6A	2.19	123.68	120.35
3	B	502	EQ8	C12-C13-C15	-2.14	116.69	119.58
3	B	502	EQ8	O27-S25-N22	2.13	109.72	107.45

There are no chirality outliers.

All (22) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	502	EQ8	C05-C04-N02-O03
3	B	502	EQ8	C05-C04-N02-O03
3	B	502	EQ8	C14-C04-N02-O03
3	B	502	EQ8	C33-C28-S25-O26
3	B	502	EQ8	C21-N22-S25-C28
3	B	502	EQ8	C21-N22-S25-O27
3	B	502	EQ8	C23-N22-S25-O26
3	B	502	EQ8	C23-N22-S25-C28
3	A	502	EQ8	C21-N22-S25-O26
3	A	502	EQ8	C21-N22-S25-O27
3	A	502	EQ8	C23-N22-S25-O26
3	B	502	EQ8	C21-N22-S25-O26
3	A	502	EQ8	C21-N22-S25-C28
3	B	502	EQ8	C29-C28-S25-O26
3	B	502	EQ8	C33-C28-S25-O27
3	A	502	EQ8	C23-N22-S25-C28
2	B	501	FAD	PA-O3P-P-O1P
3	A	502	EQ8	C14-C04-N02-O03
3	B	502	EQ8	C29-C28-S25-O27
3	A	502	EQ8	C23-N22-S25-O27
2	B	501	FAD	C5'-O5'-P-O3P
2	B	501	FAD	C5'-O5'-P-O2P


There are no ring outliers.


2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	501	FAD	1	0
3	A	502	EQ8	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will

also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	425/481 (88%)	0.14	16 (3%) 44 42	36, 56, 89, 119	0
1	B	412/481 (85%)	0.39	28 (6%) 25 22	40, 67, 103, 133	0
All	All	837/962 (87%)	0.27	44 (5%) 33 30	36, 61, 98, 133	0

All (44) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	267	PHE	5.3
1	A	284	ALA	4.1
1	B	295	LEU	4.0
1	B	417	ALA	4.0
1	A	316	PRO	4.0
1	B	17	GLY	3.9
1	A	46	GLY	3.8
1	B	10	ALA	3.7
1	B	314	TYR	3.4
1	B	231	PHE	3.1
1	A	44	GLU	3.1
1	A	268	ASP	3.0
1	B	331	GLY	2.9
1	B	16	TRP	2.9
1	A	315	HIS	2.8
1	A	299	LYS	2.8
1	B	296	TRP	2.8
1	B	46	GLY	2.8
1	B	7	THR	2.7
1	A	461	LEU	2.7
1	A	20	ALA	2.6
1	B	297	TYR	2.6
1	B	47	GLY	2.4
1	B	360	TYR	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	386	ILE	2.4
1	A	230	TRP	2.4
1	A	231	PHE	2.3
1	B	23	VAL	2.3
1	A	8	THR	2.3
1	B	230	TRP	2.3
1	B	460	LEU	2.2
1	A	238	PRO	2.2
1	B	60	TYR	2.2
1	B	311	THR	2.2
1	A	421	ARG	2.2
1	A	10	ALA	2.2
1	B	334	GLN	2.1
1	B	20	ALA	2.1
1	A	47	GLY	2.1
1	B	418	LYS	2.1
1	B	301	GLY	2.0
1	B	8	THR	2.0
1	B	416	THR	2.0
1	B	13	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	EQ8	B	502	32/32	0.71	0.22	64,94,133,164	6
3	EQ8	A	502	32/32	0.84	0.18	56,83,124,134	4
2	FAD	A	501	53/53	0.96	0.08	34,43,50,56	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	FAD	B	501	53/53	0.96	0.08	44,53,61,72	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around EQ8 B 502:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around EQ8 A 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around FAD A 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.