



Full wwPDB EM Validation Report ⓘ

Dec 10, 2025 – 04:33 pm GMT

PDB ID : 6HV8 / pdb_00006hv8
EMDB ID : EMD-0287
Title : Cryo-EM structure of *S. cerevisiae* Polymerase epsilon deltacat mutant
Authors : Goswami, P.; Purkiss, A.; Cheung, A.; Costa, A.
Deposited on : 2018-10-10
Resolution : 4.40 Å (reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev129
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.47



1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 4.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	210492	15764	-
Ramachandran outliers	207382	16835	-
Sidechain outliers	206894	16415	-
Q-score	-	25397	3132 (3.91 - 4.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	B	689	
2	A	914	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 9206 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DNA polymerase epsilon subunit B.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	B	410	Total	C	N	O	S	0	0
			3256	2085	554	603	14		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	266	ASN	MET	conflict	UNP P24482

- Molecule 2 is a protein called DNA polymerase epsilon catalytic subunit A.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	A	774	Total	C	N	O	S	0	0
			5948	3819	992	1104	33		

- Molecule 3 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
3	A	2	Total	Zn	0
			2	2	



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	161376	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	30	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	FEI FALCON III (4k x 4k)	Depositor
Maximum map value	0.290	Depositor
Minimum map value	-0.158	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.012	Depositor
Recommended contour level	0.0576	Depositor
Map size ($\text{\AA}$)	200.56001, 200.56001, 200.56001	wwPDB
Map dimensions	184, 184, 184	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing ($\text{\AA}$)	1.09, 1.09, 1.09	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	B	0.41	0/3318	0.78	1/4493 (0.0%)
2	A	0.44	0/6061	1.03	29/8223 (0.4%)
All	All	0.43	0/9379	0.95	30/12716 (0.2%)

There are no bond length outliers.

All (30) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	2030	PRO	N-CA-CB	7.47	111.22	103.23
2	A	2047	VAL	N-CA-C	-7.22	102.78	113.39
2	A	1911	TRP	CA-C-N	6.76	134.52	122.08
2	A	1911	TRP	C-N-CA	6.76	134.52	122.08
2	A	1657	ASN	N-CA-C	6.73	125.14	110.80
2	A	1896	SER	CA-C-N	6.50	133.40	121.70
2	A	1896	SER	C-N-CA	6.50	133.40	121.70
2	A	1943	LYS	N-CA-C	-6.43	100.04	110.20
2	A	1731	VAL	N-CA-C	6.41	115.84	106.55
2	A	1515	LYS	N-CA-C	6.26	123.65	109.81
2	A	1746	THR	N-CA-C	6.24	117.77	110.97
2	A	1691	GLU	CA-C-N	6.10	128.92	120.63
2	A	1691	GLU	C-N-CA	6.10	128.92	120.63
2	A	1695	LEU	N-CA-C	5.83	122.69	109.81
2	A	1925	ILE	CA-C-N	5.56	132.15	121.54
2	A	1925	ILE	C-N-CA	5.56	132.15	121.54
2	A	1875	PRO	N-CA-C	5.48	123.76	112.47
2	A	1359	MET	CA-C-N	5.47	131.98	121.54
2	A	1359	MET	C-N-CA	5.47	131.98	121.54
2	A	2049	ASN	N-CA-C	5.40	120.09	112.75
2	A	2071	GLU	N-CA-C	5.36	116.82	110.97
2	A	1886	MET	CB-CG-SD	-5.33	96.70	112.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	303	GLY	N-CA-C	5.30	117.44	112.08
2	A	1664	ARG	CA-CB-CG	5.24	124.59	114.10
2	A	1655	TYR	CA-CB-CG	-5.22	104.50	113.90
2	A	1912	MET	N-CA-C	-5.08	101.64	108.19
2	A	1434	HIS	N-CA-C	-5.06	100.02	110.80
2	A	1803	LEU	CA-C-N	5.03	131.15	121.54
2	A	1803	LEU	C-N-CA	5.03	131.15	121.54
2	A	1936	VAL	N-CA-C	5.03	119.80	109.34

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	3256	0	3259	51	0
2	A	5948	0	5712	112	0
3	A	2	0	0	0	0
All	All	9206	0	8971	162	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (162) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:182:SER:O	1:B:190:PHE:HA	1.76	0.85
2:A:2068:THR:HA	2:A:2071:GLU:HB3	1.59	0.84
2:A:1906:TRP:HB3	2:A:1909:LEU:HD11	1.69	0.74
2:A:1879:TYR:OH	2:A:1886:MET:SD	2.49	0.69
2:A:1712:ILE:HG12	2:A:1712:ILE:O	1.96	0.65
2:A:1549:LEU:HB3	2:A:1646:ILE:HD11	1.79	0.64
2:A:1649:LEU:HD21	2:A:1664:ARG:HG3	1.80	0.63
1:B:364:LEU:HD13	1:B:634:PRO:HD3	1.81	0.63
2:A:2062:MET:SD	2:A:2062:MET:N	2.72	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:676:VAL:O	1:B:680:LYS:HA	1.99	0.63
2:A:1533:LYS:HA	2:A:1536:PHE:HB3	1.81	0.62
2:A:1890:ARG:NH1	2:A:1894:MET:SD	2.73	0.62
2:A:2164:CYS:SG	2:A:2165:SER:N	2.73	0.62
1:B:647:ALA:O	1:B:660:ASN:ND2	2.33	0.61
2:A:1320:SER:HA	2:A:1341:THR:O	2.00	0.61
2:A:2108:CYS:CB	2:A:2111:CYS:SG	2.83	0.61
1:B:209:PRO:O	2:A:2191:ARG:NH2	2.33	0.61
2:A:1342:ILE:HG23	2:A:1344:GLY:H	1.65	0.61
2:A:1495:GLY:HA3	2:A:1515:LYS:HB2	1.83	0.60
2:A:1523:ILE:HG23	2:A:1527:SER:HB3	1.82	0.60
2:A:1568:LYS:HA	2:A:1571:ARG:HB3	1.83	0.60
2:A:1581:LYS:HE2	2:A:1586:LEU:HD21	1.84	0.60
2:A:2102:VAL:O	2:A:2149:LYS:NZ	2.35	0.59
1:B:531:ARG:HG2	1:B:540:VAL:HG22	1.84	0.59
2:A:1473:ASN:OD1	2:A:1475:ARG:NH2	2.36	0.59
1:B:546:LEU:HB3	1:B:602:LEU:HD11	1.85	0.59
1:B:216:GLN:HA	1:B:219:LEU:HB2	1.86	0.57
2:A:1733:ASP:OD1	2:A:1733:ASP:N	2.35	0.57
1:B:174:ASN:HB2	1:B:177:GLN:HB2	1.86	0.57
2:A:1921:ALA:HB1	2:A:1930:ASN:HB3	1.87	0.56
1:B:174:ASN:ND2	1:B:177:GLN:OE1	2.32	0.56
2:A:1733:ASP:HB3	2:A:1906:TRP:HD1	1.70	0.56
1:B:642:CYS:HA	1:B:661:PRO:HD2	1.88	0.56
2:A:2163:ARG:NH2	2:A:2168:HIS:O	2.38	0.55
2:A:1550:VAL:HB	2:A:1553:LYS:HE3	1.88	0.55
2:A:1612:ILE:O	2:A:1664:ARG:NH2	2.39	0.55
1:B:600:ARG:HE	1:B:651:LEU:HD13	1.71	0.55
2:A:1696:PRO:HB2	2:A:1701:ILE:HG12	1.89	0.55
2:A:2108:CYS:HB3	2:A:2111:CYS:SG	2.46	0.55
2:A:1414:CYS:SG	2:A:1415:THR:N	2.79	0.54
2:A:1731:VAL:HG23	2:A:1868:ILE:HG13	1.90	0.54
1:B:184:ASN:O	1:B:188:MET:HA	2.07	0.54
1:B:643:ASP:OD2	1:B:646:SER:N	2.41	0.54
1:B:539:ILE:HG12	1:B:638:THR:HB	1.89	0.53
1:B:410:ASP:HB3	1:B:413:ILE:HG12	1.89	0.53
2:A:1362:LYS:HE2	2:A:1375:LEU:H	1.72	0.53
2:A:2119:PHE:HE2	2:A:2146:LEU:HD21	1.74	0.52
1:B:184:ASN:O	1:B:188:MET:N	2.43	0.52
2:A:1726:VAL:HG12	2:A:1728:ASP:H	1.75	0.52
2:A:1516:PRO:HB2	2:A:1519:GLN:HB2	1.91	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:1720:LYS:HE2	2:A:1860:TYR:HB2	1.91	0.52
2:A:1611:PRO:HB3	2:A:1660:ILE:HG23	1.92	0.51
2:A:1485:GLY:N	2:A:1589:LEU:O	2.43	0.51
2:A:1595:PRO:HG2	2:A:1612:ILE:HG23	1.93	0.51
2:A:1317:TYR:OH	2:A:1320:SER:O	2.24	0.51
2:A:1864:ASN:OD1	2:A:1865:GLN:NE2	2.44	0.51
2:A:1850:GLU:OE1	2:A:1890:ARG:NH2	2.43	0.51
1:B:292:PHE:H	1:B:295:ASN:HB3	1.75	0.51
1:B:351:ARG:HE	1:B:354:ILE:HG13	1.76	0.51
2:A:2176:SER:HB2	2:A:2185:TRP:HZ2	1.75	0.50
1:B:529:PRO:HB3	1:B:542:PHE:HD1	1.77	0.50
2:A:2071:GLU:HG2	2:A:2072:ILE:HG12	1.93	0.50
1:B:174:ASN:N	1:B:174:ASN:OD1	2.45	0.50
1:B:209:PRO:HB2	1:B:624:TRP:HE3	1.76	0.50
2:A:1581:LYS:HG3	2:A:1586:LEU:HG	1.94	0.50
2:A:1335:VAL:HG22	2:A:1352:HIS:HB3	1.92	0.50
2:A:1540:LYS:O	2:A:1544:GLU:N	2.42	0.49
2:A:2043:SER:HB2	2:A:2046:ASN:HB2	1.94	0.49
2:A:1730:VAL:HG21	2:A:1869:LYS:HG2	1.94	0.49
2:A:1373:ASN:HD22	2:A:1407:PHE:HA	1.77	0.49
1:B:184:ASN:O	1:B:188:MET:CA	2.60	0.49
2:A:1543:ILE:HG12	2:A:1553:LYS:HD3	1.95	0.49
2:A:1572:ARG:NH2	2:A:1575:GLN:OE1	2.37	0.48
1:B:663:SER:OG	1:B:664:PHE:N	2.47	0.48
2:A:1732:LEU:HD23	2:A:1867:LEU:HD23	1.95	0.48
1:B:439:THR:HG22	1:B:441:VAL:H	1.79	0.48
2:A:1310:ILE:HG22	2:A:1311:ARG:HG2	1.96	0.48
2:A:1595:PRO:HB2	2:A:1600:LEU:HD12	1.95	0.48
1:B:538:GLU:O	1:B:637:SER:N	2.42	0.48
1:B:640:VAL:HG13	1:B:659:ILE:HD11	1.96	0.48
2:A:2189:LEU:HD12	2:A:2190:PRO:HD2	1.96	0.47
2:A:2164:CYS:HB3	2:A:2167:CYS:SG	2.53	0.47
2:A:1433:PRO:HD3	2:A:1689:TRP:HE1	1.79	0.47
2:A:1870:THR:HG21	2:A:1879:TYR:HB2	1.97	0.47
1:B:485:PRO:HG3	1:B:507:PRO:HA	1.97	0.47
2:A:1730:VAL:HB	2:A:1869:LYS:HA	1.96	0.47
2:A:1690:ASN:HB2	2:A:1826:LYS:HD3	1.96	0.47
1:B:480:THR:HA	1:B:522:ASN:HB3	1.96	0.47
2:A:1886:MET:HE2	2:A:1886:MET:HB3	1.74	0.47
2:A:1513:VAL:HG11	2:A:1569:LEU:HD22	1.97	0.47
2:A:1596:PHE:HA	2:A:1597:ILE:HA	1.58	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:672:TYR:OH	1:B:685:GLU:OE1	2.28	0.46
2:A:1431:ILE:HD12	2:A:1687:LEU:HD11	1.97	0.46
2:A:1513:VAL:HG23	2:A:1564:THR:HA	1.97	0.46
2:A:1489:HIS:CE1	2:A:1599:LYS:HB2	2.51	0.46
2:A:1730:VAL:HG23	2:A:1732:LEU:HD11	1.98	0.46
2:A:1732:LEU:HD13	2:A:1909:LEU:HD13	1.98	0.46
1:B:280:GLN:O	1:B:281:ASN:ND2	2.41	0.45
1:B:429:PRO:HG2	1:B:479:THR:HG21	1.98	0.45
1:B:453:SER:OG	1:B:454:SER:N	2.49	0.45
2:A:2173:ASP:N	2:A:2173:ASP:OD1	2.46	0.45
2:A:1317:TYR:OH	2:A:1472:GLU:OE2	2.34	0.45
1:B:324:CYS:SG	1:B:609:GLN:NE2	2.90	0.45
2:A:1322:TRP:HA	2:A:1340:VAL:HG12	1.98	0.45
2:A:1742:ASN:HD21	2:A:1899:ASP:HB3	1.81	0.45
1:B:432:LEU:HD12	1:B:481:MET:HG2	1.98	0.45
2:A:1663:LEU:HB3	2:A:1666:ASP:HB2	1.97	0.45
1:B:402:LEU:HA	1:B:672:TYR:HB2	1.98	0.45
2:A:1338:VAL:H	2:A:1349:ILE:HG22	1.82	0.45
2:A:1922:CYS:O	2:A:1931:GLN:NE2	2.44	0.45
1:B:421:LEU:HD23	1:B:424:LEU:HD12	1.99	0.45
2:A:1433:PRO:HD3	2:A:1689:TRP:NE1	2.32	0.45
2:A:1947:PRO:HA	2:A:1948:ILE:HA	1.77	0.44
1:B:458:PHE:HA	1:B:461:ASN:HD22	1.82	0.44
2:A:1358:TYR:HB2	2:A:1429:GLY:HA2	1.99	0.44
2:A:1508:THR:OG1	2:A:1559:GLU:O	2.35	0.44
2:A:1580:LEU:HD13	2:A:1580:LEU:HA	1.73	0.44
1:B:668:ARG:HH21	1:B:671:ARG:HH12	1.64	0.44
2:A:1745:LEU:HB2	2:A:1897:TYR:CE1	2.53	0.44
2:A:2164:CYS:SG	2:A:2166:ARG:N	2.89	0.44
1:B:171:LYS:H	1:B:533:ALA:HB3	1.82	0.44
1:B:314:PRO:HB3	1:B:344:MET:H	1.82	0.44
2:A:1503:LYS:HE2	2:A:1503:LYS:HB2	1.81	0.44
2:A:1679:LYS:HE3	2:A:1794:MET:HE2	2.00	0.44
2:A:1695:LEU:HD13	2:A:1828:PHE:N	2.33	0.44
1:B:678:SER:OG	1:B:679:SER:N	2.51	0.44
2:A:1860:TYR:HB3	2:A:1867:LEU:HD13	2.00	0.44
2:A:1606:LEU:O	2:A:1608:ASN:ND2	2.51	0.43
2:A:1739:LEU:O	2:A:1743:THR:OG1	2.34	0.43
2:A:1662:ASN:HB2	2:A:1664:ARG:HD2	2.00	0.43
2:A:1836:VAL:O	2:A:1840:THR:OG1	2.23	0.43
1:B:676:VAL:O	1:B:680:LYS:CA	2.64	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:305:VAL:HG13	1:B:307:ILE:HD11	2.00	0.43
2:A:1591:LEU:HD23	2:A:1611:PRO:HG3	2.01	0.43
1:B:318:HIS:HA	1:B:601:LYS:HD2	2.00	0.42
2:A:1721:ILE:O	2:A:2060:HIS:NE2	2.52	0.42
1:B:283:LEU:HD13	1:B:329:GLU:HB2	2.02	0.42
1:B:363:ASP:OD2	1:B:367:ILE:N	2.53	0.42
2:A:1474:GLU:HG2	2:A:1657:ASN:HD21	1.84	0.42
2:A:1733:ASP:HB3	2:A:1906:TRP:CD1	2.53	0.42
1:B:619:LEU:HD12	1:B:619:LEU:HA	1.85	0.41
1:B:676:VAL:HB	1:B:681:LYS:HB2	2.02	0.41
2:A:1382:SER:HB2	2:A:1685:ILE:HG23	2.02	0.41
2:A:1431:ILE:HG13	2:A:1432:THR:HG22	2.01	0.41
2:A:2118:ASP:OD1	2:A:2119:PHE:N	2.53	0.41
2:A:1917:PHE:HB2	2:A:1933:TYR:CE2	2.55	0.41
2:A:1896:SER:HA	2:A:1898:LEU:HD23	2.02	0.41
2:A:2128:PHE:HB3	2:A:2129:SER:H	1.67	0.41
2:A:1371:ILE:HG22	2:A:1373:ASN:H	1.86	0.41
2:A:1701:ILE:HG22	2:A:1702:GLN:HG3	2.02	0.41
2:A:1720:LYS:HE3	2:A:1911:TRP:CE3	2.56	0.41
2:A:1744:ILE:HD12	2:A:1744:ILE:HA	1.88	0.41
2:A:1718:PHE:CD1	2:A:1861:ALA:O	2.74	0.41
2:A:1369:GLN:HE22	2:A:1414:CYS:C	2.29	0.41
2:A:1503:LYS:HE3	2:A:1580:LEU:HD11	2.03	0.41
2:A:1485:GLY:O	2:A:1591:LEU:N	2.55	0.40
2:A:1793:GLY:HA2	2:A:1796:LYS:HD2	2.04	0.40
2:A:1916:ASN:HB3	2:A:1936:VAL:O	2.21	0.40
1:B:476:THR:HG21	1:B:520:CYS:HA	2.03	0.40
2:A:1482:MET:SD	2:A:1482:MET:N	2.95	0.40
1:B:421:LEU:HA	1:B:424:LEU:HB2	2.04	0.40
2:A:2158:LEU:HD23	2:A:2158:LEU:HA	1.84	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	394/689 (57%)	339 (86%)	53 (14%)	2 (0%)	25	63
2	A	754/914 (82%)	548 (73%)	201 (27%)	5 (1%)	19	56
All	All	1148/1603 (72%)	887 (77%)	254 (22%)	7 (1%)	24	59

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	A	1657	ASN
2	A	1712	ILE
1	B	443	VAL
1	B	535	LEU
2	A	1668	MET
2	A	2029	ASP
2	A	1875	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	368/629 (58%)	367 (100%)	1 (0%)	91	92
2	A	627/837 (75%)	615 (98%)	12 (2%)	52	70
All	All	995/1466 (68%)	982 (99%)	13 (1%)	64	77

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	174	ASN
2	A	1325	LEU
2	A	1362	LYS
2	A	1389	THR
2	A	1408	LEU
2	A	1592	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	A	1658	ILE
2	A	1686	VAL
2	A	1712	ILE
2	A	1791	LEU
2	A	1795	LEU
2	A	1887	LYS
2	A	1902	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	295	ASN
1	B	388	HIS
1	B	461	ASN
1	B	488	ASN
1	B	553	HIS
1	B	609	GLN
2	A	1369	GLN
2	A	1373	ASN
2	A	1608	ASN
2	A	1609	GLN
2	A	1657	ASN
2	A	1814	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
2	A	1
1	B	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	A	2060:HIS	C	2061:VAL	N	14.34
1	B	280:GLN	C	281:ASN	N	5.02


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-0287. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 92



Y Index: 92




Z Index: 92


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 84



Y Index: 85




Z Index: 76


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.0576. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 81 nm³; this corresponds to an approximate mass of 73 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.227 Å⁻¹


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-0287 and PDB model 6HV8. Per-residue inclusion information can be found in [section 3](#) on [page 4](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.0576 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.0576).

9.4 Atom inclusion [i](#)



At the recommended contour level, 86% of all backbone atoms, 68% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.0576) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.6780	0.3150
A	0.6750	0.3050
B	0.6840	0.3320

