



# Full wwPDB X-ray Structure Validation Report ⓘ

Sep 9, 2025 – 12:21 AM JST

PDB ID : 6KC0 / pdb\_00006kc0  
Title : fused To-MtbCsm1 with 2ATP  
Authors : Li, T.; Huo, Y.; Jiang, T.  
Deposited on : 2019-06-26  
Resolution : 2.29 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0rc1  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtrriage (Phenix) : 2.0rc1  
EDS : 3.0  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
CCP4 : 9.0.006 (Gargrove)  
Density-Fitness : 1.0.12  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.45.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.29 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	164625	5963 (2.30-2.30)
Clashscore	180529	6698 (2.30-2.30)
Ramachandran outliers	177936	6640 (2.30-2.30)
Sidechain outliers	177891	6640 (2.30-2.30)
RSRZ outliers	164620	5963 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	776	

## 2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 5668 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CRISPR system single-strand-specific deoxyribonuclease Cas10/Csm1 (subtype III-A), CRISPR system single-strand-specific deoxyribonuclease Cas10/Csm1 (subtype III-A).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	674	5423	3485	944	977	17	0	0	0

- Molecule 2 is ADENOSINE-5'-TRIPHOSPHATE (CCD ID: ATP) (formula:  $C_{10}H_{16}N_5O_{13}P_3$ ) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
2	A	1	31	10	5	13	3	0	0
2	A	1	31	10	5	13	3	0	0

- Molecule 3 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	3	Total 3	Mg 3	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	180	Total 180	O 180	0	0

### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: CRISPR system single-strand-specific deoxyribonuclease Cas10/Csm1 (subtype III-A), CRISPR system single-strand-specific deoxyribonuclease Cas10/Csm1 (subtype III-A)



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	57.63Å 53.62Å 130.31Å 90.00° 98.97° 90.00°	Depositor
Resolution (Å)	64.36 – 2.29 64.36 – 2.29	Depositor EDS
% Data completeness (in resolution range)	96.6 (64.36-2.29) 96.2 (64.36-2.29)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.08 (at 2.29Å)	Xtrriage
Refinement program	PHENIX (1.14_3247: ???)	Depositor
R, $R_{free}$	0.213 , 0.286 0.214 , 0.283	Depositor DCC
$R_{free}$ test set	1980 reflections (5.57%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	23.0	Xtrriage
Anisotropy	0.001	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.32 , 55.7	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.91	EDS
Total number of atoms	5668	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	40.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.14% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ATP, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.37	0/5543	0.62	3/7471 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	413	CYS	CA-CB-SG	8.71	134.42	114.40
1	A	558	ASN	CA-C-N	-6.95	109.75	120.31
1	A	558	ASN	C-N-CA	-6.95	109.75	120.31

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5423	0	5401	145	0
2	A	62	0	24	3	0
3	A	3	0	0	0	0
4	A	180	0	0	9	0
All	All	5668	0	5425	145	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (145) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:284:THR:HG22	1:A:286:ALA:H	1.33	0.92
1:A:327:SER:O	1:A:370:ARG:NH2	2.08	0.86
1:A:78:LEU:O	1:A:78:LEU:HD13	1.78	0.83
1:A:562:ALA:HA	1:A:566:GLY:HA3	1.60	0.81
1:A:573:GLY:N	4:A:1001:HOH:O	2.14	0.81
1:A:610:GLY:O	1:A:615:ARG:NH2	2.16	0.78
1:A:593:ARG:HH22	1:A:626:GLY:H	1.35	0.74
1:A:137:GLU:O	1:A:139:GLU:N	2.21	0.73
1:A:698:PHE:O	1:A:700:ARG:N	2.23	0.71
1:A:228:ARG:NH1	4:A:1003:HOH:O	2.23	0.69
1:A:15:ASP:OD1	1:A:60:HIS:NE2	2.26	0.69
1:A:786:PRO:HG2	1:A:788:ASP:HB2	1.75	0.69
1:A:336:GLU:OE2	1:A:358:ARG:NH1	2.27	0.68
1:A:445:GLU:OE2	4:A:1002:HOH:O	2.14	0.65
1:A:243:ILE:HD12	1:A:266:LEU:HD21	1.78	0.65
1:A:559:LEU:HB3	2:A:902:ATP:H5'2	1.80	0.64
1:A:30:HIS:HE2	1:A:60:HIS:CD2	2.15	0.64
1:A:713:VAL:HG22	1:A:791:GLN:HB3	1.80	0.63
1:A:719:ARG:HH11	1:A:719:ARG:HB2	1.63	0.63
1:A:121:SER:HB2	1:A:143:PRO:HB3	1.80	0.62
1:A:59:PHE:HD1	1:A:60:HIS:N	1.98	0.61
1:A:733:MET:HE1	1:A:803:THR:HB	1.83	0.61
1:A:169:LYS:HE2	1:A:174:ARG:HG3	1.83	0.60
1:A:169:LYS:CE	1:A:169:LYS:H	2.14	0.60
1:A:127:LYS:HB2	1:A:143:PRO:HB2	1.83	0.60
1:A:719:ARG:HA	1:A:722:ALA:HB3	1.84	0.59
1:A:169:LYS:HE2	1:A:169:LYS:H	1.68	0.59
1:A:593:ARG:NH2	1:A:626:GLY:H	2.01	0.58
1:A:284:THR:HG21	4:A:1031:HOH:O	2.03	0.58
1:A:389:CYS:SG	1:A:413:CYS:HB3	2.44	0.58
1:A:136:PHE:H	1:A:138:LYS:HD2	1.68	0.57
1:A:460:PRO:HB2	1:A:465:ILE:HD13	1.85	0.57
1:A:785:ASP:N	1:A:786:PRO:HD3	2.21	0.56
1:A:731:ARG:HE	1:A:731:ARG:HA	1.70	0.56
1:A:433:GLY:HA3	1:A:461:VAL:O	2.05	0.56
1:A:552:LEU:HD12	1:A:663:ILE:HG12	1.88	0.56
1:A:169:LYS:HE3	1:A:174:ARG:NH1	2.21	0.55
1:A:121:SER:HA	1:A:129:TYR:HE1	1.71	0.55
1:A:217:CYS:SG	1:A:232:ARG:NH1	2.80	0.55
1:A:181:LYS:NZ	1:A:472:ASN:OD1	2.41	0.53

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:551:VAL:HG21	1:A:675:MET:HE2	1.91	0.53
1:A:731:ARG:HG3	1:A:733:MET:H	1.74	0.53
1:A:127:LYS:CB	1:A:143:PRO:HB2	2.39	0.53
1:A:418:ARG:HD3	1:A:443:LEU:O	2.08	0.53
1:A:580:ARG:NH2	4:A:1014:HOH:O	2.42	0.53
1:A:21:GLN:HG2	1:A:33:GLN:NE2	2.24	0.53
1:A:349:LYS:HE2	1:A:351:LEU:HD21	1.90	0.52
1:A:150:ARG:NH1	1:A:153:ASP:OD1	2.42	0.52
1:A:59:PHE:CD1	1:A:60:HIS:N	2.76	0.52
1:A:389:CYS:SG	1:A:392:CYS:N	2.72	0.51
1:A:256:LEU:O	1:A:260:ARG:HG3	2.10	0.51
1:A:169:LYS:CE	1:A:174:ARG:HG3	2.41	0.51
1:A:733:MET:HG3	1:A:737:TYR:CE2	2.46	0.51
1:A:548:ARG:HG3	1:A:665:MET:HE3	1.92	0.51
1:A:39:ARG:O	1:A:43:GLU:HG2	2.11	0.50
1:A:757:TYR:O	1:A:760:THR:OG1	2.26	0.50
1:A:710:LEU:O	1:A:714:ILE:HB	2.12	0.49
1:A:389:CYS:SG	1:A:413:CYS:SG	3.08	0.49
1:A:629:VAL:HG12	1:A:631:VAL:HG23	1.93	0.49
1:A:729:GLU:H	1:A:729:GLU:CD	2.19	0.49
1:A:47:ARG:N	4:A:1018:HOH:O	2.46	0.48
1:A:248:TYR:O	1:A:673:SER:HA	2.14	0.48
1:A:297:MET:HE1	1:A:356:ARG:NE	2.29	0.48
1:A:293:GLY:N	4:A:1020:HOH:O	2.47	0.48
1:A:140:LEU:HG	1:A:595:HIS:CD2	2.48	0.48
1:A:136:PHE:N	1:A:138:LYS:HD2	2.30	0.47
1:A:720:HIS:CE1	1:A:724:TYR:HE2	2.31	0.47
1:A:30:HIS:NE2	1:A:60:HIS:CD2	2.83	0.47
1:A:365:VAL:HA	1:A:368:LEU:HD12	1.95	0.47
1:A:36:ARG:HH11	1:A:36:ARG:HG3	1.77	0.47
1:A:692:LYS:O	1:A:694:GLY:N	2.47	0.47
1:A:792:LEU:O	1:A:796:LEU:HG	2.15	0.47
1:A:121:SER:CB	1:A:143:PRO:HB3	2.46	0.46
1:A:238:GLY:HA3	1:A:296:PHE:CZ	2.51	0.46
1:A:564:THR:HG1	1:A:565:HIS:CE1	2.32	0.46
1:A:682:LEU:HD21	1:A:699:ASP:HA	1.98	0.46
1:A:140:LEU:HA	1:A:595:HIS:CE1	2.50	0.46
1:A:562:ALA:HA	1:A:566:GLY:CA	2.37	0.46
1:A:180:GLU:HB2	1:A:199:TYR:CZ	2.50	0.46
1:A:698:PHE:C	1:A:700:ARG:H	2.25	0.45
1:A:702:PHE:HD1	1:A:702:PHE:O	1.99	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:357:LYS:HA	1:A:357:LYS:HD3	1.44	0.45
1:A:714:ILE:O	1:A:718:TYR:HB3	2.17	0.45
1:A:56:PHE:HA	1:A:59:PHE:CE2	2.52	0.45
1:A:648:ARG:HD3	1:A:648:ARG:HA	1.79	0.44
1:A:330:TYR:CG	1:A:370:ARG:HB2	2.52	0.44
1:A:22:ARG:HG2	1:A:115:ALA:HB1	2.00	0.44
1:A:299:ILE:HD11	1:A:578:ILE:HG12	2.00	0.44
1:A:240:PHE:HB3	1:A:243:ILE:HD11	2.00	0.44
1:A:156:GLU:OE2	1:A:159:LYS:NZ	2.30	0.44
1:A:78:LEU:HD11	1:A:83:PHE:HE2	1.83	0.44
1:A:259:LEU:HD11	1:A:672:ILE:HD13	2.00	0.44
1:A:636:ASP:OD1	1:A:636:ASP:N	2.43	0.44
1:A:133:GLU:HG2	1:A:134:LEU:O	2.18	0.43
1:A:170:LEU:HD23	1:A:170:LEU:HA	1.70	0.43
1:A:137:GLU:O	1:A:137:GLU:HG3	2.18	0.43
1:A:778:ARG:NH1	1:A:781:GLN:OE1	2.52	0.43
1:A:113:PRO:HD2	1:A:191:SER:N	2.32	0.43
1:A:113:PRO:HB2	1:A:117:ARG:NH2	2.34	0.43
1:A:389:CYS:HB3	1:A:392:CYS:HB2	2.00	0.43
1:A:660:SER:HA	1:A:694:GLY:O	2.17	0.43
1:A:389:CYS:SG	1:A:392:CYS:CB	3.07	0.43
1:A:426:LEU:HD23	1:A:426:LEU:HA	1.88	0.43
1:A:666:PHE:HB2	1:A:675:MET:HE3	2.00	0.43
1:A:51:GLU:HB3	1:A:78:LEU:HD21	2.01	0.43
1:A:567:PHE:N	1:A:567:PHE:CD1	2.87	0.43
1:A:719:ARG:HB2	1:A:719:ARG:NH1	2.31	0.43
1:A:180:GLU:OE2	1:A:586:ARG:NH1	2.52	0.42
1:A:553:ARG:O	1:A:661:ALA:HA	2.19	0.42
1:A:180:GLU:HB2	1:A:199:TYR:CE1	2.54	0.42
1:A:549:LEU:HD11	1:A:675:MET:HE1	2.01	0.42
1:A:606:ARG:NH2	1:A:615:ARG:HG3	2.35	0.42
1:A:245:ASP:O	1:A:249:ARG:HB2	2.19	0.42
1:A:133:GLU:HG3	1:A:182:TYR:CE1	2.55	0.42
1:A:169:LYS:H	1:A:169:LYS:CD	2.32	0.42
1:A:346:GLU:OE1	4:A:1003:HOH:O	2.22	0.42
1:A:320:TRP:CZ2	1:A:324:GLU:HG3	2.55	0.42
1:A:357:LYS:NZ	1:A:360:LYS:HD2	2.35	0.42
1:A:433:GLY:O	1:A:451:PHE:HA	2.19	0.42
1:A:667:PRO:HG2	1:A:670:TYR:CD1	2.54	0.42
1:A:574:LYS:O	1:A:580:ARG:HD3	2.19	0.42
1:A:124:ASN:C	1:A:126:GLY:H	2.28	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:557:ASP:HA	1:A:687:LYS:NZ	2.34	0.42
1:A:712:LYS:HD3	1:A:791:GLN:HE22	1.85	0.42
1:A:698:PHE:C	1:A:700:ARG:N	2.77	0.42
1:A:122:VAL:HG13	1:A:575:PHE:CE1	2.55	0.41
1:A:393:GLY:O	1:A:394:ARG:HG3	2.20	0.41
1:A:259:LEU:HD11	1:A:672:ILE:HG21	2.01	0.41
1:A:346:GLU:HB2	1:A:349:LYS:HB2	2.02	0.41
1:A:585:SER:OG	2:A:902:ATP:N1	2.49	0.41
1:A:559:LEU:HD23	2:A:902:ATP:C8	2.55	0.41
1:A:136:PHE:O	1:A:137:GLU:C	2.63	0.41
1:A:180:GLU:HG3	1:A:586:ARG:NH2	2.36	0.41
1:A:646:ARG:HD3	1:A:646:ARG:C	2.46	0.41
1:A:39:ARG:HD3	4:A:1061:HOH:O	2.20	0.41
1:A:161:LEU:HA	1:A:161:LEU:HD23	1.86	0.41
1:A:284:THR:HG22	1:A:286:ALA:N	2.16	0.40
1:A:646:ARG:HG3	1:A:706:TRP:CD2	2.57	0.40
1:A:357:LYS:HZ3	1:A:360:LYS:HD2	1.87	0.40
1:A:469:ASN:HA	1:A:486:PHE:CD2	2.57	0.40
1:A:72:ILE:HG23	1:A:87:MET:CE	2.51	0.40
1:A:90:VAL:O	1:A:94:LEU:HG	2.20	0.40
1:A:631:VAL:HG21	1:A:641:PHE:HE2	1.87	0.40
1:A:169:LYS:HE3	1:A:174:ARG:HH11	1.86	0.40
1:A:466:LEU:HA	1:A:483:VAL:O	2.21	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	656/776 (84%)	605 (92%)	38 (6%)	13 (2%)	<b>6</b> <b>5</b>

All (13) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	137	GLU
1	A	138	LYS
1	A	612	ASP
1	A	693	ASN
1	A	699	ASP
1	A	726	SER
1	A	474	GLY
1	A	729	GLU
1	A	566	GLY
1	A	608	ILE
1	A	785	ASP
1	A	786	PRO
1	A	607	PRO

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	569/651 (87%)	569 (100%)	0	<b>100</b>   <b>100</b>

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	194	ASN
1	A	438	ASN
1	A	595	HIS
1	A	784	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 5 ligands modelled in this entry, 3 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	ATP	A	902	3	26,33,33	1.03	2 (7%)	31,52,52	1.60	5 (16%)
2	ATP	A	901	-	26,33,33	0.87	1 (3%)	31,52,52	1.48	4 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ATP	A	902	3	-	5/18/38/38	0/3/3/3
2	ATP	A	901	-	-	2/18/38/38	0/3/3/3

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	902	ATP	PB-O1B	3.12	1.61	1.50
2	A	901	ATP	C5-C4	2.15	1.46	1.40
2	A	902	ATP	C5-C4	2.11	1.46	1.40

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	902	ATP	N3-C2-N1	-3.81	122.73	128.68
2	A	901	ATP	PB-O3B-PG	-3.79	119.81	132.83
2	A	902	ATP	PB-O3B-PG	-3.72	120.06	132.83
2	A	901	ATP	N3-C2-N1	-3.69	122.91	128.68
2	A	902	ATP	O2G-PG-O1G	2.60	120.85	110.68
2	A	901	ATP	C4-C5-N7	-2.58	106.71	109.40
2	A	902	ATP	O3'-C3'-C4'	-2.56	103.64	111.05
2	A	901	ATP	PA-O3A-PB	-2.54	124.12	132.83
2	A	902	ATP	C4-C5-N7	-2.26	107.04	109.40

There are no chirality outliers.

All (7) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	902	ATP	PB-O3B-PG-O1G
2	A	902	ATP	C5'-O5'-PA-O3A
2	A	901	ATP	PA-O3A-PB-O2B
2	A	902	ATP	C5'-O5'-PA-O2A
2	A	901	ATP	PA-O3A-PB-O1B
2	A	902	ATP	C5'-O5'-PA-O1A
2	A	902	ATP	O4'-C4'-C5'-O5'


There are no ring outliers.

1 monomer is involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	902	ATP	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	674/776 (86%)	0.64	104 (15%) <b>6</b> <b>7</b>	9, 34, 89, 141	0

All (104) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	140	LEU	6.8
1	A	755	TRP	6.8
1	A	135	ASP	6.6
1	A	59	PHE	5.5
1	A	136	PHE	5.4
1	A	67	ASN	5.4
1	A	756	VAL	5.4
1	A	758	PHE	5.3
1	A	147	PHE	5.2
1	A	699	ASP	5.2
1	A	142	VAL	5.1
1	A	491	PHE	5.1
1	A	757	TYR	5.1
1	A	146	VAL	5.0
1	A	759	LEU	5.0
1	A	783	PHE	5.0
1	A	760	THR	4.8
1	A	143	PRO	4.7
1	A	60	HIS	4.5
1	A	113	PRO	4.5
1	A	786	PRO	4.5
1	A	702	PHE	4.3
1	A	547	ALA	4.1
1	A	612	ASP	4.1
1	A	701	GLU	4.0
1	A	724	TYR	3.8
1	A	772	PHE	3.8

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	A	775	PHE	3.7
1	A	139	GLU	3.7
1	A	348	GLY	3.6
1	A	490	TYR	3.5
1	A	148	SER	3.5
1	A	129	TYR	3.5
1	A	138	LYS	3.5
1	A	141	PRO	3.4
1	A	776	ALA	3.4
1	A	478	GLU	3.3
1	A	771	PRO	3.3
1	A	416	CYS	3.3
1	A	144	GLY	3.3
1	A	697	LEU	3.3
1	A	734	ALA	3.2
1	A	475	GLU	3.2
1	A	698	PHE	3.2
1	A	598	TYR	3.1
1	A	413	CYS	3.1
1	A	805	LYS	3.1
1	A	785	ASP	3.1
1	A	125	PRO	3.1
1	A	130	PRO	3.0
1	A	87	MET	2.9
1	A	727	GLY	2.9
1	A	784	GLN	2.8
1	A	703	THR	2.8
1	A	778	ARG	2.7
1	A	726	SER	2.7
1	A	145	ASP	2.7
1	A	741	GLU	2.6
1	A	613	PRO	2.6
1	A	391	VAL	2.6
1	A	729	GLU	2.6
1	A	730	GLU	2.5
1	A	68	ASP	2.5
1	A	773	GLN	2.5
1	A	567	PHE	2.5
1	A	134	LEU	2.5
1	A	459	ARG	2.5
1	A	392	CYS	2.4
1	A	731	ARG	2.4

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	787	THR	2.4
1	A	566	GLY	2.4
1	A	628	ASP	2.4
1	A	394	ARG	2.4
1	A	700	ARG	2.4
1	A	725	PHE	2.4
1	A	81	GLU	2.4
1	A	669	LYS	2.4
1	A	72	ILE	2.4
1	A	668	ASP	2.4
1	A	728	ASN	2.4
1	A	250	VAL	2.3
1	A	137	GLU	2.3
1	A	327	SER	2.3
1	A	489	ASP	2.3
1	A	390	PRO	2.3
1	A	438	ASN	2.2
1	A	347	GLY	2.2
1	A	602	ARG	2.2
1	A	128	ALA	2.2
1	A	654	GLN	2.2
1	A	393	GLY	2.1
1	A	781	GLN	2.1
1	A	777	ASN	2.1
1	A	779	LEU	2.1
1	A	245	ASP	2.1
1	A	253	LYS	2.1
1	A	782	TRP	2.1
1	A	126	GLY	2.0
1	A	254	GLY	2.0
1	A	389	CYS	2.0
1	A	735	PHE	2.0
1	A	574	LYS	2.0
1	A	720	HIS	2.0
1	A	780	HIS	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.


### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	ATP	A	901	31/31	0.77	0.16	32,69,120,123	0
3	MG	A	905	1/1	0.91	0.10	64,64,64,64	0
2	ATP	A	902	31/31	0.93	0.09	9,19,46,54	0
3	MG	A	904	1/1	0.97	0.06	41,41,41,41	0
3	MG	A	903	1/1	0.98	0.11	15,15,15,15	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





## 6.5 Other polymers [i](#)

There are no such residues in this entry.