



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 24, 2025 – 02:02 pm BST

PDB ID : 6TOS / pdb_00006tos
Title : Crystal structure of the Orexin-1 receptor in complex with GSK1059865
Authors : Rappas, M.; Ali, A.; Bennett, K.A.; Brown, J.D.; Bucknell, S.J.; Congreve, M.; Cooke, R.M.; Cseke, G.; de Graaf, C.; Dore, A.S.; Errey, J.C.; Jazayeri, A.; Marshall, F.H.; Mason, J.S.; Mould, R.; Patel, J.C.; Tehan, B.G.; Weir, M.; Christopher, J.A.
Deposited on : 2019-12-11
Resolution : 2.13 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0rc1
Mogul	:	1.8.4, CSD as541be (2020)
Xtriage (Phenix)	:	2.0rc1
EDS	:	3.0
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4	:	9.0.003 (Gargrove)
Density-Fitness	:	1.0.11
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.44


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.13 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	3336 (2.16-2.12)
Clashscore	180529	3585 (2.16-2.12)
Ramachandran outliers	177936	3554 (2.16-2.12)
Sidechain outliers	177891	3553 (2.16-2.12)
RSRZ outliers	164620	3337 (2.16-2.12)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	336	
1	B	336	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
8	PGW	B	404	X	-	-	-

2 Entry composition

There are 9 unique types of molecules in this entry. The entry contains 5708 atoms, of which 46 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Orexin receptor type 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	302	Total	C	N	O	S	0	2	0
			2444	1626	404	397	17			
1	B	307	Total	C	N	O	S	0	2	0
			2458	1631	412	398	17			

There are 116 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	25	ALA	-	expression tag	UNP O43613
A	26	ALA	-	expression tag	UNP O43613
A	27	SER	-	expression tag	UNP O43613
A	46	ALA	GLU	engineered mutation	UNP O43613
A	85	LEU	ILE	engineered mutation	UNP O43613
A	95	ALA	VAL	engineered mutation	UNP O43613
A	162	LEU	ARG	engineered mutation	UNP O43613
A	194	ALA	ASN	engineered mutation	UNP O43613
A	198	ALA	LEU	engineered mutation	UNP O43613
A	211	ALA	TYR	engineered mutation	UNP O43613
A	?	-	ALA	deletion	UNP O43613
A	?	-	LEU	deletion	UNP O43613
A	?	-	VAL	deletion	UNP O43613
A	?	-	ARG	deletion	UNP O43613
A	?	-	ASN	deletion	UNP O43613
A	?	-	TRP	deletion	UNP O43613
A	?	-	LYS	deletion	UNP O43613
A	?	-	ARG	deletion	UNP O43613
A	?	-	PRO	deletion	UNP O43613
A	?	-	SER	deletion	UNP O43613
A	?	-	ASP	deletion	UNP O43613
A	?	-	GLN	deletion	UNP O43613
A	?	-	LEU	deletion	UNP O43613
A	?	-	GLY	deletion	UNP O43613
A	?	-	ASP	deletion	UNP O43613

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	?	-	LEU	deletion	UNP O43613
A	?	-	GLU	deletion	UNP O43613
A	?	-	GLN	deletion	UNP O43613
A	?	-	GLY	deletion	UNP O43613
A	?	-	LEU	deletion	UNP O43613
A	?	-	SER	deletion	UNP O43613
A	?	-	GLY	deletion	UNP O43613
A	?	-	GLU	deletion	UNP O43613
A	?	-	PRO	deletion	UNP O43613
A	?	-	GLN	deletion	UNP O43613
A	?	-	PRO	deletion	UNP O43613
A	?	-	ARG	deletion	UNP O43613
A	?	-	ALA	deletion	UNP O43613
A	?	-	ARG	deletion	UNP O43613
A	?	-	ALA	deletion	UNP O43613
A	?	-	PHE	deletion	UNP O43613
A	?	-	LEU	deletion	UNP O43613
A	304	VAL	LEU	engineered mutation	UNP O43613
A	339	ALA	CYS	engineered mutation	UNP O43613
A	375	TRP	CYS	engineered mutation	UNP O43613
A	376	TRP	CYS	engineered mutation	UNP O43613
A	381	ALA	-	expression tag	UNP O43613
A	382	ALA	-	expression tag	UNP O43613
A	383	ALA	-	expression tag	UNP O43613
A	384	HIS	-	expression tag	UNP O43613
A	385	HIS	-	expression tag	UNP O43613
A	386	HIS	-	expression tag	UNP O43613
A	387	HIS	-	expression tag	UNP O43613
A	388	HIS	-	expression tag	UNP O43613
A	389	HIS	-	expression tag	UNP O43613
A	390	HIS	-	expression tag	UNP O43613
A	391	HIS	-	expression tag	UNP O43613
A	392	HIS	-	expression tag	UNP O43613
B	25	ALA	-	expression tag	UNP O43613
B	26	ALA	-	expression tag	UNP O43613
B	27	SER	-	expression tag	UNP O43613
B	46	ALA	GLU	engineered mutation	UNP O43613
B	85	LEU	ILE	engineered mutation	UNP O43613
B	95	ALA	VAL	engineered mutation	UNP O43613
B	162	LEU	ARG	engineered mutation	UNP O43613
B	194	ALA	ASN	engineered mutation	UNP O43613
B	198	ALA	LEU	engineered mutation	UNP O43613

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	211	ALA	TYR	engineered mutation	UNP O43613
B	?	-	ALA	deletion	UNP O43613
B	?	-	LEU	deletion	UNP O43613
B	?	-	VAL	deletion	UNP O43613
B	?	-	ARG	deletion	UNP O43613
B	?	-	ASN	deletion	UNP O43613
B	?	-	TRP	deletion	UNP O43613
B	?	-	LYS	deletion	UNP O43613
B	?	-	ARG	deletion	UNP O43613
B	?	-	PRO	deletion	UNP O43613
B	?	-	SER	deletion	UNP O43613
B	?	-	ASP	deletion	UNP O43613
B	?	-	GLN	deletion	UNP O43613
B	?	-	LEU	deletion	UNP O43613
B	?	-	GLY	deletion	UNP O43613
B	?	-	ASP	deletion	UNP O43613
B	?	-	LEU	deletion	UNP O43613
B	?	-	GLU	deletion	UNP O43613
B	?	-	GLN	deletion	UNP O43613
B	?	-	GLY	deletion	UNP O43613
B	?	-	LEU	deletion	UNP O43613
B	?	-	SER	deletion	UNP O43613
B	?	-	GLY	deletion	UNP O43613
B	?	-	GLU	deletion	UNP O43613
B	?	-	PRO	deletion	UNP O43613
B	?	-	GLN	deletion	UNP O43613
B	?	-	PRO	deletion	UNP O43613
B	?	-	ARG	deletion	UNP O43613
B	?	-	ALA	deletion	UNP O43613
B	?	-	ARG	deletion	UNP O43613
B	?	-	ALA	deletion	UNP O43613
B	?	-	PHE	deletion	UNP O43613
B	?	-	LEU	deletion	UNP O43613
B	304	VAL	LEU	engineered mutation	UNP O43613
B	339	ALA	CYS	engineered mutation	UNP O43613
B	375	TRP	CYS	engineered mutation	UNP O43613
B	376	TRP	CYS	engineered mutation	UNP O43613
B	381	ALA	-	expression tag	UNP O43613
B	382	ALA	-	expression tag	UNP O43613
B	383	ALA	-	expression tag	UNP O43613
B	384	HIS	-	expression tag	UNP O43613
B	385	HIS	-	expression tag	UNP O43613

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	386	HIS	-	expression tag	UNP O43613
B	387	HIS	-	expression tag	UNP O43613
B	388	HIS	-	expression tag	UNP O43613
B	389	HIS	-	expression tag	UNP O43613
B	390	HIS	-	expression tag	UNP O43613
B	391	HIS	-	expression tag	UNP O43613
B	392	HIS	-	expression tag	UNP O43613

- Molecule 2 is [(2 {S},5 {S})-2-[(5-bromanylpyridin-2-yl)amino]methyl]-5-methyl-piperidin-1-yl)-(3-fluoranyl-2-methoxy-phenyl)methanone (CCD ID: NRE) (formula: C₂₀H₂₃BrFN₃O₂) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms							ZeroOcc	AltConf
			Total	Br	C	F	H	N	O		
2	A	1	50	1	20	1	23	3	2	0	0
2	B	1	50	1	20	1	23	3	2	0	0

- Molecule 3 is TETRAETHYLENE GLYCOL (CCD ID: PG4) (formula: C₈H₁₈O₅).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			9	6	3		

- Molecule 4 is CITRIC ACID (CCD ID: CIT) (formula: $C_6H_8O_7$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			13	6	7		
4	A	1	Total	C	O	0	0
			13	6	7		

- Molecule 5 is SULFATE ION (CCD ID: SO4) (formula: O_4S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	O	S	0	0
			5	4	1		
5	A	1	Total	O	S	0	0
			5	4	1		
5	B	1	Total	O	S	0	0
			5	4	1		
5	B	1	Total	O	S	0	0
			5	4	1		

- Molecule 6 is octyl 1-thio-beta-D-glucopyranoside (CCD ID: SOG) (formula: $C_{14}H_{28}O_5S$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total C O S 20 14 5 1	0	0
6	A	1	Total C O S 20 14 5 1	0	0
6	A	1	Total C 5 5	0	0
6	A	1	Total C 8 8	0	0
6	A	1	Total C O S 20 14 5 1	0	0
6	A	1	Total C O S 14 8 5 1	0	0
6	A	1	Total C O S 20 14 5 1	0	0
6	A	1	Total C O S 14 8 5 1	0	0
6	A	1	Total C S 8 7 1	0	0
6	A	1	Total C O S 18 12 5 1	0	0
6	A	1	Total C S 6 5 1	0	0
6	A	1	Total C O S 20 14 5 1	0	0
6	B	1	Total C O S 20 14 5 1	0	0
6	B	1	Total C O S 13 7 5 1	0	0
6	B	1	Total C O S 20 14 5 1	0	0
6	B	1	Total C O S 20 14 5 1	0	0
6	B	1	Total C S 10 9 1	0	0
6	B	1	Total C S 5 4 1	0	0
6	B	1	Total C O S 20 14 5 1	0	0
6	B	1	Total C 6 6	0	0
6	B	1	Total C S 6 5 1	0	0
6	B	1	Total C O S 15 9 5 1	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	B	1	Total C S 9 8 1	0	0
6	B	1	Total C O S 20 14 5 1	0	0
6	B	1	Total C O S 20 14 5 1	0	0
6	B	1	Total C O S 20 14 5 1	0	0
6	B	1	Total C O S 20 14 5 1	0	0

- Molecule 7 is SODIUM ION (CCD ID: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	1	Total Na 1 1	0	0

- Molecule 8 is (1R)-2-[[[(S)-{[(2S)-2,3-dihydroxypropyl]oxy}(hydroxy)phosphoryl]oxy}-1-[(hexadecanoyloxy)methyl]ethyl (9Z)-octadec-9-enoate (CCD ID: PGW) (formula: C₄₀H₇₇O₁₀P).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	B	1	Total C O P 51 40 10 1	0	0
8	B	1	Total C O P 51 40 10 1	0	0


- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	67	Total 67	O 67	0	0
9	B	84	Total 84	O 84	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Orexin receptor type 1



- Molecule 1: Orexin receptor type 1



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	59.69Å 146.19Å 71.51Å 90.00° 112.43° 90.00°	Depositor
Resolution (Å)	30.47 – 2.13 30.47 – 2.13	Depositor EDS
% Data completeness (in resolution range)	71.1 (30.47-2.13) 83.2 (30.47-2.13)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.46 (at 2.12Å)	Xtriage
Refinement program	BUSTER 2.11.7	Depositor
R, R_{free}	0.193 , 0.218 0.217 , 0.241	Depositor DCC
R_{free} test set	2988 reflections (4.89%)	wwPDB-VP
Wilson B-factor (Å ²)	34.0	Xtriage
Anisotropy	0.340	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 62.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.018 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	5708	wwPDB-VP
Average B, all atoms (Å ²)	59.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.12% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NA, CIT, PGW, NRE, SO4, PG4, SOG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.92	3/2520 (0.1%)	1.35	12/3432 (0.3%)
1	B	0.96	2/2534 (0.1%)	1.40	15/3456 (0.4%)
All	All	0.94	5/5054 (0.1%)	1.37	27/6888 (0.4%)

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	41	TYR	C-N	12.87	1.50	1.33
1	B	77	MET	SD-CE	-8.10	1.59	1.79
1	A	177	VAL	CA-C	7.35	1.58	1.52
1	A	177	VAL	CA-CB	5.88	1.57	1.53
1	A	77	MET	CA-C	5.11	1.60	1.52

All (27) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	41	TYR	CA-C-N	12.86	133.02	119.78
1	B	41	TYR	C-N-CA	12.86	133.02	119.78
1	B	43	LYS	N-CA-C	9.26	121.06	110.97
1	B	120	LYS	CA-C-N	6.82	129.03	120.72
1	B	120	LYS	C-N-CA	6.82	129.03	120.72
1	A	332	ASP	CA-C-N	6.67	129.52	120.38
1	A	332	ASP	C-N-CA	6.67	129.52	120.38
1	B	176	MET	CA-C-N	6.66	124.43	120.24
1	B	176	MET	C-N-CA	6.66	124.43	120.24
1	A	77	MET	CB-CA-C	-6.40	99.74	110.56
1	B	189	LEU	N-CA-C	-6.22	96.06	109.81
1	A	76	HIS	N-CA-C	6.10	119.98	112.54
1	B	41	TYR	O-C-N	-5.93	116.32	121.71
1	B	44	GLN	CA-C-N	5.83	128.10	120.28

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	44	GLN	C-N-CA	5.83	128.10	120.28
1	B	74	ASN	CA-CB-CG	5.73	118.33	112.60
1	A	177	VAL	N-CA-CB	5.72	114.11	110.50
1	B	177	VAL	N-CA-CB	5.57	114.01	110.50
1	A	78	ARG	N-CA-C	-5.33	102.44	110.70
1	A	77	MET	CA-C-O	5.25	125.71	119.56
1	A	27	SER	CA-C-N	5.14	127.16	120.28
1	A	27	SER	C-N-CA	5.14	127.16	120.28
1	B	287	VAL	CA-C-N	5.10	127.07	120.44
1	B	287	VAL	C-N-CA	5.10	127.07	120.44
1	A	209	ASP	CA-CB-CG	5.09	117.69	112.60
1	A	137	LEU	CA-C-N	5.05	127.01	120.44
1	A	137	LEU	C-N-CA	5.05	127.01	120.44

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2444	0	2490	11	0
1	B	2458	0	2530	18	0
2	A	27	23	0	0	0
2	B	27	23	0	0	0
3	A	9	0	11	0	0
4	A	26	0	10	0	0
5	A	10	0	0	0	0
5	B	10	0	0	0	0
6	A	173	0	225	5	0
6	B	224	0	305	7	0
7	A	1	0	0	0	0
8	B	102	0	152	7	0
9	A	67	0	0	0	0
9	B	84	0	0	1	0
All	All	5662	46	5723	31	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (31) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:234:ALA:HB2	8:B:404:PGW:H7A	1.62	0.79
1:B:77:MET:HE1	1:B:368:GLN:HG3	1.67	0.74
1:B:174:ALA:HB1	8:B:405:PGW:H8	1.78	0.65
1:B:156:SER:HB2	6:B:416:SOG:H5'1	1.80	0.62
1:B:41:TYR:HA	1:B:108:ILE:O	2.01	0.60
1:B:83:TYR:HE2	1:B:158:ALA:HB1	1.69	0.56
1:B:83:TYR:CE2	1:B:158:ALA:HB1	2.43	0.53
1:A:100:LEU:HD12	1:A:348:TYR:HB3	1.93	0.51
6:B:416:SOG:H7'1	9:B:580:HOH:O	2.10	0.51
1:A:221:ILE:HD12	1:B:221:ILE:HD13	1.93	0.51
1:B:77:MET:CE	1:B:368:GLN:HG3	2.38	0.50
1:B:171:VAL:HG21	6:B:412:SOG:H4'2	1.93	0.49
1:A:83:TYR:HE2	1:A:158:ALA:HB1	1.79	0.48
6:A:414:SOG:H3	6:B:408:SOG:H4	1.96	0.47
1:A:116[B]:HIS:CD2	1:A:185:CYS:HB3	2.49	0.47
1:B:100:LEU:HD12	1:B:348:TYR:HB3	1.97	0.47
1:A:36:TRP:CD1	6:A:416:SOG:HO3	2.33	0.46
1:B:164:SER:HA	6:B:412:SOG:H1	1.98	0.46
1:A:291:ARG:HE	1:A:295:LYS:HZ1	1.63	0.46
6:A:408:SOG:H8'3	1:B:229:GLY:HA2	1.97	0.45
1:A:83:TYR:CE2	1:A:158:ALA:HB1	2.52	0.45
1:A:234:ALA:HB2	8:B:405:PGW:H9	1.98	0.44
1:B:177:VAL:HG12	8:B:405:PGW:H3A	2.00	0.44
1:B:50:ILE:O	1:B:54:VAL:HG23	2.19	0.43
1:B:301:MET:HB3	6:B:420:SOG:H7'1	2.02	0.42
1:A:233:MET:SD	8:B:405:PGW:H01	2.60	0.42
1:B:146:TYR:HB2	6:B:416:SOG:H6'1	2.00	0.42
1:A:233:MET:HB3	8:B:405:PGW:H2A	2.01	0.42
1:A:120:LYS:HD3	6:A:413:SOG:H1	2.02	0.42
1:B:77:MET:SD	1:B:364:LYS:HB3	2.60	0.41
6:A:408:SOG:S1	8:B:404:PGW:H20A	2.60	0.41

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	298/336 (89%)	293 (98%)	5 (2%)	0	100	100
1	B	307/336 (91%)	302 (98%)	5 (2%)	0	100	100
All	All	605/672 (90%)	595 (98%)	10 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	257/279 (92%)	254 (99%)	3 (1%)	67	72
1	B	258/279 (92%)	257 (100%)	1 (0%)	89	92
All	All	515/558 (92%)	511 (99%)	4 (1%)	79	83

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	56	VAL
1	A	69	LEU
1	A	156	SER
1	B	240	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	350	ASN
1	A	368	GLN
1	B	150	HIS
1	B	350	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 39 ligands modelled in this entry, 1 is monoatomic - leaving 38 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
6	SOG	B	408	-	20,20,20	0.41	0	24,25,25	0.78	1 (4%)
6	SOG	A	415	-	7,7,20	0.23	0	6,6,25	0.11	0
6	SOG	A	418	-	20,20,20	0.36	0	24,25,25	0.32	0
6	SOG	B	415	-	15,15,20	0.39	0	18,20,25	0.51	0
6	SOG	B	416	-	8,8,20	0.21	0	7,7,25	0.41	0
5	SO4	B	403	-	4,4,4	0.19	0	6,6,6	0.39	0
6	SOG	A	409	-	4,4,20	0.15	0	3,3,25	0.20	0
6	SOG	A	413	-	20,20,20	0.40	0	24,25,25	0.62	0
6	SOG	A	417	-	5,5,20	0.30	0	3,4,25	0.18	0
6	SOG	B	418	-	20,20,20	0.37	0	24,25,25	0.40	0
6	SOG	B	417	-	20,20,20	0.35	0	24,25,25	0.29	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
8	PGW	B	404	-	50,50,50	0.32	0	53,56,56	0.35	0
6	SOG	A	407	-	20,20,20	0.40	0	24,25,25	0.36	0
6	SOG	A	411	-	20,20,20	0.33	0	24,25,25	0.44	0
4	CIT	A	404	-	12,12,12	1.21	1 (8%)	17,17,17	1.32	2 (11%)
6	SOG	A	416	-	18,18,20	0.33	0	22,23,25	0.67	1 (4%)
4	CIT	A	403	-	12,12,12	1.21	1 (8%)	17,17,17	1.36	2 (11%)
2	NRE	A	401	-	29,29,29	1.28	4 (13%)	35,40,40	1.51	4 (11%)
6	SOG	B	414	-	5,5,20	0.33	0	3,4,25	0.12	0
6	SOG	B	419	-	20,20,20	0.32	0	24,25,25	0.38	0
2	NRE	B	401	-	29,29,29	1.23	4 (13%)	35,40,40	1.45	4 (11%)
6	SOG	B	420	-	20,20,20	0.31	0	24,25,25	0.33	0
6	SOG	B	412	-	20,20,20	0.31	0	24,25,25	0.41	0
8	PGW	B	405	-	50,50,50	0.30	0	53,56,56	0.36	0
6	SOG	A	412	-	14,14,20	0.44	0	18,19,25	0.90	2 (11%)
6	SOG	A	414	-	14,14,20	0.32	0	18,19,25	0.81	1 (5%)
5	SO4	B	402	-	4,4,4	0.22	0	6,6,6	0.39	0
5	SO4	A	405	-	4,4,4	0.26	0	6,6,6	0.43	0
6	SOG	A	410	-	7,7,20	0.12	0	6,6,25	0.09	0
6	SOG	B	409	-	20,20,20	0.46	0	24,25,25	0.65	0
6	SOG	B	410	-	9,9,20	0.20	0	8,8,25	0.10	0
6	SOG	B	411	-	4,4,20	0.39	0	3,3,25	0.08	0
6	SOG	B	406	-	20,20,20	0.31	0	24,25,25	0.51	0
6	SOG	B	407	-	12,13,20	0.60	0	16,18,25	0.46	0
6	SOG	A	408	-	20,20,20	0.35	0	24,25,25	0.44	0
6	SOG	B	413	-	5,5,20	0.15	0	4,4,25	0.09	0
5	SO4	A	406	-	4,4,4	0.08	0	6,6,6	0.19	0
3	PG4	A	402	-	8,8,12	0.18	0	7,7,11	0.23	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	SOG	B	408	-	-	5/11/31/31	0/1/1/1
6	SOG	A	415	-	-	3/5/5/31	-
6	SOG	A	418	-	-	5/11/31/31	0/1/1/1
6	SOG	B	415	-	-	3/6/26/31	0/1/1/1
6	SOG	B	416	-	-	2/6/6/31	-
6	SOG	A	409	-	-	1/2/2/31	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	SOG	A	413	-	-	8/11/31/31	0/1/1/1
6	SOG	A	417	-	-	0/3/3/31	-
6	SOG	B	418	-	-	8/11/31/31	0/1/1/1
8	PGW	B	404	-	1/1/5/7	29/55/55/55	-
6	SOG	B	417	-	-	10/11/31/31	0/1/1/1
6	SOG	A	407	-	-	4/11/31/31	0/1/1/1
6	SOG	A	411	-	-	5/11/31/31	0/1/1/1
4	CIT	A	404	-	-	2/16/16/16	-
6	SOG	A	416	-	-	4/9/29/31	0/1/1/1
4	CIT	A	403	-	-	10/16/16/16	-
2	NRE	A	401	-	-	1/15/28/28	0/3/3/3
6	SOG	B	414	-	-	1/3/3/31	-
6	SOG	B	419	-	-	7/11/31/31	0/1/1/1
2	NRE	B	401	-	-	1/15/28/28	0/3/3/3
6	SOG	B	420	-	-	7/11/31/31	0/1/1/1
6	SOG	B	412	-	-	4/11/31/31	0/1/1/1
8	PGW	B	405	-	-	29/55/55/55	-
6	SOG	A	412	-	-	2/5/25/31	0/1/1/1
6	SOG	A	414	-	-	2/5/25/31	0/1/1/1
6	SOG	B	409	-	-	10/11/31/31	0/1/1/1
6	SOG	A	410	-	-	5/5/5/31	-
6	SOG	B	410	-	-	2/7/7/31	-
6	SOG	B	411	-	-	0/2/2/31	-
6	SOG	B	406	-	-	4/11/31/31	0/1/1/1
6	SOG	B	407	-	-	2/4/24/31	0/1/1/1
6	SOG	A	408	-	-	4/11/31/31	0/1/1/1
6	SOG	B	413	-	-	2/3/3/31	-
3	PG4	A	402	-	-	5/6/6/10	-

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	401	NRE	C17-N11	2.93	1.50	1.47
2	A	401	NRE	C12-N11	2.84	1.50	1.46
2	A	401	NRE	C20-N19	2.81	1.40	1.36
2	B	401	NRE	C12-N11	2.74	1.50	1.46
2	B	401	NRE	C20-N19	2.73	1.40	1.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	404	CIT	C3-C6	2.59	1.56	1.53
4	A	403	CIT	C3-C6	2.46	1.56	1.53
2	B	401	NRE	C17-N11	2.29	1.50	1.47
2	A	401	NRE	C20-N25	2.16	1.38	1.34
2	B	401	NRE	O2-C3	2.01	1.42	1.38

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	401	NRE	C1-O2-C3	4.39	126.82	114.78
2	A	401	NRE	C1-O2-C3	3.64	124.76	114.78
4	A	403	CIT	O5-C6-C3	-3.43	117.39	122.25
2	A	401	NRE	C8-C9-N11	3.32	122.51	117.92
4	A	404	CIT	O5-C6-C3	-3.23	117.67	122.25
2	A	401	NRE	O10-C9-C8	-3.22	113.57	120.06
2	B	401	NRE	F27-C4-C3	3.00	121.69	117.58
4	A	403	CIT	O6-C6-C3	2.79	117.90	113.05
2	A	401	NRE	F27-C4-C3	2.70	121.28	117.58
4	A	404	CIT	O6-C6-C3	2.62	117.60	113.05
2	B	401	NRE	O10-C9-C8	-2.60	114.82	120.06
2	B	401	NRE	C8-C9-N11	2.32	121.12	117.92
6	B	408	SOG	C4-C3-C2	2.30	114.84	110.82
6	A	412	SOG	C4-C3-C2	2.09	114.47	110.82
6	A	414	SOG	C3-C4-C5	2.07	113.93	110.24
6	A	416	SOG	C4-C3-C2	2.06	114.41	110.82
6	A	412	SOG	C3-C4-C5	2.01	113.83	110.24

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
8	B	404	PGW	C05

All (187) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	403	CIT	C2-C3-C4-C5
4	A	403	CIT	O7-C3-C4-C5
4	A	403	CIT	C6-C3-C4-C5
4	A	403	CIT	C4-C3-C6-O6
6	A	413	SOG	C2-C1-S1-C1'
6	A	413	SOG	O5-C1-S1-C1'
6	B	408	SOG	C2'-C1'-S1-C1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
6	B	409	SOG	C2-C1-S1-C1'
6	B	409	SOG	C2'-C1'-S1-C1
6	B	419	SOG	C2'-C1'-S1-C1
8	B	404	PGW	C06-C10-C9-C8
8	B	405	PGW	C03-O11-P-O13
8	B	405	PGW	C04-O12-P-O14
8	B	405	PGW	C06-C10-C9-C8
8	B	404	PGW	O04-C19-O03-C01
6	B	419	SOG	C4-C5-C6-O6
8	B	404	PGW	C20-C19-O03-C01
6	A	408	SOG	S1-C1'-C2'-C3'
6	A	418	SOG	S1-C1'-C2'-C3'
6	B	412	SOG	S1-C1'-C2'-C3'
6	B	417	SOG	S1-C1'-C2'-C3'
6	B	408	SOG	C4-C5-C6-O6
6	A	418	SOG	O5-C5-C6-O6
6	B	420	SOG	O5-C5-C6-O6
8	B	405	PGW	C20-C19-O03-C01
6	A	412	SOG	C4-C5-C6-O6
6	B	417	SOG	O5-C5-C6-O6
8	B	405	PGW	O04-C19-O03-C01
6	A	416	SOG	O5-C5-C6-O6
6	A	414	SOG	O5-C5-C6-O6
6	B	409	SOG	O5-C5-C6-O6
6	B	419	SOG	O5-C5-C6-O6
6	A	412	SOG	O5-C5-C6-O6
6	B	418	SOG	O5-C5-C6-O6
6	B	408	SOG	O5-C5-C6-O6
6	B	407	SOG	O5-C5-C6-O6
6	B	418	SOG	C4-C5-C6-O6
6	A	414	SOG	C4-C5-C6-O6
6	A	408	SOG	O5-C5-C6-O6
6	B	409	SOG	C4-C5-C6-O6
6	A	415	SOG	C1'-C2'-C3'-C4'
6	B	410	SOG	C1'-C2'-C3'-C4'
6	B	417	SOG	C4-C5-C6-O6
8	B	404	PGW	C1-C2-C3-C4
6	A	418	SOG	C4-C5-C6-O6
6	B	420	SOG	C4-C5-C6-O6
6	A	407	SOG	S1-C1'-C2'-C3'
6	B	407	SOG	C4-C5-C6-O6
8	B	405	PGW	C03-O11-P-O12

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
6	B	406	SOG	C1'-C2'-C3'-C4'
6	B	409	SOG	C1'-C2'-C3'-C4'
8	B	405	PGW	O02-C1-O01-C02
6	A	416	SOG	C4-C5-C6-O6
8	B	405	PGW	C2-C1-O01-C02
6	B	417	SOG	C1'-C2'-C3'-C4'
2	B	401	NRE	C8-C3-O2-C1
8	B	405	PGW	C06-C07-C08-C09
6	A	408	SOG	C4'-C5'-C6'-C7'
4	A	403	CIT	C1-C2-C3-O7
8	B	404	PGW	C23-C24-C25-C26
6	B	419	SOG	C3'-C4'-C5'-C6'
8	B	404	PGW	C07-C08-C09-C11
8	B	405	PGW	C23-C24-C25-C26
2	A	401	NRE	C8-C3-O2-C1
6	A	415	SOG	C2'-C3'-C4'-C5'
8	B	405	PGW	C08-C09-C11-C12
8	B	405	PGW	C09-C11-C12-C13
6	A	410	SOG	C4'-C5'-C6'-C7'
6	A	418	SOG	C2'-C3'-C4'-C5'
6	B	406	SOG	C4'-C5'-C6'-C7'
6	A	411	SOG	C2'-C3'-C4'-C5'
6	B	409	SOG	C3'-C4'-C5'-C6'
6	B	417	SOG	C2'-C3'-C4'-C5'
8	B	404	PGW	C20-C21-C22-C23
8	B	404	PGW	C2-C3-C4-C5
8	B	404	PGW	C09-C11-C12-C13
8	B	404	PGW	C16-C15-C27-C26
6	A	413	SOG	C4'-C5'-C6'-C7'
8	B	405	PGW	C27-C15-C16-C17
6	B	412	SOG	C4'-C5'-C6'-C7'
6	B	412	SOG	O5-C5-C6-O6
6	B	417	SOG	C3'-C4'-C5'-C6'
6	B	417	SOG	C4'-C5'-C6'-C7'
6	B	419	SOG	C2'-C3'-C4'-C5'
6	B	415	SOG	C4-C5-C6-O6
8	B	405	PGW	C10-C06-C07-C08
6	A	411	SOG	C1'-C2'-C3'-C4'
6	B	412	SOG	C1'-C2'-C3'-C4'
6	B	406	SOG	O5-C5-C6-O6
8	B	404	PGW	C16-C17-C18-C28
4	A	403	CIT	C1-C2-C3-C4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
8	B	405	PGW	C2-C3-C4-C5
6	B	416	SOG	C2'-C3'-C4'-C5'
8	B	404	PGW	C25-C26-C27-C15
8	B	404	PGW	C3-C4-C5-C6
8	B	405	PGW	C16-C17-C18-C28
8	B	404	PGW	C22-C23-C24-C25
8	B	404	PGW	C19-C20-C21-C22
6	B	409	SOG	C5'-C6'-C7'-C8'
6	B	418	SOG	C4'-C5'-C6'-C7'
6	A	413	SOG	C5'-C6'-C7'-C8'
8	B	404	PGW	C6-C7-C8-C9
8	B	405	PGW	C6-C7-C8-C9
6	B	418	SOG	C5'-C6'-C7'-C8'
6	B	409	SOG	C2'-C3'-C4'-C5'
6	A	410	SOG	C2'-C3'-C4'-C5'
8	B	405	PGW	C18-C28-C30-C29
6	A	411	SOG	C5'-C6'-C7'-C8'
6	A	410	SOG	C3'-C4'-C5'-C6'
6	B	408	SOG	C4'-C5'-C6'-C7'
6	A	411	SOG	S1-C1'-C2'-C3'
6	A	407	SOG	C2'-C3'-C4'-C5'
6	A	410	SOG	C1'-C2'-C3'-C4'
6	B	415	SOG	O5-C5-C6-O6
8	B	405	PGW	C07-C08-C09-C11
3	A	402	PG4	C6-C5-O3-C4
4	A	403	CIT	O7-C3-C6-O6
4	A	403	CIT	C4-C3-C6-O5
6	B	419	SOG	C5'-C6'-C7'-C8'
6	B	420	SOG	C5'-C6'-C7'-C8'
6	B	418	SOG	C2'-C3'-C4'-C5'
6	A	407	SOG	C3'-C4'-C5'-C6'
8	B	405	PGW	C20-C21-C22-C23
6	A	416	SOG	S1-C1'-C2'-C3'
6	B	406	SOG	C5'-C6'-C7'-C8'
6	B	414	SOG	C2-C1-S1-C1'
6	B	413	SOG	C5'-C6'-C7'-C8'
6	B	420	SOG	C4'-C5'-C6'-C7'
8	B	405	PGW	C17-C18-C28-C30
6	B	409	SOG	O5-C1-S1-C1'
8	B	405	PGW	C04-O12-P-O11
3	A	402	PG4	C3-C4-O3-C5
8	B	405	PGW	C05-C04-O12-P

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
8	B	404	PGW	C01-C02-C03-O11
6	A	407	SOG	C5'-C6'-C7'-C8'
6	A	408	SOG	C4-C5-C6-O6
6	B	416	SOG	C5'-C6'-C7'-C8'
6	B	417	SOG	C2-C1-S1-C1'
6	B	418	SOG	C2-C1-S1-C1'
3	A	402	PG4	C1-C2-O2-C3
6	B	418	SOG	C3'-C4'-C5'-C6'
4	A	403	CIT	C2-C3-C6-O6
6	B	413	SOG	C4'-C5'-C6'-C7'
8	B	404	PGW	C15-C16-C17-C18
6	A	418	SOG	C4'-C5'-C6'-C7'
3	A	402	PG4	O1-C1-C2-O2
8	B	404	PGW	C17-C18-C28-C30
6	B	420	SOG	C3'-C4'-C5'-C6'
8	B	405	PGW	O03-C01-C02-O01
8	B	404	PGW	C04-O12-P-O11
6	B	418	SOG	S1-C1'-C2'-C3'
6	A	413	SOG	C1'-C2'-C3'-C4'
4	A	404	CIT	C2-C3-C4-C5
6	B	409	SOG	S1-C1'-C2'-C3'
6	A	410	SOG	C5'-C6'-C7'-C8'
6	A	416	SOG	C2'-C3'-C4'-C5'
6	B	417	SOG	C5'-C6'-C7'-C8'
4	A	403	CIT	C2-C3-C6-O5
8	B	405	PGW	C19-C20-C21-C22
6	A	413	SOG	C2'-C3'-C4'-C5'
6	B	410	SOG	C5'-C6'-C7'-C8'
6	B	415	SOG	S1-C1'-C2'-C3'
6	A	411	SOG	C4'-C5'-C6'-C7'
6	A	415	SOG	C3'-C4'-C5'-C6'
8	B	405	PGW	C07-C06-C10-C9
6	B	420	SOG	S1-C1'-C2'-C3'
8	B	404	PGW	O01-C02-C03-O11
6	B	420	SOG	C2'-C3'-C4'-C5'
6	A	413	SOG	S1-C1'-C2'-C3'
8	B	404	PGW	O12-C04-C05-CAD
8	B	404	PGW	O03-C01-C02-O01
6	A	413	SOG	C2'-C1'-S1-C1
6	B	417	SOG	O5-C1-S1-C1'
8	B	405	PGW	C16-C15-C27-C26
6	B	408	SOG	C1'-C2'-C3'-C4'

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
8	B	404	PGW	O01-C1-C2-C3
8	B	404	PGW	C21-C22-C23-C24
8	B	404	PGW	O03-C01-C02-C03
4	A	404	CIT	C6-C3-C4-C5
3	A	402	PG4	O2-C3-C4-O3
8	B	404	PGW	C7-C8-C9-C10
6	A	409	SOG	C4'-C5'-C6'-C7'
8	B	404	PGW	O02-C1-C2-C3
8	B	405	PGW	O03-C01-C02-C03
8	B	405	PGW	C1-C2-C3-C4
8	B	404	PGW	C4-C5-C6-C7
6	B	419	SOG	C4'-C5'-C6'-C7'


There are no ring outliers.




10 monomers are involved in 17 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	B	408	SOG	1	0
6	B	416	SOG	3	0
6	A	413	SOG	1	0
8	B	404	PGW	2	0
6	A	416	SOG	1	0
6	B	420	SOG	1	0
6	B	412	SOG	2	0
8	B	405	PGW	5	0
6	A	414	SOG	1	0
6	A	408	SOG	2	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.














Ligand SOG A 407




Ligand SOG A 411







Ligand SOG A 416






Ligand NRE A 401


























5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2			OWAB(Å ²)	Q < 0.9
1	A	302/336 (89%)	0.45	25 (8%)	19	23	21, 48, 102, 147	2 (0%)
1	B	307/336 (91%)	0.60	33 (10%)	12	15	30, 47, 96, 144	2 (0%)
All	All	609/672 (90%)	0.52	58 (9%)	15	19	21, 47, 100, 147	4 (0%)

All (58) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	40	LEU	8.4
1	B	41	TYR	8.3
1	B	39	TYR	7.2
1	A	377	LEU	5.1
1	A	330	ALA	4.9
1	B	287	VAL	4.8
1	A	331	SER	4.5
1	B	42	PRO	4.4
1	B	45	TYR	4.4
1	B	373	PHE	4.3
1	B	108	ILE	4.2
1	B	337	TYR	4.0
1	A	117	ALA	3.8
1	B	376	TRP	3.3
1	A	162	LEU	3.2
1	B	46	ALA	3.2
1	A	333	ARG	3.2
1	A	197	ARG	3.1
1	B	47	TRP	3.1
1	A	198	ALA	3.1
1	B	246	GLN	3.1
1	A	158	ALA	3.0
1	A	335	ALA	3.0
1	B	50	ILE	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	376	TRP	2.9
1	B	377	LEU	2.9
1	B	247	ILE	2.9
1	A	188	VAL	2.8
1	A	73	ARG	2.8
1	A	244	GLY	2.8
1	B	191	GLU	2.7
1	B	188	VAL	2.7
1	A	152	LEU	2.7
1	A	72	TRP	2.7
1	B	117	ALA	2.6
1	B	107	ASP	2.6
1	B	329	GLN	2.6
1	A	374	SER	2.5
1	B	370	LYS	2.5
1	B	372	ALA	2.5
1	A	332	ASP	2.5
1	B	236	PHE	2.4
1	A	373	PHE	2.4
1	B	162	LEU	2.3
1	B	67	VAL	2.3
1	A	375	TRP	2.3
1	B	111	SER	2.2
1	B	248	PRO	2.2
1	B	72	TRP	2.2
1	A	69	LEU	2.1
1	A	105	LEU	2.1
1	B	141	ALA	2.1
1	B	367	GLU	2.1
1	A	327	PHE	2.1
1	B	152	LEU	2.1
1	B	371	ALA	2.1
1	A	83	TYR	2.1
1	A	147	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	SOG	B	417	20/20	0.51	0.23	128,139,143,144	0
6	SOG	B	418	20/20	0.53	0.22	137,139,140,140	0
6	SOG	A	411	20/20	0.57	0.24	101,102,105,105	0
6	SOG	A	418	20/20	0.57	0.27	125,135,137,137	0
6	SOG	B	410	10/20	0.69	0.32	100,101,104,105	0
6	SOG	B	415	15/20	0.69	0.18	110,116,118,119	0
5	SO4	A	406	5/5	0.70	0.12	103,105,106,108	0
6	SOG	A	413	20/20	0.73	0.19	64,98,101,103	0
6	SOG	A	414	14/20	0.73	0.21	105,113,114,115	0
5	SO4	B	403	5/5	0.73	0.16	91,94,95,96	0
6	SOG	B	409	20/20	0.73	0.18	107,113,115,115	0
6	SOG	B	419	20/20	0.73	0.20	77,117,121,122	0
6	SOG	B	416	9/20	0.77	0.24	62,72,92,97	0
6	SOG	A	417	6/20	0.77	0.26	107,109,109,110	0
6	SOG	A	412	14/20	0.78	0.13	78,82,84,84	0
6	SOG	B	411	5/20	0.79	0.26	88,89,92,94	0
6	SOG	B	407	13/20	0.79	0.15	85,90,92,92	0
6	SOG	B	413	6/20	0.80	0.22	65,69,71,71	0
3	PG4	A	402	9/13	0.80	0.23	92,101,104,105	0
6	SOG	A	407	20/20	0.80	0.13	56,81,88,90	0
4	CIT	A	404	13/13	0.81	0.22	141,145,147,147	0
6	SOG	A	416	18/20	0.81	0.20	121,125,128,128	0
8	PGW	B	405	51/51	0.83	0.19	39,62,106,112	0
4	CIT	A	403	13/13	0.84	0.21	134,137,139,139	0
6	SOG	A	415	8/20	0.84	0.21	71,80,97,98	0
6	SOG	B	414	6/20	0.84	0.31	116,117,118,118	0
6	SOG	B	408	20/20	0.85	0.17	55,89,91,93	0
6	SOG	A	410	8/20	0.85	0.19	71,72,73,74	0
6	SOG	B	406	20/20	0.86	0.11	42,50,55,56	0
6	SOG	B	420	20/20	0.86	0.18	98,121,125,126	0
8	PGW	B	404	51/51	0.86	0.17	39,65,110,111	0
6	SOG	B	412	20/20	0.86	0.18	91,102,105,106	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
6	SOG	A	408	20/20	0.87	0.20	94,106,110,111	0
5	SO4	B	402	5/5	0.90	0.10	69,70,72,77	0
5	SO4	A	405	5/5	0.91	0.10	71,76,78,80	0
7	NA	A	419	1/1	0.91	0.19	71,71,71,71	0
6	SOG	A	409	5/20	0.93	0.19	50,51,56,58	0
2	NRE	A	401	27/27	0.94	0.10	42,43,48,60	0
2	NRE	B	401	27/27	0.96	0.07	41,43,49,64	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around SOG B 417:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SOG B 418:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SOG A 411:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around SOG A 418:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SOG B 410:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around SOG B 415:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around SOG A 413:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SOG A 414:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SOG B 409:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SOG B 419:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around SOG B 416:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SOG A 412:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SOG B 407:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SOG B 413:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around SOG A 407:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SOG A 416:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PGW B 405:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SOG A 415:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around SOG B 414:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SOG B 408:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around SOG A 410:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SOG B 406:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around SOG B 420:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PGW B 404:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around SOG B 412:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SOG A 408:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around SOG A 409:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NRE A 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around NRE B 401:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.