



# Full wwPDB EM Validation Report ⓘ

May 13, 2025 – 10:01 PM EDT

PDB ID : 6TY9 / pdb\_00006ty9  
EMDB ID : EMD-20582  
Title : In situ structure of BmCPV RNA dependent RNA polymerase at initiation state  
Authors : Cui, Y.X.; Zhang, Y.N.; Sun, J.C.; Zhou, Z.H.  
Deposited on : 2019-08-08  
Resolution : 2.90 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev118  
Mogul : 2022.3.0, CSD as543be (2022)  
MolProbity : 4-5-2 with Phenix2.0rc1  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.43.1

# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:  
*ELECTRON MICROSCOPY*

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415
RNA backbone	6643	2191

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1225	 6% 82% 17%
2	B	561	 79% 11% 11%
3	M	2	 50% 100%
4	N	19	 95% 74% 26%
5	T	19	 89% 42% 47% 11%

## 2 Entry composition i

There are 6 unique types of molecules in this entry. The entry contains 14559 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called RNA-dependent RNA Polymerase.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	1208	9667	6141	1664	1826	36	0	0

- Molecule 2 is a protein called Viral structural protein 4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	B	501	4007	2567	669	753	18	0	0

- Molecule 3 is a RNA chain called Transcript.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
3	M	2	54	20	10	20	4	0	0

- Molecule 4 is a RNA chain called Non-template RNA (5'-D\*(GTA))-R(P\*GP\*UP\*AP\*AP\*UP\*UP\*UP\*UP\*UP\*UP\*UP\*UP\*UP\*UP\*UP\*UP\*U)-3').

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
4	N	19	418	186	55	156	21	0	0

- Molecule 5 is a RNA chain called Template RNA (5'-R(P\*AP\*AP\*AP\*AP\*AP\*AP\*AP\*AP\*AP\*AP\*AP\*UP\*UP\*AP\*CP\*U)-3').

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
5	T	19	410	186	84	121	19	0	0


- Molecule 6 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

<b>Mol</b>	<b>Chain</b>	<b>Residues</b>	<b>Atoms</b>		<b>AltConf</b>
6	A	3	Total 3	Mg 3	0


### 3 Residue-property plots i


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: RNA-dependent RNA Polymerase



- Molecule 2: Viral structural protein 4








• Molecule 3: Transcript



• Molecule 4: Non-template RNA (5'-D\*(GTA))-R(P\*GP\*UP\*AP\*AP\*UP\*UP\*UP\*UP\*UP\*U P\*UP\*UP\*UP\*UP\*UP\*UP\*U)-3')



• Molecule 5: Template RNA (5'-R(P\*AP\*AP\*AP\*AP\*AP\*AP\*AP\*AP\*AP\*AP\*AP\*AP\* AP\*UP\*UP\*AP\*CP\*U)-3')



## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	302003	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	40	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 QUANTUM (4k x 4k)	Depositor
Maximum map value	0.106	Depositor
Minimum map value	-0.060	Depositor
Average map value	0.002	Depositor
Map value standard deviation	0.009	Depositor
Recommended contour level	0.02	Depositor
Map size (Å)	271.872, 271.872, 271.872	wwPDB
Map dimensions	256, 256, 256	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.062, 1.062, 1.062	Depositor

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GTA, GTP, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.26	0/9875	0.42	1/13369 (0.0%)
2	B	0.26	0/4093	0.37	0/5549
3	M	0.08	0/24	0.13	0/35
4	N	0.08	0/405	0.19	0/625
5	T	0.09	0/462	0.17	0/717
All	All	0.25	0/14859	0.39	1/20295 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	440	GLY	N-CA-C	6.82	123.76	111.34

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	9667	0	9555	130	0
2	B	4007	0	4012	37	0
3	M	54	0	24	3	0
4	N	418	0	209	3	0
5	T	410	0	207	10	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	A	3	0	0	0	0
All	All	14559	0	14007	169	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (169) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:425:SER:HB3	5:T:18:C:H5''	1.62	0.80
3:M:1:A:H61	5:T:19:U:H3	1.35	0.74
1:A:939:GLN:NE2	2:B:68:ILE:O	2.21	0.74
1:A:795:SER:HA	1:A:827:LEU:HA	1.73	0.70
2:B:353:ALA:HB3	2:B:359:LYS:HD3	1.72	0.70
2:B:507:LEU:HD12	2:B:550:MET:HE1	1.74	0.68
2:B:272:ASN:HD22	2:B:321:MET:HG3	1.58	0.68
2:B:187:TRP:HD1	2:B:188:GLN:HG2	1.59	0.68
1:A:639:SER:O	3:M:2:GTP:N2	2.25	0.68
5:T:6:A:H2'	5:T:7:A:H8	1.58	0.66
5:T:11:A:H2'	5:T:12:A:H8	1.59	0.66
1:A:364:ARG:NH1	1:A:706:GLU:OE2	2.29	0.66
1:A:51:LEU:HD21	1:A:172:LYS:HD2	1.78	0.66
1:A:187:PRO:HB2	4:N:1:GTA:HN21	1.61	0.66
1:A:27:GLU:HG2	1:A:790:ARG:HH22	1.61	0.65
1:A:431:THR:O	1:A:435:LYS:N	2.26	0.65
2:B:76:MET:HG2	2:B:82:THR:HB	1.79	0.63
1:A:923:GLU:OE2	1:A:997:ARG:NH1	2.32	0.62
1:A:967:ILE:HD11	1:A:1091:PRO:HB2	1.79	0.62
1:A:751:GLY:HA2	1:A:755:LEU:HB2	1.83	0.61
1:A:950:ARG:HG3	1:A:970:GLY:HA3	1.81	0.61
1:A:578:ARG:NH1	2:B:179:THR:O	2.35	0.60
1:A:52:ILE:HG12	1:A:169:THR:HG21	1.84	0.59
1:A:689:ASN:HB3	1:A:692:ASP:HB2	1.84	0.59
1:A:1086:PHE:HZ	1:A:1093:PHE:HB2	1.68	0.59
1:A:254:ARG:HH22	1:A:340:ASN:HB2	1.69	0.58
1:A:309:PRO:O	1:A:313:GLU:HG2	2.05	0.57
1:A:430:LEU:HD12	1:A:446:SER:OG	2.05	0.57
1:A:141:ARG:NH1	1:A:759:GLU:OE2	2.36	0.56
2:B:355:LYS:HG2	2:B:517:MET:HE3	1.88	0.56
1:A:199:VAL:HG22	1:A:203:LEU:HD12	1.88	0.56
2:B:163:LYS:HE2	2:B:167:LEU:HD11	1.88	0.55

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:380:HIS:NE2	2:B:488:GLU:OE2	2.36	0.55
1:A:1084:HIS:HB3	1:A:1085:LYS:HD2	1.90	0.54
1:A:812:MET:SD	1:A:830:LEU:HD11	2.49	0.53
2:B:539:PRO:HB2	2:B:541:LEU:HG	1.91	0.53
1:A:272:TRP:NE1	1:A:533:LEU:HD12	2.24	0.53
1:A:492:LEU:HD11	1:A:641:ARG:HG2	1.92	0.52
2:B:219:TYR:HB2	2:B:221:LEU:HG	1.92	0.52
1:A:882:ARG:NH1	1:A:1024:PHE:O	2.43	0.51
1:A:104:LEU:HD13	1:A:132:LEU:HD22	1.92	0.51
1:A:617:GLN:HE22	2:B:504:THR:H	1.57	0.51
1:A:624:SER:N	1:A:628:GLY:O	2.39	0.51
1:A:757:MET:HG2	1:A:843:GLY:HA2	1.92	0.51
1:A:663:ARG:NH2	1:A:669:ASN:O	2.39	0.51
5:T:10:A:H2'	5:T:11:A:H8	1.76	0.50
1:A:547:ASP:OD1	1:A:547:ASP:N	2.44	0.50
1:A:133:MET:HE3	1:A:134:HIS:CE1	2.46	0.50
1:A:200:ALA:HB3	1:A:203:LEU:HG	1.94	0.50
1:A:209:THR:OG1	1:A:341:ASP:OD2	2.23	0.50
1:A:578:ARG:HG2	2:B:177:ALA:HA	1.94	0.50
2:B:517:MET:SD	2:B:527:GLN:HB3	2.52	0.50
1:A:683:MET:HB2	1:A:722:LEU:HD13	1.94	0.49
5:T:11:A:H2'	5:T:12:A:C8	2.44	0.49
1:A:170:TYR:OH	1:A:232:ASN:OD1	2.27	0.49
2:B:72:MET:HG2	2:B:138:LEU:HD13	1.94	0.49
1:A:187:PRO:HB2	4:N:1:GTA:N2	2.26	0.49
1:A:670:SER:HB2	1:A:696:HIS:CE1	2.48	0.49
1:A:915:ASP:O	1:A:919:GLU:HG2	2.12	0.49
1:A:1044:ASN:OD1	1:A:1044:ASN:N	2.45	0.49
1:A:753:LEU:C	1:A:755:LEU:H	2.21	0.49
1:A:942:LYS:HG2	1:A:945:GLU:OE1	2.13	0.48
1:A:487:ARG:O	1:A:487:ARG:HG3	2.13	0.48
1:A:219:SER:HB3	1:A:771:VAL:CG2	2.43	0.48
1:A:132:LEU:HD12	1:A:348:LEU:HG	1.96	0.47
1:A:364:ARG:HD2	1:A:706:GLU:HA	1.95	0.47
1:A:522:GLN:NE2	1:A:1084:HIS:O	2.47	0.47
1:A:806:ASN:O	1:A:810:LYS:HE3	2.15	0.47
1:A:884:MET:HG2	1:A:889:SER:O	2.15	0.47
1:A:138:ARG:NH1	1:A:190:ASP:OD1	2.48	0.47
1:A:996:SER:O	1:A:1000:GLU:HG3	2.14	0.47
1:A:273:SER:OG	1:A:274:GLN:N	2.48	0.46
1:A:421:LEU:HD22	1:A:449:ARG:HB3	1.96	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:55:MET:HG3	2:B:59:HIS:CD2	2.50	0.46
1:A:432:GLU:HA	1:A:435:LYS:HB2	1.96	0.46
2:B:328:ALA:HB1	2:B:545:VAL:HG12	1.97	0.46
1:A:477:VAL:HG21	5:T:17:A:H4'	1.98	0.46
1:A:516:ASN:HB2	1:A:675:ILE:HG13	1.98	0.46
1:A:885:ILE:HG22	1:A:1203:HIS:CD2	2.51	0.46
1:A:108:ARG:HB3	1:A:111:SER:HB2	1.97	0.46
2:B:350:VAL:HB	2:B:504:THR:HG22	1.96	0.46
1:A:1108:ASN:O	1:A:1112:VAL:HG23	2.14	0.46
1:A:1083:TYR:HE2	1:A:1086:PHE:HD2	1.65	0.45
2:B:388:ARG:HD3	2:B:414:ASN:HB2	1.98	0.45
2:B:386:TYR:OH	2:B:466:HIS:O	2.32	0.45
5:T:6:A:H2'	5:T:7:A:C8	2.46	0.45
1:A:237:CYS:HB3	1:A:245:GLU:HB3	1.98	0.45
1:A:721:VAL:HG22	1:A:726:LEU:HD13	1.97	0.45
1:A:452:MET:HE3	1:A:452:MET:HB3	1.84	0.45
1:A:487:ARG:NH2	3:M:2:GTP:O1B	2.49	0.45
1:A:972:GLY:O	1:A:976:LYS:HG3	2.17	0.45
4:N:16:U:H2'	4:N:17:U:C6	2.52	0.45
1:A:422:THR:HG22	1:A:976:LYS:HE2	1.99	0.44
1:A:139:LYS:O	1:A:743:THR:HG23	2.17	0.44
1:A:219:SER:HB3	1:A:771:VAL:HG23	1.98	0.44
1:A:672:LEU:HD21	1:A:675:ILE:HG23	1.98	0.44
1:A:920:VAL:HG21	1:A:994:VAL:HG23	1.99	0.44
1:A:356:ALA:HB1	1:A:487:ARG:HA	1.99	0.44
1:A:789:LEU:HD12	1:A:789:LEU:O	2.17	0.44
1:A:795:SER:OG	1:A:825:SER:OG	2.30	0.44
2:B:272:ASN:ND2	2:B:321:MET:HG3	2.28	0.44
1:A:14:GLU:HG3	1:A:15:THR:HG23	2.00	0.44
1:A:419:ASN:O	1:A:422:THR:HG23	2.18	0.44
1:A:1007:ARG:HA	1:A:1007:ARG:NE	2.32	0.44
2:B:192:ASP:N	2:B:192:ASP:OD1	2.51	0.44
2:B:308:SER:HB3	2:B:515:GLN:HG2	2.00	0.43
1:A:801:TYR:CE1	1:A:828:MET:HB2	2.53	0.43
1:A:59:ASP:CG	1:A:317:ARG:HH11	2.26	0.43
1:A:737:ASP:OD1	1:A:737:ASP:N	2.37	0.43
1:A:839:MET:HA	1:A:839:MET:HE2	2.00	0.43
1:A:521:LYS:NZ	1:A:723:LEU:O	2.45	0.43
1:A:163:THR:HG23	1:A:168:ARG:NH1	2.34	0.43
1:A:305:GLU:HG3	1:A:306:LEU:HD12	2.00	0.43
1:A:959:ARG:HD2	1:A:1106:LEU:HD21	2.00	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1200:MET:HE3	1:A:1202:LEU:HD21	1.99	0.43
1:A:722:LEU:HG	1:A:723:LEU:HG	2.00	0.43
2:B:254:GLU:HB2	2:B:321:MET:HE3	2.00	0.43
2:B:393:ASN:HB3	2:B:399:PRO:HB3	2.00	0.43
1:A:919:GLU:O	1:A:923:GLU:HG3	2.19	0.42
1:A:1003:VAL:O	1:A:1007:ARG:NH2	2.52	0.42
1:A:458:ARG:NH2	2:B:64:ASN:OD1	2.52	0.42
1:A:492:LEU:HD22	1:A:496:ARG:HD2	2.01	0.42
1:A:576:VAL:H	1:A:603:ASN:HD22	1.66	0.42
1:A:731:THR:HG23	1:A:1045:LEU:HA	2.01	0.42
1:A:323:LYS:HE3	1:A:323:LYS:HB2	1.71	0.42
1:A:808:LEU:HG	1:A:1002:ILE:HD13	2.01	0.42
2:B:139:THR:O	2:B:143:THR:HG23	2.20	0.42
1:A:254:ARG:NH1	1:A:339:THR:OG1	2.53	0.42
1:A:262:HIS:ND1	1:A:287:SER:HA	2.35	0.42
1:A:918:ASP:O	1:A:922:LYS:HG3	2.19	0.42
1:A:1143:LEU:HG	1:A:1148:LEU:HD11	2.01	0.42
2:B:299:ILE:HG13	2:B:510:ILE:HG22	2.02	0.42
1:A:402:ASP:OD1	1:A:573:LYS:HD3	2.20	0.41
1:A:798:ASN:OD1	1:A:826:THR:HG22	2.20	0.41
1:A:504:TYR:HB2	1:A:643:ASP:HB3	2.02	0.41
1:A:827:LEU:H	1:A:827:LEU:HD23	1.83	0.41
1:A:964:SER:H	1:A:1095:GLN:HE22	1.69	0.41
1:A:638:PRO:HG2	1:A:641:ARG:HD2	2.03	0.41
5:T:9:A:H2'	5:T:10:A:C8	2.55	0.41
1:A:97:GLN:HB2	2:B:473:TYR:CZ	2.55	0.41
1:A:1079:ILE:HB	1:A:1120:GLU:HG2	2.03	0.41
1:A:433:ILE:O	1:A:437:GLU:HG3	2.20	0.41
1:A:543:LEU:HB3	1:A:720:ILE:HD13	2.02	0.41
5:T:10:A:H2'	5:T:11:A:C8	2.55	0.41
1:A:468:LYS:HB3	1:A:468:LYS:HE3	1.91	0.41
1:A:479:ARG:HG2	1:A:489:ILE:HD11	2.01	0.41
1:A:700:ASN:O	1:A:703:ILE:HG22	2.20	0.41
1:A:250:LYS:HB3	1:A:250:LYS:HE2	1.77	0.41
1:A:529:ILE:O	1:A:533:LEU:HD23	2.20	0.41
1:A:603:ASN:OD1	1:A:606:TRP:HB2	2.20	0.41
1:A:852:ARG:NH1	1:A:856:THR:OG1	2.54	0.41
1:A:907:LEU:HD12	1:A:1009:TYR:CG	2.55	0.41
1:A:917:ILE:O	1:A:920:VAL:HG22	2.20	0.41
2:B:498:ILE:HG22	2:B:499:ALA:N	2.36	0.41
1:A:575:THR:O	1:A:575:THR:OG1	2.35	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:1:MET:HG3	2:B:49:ALA:HB1	2.03	0.41
1:A:156:LEU:HD23	1:A:218:MET:HE3	2.03	0.40
1:A:966:ASP:OD1	1:A:966:ASP:N	2.52	0.40
2:B:68:ILE:HA	2:B:68:ILE:HD13	1.84	0.40
2:B:199:ARG:NH1	2:B:204:ARG:HH12	2.19	0.40
1:A:834:LEU:HD23	1:A:834:LEU:HA	1.88	0.40
1:A:872:ARG:O	1:A:872:ARG:HG3	2.22	0.40
1:A:998:LEU:O	1:A:1002:ILE:HG13	2.20	0.40
2:B:170:ASN:O	2:B:174:GLN:HG3	2.21	0.40
2:B:270:MET:HE2	2:B:322:MET:HG2	2.04	0.40
1:A:793:THR:HA	1:A:829:SER:HA	2.02	0.40
1:A:415:GLU:OE2	1:A:969:TYR:OH	2.40	0.40
1:A:529:ILE:HG22	1:A:532:MET:HE3	2.03	0.40
1:A:595:ARG:NH2	2:B:266:GLU:O	2.55	0.40

There are no symmetry-related clashes.

### 5.3 Torsion angles [i](#)

#### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1206/1225 (98%)	1155 (96%)	51 (4%)	0	100	100
2	B	495/561 (88%)	485 (98%)	10 (2%)	0	100	100
All	All	1701/1786 (95%)	1640 (96%)	61 (4%)	0	100	100

There are no Ramachandran outliers to report.

#### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	1051/1065 (99%)	1048 (100%)	3 (0%)	91	97
2	B	437/493 (89%)	437 (100%)	0	100	100
All	All	1488/1558 (96%)	1485 (100%)	3 (0%)	91	98

All (3) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	436	LEU
1	A	438	VAL
1	A	1153	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (31) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	35	ASN
1	A	134	HIS
1	A	233	HIS
1	A	378	HIS
1	A	394	GLN
1	A	412	HIS
1	A	413	HIS
1	A	481	GLN
1	A	486	GLN
1	A	514	ASN
1	A	522	GLN
1	A	596	GLN
1	A	617	GLN
1	A	629	GLN
1	A	898	HIS
1	A	939	GLN
1	A	999	HIS
1	A	1020	HIS
1	A	1036	HIS
1	A	1095	GLN
1	A	1140	HIS
2	B	9	HIS
2	B	180	GLN
2	B	182	HIS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	B	272	ASN
2	B	323	ASN
2	B	346	ASN
2	B	429	HIS
2	B	490	HIS
2	B	492	ASN
2	B	542	HIS

### 5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
3	M	0/2	-	-
4	N	17/19 (89%)	2 (11%)	0
5	T	18/19 (94%)	4 (22%)	0
All	All	35/40 (87%)	6 (17%)	0

All (6) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
4	N	3	U
4	N	4	A
5	T	2	A
5	T	16	U
5	T	17	A
5	T	18	C

There are no RNA pucker outliers to report.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 3 ligands modelled in this entry, 3 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-20582. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

### 6.2 Central slices [i](#)


#### 6.2.1 Primary map



X Index: 128



Y Index: 128




Z Index: 128


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 114



Y Index: 145




Z Index: 134


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)


### 6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.02. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


## 6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 674 nm<sup>3</sup>; this corresponds to an approximate mass of 609 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum [\(i\)](#)



\*Reported resolution corresponds to spatial frequency of 0.345 Å<sup>-1</sup>


## 8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-20582 and PDB model 6TY9. Per-residue inclusion information can be found in section 3 on page 5.

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.02 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.02).

## 9.4 Atom inclusion [i](#)



At the recommended contour level, 86% of all backbone atoms, 76% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.02) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7640	 0.5940
A	 0.7990	 0.6100
B	 0.8280	 0.6220
M	 0.4440	 0.5360
N	 0.1010	 0.2890
T	 0.0510	 0.2610

