

# Full wwPDB EM Validation Report (i)

### May 26, 2025 – 02:49 PM EDT

PDB ID : 7M3J / pdb 00007m3j

EMDB ID : EMD-23655

Title: Asymmetric Activation of the Calcium Sensing Receptor Homodimer

Authors: Gao, Y.; Robertson, M.J.; Zhang, C.; Meyerowitz, J.G.; Panova, O.; Skiniotis,

G.

Deposited on : 2021-03-18

Resolution : 4.10 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
https://www.wwpdb.org/validation/2017/EMValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev118

Mogul : 2022.3.0, CSD as543be (2022) MolProbity : 4-5-2 with Phenix2.0rc1

buster-report : 1.1.7 (2018)

Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)

MapQ : 1.9.13

Ideal geometry (proteins) : Engh & Huber (2001) Ideal geometry (DNA, RNA) : Parkinson et al. (1996)


Validation Pipeline (wwPDB-VP) : 2.43.1

## 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:  $ELECTRON\ MICROSCOPY$ 

The reported resolution of this entry is 4.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive $(\# \mathrm{Entries})$	${ m EM~structures} \ (\#{ m Entries})$
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion <40%). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	A	902	79%	7%	14%
1	В	902	84%	•	13%
2	С	2	100%		



## 2 Entry composition (i)

There are 5 unique types of molecules in this entry. The entry contains 11001 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Extracellular calcium-sensing receptor.

Mol	Chain	Residues	Atoms				AltConf	Trace	
1	A	777	Total 5438	C 3515	N 947	O 950	S 26	0	0
1	В	785	Total 5397	C 3508	N 930	O 934	S 25	0	0

There are 54 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-7	MET	-	initiating methionine	UNP P41180
A	-6	LYS	-	expression tag	UNP P41180
A	-5	THR	-	expression tag	UNP P41180
A	-4	ILE	-	expression tag	UNP P41180
A	-3	ILE	-	expression tag	UNP P41180
A	-2	ALA	-	expression tag	UNP P41180
A	-1	LEU	-	expression tag	UNP P41180
A	0	SER	-	expression tag	UNP P41180
A	1	TYR	-	expression tag	UNP P41180
A	2	ILE	-	expression tag	UNP P41180
A	3	PHE	-	expression tag	UNP P41180
A	4	CYS	-	expression tag	UNP P41180
A	5	LEU	-	expression tag	UNP P41180
A	6	VAL	-	expression tag	UNP P41180
A	7	PHE	-	expression tag	UNP P41180
A	8	ALA	-	expression tag	UNP P41180
A	9	ASP	-	expression tag	UNP P41180
A	10	TYR	-	expression tag	UNP P41180
A	11	LYS	-	expression tag	UNP P41180
A	12	ASP	-	expression tag	UNP P41180
A	13	ASP	-	expression tag	UNP P41180
A	14	ASP	-	expression tag	UNP P41180
A	15	ASP	-	expression tag	UNP P41180
A	16	LYS	-	expression tag	UNP P41180
A	17	ALA	-	expression tag	UNP P41180
A	18	ALA	-	expression tag	UNP P41180



Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	19	ALA	-	expression tag	UNP P41180
В	-7	MET	-	- initiating methionine	
В	-6	LYS	-	expression tag	UNP P41180
В	-5	THR	-	expression tag	UNP P41180
В	-4	ILE	-	expression tag	UNP P41180
В	-3	ILE	-	expression tag	UNP P41180
В	-2	ALA	-	expression tag	UNP P41180
В	-1	LEU	-	expression tag	UNP P41180
В	0	SER	-	expression tag	UNP P41180
В	1	TYR	-	expression tag	UNP P41180
В	2	ILE	-	expression tag	UNP P41180
В	3	PHE	-	expression tag	UNP P41180
В	4	CYS	-	expression tag	UNP P41180
В	5	LEU	-	expression tag	UNP P41180
В	6	VAL	-	expression tag	UNP P41180
В	7	PHE	-	expression tag	UNP P41180
В	8	ALA	-	expression tag	UNP P41180
В	9	ASP	-	expression tag	UNP P41180
В	10	TYR	-	expression tag	UNP P41180
В	11	LYS	-	expression tag	UNP P41180
В	12	ASP	-	expression tag	UNP P41180
В	13	ASP	-	expression tag	UNP P41180
В	14	ASP	-	expression tag	UNP P41180
В	15	ASP	-	expression tag	UNP P41180
В	16	LYS	-	expression tag	UNP P41180
В	17	ALA	-	expression tag	UNP P41180
В	18	ALA	-	expression tag	UNP P41180
В	19	ALA	-	expression tag	UNP P41180

• Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-a cetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
2	С	2	Total 28	C 16	N 2	O 10	0	0

• Molecule 3 is 2-chloro-6-[(2R)-2-hydroxy-3-{[2-methyl-1-(naphthalen-2-yl)propan-2-yl]am ino}propoxy]benzonitrile (CCD ID: YP1) (formula:  $C_{24}H_{25}ClN_2O_2$ ) (labeled as "Ligand of




Interest" by depositor).



Mol	Chain	Residues	Atoms				AltConf	
3	A	1	Total 29		Cl 1			0
3	В	1	Total 29		Cl 1		O 2	0


 $\bullet$  Molecule 4 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula:  $C_8H_{15}NO_6).$ 





Mol	Chain	Residues	Atoms	AltConf
4	A	1	Total C N O	0
	11		14 8 1 5	Ŭ
1	A	1	Total C N O	0
4	Λ	1	14 8 1 5	U
1	A	1	Total C N O	0
4	11	1	14 8 1 5	
1	В	1	Total C N O	0
4	Ъ	1	14 8 1 5	U
1	В	1	Total C N O	0
4	ע	1	14 8 1 5	

 $\bullet\,$  Molecule 5 is PHOSPHATE ION (CCD ID: PO4) (formula:  ${\rm O_4P}).$ 




M	[ol	Chain	Residues	Atoms	AltConf
ţ	5	A	1	Total O P 5 4 1	0
ļ	5	В	1	Total O P 5 4 1	0



## 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Extracellular calcium-sensing receptor





 $\bullet$  Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain C:

NAG1 NAG2



# 4 Experimental information (i)

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	329093	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose $(e^-/\text{Å}^2)$	60.9	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	5.483	Depositor
Minimum map value	-0.154	Depositor
Average map value	0.004	Depositor
Map value standard deviation	0.071	Depositor
Recommended contour level	0.7	Depositor
Map size (Å)	399.6, 399.6, 399.6	wwPDB
Map dimensions	360, 360, 360	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.11, 1.11, 1.11	Depositor



## 5 Model quality (i)

## 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, PO4, YP1

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles		
IVIOI	Chain	RMSZ	# Z  > 5	RMSZ	# Z  > 5	
1	A	0.45	0/5574	0.68	2/7613~(0.0%)	
1	В	0.42	0/5533	0.65	0/7582	
All	All	0.44	0/11107	0.67	2/15195~(0.0%)	

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	$\mathbf{Z}$	$Observed(^o)$	$\operatorname{Ideal}({}^{o})$
1	A	436	THR	N-CA-C	6.86	118.67	110.44
1	A	438	LEU	N-CA-CB	-5.02	102.82	110.05

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5438	0	4651	35	0
1	В	5397	0	4554	18	0
2	С	28	0	25	2	0
3	A	29	0	0	0	0
3	В	29	0	0	0	0
4	A	42	0	39	0	0
4	В	28	0	26	0	0



Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	A	5	0	0	0	0
5	В	5	0	0	1	0
All	All	11001	0	9295	54	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (54) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic	Clash
	Atom-2	${\rm distance}({\rm \AA})$	overlap(Å)
1:A:442:GLY:HA3	1:A:447:GLY:HA2	1.69	0.74
1:B:42:PHE:HB2	1:B:62:ARG:HB3	1.74	0.69
1:B:51:LEU:O	1:B:51:LEU:HG	1.98	0.63
1:B:358:CYS:SG	1:B:359:HIS:N	2.74	0.61
1:A:641:PRO:HD2	1:A:869:ILE:HA	1.83	0.60
1:A:210:GLY:O	1:A:267:ILE:HA	2.02	0.60
1:A:253:GLN:OE1	1:A:286:ARG:NH2	2.35	0.60
1:A:438:LEU:H	1:A:438:LEU:HD23	1.67	0.58
1:A:696:LEU:HD23	1:A:787:CYS:HB3	1.85	0.57
1:B:456:GLU:OE2	1:B:458:TRP:NE1	2.36	0.54
1:B:293:TRP:HZ3	1:B:314:VAL:HA	1.71	0.54
2:C:1:NAG:H83	2:C:2:NAG:H82	1.89	0.54
1:A:172:ARG:HG3	1:A:189:ASN:HD21	1.73	0.54
1:A:279:LEU:HD12	1:A:279:LEU:C	2.34	0.53
1:A:348:ALA:O	1:A:351:PHE:HB3	2.09	0.52
1:B:195:THR:HB	1:B:225:LYS:HZ1	1.76	0.51
1:A:332:GLU:OE2	1:A:336:LYS:NZ	2.44	0.50
1:A:32:ILE:HG23	1:A:139:ILE:HG13	1.94	0.50
1:A:166:SER:OG	1:A:167:TYR:N	2.45	0.50
1:A:492:ILE:HG22	1:A:507:GLU:HA	1.94	0.49
1:A:111:THR:HG21	1:A:153:VAL:HG23	1.95	0.49
1:B:192:HIS:HA	1:B:195:THR:HG22	1.92	0.49
1:B:468:ASN:OD1	1:B:476:GLN:NE2	2.45	0.49
1:A:589:PHE:HA	1:A:600:ALA:HA	1.93	0.49
1:A:733:PHE:HA	1:A:736:ILE:HG22	1.95	0.49
1:B:141:VAL:HG12	1:B:143:GLY:H	1.77	0.49
1:B:678:ARG:HA	1:B:748:PRO:HG2	1.96	0.48
1:A:530:TRP:HB2	1:A:534:SER:HB3	1.96	0.47
1:B:351:PHE:O	1:B:355:THR:CB	2.64	0.46
1:A:44:VAL:HA	1:A:60:CYS:HA	1.98	0.46
1:A:205:ARG:NH2	2:C:2:NAG:O7	2.46	0.45



Continued from previous page...

A	A. 0	Interatomic	Clash	
Atom-1	Atom-2	${\rm distance}(\mathring{\rm A})$	overlap (Å)	
1:A:672:PRO:HG2	1:A:763:ILE:HG22	1.98	0.45	
1:A:279:LEU:HD12	1:A:280:ILE:N	2.33	0.44	
1:A:280:ILE:HD13	1:A:280:ILE:HA	1.86	0.44	
1:B:116:ALA:O	1:B:120:ILE:HB	2.18	0.44	
1:A:545:ASP:O	1:A:545:ASP:OD1	2.36	0.44	
1:B:336:LYS:HA	1:B:336:LYS:HD3	1.76	0.43	
1:A:283:ILE:HG23	1:A:288:ILE:HD12	2.00	0.43	
1:A:322:LEU:HD23	1:A:322:LEU:HA	1.87	0.43	
1:A:434:ILE:HG12	1:A:463:HIS:CE1	2.53	0.43	
1:A:846:PHE:O	1:A:850:ALA:N	2.53	0.42	
1:B:187:ILE:HD12	1:B:187:ILE:HA	1.94	0.42	
1:A:24:GLN:HB3	1:A:25:ARG:H	1.74	0.42	
1:A:215:ASP:HA	1:A:242:LEU:HD11	2.01	0.42	
1:B:422:LEU:HD12	1:B:422:LEU:HA	1.85	0.42	
1:A:422:LEU:HD12	1:A:422:LEU:HA	1.79	0.41	
1:B:586:PRO:HG2	1:B:589:PHE:HB2	2.02	0.41	
1:B:295:ALA:HB3	1:B:319:GLY:HA2	2.02	0.41	
1:A:84:SER:HA	1:A:85:PRO:HD3	1.88	0.41	
1:A:318:ILE:HD12	1:A:528:ILE:HD11	2.03	0.41	
1:A:413:HIS:HB2	1:A:415:ARG:NH1	2.35	0.41	
1:A:270:PHE:HA	1:A:296:SER:HB3	2.03	0.41	
1:A:220:ARG:HA	1:A:223:ILE:HG22	2.04	0.40	
1:B:69:ARG:HH21	5:B:904:PO4:P	2.45	0.40	

There are no symmetry-related clashes.

## 5.3 Torsion angles (i)

### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentil	les
1	A	769/902~(85%)	717 (93%)	52 (7%)	0	100 10	00
1	В	777/902 (86%)	739 (95%)	38 (5%)	0	100 10	00



Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentile	es
All	All	1546/1804 (86%)	1456 (94%)	90 (6%)	0	100 100	)

There are no Ramachandran outliers to report.

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	441/780 (56%)	440 (100%)	1 (0%)	92 94	
1	В	419/780 (54%)	419 (100%)	0	100 100	
All	All	860/1560 (55%)	859 (100%)	1 (0%)	92 95	

All (1) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	438	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	179	GLN
1	A	326	GLN
1	A	595	HIS
1	A	681	GLN
1	В	90	ASN
1	В	338	HIS
1	В	344	HIS
1	В	468	ASN
1	В	476	GLN
1	В	495	HIS



#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates (i)

2 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res Link		Chain Res		Bo	ond leng	$ ag{ths}$	В	ond ang	eles
IVIOI	туре	Chain	nes	LIIIK	Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2		
2	NAG	С	1	1,2	14,14,15	0.31	0	17,19,21	0.65	0		
2	NAG	С	2	2	14,14,15	0.45	0	17,19,21	0.49	0		

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

N	Лol	Type	Chain	Res	Link	Chirals	Torsions	Rings
	2	NAG	С	1	1,2	-	2/6/23/26	0/1/1/1
	2	NAG	С	2	2	-	2/6/23/26	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	С	1	NAG	O5-C5-C6-O6
2	С	2	NAG	C4-C5-C6-O6



Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	С	1	NAG	C4-C5-C6-O6
2	С	2	NAG	O5-C5-C6-O6

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	С	1	NAG	1	0
2	С	2	NAG	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.





## 5.6 Ligand geometry (i)

9 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Во	ond leng	ths	Bond angles		
MIOI	Type	Chain	nes	Lilik	Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	YP1	В	901	-	30,31,31	1.44	3 (10%)	41,43,43	1.16	4 (9%)
4	NAG	A	904	1	14,14,15	0.75	1 (7%)	17,19,21	1.43	2 (11%)
3	YP1	A	901	-	30,31,31	1.43	3 (10%)	41,43,43	1.05	2 (4%)
4	NAG	В	902	1	14,14,15	0.32	0	17,19,21	0.66	0
4	NAG	A	902	1	14,14,15	0.51	0	17,19,21	1.04	1 (5%)
5	PO4	A	905	-	4,4,4	0.81	0	6,6,6	0.47	0
4	NAG	A	903	1	14,14,15	0.87	1 (7%)	17,19,21	1.33	1 (5%)
5	PO4	В	904	-	4,4,4	0.77	0	6,6,6	0.45	0
4	NAG	В	903	1	14,14,15	0.54	0	17,19,21	0.70	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	YP1	В	901	-	-	8/18/18/18	0/3/3/3
4	NAG	A	904	1	-	4/6/23/26	0/1/1/1
3	YP1	A	901	-	-	7/18/18/18	0/3/3/3
4	NAG	В	902	1	-	2/6/23/26	0/1/1/1
4	NAG	A	902	1	-	4/6/23/26	0/1/1/1
4	NAG	A	903	1	-	4/6/23/26	0/1/1/1
4	NAG	В	903	1	-	2/6/23/26	0/1/1/1

All (8) bond length outliers are listed below:

$\mathbf{Mol}$	Chain	$\operatorname{Res}$	Type	Atoms	$\mathbf{Z}$	$\operatorname{Observed}(\operatorname{\AA})$	$\operatorname{Ideal}( ext{\AA})$
3	A	901	YP1	C19-C24	5.44	1.53	1.44



Continued from previous page...

Mol	Chain	Res	Type	Atoms	$\mathbf{Z}$	Observed(A)	Ideal(A)
3	В	901	YP1	C19-C24	5.37	1.52	1.44
3	В	901	YP1	C2-N2	-2.60	1.46	1.49
4	A	903	NAG	O5-C1	2.59	1.48	1.43
4	A	904	NAG	C1-C2	2.42	1.55	1.52
3	A	901	YP1	C2-N2	-2.29	1.47	1.49
3	В	901	YP1	C20-CL1	2.23	1.78	1.73
3	A	901	YP1	C20-CL1	2.22	1.78	1.73

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	$\mathbf{Z}$	$Observed(^o)$	$Ideal(^{o})$
4	A	903	NAG	C1-O5-C5	4.97	118.84	112.19
4	A	904	NAG	C1-O5-C5	4.04	117.59	112.19
3	В	901	YP1	C15-N2-C2	-3.61	112.47	116.35
4	A	904	NAG	C2-N2-C7	3.28	127.29	122.90
4	A	902	NAG	C2-N2-C7	3.22	127.21	122.90
3	В	901	YP1	C1-C2-C4	2.93	113.77	109.96
3	В	901	YP1	C21-C20-C19	-2.40	119.98	121.79
4	В	903	NAG	C1-O5-C5	2.39	115.39	112.19
3	A	901	YP1	C1-C2-C4	2.30	112.95	109.96
3	В	901	YP1	C3-C2-C1	-2.11	106.35	109.55
3	A	901	YP1	C21-C20-C19	-2.08	120.22	121.79

There are no chirality outliers.

All (31) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	901	YP1	C3-C2-C4-C5
3	A	901	YP1	N2-C2-C4-C5
3	A	901	YP1	C16-C15-N2-C2
3	A	901	YP1	N2-C15-C16-C17
3	A	901	YP1	C15-C16-C17-O1
3	В	901	YP1	C3-C2-C4-C5
4	A	903	NAG	C4-C5-C6-O6
4	A	903	NAG	O5-C5-C6-O6
4	В	903	NAG	C4-C5-C6-O6
4	A	904	NAG	C4-C5-C6-O6
4	В	903	NAG	O5-C5-C6-O6
4	A	904	NAG	O5-C5-C6-O6
4	A	902	NAG	O5-C5-C6-O6
3	A	901	YP1	O2-C16-C17-O1
4	A	903	NAG	C8-C7-N2-C2



Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	A	903	NAG	O7-C7-N2-C2
4	В	902	NAG	C8-C7-N2-C2
4	В	902	NAG	O7-C7-N2-C2
4	A	902	NAG	C4-C5-C6-O6
3	В	901	YP1	N2-C2-C4-C5
3	В	901	YP1	C16-C15-N2-C2
3	В	901	YP1	C15-C16-C17-O1
3	В	901	YP1	C1-C2-C4-C5
3	В	901	YP1	C23-C18-O1-C17
3	A	901	YP1	N2-C15-C16-O2
4	A	902	NAG	C1-C2-N2-C7
4	A	904	NAG	C1-C2-N2-C7
4	A	902	NAG	C3-C2-N2-C7
4	A	904	NAG	C3-C2-N2-C7
3	В	901	YP1	C19-C18-O1-C17
3	В	901	YP1	O2-C16-C17-O1


There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	В	904	PO4	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





## 5.7 Other polymers (i)

There are no such residues in this entry.

## 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.




## 6 Map visualisation (i)

This section contains visualisations of the EMDB entry EMD-23655. These allow visual inspection of the internal detail of the map and identification of artifacts.

No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

### 6.1 Orthogonal projections (i)


#### 6.1.1 Primary map



The images above show the map projected in three orthogonal directions.

### 6.2 Central slices (i)

#### 6.2.1 Primary map






The images above show central slices of the map in three orthogonal directions.

### 6.3 Largest variance slices (i)


#### 6.3.1 Primary map



The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) (i)

#### 6.4.1 Primary map




The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.



### 6.5 Orthogonal surface views (i)

#### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.7. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.6 Mask visualisation (i)


This section was not generated. No masks/segmentation were deposited.



## 7 Map analysis (i)

This section contains the results of statistical analysis of the map.


## 7.1 Map-value distribution (i)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.



## 7.2 Volume estimate (i)




The volume at the recommended contour level is  $138~\mathrm{nm}^3$ ; this corresponds to an approximate mass of  $125~\mathrm{kDa}$ .

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.



## 7.3 Rotationally averaged power spectrum (i)



<sup>\*</sup>Reported resolution corresponds to spatial frequency of 0.244  $\rm \mathring{A}^{-1}$ 



# 8 Fourier-Shell correlation (i)


This section was not generated. No FSC curve or half-maps provided.



## 9 Map-model fit (i)

This section contains information regarding the fit between EMDB map EMD-23655 and PDB model 7M3J. Per-residue inclusion information can be found in section 3 on page 7.


## 9.1 Map-model overlay (i)



The images above show the 3D surface view of the map at the recommended contour level 0.7 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.




## 9.2 Q-score mapped to coordinate model (i)



The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.


## 9.3 Atom inclusion mapped to coordinate model (i)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.7).



## 9.4 Atom inclusion (i)



At the recommended contour level, 96% of all backbone atoms, 89% of all non-hydrogen atoms, are inside the map.



## 9.5 Map-model fit summary (i)

The table lists the average atom inclusion at the recommended contour level (0.7) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.8920	0.4260
A	0.8950	0.4330
В	0.8880	0.4180
С	0.8930	0.4000



