



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 24, 2025 – 06:02 pm BST

PDB ID : 7NIO / pdb_00007nio
Title : Crystal structure of the SARS-CoV-2 helicase APO form
Authors : Newman, J.A.; Yosaatmadja, Y.; Douangamath, A.; Bountra, C.; Gileadi, O.
Deposited on : 2021-02-12
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0rc1
Xtriage (Phenix) : 2.0rc1
EDS : 3.0
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.003 (Gargrove)
Density-Fitness : 1.0.11
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.44


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	5791 (2.20-2.20)
Clashscore	180529	6634 (2.20-2.20)
Ramachandran outliers	177936	6560 (2.20-2.20)
Sidechain outliers	177891	6561 (2.20-2.20)
RSRZ outliers	164620	5791 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	603	9% 82% 14% ..
1	E	603	13% 79% 17% ..

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 9269 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called SARS-CoV-2 helicase NSP13.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	590	Total	C	N	O	S	0	1	0
			4541	2894	759	852	36			
1	E	585	Total	C	N	O	S	0	0	0
			4501	2869	750	848	34			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	SER	-	expression tag	UNP P0DTD1
A	0	MET	-	expression tag	UNP P0DTD1
E	-1	SER	-	expression tag	UNP P0DTD1
E	0	MET	-	expression tag	UNP P0DTD1

- Molecule 2 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	3	Total	Zn	0	0
			3	3		
2	E	3	Total	Zn	0	0
			3	3		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	108	Total	O	0	0
			108	108		
3	E	113	Total	O	0	0
			113	113		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: SARS-CoV-2 helicase NSP13



• Molecule 1: SARS-CoV-2 helicase NSP13



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	56.70Å 70.12Å 84.00Å 104.31° 93.30° 112.16°	Depositor
Resolution (Å)	80.24 – 2.20 80.24 – 2.20	Depositor EDS
% Data completeness (in resolution range)	91.6 (80.24-2.20) 91.8 (80.24-2.20)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.22 (at 2.20Å)	Xtriage
Refinement program	PHENIX 1.18.2_3874	Depositor
R, R_{free}	0.230 , 0.286 0.231 , 0.281	Depositor DCC
R_{free} test set	2798 reflections (4.82%)	wwPDB-VP
Wilson B-factor (Å ²)	33.5	Xtriage
Anisotropy	0.767	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 35.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	9269	wwPDB-VP
Average B, all atoms (Å ²)	45.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.50% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.15	0/4644	0.34	0/6331
1	E	0.15	0/4603	0.35	0/6274
All	All	0.15	0/9247	0.35	0/12605

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4541	0	4454	51	0
1	E	4501	0	4408	68	0
2	A	3	0	0	0	0
2	E	3	0	0	0	0
3	A	108	0	0	4	0
3	E	113	0	0	7	0
All	All	9269	0	8862	114	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (114) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:444:CYS:SG	3:A:803:HOH:O	2.51	0.69
1:E:556:CYS:SG	3:E:802:HOH:O	2.50	0.68
1:A:333:ILE:HD13	1:A:349:ASN:HA	1.75	0.67
1:E:268:ASN:HB3	1:E:291:PHE:HE1	1.60	0.66
1:A:405:LEU:HD11	1:A:533:VAL:HG12	1.80	0.64
1:A:328:ASP:OD1	1:A:328:ASP:N	2.25	0.63
1:E:182:PHE:HA	1:E:227:LEU:HA	1.82	0.62
1:A:279:THR:HB	1:A:429:MET:HE2	1.82	0.61
1:E:152:ALA:HB3	1:E:225:PHE:HB2	1.84	0.59
1:A:460:LYS:NZ	3:A:819:HOH:O	2.36	0.59
1:A:511:PHE:HB3	1:A:530:THR:HG22	1.85	0.58
1:A:453:SER:HA	1:A:457:TYR:HB2	1.84	0.58
1:E:271:LYS:HD3	1:E:435:ASP:HB3	1.85	0.58
1:E:445:PRO:HD2	1:E:448:ILE:HD12	1.84	0.58
1:A:285:GLY:O	1:A:287:GLY:N	2.35	0.57
1:E:22:ARG:NH1	3:E:816:HOH:O	2.36	0.57
1:A:71:TYR:OH	3:A:801:HOH:O	2.16	0.57
1:E:146:LYS:HZ3	1:E:227:LEU:HB3	1.70	0.57
1:A:497:ARG:HD2	1:A:525:ILE:HG22	1.86	0.57
1:A:59:ASP:OD1	1:A:61:THR:OG1	2.22	0.56
1:A:479:VAL:HG13	1:E:481:THR:HG22	1.87	0.56
1:A:480:ILE:HB	1:E:480:ILE:HB	1.88	0.56
1:E:73:LYS:HZ3	1:E:76:LYS:HE2	1.71	0.55
1:E:326:PRO:HG2	1:E:329:LYS:HE2	1.88	0.55
1:A:12:THR:HG21	1:A:25:LEU:O	2.06	0.55
1:E:146:LYS:HB3	1:E:227:LEU:HD13	1.88	0.55
1:A:551:GLU:HB2	1:E:552:THR:HG22	1.89	0.54
1:E:226:VAL:HG13	1:E:227:LEU:H	1.73	0.54
1:A:182:PHE:HB3	1:A:225:PHE:HB3	1.88	0.53
1:E:182:PHE:HB3	1:E:225:PHE:HB3	1.89	0.53
1:A:533:VAL:HG11	1:A:560:ARG:HG3	1.91	0.53
1:A:215:THR:OG1	1:A:216:THR:N	2.39	0.53
1:E:280:LEU:HB2	1:E:436:MET:HE3	1.90	0.53
1:E:534:ASP:OD2	3:E:801:HOH:O	2.18	0.53
1:E:331:SER:HB2	1:E:353:GLU:HG3	1.91	0.53
1:A:280:LEU:HD21	1:A:438:LEU:HG	1.90	0.53
1:E:12:THR:HB	1:E:26:CYS:HA	1.92	0.52
1:E:500:LEU:HD11	1:E:528:LEU:HD11	1.91	0.52
1:E:555:SER:OG	3:E:802:HOH:O	2.19	0.51
1:A:533:VAL:HG23	3:A:816:HOH:O	2.09	0.51
1:E:560:ARG:NE	3:E:801:HOH:O	2.28	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:452:VAL:HA	1:A:455:LEU:HB3	1.92	0.51
1:A:455:LEU:HG	1:A:456:VAL:HG13	1.93	0.50
1:A:65:LEU:HD23	1:A:81:PHE:CZ	2.46	0.50
1:E:466:ASP:OD2	1:E:467:LYS:N	2.44	0.50
1:E:249:ILE:HD11	1:E:270:GLN:HG3	1.93	0.49
1:A:286:THR:HG23	1:A:438:LEU:HB2	1.94	0.49
1:A:481:THR:HG22	1:E:479:VAL:HG13	1.94	0.49
1:E:46:ASN:N	1:E:46:ASN:OD1	2.45	0.49
1:A:152:ALA:HB1	1:A:165:LEU:HD22	1.96	0.48
1:A:244:GLU:HB2	1:A:276:LYS:HB2	1.95	0.48
1:E:32:ASP:HB2	1:E:103:VAL:HG11	1.95	0.48
1:A:444:CYS:HB2	1:A:449:VAL:HG22	1.95	0.48
1:A:152:ALA:HB2	1:A:167:TRP:CH2	2.49	0.47
1:E:59:ASP:OD1	1:E:61:THR:OG1	2.26	0.47
1:E:244:GLU:HB2	1:E:276:LYS:HB2	1.97	0.47
1:A:519:ASN:ND2	1:A:531:GLN:O	2.39	0.47
1:E:451:THR:HG21	1:E:585:LEU:HD23	1.97	0.47
1:A:283:PRO:HG2	1:A:461:LEU:HD13	1.97	0.47
1:A:31:TYR:CE2	1:A:87:GLY:HA2	2.50	0.46
1:E:513:SER:OG	1:E:519:ASN:OD1	2.23	0.46
1:A:517:SER:O	1:A:521:VAL:HG23	2.15	0.46
1:E:153:THR:HB	1:E:166:SER:HB2	1.98	0.46
1:A:252:LEU:HB3	1:A:299:TYR:CD1	2.50	0.46
1:E:73:LYS:NZ	1:E:76:LYS:HE2	2.31	0.46
1:E:533:VAL:HG11	1:E:560:ARG:HG3	1.98	0.45
1:A:378:MET:O	1:A:407:ALA:HB2	2.16	0.45
1:E:31:TYR:CE2	1:E:87:GLY:HA2	2.51	0.45
1:E:376:ILE:HG22	1:E:400:GLY:HA3	1.97	0.45
1:E:181:VAL:O	1:E:228:THR:N	2.40	0.45
1:E:303:ARG:NH1	1:E:353:GLU:O	2.49	0.45
1:E:353:GLU:OE1	3:E:804:HOH:O	2.21	0.45
1:E:401:ASP:OD2	1:E:457:TYR:OH	2.31	0.45
1:A:154:VAL:HG22	1:A:163:LEU:HD13	1.99	0.45
1:E:11:GLN:HG2	1:E:93:TYR:CE2	2.52	0.45
1:E:129:ARG:HA	1:E:129:ARG:HD2	1.82	0.45
1:A:176:LEU:HD22	1:A:200:PHE:HB2	2.00	0.45
1:A:489:ASN:N	1:A:518:GLN:OE1	2.34	0.44
1:E:11:GLN:HG2	1:E:93:TYR:HE2	1.83	0.44
1:E:173:ARG:HH12	1:E:485:SER:HB3	1.83	0.44
1:E:13:SER:O	1:E:44:SER:HA	2.18	0.44
1:E:226:VAL:HG13	1:E:227:LEU:N	2.33	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:64:TYR:HA	1:E:82:PRO:HA	2.00	0.43
1:E:173:ARG:NH1	1:E:484:VAL:O	2.46	0.43
1:A:414:LYS:HG2	1:E:580:ASP:HA	2.01	0.43
1:E:186:ARG:HH21	1:E:219:LEU:HA	1.84	0.43
1:A:152:ALA:HB2	1:A:167:TRP:CZ3	2.54	0.43
1:E:156:GLU:HB3	1:E:164:HIS:HB2	2.00	0.43
1:A:500:LEU:HD23	1:A:500:LEU:HA	1.88	0.42
1:A:544:VAL:O	1:A:572:ILE:HA	2.19	0.42
1:E:479:VAL:HB	1:E:491:PRO:HG2	2.02	0.42
1:A:486:SER:HB3	1:A:515:TYR:HB3	2.02	0.42
1:E:34:VAL:O	1:E:40:LYS:NZ	2.37	0.42
1:E:270:GLN:O	1:E:274:MET:HG3	2.19	0.42
1:E:519:ASN:O	1:E:530:THR:HG21	2.19	0.42
1:E:475:PHE:CZ	1:E:477:LYS:HE2	2.55	0.42
1:A:186:ARG:NH1	1:A:219:LEU:HA	2.34	0.42
1:A:405:LEU:HD21	1:A:560:ARG:HA	2.02	0.42
1:E:149:TYR:HB3	1:E:174:PRO:HG3	2.01	0.42
1:E:500:LEU:HD12	1:E:526:LEU:HD22	2.01	0.42
1:E:173:ARG:NH2	1:E:485:SER:OG	2.53	0.41
1:E:280:LEU:HD12	1:E:436:MET:HB2	2.02	0.41
1:E:280:LEU:HD11	1:E:438:LEU:HD21	2.01	0.41
1:E:370:ILE:HG12	1:E:395:HIS:HB2	2.02	0.41
1:A:376:ILE:HG22	1:A:400:GLY:HA3	2.02	0.41
1:A:176:LEU:HD13	1:A:209:VAL:HG11	2.03	0.41
1:E:33:HIS:O	1:E:37:THR:OG1	2.28	0.41
1:E:151:ILE:HG22	1:E:224:TYR:HB2	2.03	0.41
1:A:19:CYS:SG	1:A:110:ALA:HB1	2.61	0.41
1:A:528:LEU:H	1:A:528:LEU:HG	1.62	0.40
1:E:151:ILE:O	3:E:803:HOH:O	2.21	0.40
1:E:288:LYS:HD2	1:E:399:ILE:HG22	2.03	0.40
1:A:271:LYS:HD3	1:A:271:LYS:HA	1.61	0.40
1:E:376:ILE:HG12	1:E:425:VAL:HG11	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	587/603 (97%)	546 (93%)	40 (7%)	1 (0%)	44	52
1	E	579/603 (96%)	550 (95%)	28 (5%)	1 (0%)	44	52
All	All	1166/1206 (97%)	1096 (94%)	68 (6%)	2 (0%)	44	52

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	E	227	LEU
1	A	338	ALA

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	499/525 (95%)	472 (95%)	27 (5%)	18	23
1	E	496/525 (94%)	478 (96%)	18 (4%)	30	40
All	All	995/1050 (95%)	950 (96%)	45 (4%)	23	30

All (45) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	12	THR
1	A	100	SER
1	A	160	ASP
1	A	192	LYS
1	A	207	ASP
1	A	215	THR
1	A	216	THR
1	A	219	LEU
1	A	220	ASN
1	A	231	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	247	VAL
1	A	257	ASN
1	A	258	ILE
1	A	271	LYS
1	A	278	SER
1	A	280	LEU
1	A	286	THR
1	A	328	ASP
1	A	345	LYS
1	A	484	VAL
1	A	495	VAL
1	A	502	ARG
1	A	516	ASN
1	A	525	ILE
1	A	528	LEU
1	A	531	GLN
1	A	549	THR
1	E	7	LEU
1	E	46	ASN
1	E	56	ASP
1	E	63	LEU
1	E	146	LYS
1	E	156	GLU
1	E	183	THR
1	E	193	VAL
1	E	194	GLN
1	E	217	TYR
1	E	230	HIS
1	E	270	GLN
1	E	288	LYS
1	E	289	SER
1	E	361	ASN
1	E	369	ASP
1	E	531	GLN
1	E	579	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	51	ASN
1	A	164	HIS
1	A	230	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	470	GLN
1	A	489	ASN
1	A	503	ASN
1	E	459	ASN
1	E	503	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 6 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	590/603 (97%)	0.91	56 (9%) 15 13	22, 43, 65, 83	1 (0%)
1	E	585/603 (97%)	0.98	80 (13%) 8 6	24, 45, 71, 89	0
All	All	1175/1206 (97%)	0.95	136 (11%) 11 9	22, 44, 68, 89	1 (0%)

All (136) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	E	215	THR	4.7
1	E	336	ALA	4.6
1	E	484	VAL	4.3
1	E	214	THR	4.1
1	E	526	LEU	4.0
1	A	340	VAL	3.8
1	E	216	THR	3.8
1	E	228	THR	3.7
1	A	593	PRO	3.7
1	E	187	VAL	3.7
1	E	266	VAL	3.6
1	E	500	LEU	3.6
1	A	247	VAL	3.6
1	A	217	TYR	3.4
1	A	207	ASP	3.4
1	E	247	VAL	3.3
1	E	230	HIS	3.3
1	E	227	LEU	3.3
1	E	183	THR	3.3
1	A	539	SER	3.3
1	A	202	LYS	3.2
1	E	195	ILE	3.2
1	A	219	LEU	3.2
1	E	226	VAL	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	538	GLY	3.1
1	A	101	ASP	3.1
1	A	246	TYR	3.1
1	A	256	LEU	3.1
1	A	336	ALA	3.1
1	E	217	TYR	3.0
1	E	197	GLU	3.0
1	E	252	LEU	3.0
1	A	592	ILE	2.9
1	E	399	ILE	2.9
1	E	202	LYS	2.9
1	E	534	ASP	2.8
1	E	592	ILE	2.8
1	A	102	ASN	2.8
1	A	257	ASN	2.8
1	A	488	ILE	2.8
1	E	192	LYS	2.8
1	A	274	MET	2.8
1	E	205	TYR	2.8
1	E	97	CYS	2.8
1	E	95	ASN	2.8
1	A	495	VAL	2.7
1	E	270	GLN	2.7
1	E	248	ARG	2.7
1	E	198	TYR	2.7
1	E	196	GLY	2.7
1	E	256	LEU	2.7
1	A	249	ILE	2.7
1	A	260	ASP	2.7
1	E	324	TYR	2.7
1	E	231	THR	2.7
1	E	2	VAL	2.7
1	A	546	PHE	2.6
1	E	334	ILE	2.6
1	A	527	GLY	2.6
1	A	506	TRP	2.6
1	E	527	GLY	2.6
1	E	56	ASP	2.6
1	E	257	ASN	2.5
1	E	222	GLY	2.5
1	E	494	GLY	2.5
1	E	208	ALA	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	170	GLY	2.5
1	A	541	TYR	2.4
1	E	11	GLN	2.4
1	A	253	TYR	2.4
1	A	524	LYS	2.4
1	E	193	VAL	2.4
1	E	204	ASP	2.4
1	E	224	TYR	2.4
1	A	484	VAL	2.4
1	E	496	VAL	2.4
1	E	328	ASP	2.4
1	E	258	ILE	2.3
1	E	253	TYR	2.3
1	A	516	ASN	2.3
1	E	152	ALA	2.3
1	A	255	THR	2.3
1	E	501	THR	2.3
1	A	444	CYS	2.3
1	E	351	THR	2.3
1	E	229	SER	2.3
1	A	338	ALA	2.3
1	A	81	PHE	2.3
1	E	342	CYS	2.3
1	A	193	VAL	2.2
1	A	565	ILE	2.2
1	E	201	GLU	2.2
1	A	218	LYS	2.2
1	A	285	GLY	2.2
1	E	102	ASN	2.2
1	E	590	LEU	2.2
1	E	321	ALA	2.2
1	E	335	PRO	2.2
1	E	169	VAL	2.2
1	E	348	VAL	2.2
1	E	493	ILE	2.2
1	A	190	ASN	2.2
1	E	172	PRO	2.2
1	A	216	THR	2.2
1	A	510	VAL	2.2
1	A	472	PHE	2.2
1	A	521	VAL	2.1
1	E	340	VAL	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	499	PHE	2.1
1	E	268	ASN	2.1
1	A	408	PRO	2.1
1	E	416	THR	2.1
1	E	6	VAL	2.1
1	A	262	PHE	2.1
1	E	262	PHE	2.1
1	E	525	ILE	2.1
1	A	280	LEU	2.1
1	E	219	LEU	2.1
1	A	529	PRO	2.1
1	A	568	ALA	2.1
1	A	533	VAL	2.1
1	E	93	TYR	2.1
1	E	181	VAL	2.1
1	E	475	PHE	2.1
1	A	166	SER	2.1
1	E	99	GLY	2.1
1	A	258	ILE	2.1
1	E	528	LEU	2.1
1	E	199	THR	2.1
1	E	479	VAL	2.0
1	A	20	ILE	2.0
1	A	334	ILE	2.0
1	E	352	LEU	2.0
1	A	250	THR	2.0
1	A	157	VAL	2.0
1	A	511	PHE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,

median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	ZN	E	703	1/1	0.96	0.05	50,50,50,50	0
2	ZN	E	702	1/1	0.98	0.04	42,42,42,42	0
2	ZN	A	702	1/1	0.98	0.03	41,41,41,41	0
2	ZN	E	701	1/1	0.99	0.04	32,32,32,32	0
2	ZN	A	701	1/1	0.99	0.03	32,32,32,32	0
2	ZN	A	703	1/1	0.99	0.02	42,42,42,42	0

6.5 Other polymers [i](#)

There are no such residues in this entry.