

Full wwPDB EM Validation Report (i)

Jun 29, 2025 – 12:26 am BST

PDB ID : 7R4H / pdb 00007r4h

EMDB ID : EMD-14312

Title : phospho-STING binding to adaptor protein complex-1

Authors : Xu, P.; Ablasser, A.

Deposited on : 2022-02-08

Resolution : 2.34 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*A user guide is available at

https://www.wwpdb.org/validation/2017/EMValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev118

Mogul : 1.8.4, CSD as541be (2020) MolProbity : 4-5-2 with Phenix2.0rc1

buster-report : 1.1.7 (2018)

Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)

 $MapQ \quad : \quad 1.9.13$

Ideal geometry (proteins) : Engh & Huber (2001) Ideal geometry (DNA, RNA) : Parkinson et al. (1996)


Validation Pipeline (wwPDB-VP) : 2.44

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $ELECTRON\ MICROSCOPY$

The reported resolution of this entry is 2.34 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive $(\# \mathrm{Entries})$	${ m EM\ structures} \ (\#{ m Entries})$
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion <40%). The numeric value is given above the bar.





2 Entry composition (i)

There are 8 unique types of molecules in this entry. The entry contains 16485 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called AP-1 complex subunit beta-1.

\mathbf{Mol}	Chain	Residues		At	oms			AltConf	Trace
1	В	570	Total 4513	C 2883	N 741	O 862	S 27	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
В	359	ARG	LYS	engineered mutation	UNP Q10567
В	476	LYS	GLU	engineered mutation	UNP Q10567

• Molecule 2 is a protein called ADP-ribosylation factor 1.

Mol	Chain	Residues		At	oms			AltConf	Trace
2	С	165	Total	С	N	О	S	0	0
		105	1330	842	233	249	6	0	0
9	П	163	Total	С	N	О	S	0	0
	П	105	1312	831	229	246	6	U	U

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
С	71	LEU	GLN	engineered mutation	UNP P84077
Н	71	LEU	GLN	engineered mutation	UNP P84077

• Molecule 3 is a protein called AP-1 complex subunit gamma-1.

Mol	Chain	Residues		At	oms			AltConf	Trace
3	G	585	Total 4633	C 2914	N 815	O 865	S 39	0	0

• Molecule 4 is a protein called Stimulator of interferon genes protein.



Mol	Chain	Residues		\mathbf{At}	oms			AltConf	Trace
1	Т	0	Total	С	N	О	Р	0	0
4	ш	9	72	43	10	18	1	0	

• Molecule 5 is a protein called AP-1 complex subunit mu-1.

Mol	Chain	Residues		At	oms			AltConf	Trace
5	M	415	Total 3362	C 2161	N 566	O 621	S 14	0	0

• Molecule 6 is a protein called AP-1 complex subunit sigma-3.

Mol	Chain	Residues		At	oms			AltConf	Trace
6	S	142	Total 1197	C 782	N 197	O 213	S 5	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
S	148	CYS	SER	$\operatorname{conflict}$	UNP Q96PC3

• Molecule 7 is GUANOSINE-5'-TRIPHOSPHATE (CCD ID: GTP) (formula: $C_{10}H_{16}N_5O_{14}P_3$) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues		Ato	oms			AltConf
7	C	1	Total	С	N	О	Р	0
'		1	32	10	5	14	3	U



 $Continued\ from\ previous\ page...$

Mol	Chain	Residues		Ato	oms			AltConf
7	П	1	Total	С	N	О	Р	0
1	п	1	32	10	5	14	3	U

• Molecule 8 is MAGNESIUM ION (CCD ID: MG) (formula: Mg) (labeled as "Ligand of Interest" by depositor).


Mol	Chain	Residues	Atoms	AltConf
8	С	1	Total Mg 1 1	0
8	Н	1	Total Mg 1 1	0



3 Residue-property plots (i)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: AP-1 complex subunit beta-1





• Molecule 3: AP-1 complex subunit gamma-1




• Molecule 4: Stimulator of interferon genes protein


Chain L: 89% 11%



• Molecule 5: AP-1 complex subunit mu-1



• Molecule 6: AP-1 complex subunit sigma-3





4 Experimental information (i)

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	322238	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE	Depositor
	CORRECTION	
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose $(e^-/\text{Å}^2)$	60	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	1800	Depositor
Magnification	Not provided	
Image detector	FEI FALCON IV (4k x 4k)	Depositor
Maximum map value	0.489	Depositor
Minimum map value	-0.188	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.013	Depositor
Recommended contour level	0.055	Depositor
Map size (Å)	270.0, 270.0, 270.0	wwPDB
Map dimensions	300, 300, 300	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.9, 0.9, 0.9	Depositor



5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, GTP, SEP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
MIOI	Chain	RMSZ	# Z > 5	RMSZ	# Z > 5
1	В	0.28	0/4583	0.63	$4/6216 \ (0.1\%)$
2	С	0.33	0/1353	0.82	$2/1831 \ (0.1\%)$
2	Н	0.28	0/1335	0.66	2/1808 (0.1%)
3	G	0.30	0/4697	0.73	$10/6338 \ (0.2\%)$
4	L	0.42	0/61	1.00	0/80
5	M	0.23	0/3439	0.51	1/4648~(0.0%)
6	S	0.27	0/1220	0.66	0/1639
All	All	0.28	0/16688	0.66	$19/22560 \ (0.1\%)$

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a maintenain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	В	0	1
2	С	0	2
2	Н	0	1
All	All	0	4

There are no bond length outliers.

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^o)$	$\mathbf{Ideal}(^o)$
1	В	26	LYS	CB-CG-CD	6.56	126.39	111.30
3	G	406	LEU	CA-CB-CG	6.08	137.59	116.30
3	G	546	LYS	CA-CB-CG	5.97	126.04	114.10
3	G	393	GLU	CA-CB-CG	5.96	126.01	114.10
3	G	383	LYS	CA-CB-CG	5.90	125.89	114.10
2	Н	59	LYS	CA-C-N	5.89	132.78	121.54



Continued from previous page...

Mol	Chain	Res	Type	Atoms	\mathbf{Z}	$Observed(^o)$	$\mathrm{Ideal}(^{o})$
2	Н	59	LYS	C-N-CA	5.89	132.78	121.54
2	С	105	GLU	CA-CB-CG	5.76	125.63	114.10
3	G	517	MET	CB-CA-C	5.66	118.18	111.22
5	M	227	LYS	N-CA-C	-5.64	107.40	114.56
1	В	436	LEU	CA-CB-CG	5.62	135.96	116.30
1	В	512	GLN	CB-CG-CD	5.50	121.95	112.60
1	В	26	LYS	CA-CB-CG	5.43	124.95	114.10
3	G	338	THR	CA-C-N	5.35	130.00	122.46
3	G	338	THR	C-N-CA	5.35	130.00	122.46
3	G	341	ASN	CA-CB-CG	5.28	117.88	112.60
3	G	377	ASN	CA-CB-CG	5.18	117.78	112.60
3	G	416	ARG	CA-CB-CG	5.12	124.33	114.10
2	С	116	LEU	CA-CB-CG	5.10	134.15	116.30

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	В	26	LYS	Peptide
2	С	104	ARG	Sidechain
2	С	175	ASN	Peptide
2	Н	58	TYR	Peptide

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	В	4513	0	4647	60	0
2	С	1330	0	1326	18	0
2	Н	1312	0	1306	8	0
3	G	4633	0	4756	58	0
4	L	72	0	66	0	0
5	M	3362	0	3373	41	0
6	S	1197	0	1229	23	0
7	С	32	0	12	0	0
7	Н	32	0	12	1	0
8	С	1	0	0	0	0



Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
8	Н	1	0	0	0	0
All	All	16485	0	16727	182	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (182) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic	Clash
Atom-1	Atom-2	${f distance}({ m \AA})$	overlap (Å)
5:M:127:ASP:O	5:M:131:LEU:HB2	1.83	0.79
1:B:347:SER:O	1:B:351:ILE:HB	1.88	0.73
5:M:234:GLU:HG3	5:M:269:LEU:HA	1.82	0.62
5:M:16:LEU:HD21	5:M:100:GLU:HG2	1.80	0.62
3:G:25:GLU:HB3	5:M:337:GLU:HB3	1.81	0.61
3:G:422:ILE:HD11	3:G:441:LEU:HD22	1.84	0.60
3:G:456:VAL:HG21	3:G:483:TYR:HB2	1.86	0.57
3:G:378:ILE:O	3:G:382:MET:HB2	2.03	0.57
5:M:4:SER:HA	5:M:22:ARG:HG3	1.85	0.57
1:B:230:MET:HE3	1:B:231:PRO:HD2	1.87	0.56
1:B:528:ARG:HH22	3:G:584:MET:HG3	1.71	0.56
2:C:96:ASP:OD1	2:C:96:ASP:N	2.37	0.56
3:G:105:ASN:ND2	2:H:52:ASN:OD1	2.39	0.56
1:B:71:LEU:HA	1:B:74:MET:HE2	1.88	0.56
3:G:291:GLU:OE2	6:S:76:ASN:ND2	2.39	0.56
6:S:93:LYS:HB3	6:S:132:VAL:HG21	1.89	0.55
2:C:159:CYS:SG	2:C:160:ALA:N	2.80	0.55
6:S:42:ARG:NH1	6:S:46:THR:O	2.40	0.55
1:B:312:LYS:HD2	1:B:564:ILE:HG13	1.88	0.54
3:G:463:ILE:HG23	3:G:467:TYR:HB3	1.89	0.54
5:M:19:ARG:NH1	5:M:20:ASN:O	2.40	0.54
5:M:293:TYR:HB2	5:M:358:ALA:HB3	1.90	0.54
5:M:284:GLU:HB3	5:M:292:GLU:HB2	1.88	0.54
2:C:113:GLU:HG2	2:C:115:GLU:H	1.73	0.54
1:B:63:LEU:HD23	5:M:146:ALA:HB3	1.89	0.53
1:B:371:ARG:HB3	1:B:409:GLU:HG3	1.90	0.53
5:M:16:LEU:HD23	5:M:103:ILE:HG13	1.90	0.53
6:S:86:ARG:NH1	6:S:126:THR:O	2.41	0.53
3:G:43:ASN:OD1	3:G:46:ARG:NH2	2.42	0.53
2:C:36:LYS:NZ	2:C:160:ALA:O	2.42	0.53
2:C:99:ARG:NH1	2:C:102:GLU:OE1	2.42	0.53
3:G:364:ARG:NH2	3:G:367:GLU:OE1	2.42	0.53
		01:	ed on nert nage



 $Continued\ from\ previous\ page...$

Continued from previ		Interatomic	Clash
Atom-1	Atom-2	${\rm distance}\ ({\rm \AA})$	overlap (Å)
1:B:290:THR:HB	5:M:268:ARG:HH21	1.74	0.52
1:B:473:PHE:O	1:B:481:GLN:NE2	2.42	0.52
6:S:10:ARG:HH11	6:S:64:SER:HA	1.75	0.52
1:B:217:TRP:HA	1:B:220:ILE:HD12	1.92	0.52
1:B:165:LEU:HD23	1:B:184:LEU:HD13	1.92	0.51
5:M:214:LEU:O	5:M:393:ARG:NH1	2.44	0.51
3:G:327:VAL:O	3:G:331:SER:OG	2.28	0.51
5:M:24:ASP:OD1	5:M:24:ASP:N	2.43	0.51
1:B:127:ARG:NH2	1:B:159:GLN:OE1	2.43	0.51
2:H:26:ASP:O	2:H:99:ARG:NH2	2.43	0.51
2:C:38:LYS:HB3	2:C:39:LEU:HD12	1.92	0.51
3:G:253:LEU:HD13	3:G:267:MET:HG3	1.93	0.51
3:G:504:GLU:HA	3:G:507:ASP:HB3	1.92	0.51
1:B:267:MET:HA	1:B:270:LEU:HD12	1.93	0.51
3:G:360:SER:OG	6:S:42:ARG:NH2	2.44	0.51
5:M:280:GLU:HB2	5:M:296:LYS:HG3	1.93	0.51
1:B:38:ILE:HD12	1:B:71:LEU:HD23	1.92	0.50
1:B:134:ASP:HB3	1:B:137:VAL:HG12	1.92	0.50
3:G:248:ARG:NH2	6:S:122:GLU:OE1	2.44	0.50
1:B:312:LYS:HG2	1:B:313:ARG:HG2	1.93	0.50
5:M:182:LEU:HB3	5:M:191:ARG:HB3	1.94	0.50
3:G:534:SER:OG	3:G:577:ARG:NH1	2.45	0.50
1:B:72:TYR:O	1:B:76:TYR:HB2	2.12	0.50
3:G:94:ASP:N	3:G:94:ASP:OD1	2.45	0.49
3:G:251:ARG:NH1	6:S:75:ASP:OD2	2.45	0.49
1:B:203:SER:HA	1:B:206:LYS:HE2	1.94	0.49
2:C:173:LEU:O	2:C:177:LEU:HB2	2.12	0.49
2:C:129:ASP:OD1	2:C:129:ASP:N	2.45	0.49
3:G:339:ASP:HB2	3:G:342:ALA:HB3	1.93	0.49
6:S:115:ASP:O	6:S:124:GLN:NE2	2.46	0.49
1:B:359:ARG:HD3	1:B:394:THR:HG23	1.94	0.49
1:B:124:GLU:OE1	1:B:127:ARG:NH1	2.46	0.49
2:H:83:GLN:NE2	5:M:288:HIS:O	2.46	0.49
2:C:18:MET:HE2	2:C:86:GLN:HE22	1.78	0.48
2:C:25:LEU:HD11	2:C:103:ALA:HB2	1.93	0.48
2:H:140:THR:HG23	2:H:145:LEU:HD12	1.94	0.48
5:M:159:TRP:NE1	5:M:256:ILE:O	2.46	0.48
3:G:322:LYS:NZ	3:G:356:ASP:OD1	2.47	0.48
5:M:63:ASN:ND2	5:M:97:GLU:OE2	2.44	0.48
3:G:284:VAL:HG13	6:S:82:GLU:HG3	1.96	0.48
2:C:116:LEU:O	2:C:151:ARG:NH2	2.43	0.48



 $Continued\ from\ previous\ page...$

Continued from previ		Interatomic	Clash
Atom-1	Atom-2	${ m distance}({ m \AA})$	overlap (Å)
3:G:280:THR:HG21	3:G:315:ARG:HH12	1.78	0.48
1:B:119:THR:HG21	1:B:151:ILE:HG21	1.94	0.47
2:C:104:ARG:HE	2:C:143:LEU:HA	1.79	0.47
1:B:431:THR:O	1:B:435:ASN:ND2	2.47	0.47
5:M:162:GLU:HG2	5:M:207:MET:HE3	1.97	0.47
1:B:59:GLN:HE21	1:B:90:THR:HG22	1.80	0.47
3:G:316:PHE:HB3	3:G:328:ALA:HB2	1.96	0.47
2:C:138:GLU:O	2:C:142:LYS:HB2	2.15	0.47
5:M:28:SER:O	5:M:28:SER:OG	2.32	0.47
3:G:485:ASP:OD1	3:G:485:ASP:N	2.45	0.46
2:C:71:LEU:HB2	2:C:74:ILE:HD12	1.97	0.46
5:M:165:LYS:HB3	5:M:165:LYS:HE3	1.71	0.46
5:M:105:ASP:OD1	5:M:105:ASP:N	2.45	0.46
2:C:20:ILE:HD11	2:C:65:VAL:HG22	1.97	0.46
6:S:50:VAL:HG22	6:S:57:LEU:HB2	1.97	0.46
1:B:174:PRO:HA	1:B:177:VAL:HG13	1.97	0.46
3:G:54:LEU:HD21	3:G:88:GLY:HA2	1.97	0.46
6:S:13:LYS:HB2	6:S:15:ARG:HH12	1.80	0.46
3:G:71:LEU:HD22	3:G:103:MET:HB3	1.97	0.45
5:M:178:ALA:HB3	5:M:195:VAL:HG23	1.98	0.45
1:B:223:LEU:HD23	1:B:226:LEU:HD12	1.98	0.45
1:B:528:ARG:HD3	3:G:580:LEU:HA	1.98	0.45
3:G:258:ARG:HA	3:G:299:ILE:HA	1.98	0.45
1:B:428:VAL:O	1:B:432:LEU:HB2	2.17	0.45
1:B:553:ASP:OD1	1:B:553:ASP:N	2.46	0.45
6:S:52:TRP:HB3	6:S:57:LEU:HD13	1.99	0.45
1:B:208:LEU:HD11	1:B:240:ILE:HG23	1.99	0.45
1:B:261:LYS:HD3	1:B:567:ILE:H	1.82	0.45
3:G:240:ILE:HD11	3:G:284:VAL:HB	1.99	0.45
1:B:138:ARG:NH1	1:B:171:ASP:OD2	2.50	0.45
1:B:297:GLU:HG3	5:M:48:PRO:HB3	1.99	0.45
5:M:12:LYS:HA	5:M:12:LYS:HD3	1.87	0.45
3:G:287:ALA:HB2	6:S:78:LEU:HB2	1.99	0.44
1:B:92:VAL:HG12	1:B:125:PRO:HG3	1.98	0.44
3:G:577:ARG:O	3:G:581:LEU:HB2	2.17	0.44
1:B:497:THR:OG1	1:B:498:GLU:OE1	2.36	0.44
1:B:97:ASP:OD1	1:B:97:ASP:N	2.46	0.44
2:H:31:THR:OG1	7:H:1001:GTP:O1B	2.32	0.44
5:M:216:ASP:HB3	5:M:219:LEU:HB3	2.00	0.44
1:B:343:ILE:HD13	1:B:343:ILE:HA	1.87	0.44
1:B:363:THR:OG1	5:M:373:LYS:NZ	2.50	0.44



Continued from previous page...

Continued from preva		Interatomic	Clash
Atom-1	Atom-2	${\rm distance}\ ({\rm \AA})$	overlap (Å)
3:G:67:GLN:HB3	3:G:93:LEU:HD21	2.00	0.44
1:B:173:ASN:OD1	5:M:154:THR:OG1	2.33	0.43
3:G:441:LEU:HD12	3:G:475:VAL:HG21	1.99	0.43
6:S:41:SER:O	6:S:41:SER:OG	2.33	0.43
1:B:488:ILE:HG21	1:B:506:VAL:HG21	2.00	0.43
1:B:518:ASP:N	1:B:518:ASP:OD1	2.52	0.43
3:G:368:LEU:O	3:G:372:LEU:HB2	2.18	0.43
3:G:13:THR:HG22	3:G:26:MET:HE2	2.01	0.43
2:H:71:LEU:H	2:H:74:ILE:HD12	1.84	0.43
1:B:521:ASP:OD2	3:G:478:TRP:NE1	2.50	0.43
3:G:253:LEU:HD22	3:G:267:MET:HE2	2.00	0.43
5:M:334:TRP:HA	5:M:341:ILE:HG22	2.00	0.43
1:B:147:LYS:HE3	5:M:120:PHE:HB2	1.99	0.43
5:M:31:GLU:H	5:M:31:GLU:HG3	1.61	0.43
3:G:234:GLU:HG2	6:S:127:SER:HB2	2.01	0.43
3:G:60:GLY:O	6:S:29:LYS:NZ	2.47	0.43
3:G:147:LYS:HD3	3:G:178:ALA:HA	2.00	0.43
3:G:272:ALA:HB2	3:G:305:LEU:HD22	2.00	0.43
1:B:67:LYS:HG3	1:B:105:LEU:HD21	2.01	0.42
5:M:199:LYS:HD3	5:M:263:GLU:HG3	2.01	0.42
1:B:108:ARG:NH1	5:M:115:ASP:OD2	2.45	0.42
3:G:364:ARG:NH1	6:S:51:ASP:OD2	2.52	0.42
3:G:436:ASP:OD1	3:G:436:ASP:N	2.48	0.42
1:B:117:LYS:H	1:B:117:LYS:HG3	1.60	0.42
5:M:227:LYS:HE3	5:M:227:LYS:HB3	1.83	0.42
3:G:484:GLY:HA2	3:G:487:LEU:HB3	2.00	0.42
6:S:129:LYS:H	6:S:129:LYS:HG2	1.73	0.42
1:B:289:VAL:HG21	1:B:320:GLU:HG2	2.00	0.42
1:B:545:LYS:HG2	3:G:564:VAL:HG21	2.01	0.42
1:B:89:ASN:HB2	2:C:49:ILE:H	1.85	0.42
3:G:116:GLN:OE1	3:G:150:ASN:ND2	2.47	0.42
5:M:19:ARG:HH21	5:M:115:ASP:HA	1.85	0.42
3:G:289:LEU:HD13	3:G:312:ILE:HD11	2.01	0.41
3:G:373:VAL:HG11	3:G:407:ALA:HB1	2.01	0.41
2:H:136:ALA:O	2:H:140:THR:OG1	2.33	0.41
3:G:90:MET:HG3	3:G:125:THR:HG23	2.02	0.41
3:G:488:VAL:HG11	3:G:502:GLU:HG3	2.02	0.41
5:M:86:LYS:HB2	5:M:86:LYS:HE3	1.94	0.41
1:B:52:PRO:HB3	1:B:86:MET:HE1	2.01	0.41
3:G:108:LYS:HE3	3:G:108:LYS:HB2	1.80	0.41
3:G:501:THR:O	3:G:501:THR:OG1	2.34	0.41



Continued from previous page...

A	A. 0	Interatomic	Clash
Atom-1	Atom-2	${\rm distance}(\mathring{\rm A})$	$overlap (\AA)$
1:B:82:ASP:OD1	1:B:82:ASP:N	2.46	0.41
3:G:94:ASP:HB2	6:S:22:THR:HG23	2.02	0.41
1:B:477:SER:OG	1:B:478:THR:N	2.53	0.41
2:H:25:LEU:O	2:H:30:LYS:NZ	2.54	0.41
5:M:2:SER:O	5:M:2:SER:OG	2.38	0.41
5:M:172:PHE:HB2	5:M:201:ARG:HB3	2.02	0.41
1:B:353:GLN:H	1:B:353:GLN:HG3	1.61	0.41
3:G:240:ILE:HD12	3:G:288:ILE:HD12	2.03	0.41
3:G:152:TYR:HA	3:G:155:LYS:HE3	2.03	0.41
3:G:244:PHE:HD2	6:S:126:THR:HG23	1.85	0.41
6:S:17:GLN:HB2	6:S:19:TRP:HE1	1.86	0.41
1:B:47:VAL:O	1:B:72:TYR:OH	2.39	0.41
1:B:316:ILE:HG22	1:B:317:LEU:HG	2.02	0.41
2:C:72:ASP:OD2	2:C:72:ASP:N	2.44	0.41
3:G:470:GLN:HA	3:G:473:VAL:HG12	2.03	0.41
5:M:118:MET:HE3	5:M:118:MET:HB2	2.01	0.41
5:M:148:ARG:H	5:M:148:ARG:HG2	1.54	0.41
1:B:336:LEU:HD22	1:B:372:LYS:HD3	2.03	0.40
5:M:87:VAL:HA	5:M:90:VAL:HB	2.02	0.40
1:B:74:MET:HG3	1:B:109:THR:HG23	2.03	0.40
3:G:150:ASN:O	3:G:154:ARG:HB2	2.21	0.40
1:B:23:ASN:ND2	1:B:53:ASP:OD2	2.43	0.40
1:B:27:LYS:HA	1:B:27:LYS:HD3	1.86	0.40
1:B:156:VAL:HG13	1:B:161:PHE:HB2	2.02	0.40
2:C:88:LEU:HD11	2:C:110:MET:HE1	2.03	0.40
1:B:336:LEU:O	1:B:372:LYS:NZ	2.54	0.40
6:S:76:ASN:O	6:S:80:THR:OG1	2.33	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.



Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percent	iles
1	В	568/584 (97%)	544 (96%)	24 (4%)	0	100 1	.00
2	С	163/165 (99%)	155 (95%)	8 (5%)	0	100 1	.00
2	Н	161/165 (98%)	154 (96%)	7 (4%)	0	100 1	.00
3	G	583/595 (98%)	567 (97%)	16 (3%)	0	100 1	.00
4	L	6/9~(67%)	6 (100%)	0	0	100 1	.00
5	M	411/423 (97%)	399 (97%)	12 (3%)	0	100 1	.00
6	S	140/154 (91%)	132 (94%)	8 (6%)	0	100 1	.00
All	All	2032/2095 (97%)	1957 (96%)	75 (4%)	0	100 1	.00

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
1	В	510/522~(98%)	497 (98%)	13 (2%)	42	53
2	C	143/143 (100%)	133 (93%)	10 (7%)	12	13
2	Н	141/143 (99%)	134 (95%)	7 (5%)	20	25
3	G	520/528 (98%)	500 (96%)	20 (4%)	28	36
4	L	7/7 (100%)	7 (100%)	0	100	100
5	M	377/383 (98%)	360 (96%)	17 (4%)	23	29
6	S	132/143 (92%)	127 (96%)	5 (4%)	28	36
All	All	1830/1869 (98%)	1758 (96%)	72 (4%)	30	35

All (72) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	В	74	MET
1	В	122	LEU
1	В	177	VAL
1	В	191	HIS



Continued from previous page...

Continued from previous page								
Mol	Chain	Res	Type					
1	В	200	ASN					
1	В	206	LYS VAL					
1	В	326	VAL					
1	В	392	VAL					
1	В	393	SER					
1	В	439	LEU					
1	В	440	VAL SER LEU ASP					
1	В	502	LEU LEU					
1	В	547	LEU					
2 2	С	48	THR VAL					
	С	56	VAL					
2 2 2 2	B C C C C C C C C C C C G G G G G G G G	85	THR VAL LEU PHE					
2	С	92	VAL					
2	С	121 124	LEU					
2	С		PHE					
2	С	140	I THR I					
2	С	152	ASN					
2	С	166	ASN LEU ASN					
2 3	С	179	ASN					
	G	10	LEU					
3	G	56	LEU MET LEU VAL ARG					
3	G	68	LEU					
3	G	190	VAL					
3	G	204	ARG					
3	G	209	LEU THR					
3	G	280	THR					
3	G	284	VAL SER					
3	G	331						
3	G	336	VAL					
3	G	340	HIS					
3	G	373	VAL					
3	G	399	ASP					
3	G	427	THR					
3	G G G G	451	MET					
3	G	455	THR					
3	G	505	VAL					
3	G	522	THR					
3	G	554	SER					
3	G	564	VAL					
2	Н	32	THR					
2	Н	48	THR					
2	Н	53	VAL					



Continued from previous page...

Mol	Chain	Res	Type
2	Н	56	VAL
2	Н	155	ILE
2	Н	159	CYS
2	Н	175	ASN
5	M	11	LEU
5	M	30	VAL
5	M	34	MET
5	M	88	VAL
5	M	128	SER
5	M	183	VAL
5	M	186	ASN
5	M	282	VAL
5	M	287	SER
5	M	303	ARG
5	M	310	VAL
5	M	332	VAL
5	M	342	VAL
5	M	345	VAL
5	M	378	VAL
5	M	387	THR
5	M	401	SER
6	S	46	THR
6	S	48	SER
6	S	50	VAL
6	S	101	LEU
6	S	135	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (24) such sidechains are listed below:

Mol	Chain	Res	Type
1	В	75	ASN
1	В	80	GLN
1	В	89	ASN
1	В	154	GLN
1	В	252	ASN
1	В	319	HIS
1	В	483	GLN
2	С	52	ASN
2	С	60	ASN
2	С	86	GLN
2	С	135	ASN
3	G	181	ASN



Continued from previous page...

Mol	Chain	Res	Type
3	G	192	HIS
3	G	225	ASN
3	G	268	ASN
3	G	283	ASN
3	G	440	ASN
3	G	474	GLN
3	G	561	GLN
2	Н	101	ASN
5	M	62	HIS
5	M	309	ASN
5	M	338	ASN
6	S	76	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Tuno	Chain	Dec	Link	В	ond leng	gths	В	ond ang	gles
IVIOI	туре	Chain	nes	Lilik	Counts	RMSZ	# Z >2	Counts	RMSZ	# Z > 2
4	SEP	L	366	4	8,9,10	1.56	1 (12%)	8,12,14	1.38	2 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	SEP	L	366	4	-	1/5/8/10	-

All (1) bond length outliers are listed below:



Mol	Chain	Res	Type	Atoms	Z	Observed(A)	Ideal(Å)
4	L	366	SEP	P-O1P	3.38	1.61	1.50

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	\mathbf{Z}	$\mathbf{Observed}(^{o})$	$\operatorname{Ideal}({}^{o})$
4	L	366	SEP	P-OG-CB	-2.39	111.70	118.30
4	L	366	SEP	OG-CB-CA	2.36	110.44	108.14

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	L	366	SEP	N-CA-CB-OG

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.

5.6 Ligand geometry (i)

Of 4 ligands modelled in this entry, 2 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

N/ 61	Trino	Chain	Dag	Res Link Bond lengths			В	ond ang	les	
IVIOI	Type	Chain	Res	Lilik	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	GTP	С	1001	8	26,34,34	1.07	2 (7%)	32,54,54	1.58	7 (21%)
7	GTP	Н	1001	8	26,34,34	1.14	2 (7%)	32,54,54	1.59	6 (18%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.



'-' means no outliers of that kind were identified.

Mo	ol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7		GTP	С	1001	8	-	5/18/38/38	0/3/3/3
7		GTP	Н	1001	8	-	5/18/38/38	0/3/3/3

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	\mathbf{Z}	Observed(A)	$\operatorname{Ideal}(ext{\AA})$
7	Н	1001	GTP	C5-C6	-3.95	1.39	1.47
7	С	1001	GTP	C5-C6	-3.68	1.39	1.47
7	С	1001	GTP	C2-N3	2.21	1.38	1.33
7	Н	1001	GTP	C2-N3	2.13	1.38	1.33

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	\mathbf{Z}	$Observed(^o)$	$Ideal(^{o})$
7	С	1001	GTP	PB-O3B-PG	-3.56	120.60	132.83
7	С	1001	GTP	C5-C6-N1	3.49	120.12	113.95
7	Н	1001	GTP	PB-O3B-PG	-3.49	120.84	132.83
7	Н	1001	GTP	PA-O3A-PB	-3.42	121.09	132.83
7	Н	1001	GTP	C5-C6-N1	3.33	119.83	113.95
7	С	1001	GTP	PA-O3A-PB	-3.26	121.62	132.83
7	С	1001	GTP	C2-N1-C6	-3.20	119.21	125.10
7	Н	1001	GTP	C8-N7-C5	3.08	108.85	102.99
7	С	1001	GTP	C8-N7-C5	2.96	108.63	102.99
7	Н	1001	GTP	C3'-C2'-C1'	2.92	105.37	100.98
7	Н	1001	GTP	C2-N1-C6	-2.87	119.81	125.10
7	С	1001	GTP	C3'-C2'-C1'	2.72	105.08	100.98
7	С	1001	GTP	O6-C6-C5	-2.20	120.07	124.37

There are no chirality outliers.

All (10) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	С	1001	GTP	PB-O3B-PG-O3G
7	С	1001	GTP	C5'-O5'-PA-O2A
7	Н	1001	GTP	C5'-O5'-PA-O2A
7	Н	1001	GTP	C4'-C5'-O5'-PA
7	С	1001	GTP	C5'-O5'-PA-O3A
7	Н	1001	GTP	C5'-O5'-PA-O3A
7	С	1001	GTP	C5'-O5'-PA-O1A
7	Н	1001	GTP	C5'-O5'-PA-O1A



Continued from previous page...


Mol	Chain	Res	Type	Atoms
7	Н	1001	GTP	PA-O3A-PB-O2B
7	С	1001	GTP	PB-O3B-PG-O1G

There are no ring outliers.


1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	Н	1001	GTP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.




6 Map visualisation (i)

This section contains visualisations of the EMDB entry EMD-14312. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections (i)

6.1.1 Primary map



6.1.2 Raw map





The images above show the map projected in three orthogonal directions.




6.2 Central slices (i)

6.2.1 Primary map









X Index: 150


Y Index: 150

Z Index: 150

6.2.2 Raw map







X Index: 150

Y Index: 150

Z Index: 150


The images above show central slices of the map in three orthogonal directions.




6.3 Largest variance slices (i)

6.3.1 Primary map







Y Index: 131




X Index: 172

6.3.2 Raw map







X Index: 172

Y Index: 131


Z Index: 183

The images above show the largest variance slices of the map in three orthogonal directions.




6.4 Orthogonal standard-deviation projections (False-color) (i)

6.4.1 Primary map



6.4.2 Raw map




The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.




6.5 Orthogonal surface views (i)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.055. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.

6.6 Mask visualisation (i)


This section was not generated. No masks/segmentation were deposited.



7 Map analysis (i)

This section contains the results of statistical analysis of the map.


7.1 Map-value distribution (i)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.



7.2 Volume estimate (i)




The volume at the recommended contour level is $135~\mathrm{nm}^3$; this corresponds to an approximate mass of $122~\mathrm{kDa}$.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.



7.3 Rotationally averaged power spectrum (i)




^{*}Reported resolution corresponds to spatial frequency of 0.427 $\rm \mathring{A}^{-1}$



8 Fourier-Shell correlation (i)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC (i)



*Reported resolution corresponds to spatial frequency of 0.427 $\rm \AA^{-1}$



8.2 Resolution estimates (i)

Resolution estimate (Å)	Estim	Estimation criterion (FSC cut-off)				
rtesolution estimate (A)	0.143	0.5	Half-bit			
Reported by author	2.34	-	-			
Author-provided FSC curve	2.34	2.75	2.38			
Unmasked-calculated*	2.92	3.32	2.96			


^{*}Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 2.92 differs from the reported value 2.34 by more than 10 %



9 Map-model fit (i)

This section contains information regarding the fit between EMDB map EMD-14312 and PDB model 7R4H. Per-residue inclusion information can be found in section 3 on page 6.


9.1 Map-model overlay (i)



The images above show the 3D surface view of the map at the recommended contour level 0.055 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.




9.2 Q-score mapped to coordinate model (i)



The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.


9.3 Atom inclusion mapped to coordinate model (i)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.055).



9.4 Atom inclusion (i)



At the recommended contour level, 97% of all backbone atoms, 92% of all non-hydrogen atoms, are inside the map.



9.5 Map-model fit summary (i)

The table lists the average atom inclusion at the recommended contour level (0.055) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.9170	0.5510
В	0.9300	0.5620
С	0.7180	0.3560
G	0.9250	0.5390
Н	0.9490	0.5680
L	0.6940	0.4350
M	0.9480	0.6140
S	0.9470	0.5920



