



Full wwPDB EM Validation Report ⓘ

Jun 25, 2025 – 02:00 AM JST

PDB ID : 7XSS / pdb_00007xss
EMDB ID : EMD-33433
Title : Structure of Craspase-CTR
Authors : Feng, Y.; Zang, L.X.
Deposited on : 2022-05-15
Resolution : 3.20 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev118
MolProbity : 4-5-2 with Phenix2.0rc1
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.44


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415
RNA backbone	6643	2191

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	C	716	
2	A	46	
3	D	74	
4	B	1722	

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 16847 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CHAT domain protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	C	660	Total	C	N	O	S	0	0
			5361	3428	917	993	23		

- Molecule 2 is a RNA chain called RNA (5'-R(P*GP*GP*GP*GP*CP*AP*GP*AP*AP*AP*AP*UP*UP*GP*GP*AP*CP*GP*AP*U)-3').

Mol	Chain	Residues	Atoms					AltConf	Trace
2	A	20	Total	C	N	O	P	0	0
			438	195	87	136	20		

- Molecule 3 is a RNA chain called RNA (34-MER).

Mol	Chain	Residues	Atoms					AltConf	Trace
3	D	34	Total	C	N	O	P	0	0
			712	319	118	241	34		

- Molecule 4 is a protein called RAMP superfamily protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	B	1282	Total	C	N	O	S	0	0
			10332	6567	1806	1927	32		

There are 5 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	1	MET	-	conflict	UNP A0A0B0EGF3
B	2	LYS	-	conflict	UNP A0A0B0EGF3
B	3	SER	-	conflict	UNP A0A0B0EGF3
B	4	ASN	-	conflict	UNP A0A0B0EGF3
B	5	ASP	-	conflict	UNP A0A0B0EGF3


- Molecule 5 is ZINC ION (CCD ID: ZN) (formula: Zn) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		AltConf
5	B	4	Total	Zn	0
			4	4	


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: CHAT domain protein




• Molecule 2: RNA (5'-R(P*GP*GP*GP*GP*CP*AP*GP*AP*AP*AP*UP*UP*GP*GP*A P*CP*GP*AP*U)-3')




• Molecule 3: RNA (34-MER)





● Molecule 4: RAMP superfamily protein



VAL	N1573	K1426
ASN	S1574	F1431
VAL	N1575	
THR	N1576	
GLY	D1577	A1434
SER	K1578	K1435
ARG		Y1436
PRO		
SER	R1581	E1441
VAL		
THR	Q1584	T1445
ASP		
LYS	I1587	N1449
ILE		P1450
GLU	I1591	E1451
ARG	N1452	R1452
ASP	N1604	S1453
GLY		L1454
LYS	I1607	
MET		D1470
VAL	N1611	
	P1618	S1473
	I1619	E1474
	K1627	R1478
	L1628	
		L1482
	P1643	R1491
	R1644	
	Y1645	N1506
	P1646	
	P1647	T1509
	L1648	E1510
		V1511
		M1512
	K1653	D1513
	K1665	F1524
	L1666	E1525
		N1526
	Y1674	L1527
	P1678	R1528
	K1679	E1529
	G1680	
LYS	L1681	L1534
	P1684	G1542
		K1543
	W1688	N1544
	Q1692	S1559
VAL		V1560
ILE		
ALA		D1565
GLU		S1566
HTS		
GLU		F1570
GLU		K1571
GLN		I1572
GLU		

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	49880	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	1700	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	2.312	Depositor
Minimum map value	-0.068	Depositor
Average map value	0.003	Depositor
Map value standard deviation	0.037	Depositor
Recommended contour level	0.022	Depositor
Map size ($\text{\AA}$)	271.6, 271.6, 271.6	wwPDB
Map dimensions	280, 280, 280	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing ($\text{\AA}$)	0.97, 0.97, 0.97	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	C	0.13	0/5475	0.36	0/7381
2	A	0.07	0/492	0.18	0/767
3	D	0.08	0/792	0.24	0/1229
4	B	0.13	0/10573	0.37	1/14250 (0.0%)
All	All	0.13	0/17332	0.36	1/23627 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	86	PRO	CA-N-CD	-7.10	102.06	112.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	5361	0	5353	100	0
2	A	438	0	218	6	0
3	D	712	0	365	14	0
4	B	10332	0	10206	173	0
5	B	4	0	0	0	0
All	All	16847	0	16142	276	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (276) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:B:1571:LYS:NZ	4:B:1573:ASN:OD1	2.14	0.79
1:C:133:ASN:HD22	1:C:145:LEU:HD22	1.49	0.75
4:B:1441:GLU:N	4:B:1441:GLU:OE1	2.20	0.74
4:B:21:VAL:HG21	4:B:38:GLY:HA3	1.71	0.73
4:B:1587:ILE:O	4:B:1591:ILE:HD12	1.88	0.73
1:C:149:LEU:HB3	1:C:173:LEU:HD21	1.70	0.73
1:C:273:ARG:HH21	2:A:43:U:H5'	1.53	0.73
4:B:501:CYS:O	4:B:510:ARG:NH2	2.22	0.73
4:B:311:ILE:HD11	4:B:343:LEU:HB3	1.76	0.68
4:B:1445:THR:HG22	4:B:1491:ARG:HE	1.61	0.66
3:D:6:U:OP2	4:B:854:SER:OG	2.15	0.64
4:B:276:GLN:HG3	4:B:346:LEU:HD21	1.78	0.64
4:B:951:SER:HB2	4:B:1525:GLU:HA	1.78	0.64
4:B:725:GLU:OE1	4:B:725:GLU:N	2.30	0.63
4:B:179:ASN:HD21	4:B:188:ALA:HB2	1.64	0.63
1:C:405:PHE:HB2	1:C:488:PRO:HA	1.81	0.63
1:C:237:VAL:HG22	1:C:284:LEU:HD13	1.79	0.63
4:B:588:MET:HE1	4:B:669:TRP:HB2	1.80	0.63
4:B:662:LYS:HA	4:B:666:LYS:HB3	1.81	0.63
4:B:1449:ASN:HB3	4:B:1450:PRO:HD3	1.79	0.63
4:B:998:ILE:HB	4:B:1434:ALA:HB3	1.82	0.62
1:C:492:LEU:HD23	1:C:495:LEU:HD12	1.80	0.62
1:C:566:SER:OG	1:C:568:ASP:OD1	2.18	0.61
4:B:337:THR:OG1	4:B:341:THR:OG1	2.18	0.61
1:C:268:GLU:O	1:C:268:GLU:HG2	2.01	0.61
2:A:26:G:H2'	2:A:27:G:H8	1.64	0.61
4:B:1666:LEU:HD21	4:B:1688:TRP:HZ3	1.65	0.60
4:B:683:LEU:HB2	4:B:809:PRO:HB3	1.82	0.60
4:B:44:TRP:HH2	4:B:167:LEU:HB3	1.66	0.60
4:B:8:ILE:HD11	4:B:209:ILE:HD12	1.83	0.59
4:B:298:ASP:OD2	4:B:529:TYR:OH	2.20	0.59
4:B:191:TYR:OH	4:B:386:ASP:OD2	2.17	0.59
1:C:468:THR:HG23	1:C:469:MET:HG3	1.84	0.59
4:B:182:ASP:OD2	4:B:183:PHE:N	2.36	0.59
4:B:1628:LEU:HD13	4:B:1684:PRO:HB3	1.84	0.58
1:C:479:PRO:HB2	1:C:482:LYS:HG3	1.84	0.58
1:C:626:ALA:O	1:C:660:THR:OG1	2.14	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:B:151:ILE:HD12	4:B:211:LEU:HD13	1.86	0.58
1:C:656:GLY:HA2	1:C:713:GLY:HA3	1.86	0.58
4:B:627:MET:HG3	4:B:634:LEU:HD22	1.85	0.58
4:B:1400:ASP:OD1	4:B:1401:LYS:N	2.37	0.58
3:D:-11:A:H5'	4:B:141:LYS:HD3	1.87	0.57
1:C:494:ARG:HH12	1:C:636:SER:HB3	1.68	0.57
4:B:1436:TYR:OH	4:B:1441:GLU:OE2	2.16	0.57
4:B:337:THR:HG1	4:B:341:THR:HG1	1.50	0.57
4:B:484:ARG:HD2	4:B:490:GLY:HA3	1.87	0.56
4:B:577:ARG:NH1	4:B:580:GLU:OE2	2.38	0.56
4:B:962:THR:HG23	4:B:1559:SER:HB2	1.87	0.56
4:B:1452:ARG:HG3	4:B:1510:GLU:HG2	1.88	0.56
4:B:5:ASP:OD1	4:B:5:ASP:N	2.39	0.56
1:C:76:TYR:O	1:C:80:ILE:HG23	2.06	0.56
1:C:195:ASP:HB2	1:C:219:CYS:HB2	1.86	0.56
4:B:921:TYR:HB2	4:B:1643:VAL:HG22	1.88	0.56
4:B:633:GLU:O	4:B:637:MET:HG2	2.05	0.55
3:D:0:C:O2'	4:B:186:GLY:O	2.25	0.55
1:C:185:ASP:OD1	1:C:186:ASN:N	2.39	0.55
4:B:680:SER:HB2	4:B:862:TRP:H	1.71	0.54
4:B:968:ASP:HB2	4:B:990:PHE:HA	1.89	0.54
4:B:1674:TYR:O	4:B:1678:VAL:HG23	2.08	0.54
4:B:293:ILE:HD11	4:B:366:LEU:HD22	1.88	0.54
1:C:679:ASN:HB3	1:C:682:TYR:CZ	2.43	0.54
3:D:-9:G:O2'	4:B:104:PHE:O	2.22	0.54
4:B:807:THR:HG22	4:B:809:PRO:HD3	1.89	0.53
4:B:268:ASP:OD1	4:B:268:ASP:N	2.41	0.53
4:B:418:ILE:HD12	4:B:561:LEU:HD22	1.90	0.53
1:C:312:LYS:O	1:C:316:ILE:HG22	2.09	0.53
1:C:167:ILE:O	1:C:171:ILE:HG12	2.08	0.53
1:C:594:PHE:O	1:C:607:TYR:HB3	2.09	0.53
4:B:788:ASP:OD2	4:B:969:THR:OG1	2.26	0.53
4:B:418:ILE:HG12	4:B:609:ILE:HG12	1.90	0.53
4:B:352:ASP:OD1	4:B:352:ASP:N	2.42	0.52
4:B:560:VAL:HG11	4:B:631:GLU:HG2	1.90	0.52
1:C:494:ARG:HE	1:C:632:VAL:HG23	1.73	0.52
1:C:539:LEU:HD23	1:C:565:ALA:HB1	1.90	0.52
4:B:176:ARG:HA	4:B:433:GLN:HE22	1.74	0.52
4:B:945:PHE:CG	4:B:1572:ILE:HD12	2.45	0.52
4:B:987:TYR:HB2	4:B:1509:THR:HG22	1.90	0.52
4:B:604:LEU:HD21	4:B:607:ILE:HD11	1.92	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:B:704:LYS:HD3	4:B:721:ALA:HB3	1.91	0.52
4:B:1024:GLU:N	4:B:1024:GLU:OE1	2.43	0.52
1:C:273:ARG:HG3	1:C:273:ARG:HH11	1.76	0.51
1:C:440:PHE:HB2	1:C:495:LEU:HD21	1.92	0.51
1:C:442:THR:HA	4:B:403:ILE:HG23	1.90	0.51
4:B:751:THR:HG22	4:B:751:THR:O	2.08	0.51
1:C:27:LEU:HD22	1:C:44:ILE:HD11	1.91	0.51
4:B:286:GLN:HA	4:B:286:GLN:OE1	2.11	0.51
4:B:909:GLN:O	4:B:913:GLN:HG2	2.11	0.51
1:C:274:LEU:HD23	1:C:639:MET:HE1	1.93	0.51
4:B:634:LEU:HA	4:B:637:MET:HE2	1.91	0.51
4:B:573:SER:HB2	4:B:652:PHE:CE1	2.46	0.51
1:C:253:ASP:O	1:C:257:LYS:HG3	2.11	0.50
4:B:917:ASN:O	4:B:918:LYS:HG2	2.11	0.50
4:B:1007:LEU:HD22	4:B:1431:PHE:CE2	2.47	0.50
3:D:-2:U:O4	4:B:481:ARG:NH1	2.44	0.50
4:B:553:GLU:HG3	4:B:706:VAL:HG23	1.93	0.50
4:B:432:VAL:HG11	4:B:461:LEU:HD13	1.94	0.50
4:B:1584:GLN:HA	4:B:1587:ILE:HD12	1.93	0.50
3:D:-5:C:H2'	4:B:229:LYS:HE3	1.94	0.50
1:C:125:LYS:HE2	1:C:148:LEU:HD11	1.94	0.49
4:B:421:ARG:HE	4:B:556:THR:HB	1.75	0.49
1:C:422:CYS:SG	1:C:482:LYS:NZ	2.69	0.49
4:B:1607:ILE:HD11	4:B:1618:VAL:HG11	1.93	0.49
2:A:37:G:O6	3:D:3:A:N6	2.45	0.49
4:B:1424:ASP:OD1	4:B:1424:ASP:N	2.44	0.49
1:C:570:LEU:HD22	1:C:605:ILE:HD13	1.93	0.49
4:B:365:ASN:O	4:B:369:ILE:HG12	2.12	0.49
4:B:439:ILE:HD12	4:B:440:PRO:HD2	1.94	0.49
4:B:1647:VAL:HG23	4:B:1648:LEU:H	1.77	0.49
1:C:630:ASP:OD1	1:C:710:ARG:NH2	2.46	0.49
1:C:165:TRP:O	1:C:169:ILE:HG12	2.13	0.49
1:C:624:LEU:HD13	1:C:628:GLU:OE2	2.12	0.49
1:C:488:PRO:HB3	1:C:492:LEU:HB2	1.95	0.48
1:C:496:PRO:HB3	1:C:661:MET:SD	2.53	0.48
4:B:517:SER:HB3	4:B:558:PRO:HD2	1.94	0.48
1:C:114:SER:HB3	1:C:117:ASP:HB2	1.96	0.48
1:C:131:GLU:OE2	1:C:134:ARG:NH2	2.47	0.48
4:B:1445:THR:HG21	4:B:1454:LEU:HD21	1.96	0.48
4:B:238:GLU:N	4:B:238:GLU:OE1	2.46	0.48
1:C:228:CYS:O	1:C:277:TYR:HB3	2.14	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:B:24:PHE:HB3	4:B:28:ALA:HB3	1.96	0.48
1:C:606:THR:OG1	1:C:607:TYR:N	2.47	0.47
1:C:607:TYR:HD2	1:C:645:VAL:HG12	1.79	0.47
4:B:168:ARG:O	4:B:170:VAL:N	2.47	0.47
1:C:403:VAL:HG22	1:C:418:VAL:HG22	1.95	0.47
1:C:218:LYS:HD2	1:C:218:LYS:O	2.14	0.47
1:C:595:ARG:C	1:C:597:MET:H	2.22	0.47
4:B:538:ALA:HB3	4:B:1426:LYS:HB3	1.96	0.47
4:B:901:ASN:HB3	4:B:1542:GLY:HA2	1.96	0.47
4:B:1007:LEU:HD22	4:B:1431:PHE:HE2	1.78	0.47
4:B:1604:ASN:N	4:B:1604:ASN:OD1	2.47	0.47
4:B:1524:PHE:HB2	4:B:1527:LEU:HD12	1.96	0.47
1:C:544:GLN:HE22	1:C:546:HIS:HB2	1.79	0.46
4:B:44:TRP:CZ2	4:B:169:LEU:HB2	2.50	0.46
4:B:372:LYS:HB2	4:B:372:LYS:HE3	1.70	0.46
4:B:788:ASP:O	4:B:789:HIS:ND1	2.49	0.46
3:D:7:U:H2'	3:D:8:U:C6	2.51	0.46
2:A:27:G:H22	4:B:799:ALA:HB3	1.81	0.46
1:C:171:ILE:HG13	1:C:197:GLN:HG2	1.98	0.46
4:B:67:VAL:O	4:B:71:VAL:HG22	2.15	0.46
1:C:213:LYS:O	1:C:217:ASP:HB2	2.16	0.46
1:C:597:MET:HG3	1:C:599:LYS:HD3	1.97	0.46
3:D:-2:U:H3'	4:B:179:ASN:HB3	1.98	0.46
1:C:538:LEU:HD12	1:C:581:THR:HB	1.96	0.46
4:B:318:ASP:HA	4:B:340:ARG:HH22	1.81	0.46
1:C:321:LYS:NZ	1:C:487:VAL:HG12	2.32	0.45
1:C:635:LEU:HD21	4:B:499:ILE:HD13	1.98	0.45
1:C:139:LYS:HA	1:C:139:LYS:HD2	1.87	0.45
1:C:299:GLU:O	1:C:301:PRO:HD3	2.16	0.45
1:C:97:LEU:O	1:C:101:ILE:HG23	2.16	0.45
4:B:1679:LYS:HB2	4:B:1679:LYS:HE2	1.75	0.45
1:C:53:ILE:HG21	4:B:383:ILE:HD11	1.98	0.45
1:C:207:LYS:HB3	1:C:207:LYS:HE2	1.73	0.45
4:B:757:ILE:HG23	4:B:830:PHE:CZ	2.51	0.45
4:B:333:LYS:HE3	4:B:333:LYS:HB2	1.75	0.45
4:B:972:GLU:HG2	4:B:985:LYS:HG2	1.99	0.45
4:B:1570:PHE:HE2	4:B:1572:ILE:HD11	1.81	0.45
1:C:483:ASP:OD1	1:C:515:SER:HB3	2.16	0.45
1:C:75:TYR:O	1:C:78:VAL:HG12	2.17	0.44
1:C:78:VAL:HA	1:C:81:THR:HG22	2.00	0.44
1:C:297:ASP:OD1	1:C:297:ASP:N	2.49	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:B:42:ALA:N	4:B:231:CYS:SG	2.90	0.44
3:D:-3:G:O2'	4:B:179:ASN:O	2.34	0.44
4:B:190:ASP:OD1	4:B:190:ASP:N	2.48	0.44
4:B:312:GLU:O	4:B:344:LYS:NZ	2.49	0.44
4:B:690:ALA:HB2	4:B:700:ILE:HG22	1.98	0.44
1:C:160:PHE:HD1	1:C:186:ASN:HD22	1.65	0.44
1:C:605:ILE:HD12	1:C:610:ILE:HD11	1.98	0.44
4:B:164:LYS:HD2	4:B:164:LYS:HA	1.79	0.44
4:B:236:ARG:HH21	4:B:625:ARG:HB2	1.82	0.44
4:B:923:PRO:HG2	4:B:1645:TYR:CE2	2.52	0.44
1:C:255:ALA:HA	1:C:258:THR:HG22	1.99	0.44
4:B:613:ASP:HB3	4:B:617:LYS:HG3	2.00	0.44
4:B:727:HIS:CE1	4:B:772:LEU:HD21	2.53	0.44
1:C:253:ASP:N	1:C:253:ASP:OD1	2.49	0.44
1:C:509:LEU:HD21	1:C:703:PHE:HE1	1.82	0.44
3:D:11:G:H1'	3:D:12:C:C5	2.53	0.44
4:B:483:LEU:HD12	4:B:483:LEU:HA	1.90	0.44
4:B:821:LYS:HB3	4:B:821:LYS:HE2	1.69	0.44
1:C:53:ILE:HG13	4:B:383:ILE:HG12	1.98	0.44
1:C:535:GLU:OE2	1:C:557:GLY:N	2.48	0.43
4:B:1665:LYS:HE3	4:B:1665:LYS:HB3	1.89	0.43
1:C:350:ASP:HA	1:C:353:VAL:HG12	2.00	0.43
4:B:293:ILE:HG13	4:B:296:LEU:HD23	1.99	0.43
4:B:537:THR:OG1	4:B:539:THR:OG1	2.32	0.43
4:B:1512:MET:HG3	4:B:1513:ASP:H	1.83	0.43
4:B:908:HIS:ND1	4:B:1627:LYS:HE3	2.33	0.43
4:B:963:PRO:HB3	4:B:1512:MET:O	2.19	0.43
1:C:28:LEU:HD11	1:C:74:ALA:HB2	2.00	0.43
1:C:447:TYR:CE2	1:C:631:LEU:HD21	2.54	0.43
4:B:925:TYR:HE2	4:B:1482:LEU:HD11	1.84	0.43
4:B:1565:ASP:OD2	4:B:1565:ASP:C	2.61	0.43
4:B:81:LYS:HB3	4:B:81:LYS:HE3	1.79	0.43
1:C:321:LYS:HA	1:C:321:LYS:HD3	1.66	0.43
4:B:1619:ILE:H	4:B:1619:ILE:HG13	1.71	0.43
1:C:444:GLN:HG2	1:C:634:PRO:HG3	2.01	0.43
1:C:536:TYR:CD1	1:C:579:LEU:HD23	2.53	0.43
3:D:11:G:C6	4:B:804:LYS:HE3	2.54	0.43
4:B:308:GLU:H	4:B:308:GLU:CD	2.26	0.43
4:B:671:GLU:HB3	4:B:825:TRP:CZ3	2.53	0.43
4:B:1529:GLU:HA	4:B:1529:GLU:OE1	2.19	0.43
1:C:600:LEU:HD23	1:C:600:LEU:HA	1.90	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:B:782:LYS:HA	4:B:782:LYS:HD2	1.67	0.43
4:B:439:ILE:HG21	4:B:442:LYS:HG3	2.00	0.42
4:B:1473:SER:OG	4:B:1474:GLU:N	2.52	0.42
1:C:120:ARG:O	1:C:124:ILE:HG13	2.19	0.42
1:C:567:SER:OG	1:C:571:GLU:OE2	2.31	0.42
4:B:218:LYS:HD3	4:B:218:LYS:HA	1.93	0.42
4:B:632:LYS:O	4:B:636:GLU:HG2	2.19	0.42
1:C:164:GLU:HA	1:C:167:ILE:HG12	2.00	0.42
4:B:69:LYS:O	4:B:73:GLU:HG2	2.19	0.42
2:A:24:G:N1	4:B:1648:LEU:HD22	2.35	0.42
4:B:472:ARG:N	4:B:516:ASP:OD1	2.52	0.42
1:C:310:ILE:HD13	1:C:310:ILE:HA	1.92	0.42
1:C:491:PHE:CE2	1:C:495:LEU:HD11	2.54	0.42
4:B:371:LYS:HA	4:B:371:LYS:HD2	1.83	0.42
4:B:772:LEU:HD23	4:B:822:GLY:HA3	2.02	0.42
4:B:928:ASP:OD1	4:B:928:ASP:N	2.49	0.42
1:C:202:TYR:HE1	1:C:215:HIS:CE1	2.38	0.42
4:B:753:ASP:O	4:B:757:ILE:HG13	2.20	0.42
4:B:1470:ASP:OD1	4:B:1470:ASP:N	2.51	0.42
4:B:1506:ASN:OD1	4:B:1506:ASN:N	2.53	0.42
1:C:554:GLN:H	1:C:554:GLN:HG3	1.73	0.42
1:C:612:ASN:OD1	1:C:612:ASN:C	2.63	0.42
2:A:36:U:H2'	2:A:37:G:C8	2.55	0.42
4:B:211:LEU:HD12	4:B:212:ARG:N	2.34	0.42
4:B:521:PHE:HZ	4:B:714:ILE:HD11	1.84	0.42
4:B:1012:GLU:HB3	4:B:1478:ARG:NH2	2.35	0.41
1:C:160:PHE:HE1	1:C:183:HIS:HB3	1.84	0.41
4:B:44:TRP:CH2	4:B:167:LEU:HB3	2.51	0.41
4:B:68:ILE:HD13	4:B:68:ILE:HA	1.86	0.41
4:B:156:PHE:HB3	4:B:205:TYR:HB3	2.02	0.41
4:B:869:ASP:OD2	4:B:871:ASN:ND2	2.52	0.41
1:C:566:SER:OG	1:C:569:ASP:OD1	2.38	0.41
1:C:19:ILE:HG21	1:C:59:LYS:HD2	2.02	0.41
1:C:435:GLU:HB2	1:C:464:LYS:HE2	2.01	0.41
3:D:-7:C:O2'	3:D:-4:G:OP1	2.35	0.41
1:C:461:LEU:O	1:C:465:ILE:HG13	2.20	0.41
4:B:573:SER:HB2	4:B:652:PHE:HE1	1.82	0.41
4:B:760:ASN:OD1	4:B:760:ASN:N	2.53	0.41
4:B:846:ARG:HD3	4:B:866:ILE:HG12	2.03	0.41
4:B:879:MET:HE2	4:B:879:MET:HB3	1.94	0.41
1:C:435:GLU:H	1:C:435:GLU:HG3	1.69	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:B:1534:LEU:HD23	4:B:1534:LEU:HA	1.94	0.41
1:C:544:GLN:NE2	1:C:545:GLY:O	2.53	0.41
3:D:15:C:O2'	3:D:16:G:H5''	2.21	0.41
4:B:981:LYS:HB3	4:B:981:LYS:HE2	1.98	0.41
1:C:27:LEU:HD23	1:C:27:LEU:HA	1.86	0.41
4:B:857:GLY:O	4:B:1004:ARG:NH1	2.53	0.41
4:B:1411:ASP:OD1	4:B:1411:ASP:N	2.43	0.41
4:B:1653:LYS:HA	4:B:1653:LYS:HD2	1.88	0.41
1:C:56:TYR:HA	1:C:63:LEU:HD22	2.03	0.41
1:C:488:PRO:O	1:C:493:HIS:HE1	2.04	0.41
4:B:7:ASN:OD1	4:B:210:THR:HG22	2.21	0.41
4:B:15:PHE:HE1	4:B:236:ARG:HG2	1.85	0.41
4:B:744:LYS:NZ	4:B:750:CYS:SG	2.86	0.41
4:B:913:GLN:HG2	4:B:913:GLN:H	1.67	0.41
4:B:1422:THR:OG1	4:B:1423:THR:N	2.53	0.41
1:C:52:LEU:HB3	1:C:71:ILE:HG12	2.03	0.41
1:C:65:SER:O	1:C:69:ILE:HG12	2.20	0.41
1:C:208:ASP:OD1	1:C:208:ASP:C	2.64	0.40
1:C:545:GLY:O	1:C:547:PHE:HD2	2.04	0.40
4:B:167:LEU:HD12	4:B:167:LEU:HA	1.91	0.40
4:B:960:THR:HG22	4:B:1560:VAL:HG12	2.03	0.40
4:B:1681:LEU:HD23	4:B:1681:LEU:HA	1.89	0.40
1:C:104:ILE:HD12	1:C:104:ILE:HA	1.99	0.40
4:B:95:ASP:OD2	4:B:97:SER:N	2.46	0.40
4:B:392:LYS:HD3	4:B:395:ASP:HB2	2.03	0.40
1:C:271:THR:HG22	1:C:324:PHE:CE1	2.56	0.40
1:C:585:HIS:HB3	1:C:587:GLU:OE1	2.21	0.40
4:B:662:LYS:HA	4:B:666:LYS:HD2	2.03	0.40
4:B:276:GLN:O	4:B:279:VAL:HG22	2.22	0.40
4:B:997:MET:HG3	4:B:1434:ALA:O	2.22	0.40
1:C:223:LEU:HD12	1:C:232:LEU:HD23	2.04	0.40
4:B:275:LYS:O	4:B:279:VAL:HG13	2.22	0.40
4:B:1566:SER:HB2	4:B:1581:ARG:NH1	2.37	0.40
4:B:1578:LYS:HD3	4:B:1578:LYS:HA	1.87	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	C	652/716 (91%)	609 (93%)	43 (7%)	0	100	100
4	B	1272/1722 (74%)	1203 (95%)	67 (5%)	2 (0%)	44	75
All	All	1924/2438 (79%)	1812 (94%)	110 (6%)	2 (0%)	50	80

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
4	B	169	LEU
4	B	1544	ASN

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	C	586/638 (92%)	580 (99%)	6 (1%)	73	87
4	B	1119/1525 (73%)	1115 (100%)	4 (0%)	89	94
All	All	1705/2163 (79%)	1695 (99%)	10 (1%)	82	92

All (10) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	216	MET
1	C	425	SER
1	C	509	LEU
1	C	514	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	630	ASP
1	C	712	ILE
4	B	240	ILE
4	B	313	LYS
4	B	348	GLN
4	B	849	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (20) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	133	ASN
1	C	147	ASN
1	C	215	HIS
1	C	432	GLN
1	C	448	ASN
1	C	453	ASN
1	C	457	HIS
1	C	493	HIS
1	C	513	ASN
1	C	544	GLN
1	C	546	HIS
1	C	576	ASN
1	C	585	HIS
4	B	112	GLN
4	B	143	HIS
4	B	459	ASN
4	B	566	HIS
4	B	1484	HIS
4	B	1568	HIS
4	B	1689	ASN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
2	A	19/46 (41%)	6 (31%)	0
3	D	33/74 (44%)	10 (30%)	0
All	All	52/120 (43%)	16 (30%)	0

All (16) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
2	A	26	G
2	A	30	G
2	A	36	U
2	A	40	C
2	A	41	G
2	A	42	A
3	D	-12	A
3	D	-11	A
3	D	-9	G
3	D	-8	U
3	D	-4	G
3	D	-3	G
3	D	-1	A
3	D	11	G
3	D	14	C
3	D	16	G

There are no RNA pucker outliers to report.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 4 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-33433. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y



Z

The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)

6.2.1 Primary map



X Index: 140




Y Index: 140




Z Index: 140


6.2.2 Raw map



X Index: 140



Y Index: 140



Z Index: 140

The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)

6.3.1 Primary map



X Index: 130




Y Index: 125




Z Index: 100


6.3.2 Raw map



X Index: 132



Y Index: 121




Z Index: 100


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.022. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_33433_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 200 nm³; this corresponds to an approximate mass of 181 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.312 $\text{\AA}^{-1}$

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.312 $\text{\AA}^{-1}$

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.20	-	-
Author-provided FSC curve	3.24	3.85	3.29
Unmasked-calculated*	3.76	4.42	3.82

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.76 differs from the reported value 3.2 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-33433 and PDB model 7XSS. Per-residue inclusion information can be found in section [3](#) on page [5](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.022 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.022).

9.4 Atom inclusion [i](#)



At the recommended contour level, 98% of all backbone atoms, 93% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.022) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.9270	0.4650
A	0.9680	0.4900
B	0.9260	0.4750
C	0.9230	0.4400
D	0.9580	0.4920

