



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 24, 2025 – 04:44 pm BST

PDB ID : 8CBS / pdb_00008cbs
Title : HIV-1 Integrase Catalytic Core Domain and C-Terminal Domain in Complex with Allosteric Integrase Inhibitor MUT871
Authors : Singer, M.R.; Pye, V.E.; Yu, Z.; Cherepanov, P.
Deposited on : 2023-01-25
Resolution : 1.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0rc1
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 2.0rc1
EDS : 3.0
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.003 (Gargrove)
Density-Fitness : 1.0.11
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.44


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	5161 (1.70-1.70)
Clashscore	180529	5671 (1.70-1.70)
Ramachandran outliers	177936	5594 (1.70-1.70)
Sidechain outliers	177891	5594 (1.70-1.70)
RSRZ outliers	164620	5159 (1.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	233	3% (red) 19% (orange) • (yellow) 77% (grey)
1	B	233	2% (red) 52% (orange) 8% (yellow) 39% (grey)
1	C	233	5% (red) 18% (orange) • (yellow) 78% (grey)
1	D	233	2% (red) 54% (orange) 8% (yellow) 38% (grey)

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 3490 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Integrase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	53	Total	C	N	O		0	2	0
			449	287	85	77				
1	B	141	Total	C	N	O	S	0	5	0
			1125	723	195	202	5			
1	C	52	Total	C	N	O		0	2	0
			439	280	82	77				
1	D	144	Total	C	N	O	S	0	3	0
			1132	726	196	205	5			

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	219	SER	-	expression tag	UNP P12497
A	243	GLU	TRP	engineered mutation	UNP P12497
A	424	LYS	PHE	engineered mutation	UNP P12497
B	-20	SER	-	expression tag	UNP P12497
B	4	GLU	TRP	engineered mutation	UNP P12497
B	185	LYS	PHE	engineered mutation	UNP P12497
C	219	SER	-	expression tag	UNP P12497
C	243	GLU	TRP	engineered mutation	UNP P12497
C	424	LYS	PHE	engineered mutation	UNP P12497
D	-20	SER	-	expression tag	UNP P12497
D	4	GLU	TRP	engineered mutation	UNP P12497
D	185	LYS	PHE	engineered mutation	UNP P12497

- Molecule 2 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			4	2	2		
2	A	1	Total	C	O	0	0
			4	2	2		
2	B	1	Total	C	O	0	0
			4	2	2		
2	B	1	Total	C	O	0	0
			4	2	2		
2	B	1	Total	C	O	0	0
			4	2	2		
2	B	1	Total	C	O	0	0
			4	2	2		
2	C	1	Total	C	O	0	0
			4	2	2		
2	C	1	Total	C	O	0	0
			4	2	2		
2	D	1	Total	C	O	0	0
			4	2	2		
2	D	1	Total	C	O	0	0
			4	2	2		
2	D	1	Total	C	O	0	0
			4	2	2		
2	D	1	Total	C	O	0	0
			4	2	2		
2	D	1	Total	C	O	0	0
			4	2	2		

- Molecule 3 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total Cl 1 1	0	0

- Molecule 4 is (2 {S})-2-[3-cyclopropyl-6-methyl-2-(5-methyl-3,4-dihydro-2 {H}-chromen-6-yl)phenyl]-2-[(2-methylpropan-2-yl)oxy]ethanoic acid (CCD ID: U5L) (formula: C₂₆H₃₂O₄) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	B	1	Total C O 30 26 4	0	0
4	D	1	Total C O 30 26 4	0	0

- Molecule 5 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	B	1	Total Mg 1 1	0	0
5	D	1	Total Mg 1 1	0	0

- Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	23	Total O 23 23	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	B	93	Total 93	O 93	0	0
6	C	22	Total 22	O 22	0	0
6	D	88	Total 88	O 88	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Integrase



- Molecule 1: Integrase



- Molecule 1: Integrase



LYS
ALA
ALA
GLY
CYS
TRP
ALA
GLY
ILE
LYS
GLN
GLU
PHE
GLY
ILE
PRO
TYR
ASN
PRO
GLN
SER
GLN
GLY
VAL
ILE
LYS
GLU
LEU
LYS
ILE
LYS
ILE
ILE
GLY
GLN
VAL
ARG
ASN
GLN
ALA
GLU
HIS
LEU
LYS
THR
ALA
VAL
GLN
MET
VAL
PHE
ILE
HIS
ASN
LYS
LYS

ARG
LYS
GLY
GLY
CYS
ILE
GLY
GLY
TYR
SER
ALA
GLY
GLU
ARG
PHE
ILE
VAL
ASP
PRO
ILE
ILE
ALA
THR
ASP
SER
ILE
GLN
THR
LYS
GLU

● Molecule 1: Integrase



SER
ILE
GLN
ASN
PHE
ARG
VAL
TYR
TYR
ARG
ASP
SER
SER
ASP
PRO
VAL
ASP
TRP
LYS
GLY
PRO
ALA
SER
LYS
LEU
LEU
GLU
LYS
GLY
GLY
ALA
VAL
VAL
ILE
GLN
ASP
ASN
SER
SER
ASP
ILE
LYS
LYS
VAL
ASP
GLN
VAL
PRO
ARG
ARG
LYS
ALA
LYS
THR
ILE
ILE
ARG
ASP
TYR
GLY
LYS
MET
ALA
GLY
ASP

ASP
CYS
VAL
ALA
SER
ARG
GLN
ASP
ASP
ASP
MET
HIS
GLY
GLN
VAL
VAL
C56
V77
I84
E85
T93
T93
R107
M120
W131
W132
G140
ILE
PRO
TYR
ASN
PRO
GLN
SER
GLN
G149
V150
I151
M154
R166
R173
R196
R187
K188
GLY
GLY
ILE
GLY
G193
Y194

E196
V201
A205
T206
D207
T208
K211
GLU

4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	53.23Å 64.85Å 70.44Å 90.00° 101.50° 90.00°	Depositor
Resolution (Å)	52.16 – 1.70 52.16 – 1.70	Depositor EDS
% Data completeness (in resolution range)	100.0 (52.16-1.70) 100.0 (52.16-1.70)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.03 (at 1.70Å)	Xtriage
Refinement program	PHENIX 1.20.1_4487	Depositor
R, R_{free}	0.167 , 0.198 0.167 , 0.198	Depositor DCC
R_{free} test set	2576 reflections (4.97%)	wwPDB-VP
Wilson B-factor (Å ²)	38.0	Xtriage
Anisotropy	0.232	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 49.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	3490	wwPDB-VP
Average B, all atoms (Å ²)	51.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.94% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, U5L, EDO, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.56	0/460	0.77	0/616
1	B	0.76	0/1156	0.76	0/1563
1	C	0.63	0/450	0.75	0/605
1	D	0.79	0/1162	0.80	0/1570
All	All	0.73	0/3228	0.78	0/4354

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	449	0	473	9	0
1	B	1125	0	1145	18	0
1	C	439	0	456	8	0
1	D	1132	0	1156	18	0
2	A	8	0	12	6	0
2	B	16	0	24	4	0
2	C	8	0	12	3	0
2	D	24	0	36	6	0
3	A	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	B	30	0	0	0	0
4	D	30	0	0	0	0
5	B	1	0	0	0	0
5	D	1	0	0	0	0
6	A	23	0	0	0	0
6	B	93	0	0	2	0
6	C	22	0	0	2	0
6	D	88	0	0	0	0
All	All	3490	0	3314	50	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (50) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:93:THR:HA	2:B:601:EDO:H11	1.67	0.76
1:B:77[B]:VAL:HG22	1:B:84:ILE:HG22	1.70	0.72
1:C:249[A]:VAL:HG11	1:C:267:ILE:HD11	1.74	0.69
1:D:173:LYS:HE2	2:D:308:EDO:H22	1.77	0.67
1:D:187:ARG:NH1	1:D:193:GLY:O	2.31	0.64
1:D:166:ARG:HB3	2:D:305:EDO:H21	1.79	0.63
1:C:271:TYR:CE2	2:C:501:EDO:H11	2.33	0.63
1:A:224:ARG:HG2	2:A:502:EDO:H21	1.81	0.63
1:B:77[B]:VAL:HG23	1:B:151:ILE:HD12	1.81	0.63
1:D:77[B]:VAL:HG22	1:D:84:ILE:HG22	1.82	0.61
1:B:185:LYS:HB2	2:C:501:EDO:H12	1.82	0.61
1:A:235:TRP:HD1	2:A:501:EDO:H21	1.66	0.60
1:C:272:GLY:HA3	1:D:132:TRP:O	2.02	0.59
1:C:264:LYS:NZ	6:C:602:HOH:O	2.35	0.58
1:D:187:ARG:NH2	1:D:198:GLU:OE2	2.36	0.58
1:D:85:GLU:OE1	1:D:107:ARG:NH1	2.37	0.57
1:B:67[B]:HIS:HE1	1:B:92:GLU:OE1	1.91	0.53
1:D:93:THR:HA	2:D:304:EDO:H22	1.92	0.50
1:B:77[B]:VAL:HG23	1:B:151:ILE:CD1	2.41	0.50
1:B:185:LYS:HA	2:B:602:EDO:H21	1.93	0.50
1:D:207:ASP:O	1:D:211:LYS:HG2	2.11	0.49
1:B:77[B]:VAL:CG2	1:B:151:ILE:HD12	2.43	0.49
1:B:87:GLU:OE1	6:B:701:HOH:O	2.20	0.48
1:D:173:LYS:CE	2:D:308:EDO:H22	2.43	0.48
1:A:234:VAL:HA	2:A:501:EDO:H22	1.95	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:85:GLU:OE1	1:B:107:ARG:NH1	2.47	0.47
1:A:235:TRP:H	2:A:501:EDO:C2	2.28	0.47
1:B:62:GLN:HG2	1:B:114[B]:HIS:HB3	1.97	0.46
1:A:224:ARG:HE	2:A:502:EDO:H21	1.80	0.46
1:B:201:VAL:HG12	1:D:205:ALA:HB2	1.97	0.46
1:C:240:LYS:HA	6:C:615:HOH:O	2.16	0.46
1:A:224:ARG:NH2	2:A:502:EDO:O1	2.47	0.45
1:D:166:ARG:HB3	2:D:305:EDO:C2	2.46	0.45
1:D:211:LYS:HD3	1:D:211:LYS:HA	1.78	0.44
1:C:229:ASP:O	1:C:231:ARG:N	2.43	0.44
1:D:120:ASN:HA	2:D:304:EDO:H11	1.99	0.44
1:C:224:ARG:HD3	1:D:131:TRP:CE2	2.53	0.44
2:B:601:EDO:C2	2:B:604:EDO:H11	2.49	0.43
1:B:62:GLN:HG2	1:B:114[A]:HIS:HB2	2.00	0.43
1:A:229:ASP:HB3	1:A:230:SER:H	1.63	0.43
1:B:95:GLN:HG3	6:B:773:HOH:O	2.18	0.43
1:D:77[B]:VAL:HG23	1:D:151:ILE:HD12	1.99	0.43
1:B:119:SER:HB2	2:B:604:EDO:H22	2.01	0.42
1:B:204[B]:ILE:HG22	1:D:201:VAL:HG11	2.01	0.42
1:C:271:TYR:HE2	2:C:501:EDO:H11	1.79	0.42
1:D:84:ILE:HG21	1:D:154:MET:HG2	2.00	0.42
1:A:249[A]:VAL:HG11	1:A:267:ILE:HD11	2.00	0.42
1:B:152:GLU:O	1:B:156:LYS:HG3	2.18	0.42
1:A:245:GLY:O	1:A:262:ARG:NH1	2.51	0.42
1:B:186:LYS:HE3	1:B:186:LYS:HB2	1.81	0.42

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	53/233 (23%)	49 (92%)	4 (8%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	140/233 (60%)	139 (99%)	1 (1%)	0	100	100
1	C	52/233 (22%)	48 (92%)	4 (8%)	0	100	100
1	D	141/233 (60%)	139 (99%)	2 (1%)	0	100	100
All	All	386/932 (41%)	375 (97%)	11 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	48/193 (25%)	47 (98%)	1 (2%)	48	32
1	B	120/193 (62%)	120 (100%)	0	100	100
1	C	47/193 (24%)	47 (100%)	0	100	100
1	D	121/193 (63%)	121 (100%)	0	100	100
All	All	336/772 (44%)	335 (100%)	1 (0%)	91	88

All (1) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	229	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	62	GLN
1	B	168	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 19 ligands modelled in this entry, 3 are monoatomic - leaving 16 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	EDO	D	305	-	3,3,3	0.71	0	2,2,2	0.72	0
2	EDO	A	502	-	3,3,3	0.37	0	2,2,2	0.57	0
2	EDO	D	308	-	3,3,3	0.52	0	2,2,2	0.11	0
2	EDO	B	602	-	3,3,3	0.43	0	2,2,2	0.32	0
2	EDO	A	501	-	3,3,3	0.66	0	2,2,2	0.30	0
2	EDO	B	601	-	3,3,3	0.59	0	2,2,2	0.47	0
4	U5L	B	605	-	32,33,33	2.05	9 (28%)	39,50,50	1.56	6 (15%)
2	EDO	B	603	-	3,3,3	0.75	0	2,2,2	0.66	0
2	EDO	C	501	-	3,3,3	0.53	0	2,2,2	0.19	0
2	EDO	D	302	-	3,3,3	0.63	0	2,2,2	0.38	0
2	EDO	D	303	-	3,3,3	0.78	0	2,2,2	0.55	0
2	EDO	D	304	-	3,3,3	0.40	0	2,2,2	0.86	0
2	EDO	B	604	-	3,3,3	0.43	0	2,2,2	0.58	0
2	EDO	D	306	-	3,3,3	0.62	0	2,2,2	0.11	0
4	U5L	D	301	-	32,33,33	1.88	7 (21%)	39,50,50	1.51	6 (15%)
2	EDO	C	502	-	3,3,3	0.56	0	2,2,2	0.22	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	EDO	D	305	-	-	1/1/1/1	-
2	EDO	A	502	-	-	0/1/1/1	-
2	EDO	D	308	-	-	0/1/1/1	-
2	EDO	B	602	-	-	0/1/1/1	-
2	EDO	A	501	-	-	1/1/1/1	-
2	EDO	B	601	-	-	1/1/1/1	-
4	U5L	B	605	-	-	3/20/30/30	0/4/4/4
2	EDO	B	603	-	-	1/1/1/1	-
2	EDO	C	501	-	-	0/1/1/1	-
2	EDO	D	302	-	-	0/1/1/1	-
2	EDO	D	303	-	-	0/1/1/1	-
2	EDO	D	304	-	-	0/1/1/1	-
2	EDO	B	604	-	-	1/1/1/1	-
2	EDO	D	306	-	-	1/1/1/1	-
4	U5L	D	301	-	-	2/20/30/30	0/4/4/4
2	EDO	C	502	-	-	0/1/1/1	-

All (16) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	D	301	U5L	C10-C01	-7.06	1.40	1.51
4	B	605	U5L	C10-C01	-6.91	1.40	1.51
4	B	605	U5L	C17-C15	4.16	1.59	1.51
4	B	605	U5L	C05-C04	3.31	1.44	1.38
4	D	301	U5L	C27-C02	3.02	1.57	1.51
4	D	301	U5L	C03-C11	2.97	1.54	1.50
4	B	605	U5L	O23-C19	2.79	1.30	1.22
4	B	605	U5L	C03-C11	2.76	1.53	1.50
4	B	605	U5L	C14-C13	2.59	1.43	1.38
4	B	605	U5L	C11-C16	2.35	1.44	1.40
4	D	301	U5L	O23-C19	2.30	1.29	1.22
4	B	605	U5L	C28-C21	2.20	1.57	1.51
4	D	301	U5L	C04-C03	2.12	1.43	1.40
4	D	301	U5L	C16-C18	2.10	1.55	1.52
4	D	301	U5L	C13-C12	-2.01	1.37	1.39
4	B	605	U5L	C16-C18	2.01	1.55	1.52

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	D	301	U5L	C25-C24-C12	3.94	132.30	120.68
4	B	605	U5L	C13-C12-C11	3.82	121.49	118.49
4	B	605	U5L	C13-C12-C24	-3.60	114.10	120.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	D	301	U5L	C11-C03-C02	3.59	126.16	122.00
4	B	605	U5L	C10-C01-C02	-3.44	114.90	121.31
4	D	301	U5L	O22-C19-O23	-3.34	116.52	124.09
4	B	605	U5L	O07-C06-C01	-3.03	119.74	122.72
4	D	301	U5L	O20-C18-C19	-2.76	101.70	109.38
4	B	605	U5L	O22-C19-O23	-2.74	117.87	124.09
4	D	301	U5L	C17-C15-C14	-2.28	115.85	120.31
4	D	301	U5L	C13-C14-C15	-2.21	118.61	121.97
4	B	605	U5L	C25-C24-C12	2.08	126.81	120.68

There are no chirality outliers.

All (11) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	B	605	U5L	C16-C18-C19-O22
4	D	301	U5L	C16-C18-C19-O22
4	B	605	U5L	C16-C18-C19-O23
4	D	301	U5L	C16-C18-C19-O23
2	B	601	EDO	O1-C1-C2-O2
2	B	604	EDO	O1-C1-C2-O2
2	D	305	EDO	O1-C1-C2-O2
2	A	501	EDO	O1-C1-C2-O2
4	B	605	U5L	C15-C16-C18-O20
2	D	306	EDO	O1-C1-C2-O2
2	B	603	EDO	O1-C1-C2-O2


There are no ring outliers.


9 monomers are involved in 19 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	D	305	EDO	2	0
2	A	502	EDO	3	0
2	D	308	EDO	2	0
2	B	602	EDO	1	0
2	A	501	EDO	3	0
2	B	601	EDO	2	0
2	C	501	EDO	3	0
2	D	304	EDO	2	0
2	B	604	EDO	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths,

bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2		OWAB(Å ²)	Q < 0.9
1	A	53/233 (22%)	0.98	6 (11%)	11 10	24, 61, 107, 141	2 (3%)
1	B	141/233 (60%)	0.17	4 (2%)	55 58	19, 40, 74, 96	5 (3%)
1	C	52/233 (22%)	1.25	11 (21%)	3 2	21, 61, 106, 114	2 (3%)
1	D	144/233 (61%)	0.22	5 (3%)	47 50	23, 42, 74, 99	3 (2%)
All	All	390/932 (41%)	0.45	26 (6%)	25 26	19, 45, 91, 141	12 (3%)

All (26) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	271	TYR	4.3
1	B	56	CYS	4.1
1	D	56	CYS	3.7
1	B	58	PRO	3.5
1	C	272	GLY	3.4
1	D	194	TYR	3.4
1	C	223	PHE	3.2
1	C	268	ILE	3.0
1	D	208	ILE	2.8
1	A	273	LYS	2.7
1	A	238	PRO	2.6
1	C	222	ASN	2.6
1	C	267	ILE	2.5
1	C	270	ASP	2.5
1	C	254	ASN	2.4
1	A	266[A]	LYS	2.3
1	C	273	LYS	2.3
1	B	188	LYS	2.3
1	D	186	LYS	2.3
1	A	255	SER	2.3
1	D	131	TRP	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	193	GLY	2.1
1	C	224	ARG	2.1
1	C	234	VAL	2.1
1	A	254	ASN	2.1
1	A	257	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	EDO	A	502	4/4	0.75	0.14	64,65,66,85	0
2	EDO	C	502	4/4	0.76	0.16	72,72,75,82	0
2	EDO	B	601	4/4	0.77	0.20	49,58,63,64	0
2	EDO	D	303	4/4	0.78	0.18	44,58,63,68	0
2	EDO	D	305	4/4	0.81	0.14	59,63,64,68	0
2	EDO	C	501	4/4	0.84	0.15	55,55,68,73	0
2	EDO	A	501	4/4	0.84	0.17	52,57,71,72	0
2	EDO	B	602	4/4	0.86	0.13	59,68,71,72	0
2	EDO	B	603	4/4	0.87	0.15	54,58,58,70	0
2	EDO	D	304	4/4	0.89	0.12	53,60,65,67	0
2	EDO	B	604	4/4	0.89	0.11	48,54,59,64	0
2	EDO	D	306	4/4	0.90	0.10	59,61,66,72	0
2	EDO	D	308	4/4	0.90	0.10	61,68,78,84	0
2	EDO	D	302	4/4	0.91	0.10	45,47,48,49	0
3	CL	A	503	1/1	0.96	0.10	65,65,65,65	0
4	U5L	B	605	30/30	0.97	0.07	31,34,38,41	0
4	U5L	D	301	30/30	0.98	0.06	32,35,39,42	0
5	MG	B	606	1/1	0.99	0.03	36,36,36,36	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	MG	D	307	1/1	0.99	0.04	44,44,44,44	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around U5L B 605:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around U5L D 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.