



Full wwPDB EM Validation Report ⓘ

May 19, 2025 – 05:36 AM EDT

PDB ID : 8FCK / pdb_00008fck
EMDB ID : EMD-28981
Title : Structure of the vertebrate augmin complex
Authors : Travis, S.M.; Huang, W.; Zhang, R.; Petry, S.
Deposited on : 2022-12-01
Resolution : 6.88 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev118
MolProbity : 4-5-2 with Phenix2.0rc1
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.43.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 6.88 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	286	41% 91% 6% • •
2	B	597	26% 89% 10% •
3	C	353	28% 90% 8% •
4	D	666	20% 88% 10% •
5	E	472	12% 43% • 53%
6	F	442	49% 86% • 11%
7	G	348	39% 90% 5% • 5%
8	H	367	14% 55% • 41%

2 Entry composition [i](#)

There are 8 unique types of molecules in this entry. The entry contains 24717 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called HAUS augmin-like complex subunit 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	286	Total	C	N	O	S	0	0
			2281	1435	378	455	13		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	156	GLN	ARG	conflict	UNP A0A8J1L9M8

- Molecule 2 is a protein called HAUS augmin-like complex subunit 3.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	597	Total	C	N	O	S	0	0
			4756	2980	811	942	23		

- Molecule 3 is a protein called HAUS augmin like complex subunit 4 L homeolog.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	C	353	Total	C	N	O	S	0	0
			2886	1807	508	555	16		

- Molecule 4 is a protein called HAUS augmin-like complex subunit 5.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	D	666	Total	C	N	O	S	0	0
			5416	3362	1000	1023	31		

- Molecule 5 is a protein called HAUS augmin like complex subunit 2 L homeolog, Green fluorescent protein chimera.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	E	222	Total	C	N	O	S	0	0
			1755	1098	302	342	13		

There are 17 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
E	223	VAL	-	linker	UNP Q6INL9
E	224	ASP	-	linker	UNP Q6INL9
E	225	MET	-	linker	UNP Q6INL9
E	226	VAL	-	linker	UNP Q6INL9
E	289	LEU	PHE	conflict	UNP P42212
E	290	THR	SER	conflict	UNP P42212
E	446	LYS	LEU	conflict	UNP P42212
E	456	LEU	HIS	conflict	UNP P42212
E	464	VAL	-	expression tag	UNP P42212
E	465	ASP	-	expression tag	UNP P42212
E	466	HIS	-	expression tag	UNP P42212
E	467	HIS	-	expression tag	UNP P42212
E	468	HIS	-	expression tag	UNP P42212
E	469	HIS	-	expression tag	UNP P42212
E	470	HIS	-	expression tag	UNP P42212
E	471	HIS	-	expression tag	UNP P42212
E	472	HIS	-	expression tag	UNP P42212

- Molecule 6 is a protein called HAUS augmin like complex subunit 6 L homeolog.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	F	393	Total	C	N	O	S	0	0
			3211	2039	581	571	20		

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
F	-11	GLY	-	expression tag	UNP A0JPI0
F	-10	PRO	-	expression tag	UNP A0JPI0
F	-9	ALA	-	expression tag	UNP A0JPI0
F	-8	SER	-	expression tag	UNP A0JPI0
F	-7	GLY	-	expression tag	UNP A0JPI0
F	-6	SER	-	expression tag	UNP A0JPI0
F	-5	THR	-	expression tag	UNP A0JPI0
F	-4	ARG	-	expression tag	UNP A0JPI0
F	-3	GLY	-	expression tag	UNP A0JPI0
F	-2	ALA	-	expression tag	UNP A0JPI0
F	-1	GLU	-	expression tag	UNP A0JPI0
F	0	PHE	-	expression tag	UNP A0JPI0

- Molecule 7 is a protein called HAUS augmin like complex subunit 7 S homeolog.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	G	332	Total	C	N	O	S	0	0
			2627	1655	435	517	20		


- Molecule 8 is a protein called HAUS augmin-like complex subunit 8.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	H	218	Total	C	N	O	S	0	0
			1785	1122	305	351	7		


3 Residue-property plots



These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: HAUS augmin-like complex subunit 1





- Molecule 2: HAUS augmin-like complex subunit 3







• Molecule 4: HAUS augmin-like complex subunit 5




• Molecule 5: HAUS augmin like complex subunit 2 L homeolog, Green fluorescent protein chimera



MET	PRO	GLU	GLY	TYR	VAL	GLN	GLU	ARG	THR	ILE	PHE	PHE	LYS	ASP	GLY	ASN	TYR	LYS	THR	ARG	ALA	VAL	VAL	LYS	PHE	GLU	GLY	GLY	ASP	THR	LEU	VAL	ASN	ASN	ARG	ILE	GLU	GLY	ASP	PHE	GLY	GLU	ASP	GLY	GLY	ASN	ILE	ASP	PHE	GLY	PRO	GLU	ASP	VAL	LEU	LEU	ASN	ILE	ASP	ASN	GLY	HIS	LYS	LYS	TYR	GLU	THR	ASN	TYR	ALA	SER	LEU
HIS	ASN	VAL	TYR	ILE	MET	ALA	ASP	LYS	GLN	THR	ILE	ASN	ASN	GLY	LYS	VAL	ASN	PHE	LYS	ILE	ARG	ILE	ASN	THR	GLU	ILE	GLY	MET	ASP	GLY	SER	GLU	VAL	GLN	LEU	ALA	ASP	VAL	ASN	HIS	THR	ILE	GLN	ASN	PRO	GLY	ASP	GLY	PRO	VAL	LEU	LEU	ASN	PRO	VAL	LEU	LEU	ASN	ILE	ASP	ASN	HIS	LYS	TYR	GLU	THR	ASN	TYR	ALA	SER	LEU	
SER	LYS	ASP	PRO	ASN	GLY	THR	LYS	ARG	GLY	THR	ILE	VAL	PHE	LYS	GLU	PHE	VAL	ASN	PHE	THR	LYS	ALA	ALA	GLY	THR	LEU	GLY	MET	ASP	GLY	SER	GLU	VAL	GLN	LEU	ALA	ASP	VAL	ASN	HIS	THR	ILE	GLN	ASN	PRO	GLY	ASP	GLY	PRO	VAL	LEU	LEU	ASN	PRO	VAL	LEU	LEU	ASN	ILE	ASP	ASN	HIS	LYS	TYR	GLU	THR	ASN	TYR	ALA	SER	LEU	

• Molecule 6: HAUS augmin like complex subunit 6 L homeolog

Chain F: 


VAL	PHE	CYS	HIS
A303	G304	K305	V306
N307	L308	I309	T310
Q313	L314	S327	L328
E380	R383	E386	K387
I388	L389	G390	K391
C392	P393	PHE	SER
LEU	LEU	LYS	GLY
LEU	LEU	ASN	PRO
ALA	LEU	ALA	GLU
LEU	LEU	ASN	PRO
ALA	PRO	MET	ALA
PRO	PHE	SER	PHE
ASP	PRO	ALA	ALA
GLU	GLU	GLU	GLU
VAL	LEU	LYS	SER
SER			
Y192	Q193	R194	K195
H210	Q214	Q217	K218
L219	A220	E221	K222
V223	D224	R225	R238
W241	R263	G264	N265
I266	Y269	G273	T274
N275	A276	T277	L278
N279	I280	P281	N282
L283	L284	I285	S286
R287	I288	E289	S290
E291	M292	H293	R294
L295	Q296	M297	D298
N299	V300	Y301	E302
V113	V114	A115	S116
I117	F118	L119	S120
P121	G122	G123	P124
K125	F126	V127	H128
L129	L130	Y131	H132
F133	A134	R135	Y136
V137	M138	L139	Q140
H141	D145	S154	E155
Q158	S159	K160	I161
Q162	D163	P164	Q165
L168	A169	R170	N171
K172	L173	A174	R175
E185	N186	L187	V188
I189	E190	E191	
K53	D54	A55	F56
V57	V58	V59	F60
H61	F62	L63	F64
G65	K66	L67	D68
N69	V70	R71	C72
K73	E74	V75	F76
R77	Y78	C79	W80
P81	P82	L83	D84
K85	K86	R87	D88
A89	E90	F91	R92
K93	A94	C95	C96
E97	W98	L99	K100
K101	I102	S103	D104
E105	V106	G107	A108
G109	F110	P111	Q112
M1	Q2	S3	G4
S5	R6	P7	H8
L9	A10	W11	Q12
R13	E14	H15	M16
L20	L23	G24	F25
E26	S27	G28	A29
E30	A31	A32	N33
G35	K36	T37	L38
V39	H40	V41	T42
V45	M46	M47	F48
D49	X50	P51	N52
GLY	PRO	ALA	SER
GLY	THR	ARG	GLY
ALA	GLU	PHE	

• Molecule 7: HAUS augmin like complex subunit 7 S homeolog

Chain G: 

K316	GLU	LYS	TRP	ALA	GLY	SER	THR	ILE	S325	E333	A340	PHE	GLN	GLN	SER	SER	SER	LEU	GLN	ASP																																				
E169	C170	M171	N172	P172	P179	L180	L181	M182	A183	E184	E185	K196	D199	M200	S201	E219	E220	C221	V222	D223	L224	C225	S226	S227	V228	T229	D230	G231	D232	K233	T249	Q261	E262	H263	C264	G265	H266	P267	A268	P269	H270	N274	F277	F289	E293	D307	R310									
K83	F86	D87	L88	F93	D94	D96	L96	D97	L98	H102	F111	P122	D123	T124	I125	S126	S127	N128	V129	I130	L131	E132	S133	L134	S135	H136	S137	T138	E139	K140	M141	V142	V143	T144	C145	I146	R147	E148	M149	E150	E151	L152	L153	K154	P160	H161	F162	Q163	A164	T165	L166	S167	P168			
H1	T2	G3	G4	K5	A10	V11	Q18	M19	L20	S21	C22	P23	C24	L25	E26	G27	V28	Y29	L30	T31	D32	F33	D49	I50	L51	Q52	W53	L54	C55	S56	R57	I58	Y59	P60	F61	V62	Q63	E64	Q65	L66	S67	S68	L69	K70	E71	S72	Q73	T74	D75	T76	K77	V78	K79	E80	I81	A82

● Molecule 8: HAUS augmin-like complex subunit 8



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	114000	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	66	Depositor
Minimum defocus (nm)	10105	Depositor
Maximum defocus (nm)	39903	Depositor
Magnification	64000	Depositor
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	1.224	Depositor
Minimum map value	-0.749	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.019	Depositor
Recommended contour level	0.161	Depositor
Map size (Å)	712.4, 712.4, 712.4	wwPDB
Map dimensions	520, 520, 520	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.37, 1.37, 1.37	Depositor

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.73	0/2308	1.31	4/3100 (0.1%)
2	B	0.72	0/4821	1.32	6/6477 (0.1%)
3	C	0.74	0/2921	1.30	5/3925 (0.1%)
4	D	0.77	0/5504	1.36	24/7400 (0.3%)
5	E	0.81	0/1783	1.38	5/2416 (0.2%)
6	F	1.57	5/3270 (0.2%)	1.41	7/4392 (0.2%)
7	G	0.81	0/2678	1.39	3/3622 (0.1%)
8	H	0.81	0/1809	1.39	0/2440
All	All	0.91	5/25094 (0.0%)	1.35	54/33772 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	12
2	B	0	2
3	C	0	4
4	D	0	8
5	E	0	3
6	F	0	5
7	G	0	1
8	H	0	3
All	All	0	38

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	F	293	HIS	CD2-NE2	40.02	1.81	1.37
6	F	293	HIS	ND1-CE1	34.12	1.66	1.32
6	F	293	HIS	CE1-NE2	33.21	1.65	1.32
6	F	293	HIS	CG-ND1	33.19	1.74	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	F	293	HIS	CG-CD2	28.95	1.67	1.35

All (54) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	220	HIS	CA-CB-CG	12.67	126.47	113.80
1	A	71	ASP	CA-CB-CG	8.38	120.98	112.60
1	A	279	GLU	CA-CB-CG	7.55	129.20	114.10
4	D	175	PHE	CA-CB-CG	7.36	121.16	113.80
4	D	183	SER	CA-C-N	6.99	134.90	121.54
4	D	183	SER	C-N-CA	6.99	134.90	121.54
4	D	298	ASN	CA-C-N	6.86	131.67	120.63
4	D	298	ASN	C-N-CA	6.86	131.67	120.63
4	D	184	SER	N-CA-C	6.41	124.44	110.80
6	F	104	ASP	CA-C-N	6.33	129.27	120.29
6	F	104	ASP	C-N-CA	6.33	129.27	120.29
2	B	220	HIS	CB-CA-C	6.29	121.02	110.44
7	G	289	PHE	CA-CB-CG	6.26	120.06	113.80
4	D	83	GLN	OE1-CD-NE2	-6.09	116.51	122.60
3	C	27	GLN	OE1-CD-NE2	-6.07	116.53	122.60
4	D	299	GLU	N-CA-C	5.94	120.06	112.34
2	B	240	GLN	N-CA-C	-5.92	100.62	109.15
1	A	280	PRO	CA-N-CD	-5.83	103.83	112.00
3	C	84	GLN	OE1-CD-NE2	-5.79	116.81	122.60
3	C	155	GLN	OE1-CD-NE2	-5.78	116.82	122.60
5	E	74	GLU	CB-CG-CD	5.68	122.26	112.60
7	G	60	PRO	N-CA-C	5.65	117.60	110.70
4	D	185	SER	CA-C-N	5.55	132.15	121.54
4	D	185	SER	C-N-CA	5.55	132.15	121.54
4	D	290	PRO	O-C-N	-5.52	115.18	122.64
3	C	77	GLN	OE1-CD-NE2	-5.50	117.10	122.60
6	F	291	GLU	CA-C-N	5.50	129.06	120.82
6	F	291	GLU	C-N-CA	5.50	129.06	120.82
5	E	218	GLU	N-CA-C	5.49	118.46	110.17
4	D	285	LYS	CA-C-N	5.48	132.01	121.54
4	D	285	LYS	C-N-CA	5.48	132.01	121.54
4	D	475	GLN	OE1-CD-NE2	-5.46	117.14	122.60
1	A	284	ARG	N-CA-C	5.44	119.87	112.04
5	E	214	TYR	CA-C-N	5.33	131.30	121.70
5	E	214	TYR	C-N-CA	5.33	131.30	121.70
4	D	297	CYS	CA-C-N	5.32	130.54	121.29
4	D	297	CYS	C-N-CA	5.32	130.54	121.29

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	G	97	ASP	CA-CB-CG	-5.31	107.29	112.60
5	E	35	GLN	OE1-CD-NE2	-5.23	117.37	122.60
4	D	576	ASN	CB-CA-C	5.16	115.09	110.44
2	B	185	CYS	CA-C-N	5.15	131.38	121.54
2	B	185	CYS	C-N-CA	5.15	131.38	121.54
4	D	161	GLN	OE1-CD-NE2	-5.15	117.45	122.60
6	F	76	PHE	CA-C-N	5.14	127.42	120.38
6	F	76	PHE	C-N-CA	5.14	127.42	120.38
2	B	87	SER	CB-CA-C	5.12	119.32	110.77
4	D	300	SER	CA-C-N	5.11	131.29	121.54
4	D	300	SER	C-N-CA	5.11	131.29	121.54
6	F	265	ASN	CA-CB-CG	5.10	117.70	112.60
4	D	283	GLN	CA-C-N	5.06	131.20	121.54
4	D	283	GLN	C-N-CA	5.06	131.20	121.54
3	C	100	GLN	OE1-CD-NE2	-5.02	117.58	122.60
4	D	272	GLN	OE1-CD-NE2	-5.01	117.59	122.60
4	D	628	GLN	OE1-CD-NE2	-5.01	117.59	122.60

There are no chirality outliers.

All (38) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	212	ARG	Sidechain
1	A	273	MET	Peptide
1	A	274	GLU	Peptide
1	A	275	PHE	Peptide
1	A	276	VAL	Peptide
1	A	277	VAL	Peptide
1	A	278	PRO	Peptide
1	A	279	GLU	Peptide
1	A	280	PRO	Peptide
1	A	283	ARG	Peptide,Mainchain
1	A	284	ARG	Peptide
2	B	367	ARG	Sidechain
2	B	596	SER	Peptide
3	C	114	ARG	Sidechain
3	C	117	THR	Peptide
3	C	230	ARG	Sidechain
3	C	63	ARG	Sidechain
4	D	288	SER	Peptide
4	D	289	GLU	Peptide
4	D	290	PRO	Peptide

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
4	D	291	ILE	Peptide
4	D	292	THR	Peptide
4	D	296	SER	Peptide
4	D	299	GLU	Peptide
4	D	665	ARG	Peptide
5	E	106	ARG	Sidechain
5	E	217	ILE	Peptide
5	E	218	GLU	Peptide
6	F	13	ARG	Sidechain
6	F	225	ARG	Sidechain
6	F	263	ARG	Peptide
6	F	269	TYR	Sidechain
6	F	71	ARG	Sidechain
7	G	310	ARG	Sidechain
8	H	172	TYR	Sidechain
8	H	272	ARG	Sidechain
8	H	366	LEU	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2281	0	2360	21	0
2	B	4756	0	4769	39	0
3	C	2886	0	2957	15	0
4	D	5416	0	5455	22	0
5	E	1755	0	1763	9	0
6	F	3211	0	3280	6	0
7	G	2627	0	2592	1	0
8	H	1785	0	1807	23	0
All	All	24717	0	24983	87	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (87) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:F:293:HIS:ND1	6:F:293:HIS:CG	1.74	1.52
6:F:293:HIS:NE2	6:F:293:HIS:CD2	1.81	1.46
2:B:268:CYS:SG	8:H:345:GLN:HA	1.91	1.11
5:E:60:ASN:HB3	8:H:207:HIS:CD2	1.85	1.10
5:E:60:ASN:HB3	8:H:207:HIS:NE2	1.83	0.92
2:B:331:ASN:HB3	8:H:356:LEU:HD11	1.62	0.82
1:A:279:GLU:HB3	1:A:280:PRO:HD3	1.63	0.81
1:A:278:PRO:HD2	1:A:279:GLU:HB2	1.63	0.80
2:B:335:PRO:CB	8:H:360:TRP:NE1	2.45	0.79
3:C:129:ILE:HD11	4:D:489:LEU:HD22	1.67	0.76
6:F:293:HIS:CG	6:F:293:HIS:CE1	2.76	0.73
6:F:293:HIS:CD2	6:F:293:HIS:CE1	2.78	0.72
2:B:268:CYS:HG	8:H:345:GLN:HA	1.55	0.72
2:B:335:PRO:HB3	8:H:360:TRP:CE2	2.26	0.71
2:B:335:PRO:HB2	8:H:360:TRP:NE1	2.04	0.70
1:A:278:PRO:CD	1:A:279:GLU:HB2	2.22	0.70
2:B:335:PRO:CB	8:H:360:TRP:CE2	2.78	0.67
2:B:376:MET:HE1	4:D:211:HIS:HB2	1.77	0.66
1:A:277:VAL:HG12	1:A:278:PRO:HD3	1.77	0.65
1:A:279:GLU:CB	1:A:280:PRO:HD3	2.30	0.62
2:B:335:PRO:CG	8:H:360:TRP:CZ2	2.84	0.61
2:B:331:ASN:O	8:H:356:LEU:HD21	2.03	0.59
4:D:352:HIS:CD2	4:D:366:ARG:HE	2.21	0.58
1:A:277:VAL:CB	1:A:278:PRO:HD3	2.33	0.58
3:C:4:THR:HG23	3:C:33:ILE:HD11	1.86	0.57
2:B:77:LEU:HD21	4:D:61:GLY:HA3	1.87	0.56
2:B:268:CYS:SG	8:H:345:GLN:CA	2.82	0.56
2:B:272:LYS:HE3	8:H:348:VAL:CG2	2.35	0.56
2:B:238:LEU:HD12	4:D:403:MET:CE	2.36	0.55
8:H:263:ILE:HD12	8:H:272:ARG:HH12	1.71	0.55
1:A:277:VAL:CG1	1:A:278:PRO:HD3	2.37	0.54
5:E:60:ASN:CB	8:H:207:HIS:NE2	2.67	0.54
1:A:278:PRO:HD2	1:A:279:GLU:CB	2.37	0.54
2:B:241:LEU:HB3	2:B:260:MET:HE3	1.90	0.54
2:B:404:GLY:HA2	4:D:459:TRP:CH2	2.43	0.53
5:E:60:ASN:CB	8:H:207:HIS:CD2	2.77	0.52
3:C:129:ILE:HD11	4:D:489:LEU:CD2	2.38	0.52
1:A:279:GLU:HB3	1:A:280:PRO:CD	2.39	0.51
1:A:275:PHE:HB3	1:A:276:VAL:HG23	1.94	0.50
2:B:84:PHE:CE2	4:D:65:TRP:CZ3	2.99	0.50
5:E:74:GLU:CG	6:F:238:ARG:HH22	2.24	0.50
2:B:138:LYS:HE2	3:C:84:GLN:NE2	2.27	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:241:LEU:HD11	2:B:259:MET:HG3	1.94	0.49
2:B:274:ILE:HG21	2:B:334:LEU:HD11	1.95	0.49
4:D:6:LEU:HD11	4:D:44:LYS:HE3	1.93	0.48
2:B:351:LYS:HA	4:D:406:LEU:HD21	1.94	0.48
2:B:272:LYS:HE3	8:H:348:VAL:HG22	1.96	0.47
2:B:423:MET:HE1	3:C:127:THR:O	2.14	0.47
2:B:335:PRO:CG	8:H:360:TRP:CE2	2.98	0.47
3:C:180:GLU:CD	3:C:188:LYS:HZ2	2.23	0.46
5:E:121:LEU:HG	8:H:263:ILE:HD11	1.97	0.46
1:A:71:ASP:HB3	3:C:114:ARG:NH2	2.29	0.46
2:B:399:VAL:HA	4:D:158:ARG:HH12	1.80	0.46
3:C:77:GLN:NE2	4:D:125:GLN:HE22	2.13	0.46
1:A:71:ASP:HB3	3:C:114:ARG:HH22	1.81	0.45
1:A:113:ILE:CG2	2:B:121:LEU:HD11	2.46	0.45
2:B:335:PRO:HG2	8:H:360:TRP:CZ2	2.52	0.45
1:A:241:LEU:HD22	1:A:248:VAL:HG13	1.99	0.45
2:B:87:SER:C	2:B:89:VAL:H	2.25	0.45
3:C:4:THR:CG2	3:C:33:ILE:HD11	2.45	0.45
4:D:291:ILE:HG22	4:D:292:THR:HA	1.99	0.44
1:A:40:TRP:CH2	3:C:14:MET:HG3	2.53	0.44
4:D:175:PHE:HB2	4:D:256:ARG:NH1	2.32	0.44
4:D:352:HIS:CG	4:D:366:ARG:HH21	2.36	0.43
2:B:399:VAL:HA	4:D:158:ARG:NH1	2.33	0.43
3:C:109:VAL:HG11	3:C:141:LEU:HD12	2.00	0.43
1:A:277:VAL:HB	1:A:278:PRO:HD3	1.99	0.43
2:B:420:ARG:NH2	4:D:141:ARG:HH22	2.16	0.43
2:B:89:VAL:N	2:B:90:PRO:HD2	2.33	0.43
1:A:33:ILE:HG23	3:C:15:LEU:HD22	1.99	0.42
2:B:510:PHE:CE1	4:D:586:LEU:HB3	2.54	0.42
4:D:175:PHE:HB2	4:D:256:ARG:CZ	2.49	0.42
7:G:71:GLU:CD	7:G:71:GLU:H	2.28	0.42
5:E:87:LYS:HZ3	6:F:241:TRP:CD1	2.37	0.42
2:B:255:LYS:HG2	4:D:312:PHE:CE1	2.54	0.42
1:A:279:GLU:CG	1:A:280:PRO:HD3	2.50	0.41
2:B:467:GLY:O	2:B:471:VAL:HG23	2.20	0.41
1:A:40:TRP:CZ2	3:C:14:MET:SD	3.13	0.41
2:B:91:ALA:O	2:B:95:VAL:HG23	2.20	0.41
2:B:274:ILE:HD13	2:B:334:LEU:HD11	2.03	0.41
1:A:165:CYS:SG	3:C:246:ALA:HB1	2.60	0.41
1:A:278:PRO:CG	1:A:279:GLU:HB2	2.50	0.41
2:B:335:PRO:HG3	8:H:360:TRP:CZ2	2.55	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:E:60:ASN:C	8:H:207:HIS:NE2	2.79	0.41
2:B:42:TRP:CD2	4:D:20:LEU:HD13	2.56	0.41
5:E:60:ASN:C	8:H:207:HIS:CE1	2.99	0.40
2:B:276:MET:HE2	4:D:334:GLN:HG2	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	284/286 (99%)	274 (96%)	7 (2%)	3 (1%)	12	47
2	B	595/597 (100%)	578 (97%)	9 (2%)	8 (1%)	10	43
3	C	351/353 (99%)	344 (98%)	7 (2%)	0	100	100
4	D	664/666 (100%)	634 (96%)	21 (3%)	9 (1%)	9	41
5	E	220/472 (47%)	210 (96%)	9 (4%)	1 (0%)	25	64
6	F	391/442 (88%)	364 (93%)	27 (7%)	0	100	100
7	G	328/348 (94%)	305 (93%)	19 (6%)	4 (1%)	11	45
8	H	216/367 (59%)	207 (96%)	7 (3%)	2 (1%)	14	52
All	All	3049/3531 (86%)	2916 (96%)	106 (4%)	27 (1%)	17	52

All (27) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	279	GLU
1	A	280	PRO
2	B	186	GLU
4	D	184	SER
7	G	2	THR
1	A	278	PRO

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	86	ILE
2	B	239	VAL
4	D	284	LEU
4	D	286	GLU
4	D	665	ARG
7	G	125	ILE
8	H	240	LYS
2	B	88	LYS
2	B	236	PHE
2	B	241	LEU
4	D	183	SER
4	D	186	THR
4	D	293	GLN
4	D	301	THR
7	G	196	LYS
8	H	259	HIS
2	B	188	SER
2	B	459	GLN
5	E	116	VAL
4	D	219	VAL
7	G	129	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	260/260 (100%)	248 (95%)	12 (5%)	23	44
2	B	538/541 (99%)	511 (95%)	27 (5%)	20	41
3	C	326/326 (100%)	307 (94%)	19 (6%)	17	38
4	D	605/605 (100%)	573 (95%)	32 (5%)	19	40
5	E	195/415 (47%)	188 (96%)	7 (4%)	30	50
6	F	347/387 (90%)	345 (99%)	2 (1%)	84	88
7	G	306/320 (96%)	294 (96%)	12 (4%)	27	48
8	H	205/328 (62%)	200 (98%)	5 (2%)	44	62

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
All	All	2782/3182 (87%)	2666 (96%)	116 (4%)	27	46

All (116) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	6	THR
1	A	28	THR
1	A	44	ARG
1	A	200	LEU
1	A	217	LEU
1	A	247	LEU
1	A	266	LEU
1	A	268	THR
1	A	273	MET
1	A	275	PHE
1	A	277	VAL
1	A	285	LEU
2	B	63	THR
2	B	83	THR
2	B	108	GLN
2	B	121	LEU
2	B	132	CYS
2	B	180	THR
2	B	199	LEU
2	B	220	HIS
2	B	223	GLU
2	B	238	LEU
2	B	252	THR
2	B	264	LEU
2	B	313	THR
2	B	320	LEU
2	B	345	LEU
2	B	360	HIS
2	B	370	LEU
2	B	385	LEU
2	B	431	SER
2	B	444	LEU
2	B	495	LEU
2	B	504	LEU
2	B	536	LEU
2	B	547	LEU
2	B	550	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	552	LEU
2	B	587	LEU
3	C	4	THR
3	C	22	LEU
3	C	48	LEU
3	C	60	LEU
3	C	92	LEU
3	C	127	THR
3	C	141	LEU
3	C	146	LEU
3	C	158	LEU
3	C	160	GLU
3	C	176	GLU
3	C	184	LEU
3	C	240	SER
3	C	269	LEU
3	C	278	THR
3	C	309	THR
3	C	314	LEU
3	C	315	SER
3	C	352	LEU
4	D	6	LEU
4	D	55	THR
4	D	64	LEU
4	D	69	LEU
4	D	72	THR
4	D	77	THR
4	D	83	GLN
4	D	119	LEU
4	D	179	ASP
4	D	182	LEU
4	D	202	LEU
4	D	214	SER
4	D	226	LEU
4	D	229	LEU
4	D	261	SER
4	D	276	LEU
4	D	292	THR
4	D	316	ILE
4	D	362	SER
4	D	375	CYS
4	D	386	MET

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	D	420	LEU
4	D	426	HIS
4	D	513	THR
4	D	537	GLU
4	D	575	THR
4	D	579	THR
4	D	592	LEU
4	D	594	LEU
4	D	631	GLN
4	D	656	THR
4	D	658	LEU
5	E	38	LEU
5	E	77	ASP
5	E	181	GLU
5	E	191	GLU
5	E	199	MET
5	E	215	LEU
5	E	219	ASN
6	F	214	GLN
6	F	266	ILE
7	G	62	VAL
7	G	71	GLU
7	G	74	THR
7	G	129	VAL
7	G	185	GLU
7	G	199	ASP
7	G	230	ASP
7	G	249	THR
7	G	274	MET
7	G	293	GLU
7	G	307	ASP
7	G	333	GLU
8	H	232	VAL
8	H	258	ARG
8	H	278	GLU
8	H	299	SER
8	H	359	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (35) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	199	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	9	GLN
2	B	50	GLN
2	B	220	HIS
2	B	244	ASN
2	B	386	GLN
2	B	485	GLN
2	B	540	ASN
2	B	563	GLN
3	C	16	GLN
3	C	77	GLN
3	C	84	GLN
3	C	174	GLN
4	D	49	HIS
4	D	51	HIS
4	D	106	GLN
4	D	125	GLN
4	D	138	ASN
4	D	152	ASN
4	D	161	GLN
4	D	211	HIS
4	D	556	GLN
4	D	589	HIS
4	D	628	GLN
5	E	11	GLN
6	F	216	GLN
6	F	265	ASN
6	F	268	GLN
6	F	313	GLN
7	G	34	GLN
7	G	141	ASN
7	G	182	ASN
7	G	193	GLN
8	H	191	ASN
8	H	203	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-28981. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z

6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 260



Y Index: 260



Z Index: 260


6.2.2 Raw map



X Index: 260



Y Index: 260




Z Index: 260


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 263




Y Index: 257



Z Index: 194


6.3.2 Raw map



X Index: 263



Y Index: 257




Z Index: 0


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z

6.4.2 Raw map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.161. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 661 nm³; this corresponds to an approximate mass of 597 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.145 $\text{\AA}^{-1}$

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.145 $\text{\AA}^{-1}$

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	6.88	-	-
Author-provided FSC curve	6.88	14.88	6.97
Unmasked-calculated*	15.31	20.58	15.77

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 15.31 differs from the reported value 6.88 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-28981 and PDB model 8FCK. Per-residue inclusion information can be found in section 3 on page 6.


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.161 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.161).

9.4 Atom inclusion [i](#)



At the recommended contour level, 67% of all backbone atoms, 66% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.161) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.6610	0.0350
A	0.5820	0.0470
B	0.7120	0.0240
C	0.6800	0.0350
D	0.7680	0.0530
E	0.7380	0.0430
F	0.4320	0.0210
G	0.5600	0.0230
H	0.7500	0.0280

1.0

0.0

<0.0