Full wwPDB X-ray Structure Validation Report (i)

Mar 8, 2026 – 04:57 AM UTC

PDB ID	:	8G6Z / pdb_00008g6z
Title	:	JAK2 crystal structure in complex with Compound 13
Authors	:	Miller, S.T.; Ellis, D.A.
Deposited on	:	2023-02-16
Resolution	:	2.45 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (i)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.45 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1190 (2.46-2.46)
Clashscore	190562	1229 (2.46-2.46)
Ramachandran outliers	187476	1218 (2.46-2.46)
Sidechain outliers	187428	1218 (2.46-2.46)
RSRZ outliers	180081	1190 (2.46-2.46)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	318	6% 72% 15% • 12%
1	B	318	8% 72% 15% • 12%

2 Entry composition (i)

There are 4 unique types of molecules in this entry. The entry contains 4884 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Tyrosine-protein kinase JAK2.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	281	Total	C	N	O	P	S	0	0	0
			2306	1468	395	429	1	13			
1	B	280	Total	C	N	O	P	S	0	1	0
			2309	1470	397	428	1	13			

There are 50 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	815	MET	-	expression tag	UNP O60674
A	816	HIS	-	expression tag	UNP O60674
A	817	HIS	-	expression tag	UNP O60674
A	818	HIS	-	expression tag	UNP O60674
A	819	HIS	-	expression tag	UNP O60674
A	820	HIS	-	expression tag	UNP O60674
A	821	HIS	-	expression tag	UNP O60674
A	822	THR	-	expression tag	UNP O60674
A	823	SER	-	expression tag	UNP O60674
A	824	LEU	-	expression tag	UNP O60674
A	825	TYR	-	expression tag	UNP O60674
A	826	LYS	-	expression tag	UNP O60674
A	827	LYS	-	expression tag	UNP O60674
A	828	ALA	-	expression tag	UNP O60674
A	829	GLY	-	expression tag	UNP O60674
A	830	PHE	-	expression tag	UNP O60674
A	831	LEU	-	expression tag	UNP O60674
A	832	VAL	-	expression tag	UNP O60674
A	833	PRO	-	expression tag	UNP O60674
A	834	ARG	-	expression tag	UNP O60674
A	835	GLY	-	expression tag	UNP O60674
A	836	SER	-	expression tag	UNP O60674
A	1073	SER	MET	engineered mutation	UNP O60674
A	1076	THR	PHE	engineered mutation	UNP O60674
A	1129	GLN	ASN	conflict	UNP O60674

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	815	MET	-	expression tag	UNP O60674
B	816	HIS	-	expression tag	UNP O60674
B	817	HIS	-	expression tag	UNP O60674
B	818	HIS	-	expression tag	UNP O60674
B	819	HIS	-	expression tag	UNP O60674
B	820	HIS	-	expression tag	UNP O60674
B	821	HIS	-	expression tag	UNP O60674
B	822	THR	-	expression tag	UNP O60674
B	823	SER	-	expression tag	UNP O60674
B	824	LEU	-	expression tag	UNP O60674
B	825	TYR	-	expression tag	UNP O60674
B	826	LYS	-	expression tag	UNP O60674
B	827	LYS	-	expression tag	UNP O60674
B	828	ALA	-	expression tag	UNP O60674
B	829	GLY	-	expression tag	UNP O60674
B	830	PHE	-	expression tag	UNP O60674
B	831	LEU	-	expression tag	UNP O60674
B	832	VAL	-	expression tag	UNP O60674
B	833	PRO	-	expression tag	UNP O60674
B	834	ARG	-	expression tag	UNP O60674
B	835	GLY	-	expression tag	UNP O60674
B	836	SER	-	expression tag	UNP O60674
B	1073	SER	MET	engineered mutation	UNP O60674
B	1076	THR	PHE	engineered mutation	UNP O60674
B	1129	GLN	ASN	conflict	UNP O60674

- Molecule 2 is (3R)-3-cyclopentyl-3-[(4M)-4-{5-methyl-2-[(1-methyl-1H-pyrazol-4-yl)amino]pyrimidin-4-yl}-1H-pyrazol-1-yl]propanenitrile (CCD ID: YSI) (formula: $C_{20}H_{24}N_8$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total C N 28 20 8	0	0
2	B	1	Total C N 28 20 8	0	0

- Molecule 3 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: $C_2H_6O_2$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	B	1	Total C O 4 2 2	0	0

- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	100	Total O 100 100	0	0
4	B	109	Total O 109 109	0	0

3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Tyrosine-protein kinase JAK2

Chain A:



• Molecule 1: Tyrosine-protein kinase JAK2

Chain B:



4 Data and refinement statistics (i)

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α, β, γ	98.09Å 36.46Å 183.73Å 90.00° 94.02° 90.00°	Depositor
Resolution (Å)	61.17 – 2.45 61.17 – 2.45	Depositor EDS
% Data completeness (in resolution range)	99.9 (61.17-2.45) 99.9 (61.17-2.45)	Depositor EDS
R_{merge}	0.15	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ [1]	2.89 (at 2.45Å)	Xtriage
Refinement program	REFMAC 5	Depositor
R, R_{free}	0.225 , 0.281 0.231 , 0.285	Depositor DCC
R_{free} test set	1193 reflections (4.87%)	wwPDB-VP
Wilson B-factor (Å^2)	35.7	Xtriage
Anisotropy	0.192	Xtriage
Bulk solvent k_{sol}(e/Å^3), B_{sol}(Å^2)	0.33 , 37.8	EDS
L-test for twinning[2]	$< \|L\| > = 0.46$, $< L^2 > = 0.29$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o,F_c correlation	0.91	EDS
Total number of atoms	4884	wwPDB-VP
Average B, all atoms (Å^2)	40.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 12.58% of the height of the origin peak. No significant pseudotranslation is detected.*

[1] Intensities estimated from amplitudes.

[2] Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PTR, YSI, EDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\#\|Z\| > 5$	RMSZ	$\#\|Z\| > 5$
1	A	0.97	0/2336	1.27	0/3144
1	B	0.96	0/2342	1.27	0/3151
All	All	0.96	0/4678	1.27	0/6295

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2306	0	2267	29	1
1	B	2309	0	2278	33	0
2	A	28	0	0	0	0
2	B	28	0	0	0	0
3	B	4	0	6	1	0
4	A	100	0	0	4	0
4	B	109	0	0	6	0
All	All	4884	0	4551	63	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (63) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1125:GLN:O	1:B:1129:GLN:HG2	1.86	0.76
1:A:1071:GLY:O	4:A:1301:HOH:O	2.04	0.75
1:B:993:GLY:O	4:B:1302:HOH:O	2.04	0.74
3:B:1202:EDO:H21	4:B:1356:HOH:O	1.92	0.68
1:B:1125:GLN:OE1	4:B:1303:HOH:O	2.13	0.66
1:B:948:ILE:HG23	1:B:952:LYS:HG2	1.81	0.63
1:B:1038:TRP:CE3	1:B:1106:TRP:HA	2.37	0.60
1:B:867[B]:ARG:CZ	1:B:874:ASN:HA	2.32	0.60
1:B:867[B]:ARG:NH2	1:B:874:ASN:HA	2.17	0.59
1:A:1038:TRP:CE3	1:A:1106:TRP:HA	2.38	0.59
1:B:850:LYS:HE3	4:B:1343:HOH:O	2.03	0.58
1:A:1042:VAL:O	1:A:1046:GLU:HG3	2.04	0.57
1:A:948:ILE:HG23	1:A:952:LYS:HG2	1.88	0.56
1:B:899:ILE:CD1	1:B:925:LEU:HD11	2.35	0.56
1:B:870:PRO:HG2	1:B:871:LEU:HD13	1.88	0.56
1:B:872:GLN:HE21	1:B:872:GLN:HA	1.74	0.53
1:B:999:LYS:NZ	4:B:1305:HOH:O	2.33	0.51
1:B:1129:GLN:NE2	4:B:1308:HOH:O	2.37	0.51
1:B:1042:VAL:O	1:B:1046:GLU:HG3	2.11	0.50
1:A:959:GLN:OE1	1:A:990:VAL:HG22	2.11	0.50
1:B:1051:ILE:HG22	1:B:1051:ILE:O	2.12	0.50
1:A:985:GLU:OE1	1:A:989:ARG:HG2	2.13	0.49
1:A:865:MET:HE2	1:A:931:TYR:CZ	2.48	0.48
1:B:845:GLU:HG3	1:B:868:TYR:OH	2.13	0.48
1:A:1051:ILE:HG22	1:A:1051:ILE:O	2.13	0.48
1:B:959:GLN:OE1	1:B:990:VAL:HG22	2.13	0.48
1:A:885:GLN:HG2	1:A:886:HIS:ND1	2.29	0.48
1:A:1010:VAL:HG12	1:A:1013:PRO:HG3	1.95	0.48
1:A:1125:GLN:HG3	1:A:1129:GLN:HE22	1.78	0.47
1:A:942:GLN:NE2	4:A:1308:HOH:O	2.43	0.47
1:B:899:ILE:HD12	1:B:925:LEU:HD11	1.96	0.46
1:B:888:THR:O	1:B:889:GLU:C	2.58	0.46
1:B:853:GLN:HG2	1:B:854:GLN:N	2.30	0.46
1:B:1045:TYR:OH	1:B:1060:GLU:HG3	2.16	0.46
1:B:1058:PRO:O	1:B:1062:MET:HG2	2.15	0.46
1:B:1125:GLN:HE21	1:B:1129:GLN:CD	2.23	0.46
1:A:895:PHE:O	1:A:899:ILE:HG13	2.16	0.46
1:B:975:ARG:NH1	1:B:997:LEU:HB3	2.30	0.46
1:A:931:TYR:CE2	1:A:933:PRO:HA	2.51	0.45
1:A:1045:TYR:OH	1:A:1060:GLU:HG3	2.16	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1073:SER:O	1:A:1077:HIS:HD2	1.99	0.45
1:A:1100:MET:O	1:A:1104:GLU:HG3	2.16	0.45
1:B:961:CYS:SG	1:B:1040:PHE:CZ	3.10	0.45
1:A:1129:GLN:NE2	4:A:1312:HOH:O	2.50	0.44
1:A:1058:PRO:O	1:A:1062:MET:HG2	2.18	0.44
1:B:956:TYR:O	1:B:960:ILE:HG13	2.18	0.43
1:B:849:LEU:HD23	1:B:849:LEU:HA	1.88	0.43
1:B:972:TYR:CE1	1:B:1000:VAL:HG22	2.54	0.43
1:B:1100:MET:O	1:B:1104:GLU:HG3	2.19	0.43
1:A:983:LEU:HD12	1:A:993:GLY:HA3	2.00	0.43
1:A:961:CYS:SG	1:A:1040:PHE:CZ	3.13	0.42
1:A:975:ARG:NH1	1:A:997:LEU:HB3	2.34	0.42
1:B:873:ASP:O	1:B:874:ASN:HB2	2.19	0.42
1:A:913:TYR:CZ	1:A:915:GLY:HA2	2.54	0.42
1:A:1043:VAL:O	1:A:1047:LEU:HG	2.18	0.42
1:B:888:THR:O	1:B:891:HIS:N	2.53	0.41
1:A:848:HIS:CG	1:A:870:PRO:HA	2.55	0.41
1:B:931:TYR:CE2	1:B:933:PRO:HA	2.55	0.41
1:B:925:LEU:HD22	1:B:926:LYS:N	2.35	0.41
1:A:849:LEU:HD23	1:A:849:LEU:HA	1.94	0.41
1:A:865:MET:HE2	1:A:931:TYR:CE1	2.56	0.41
1:A:1017:PRO:HD2	1:A:1021:TYR:CE1	2.56	0.41
1:A:912:LYS:HD3	4:A:1387:HOH:O	2.21	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:867:ARG:NH2	1:A:1072:GLN:OE1[3_455]	1.74	0.46

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	272/318 (86%)	267 (98%)	4 (2%)	1 (0%)	30 37
1	B	272/318 (86%)	266 (98%)	6 (2%)	0	100 100
All	All	544/636 (86%)	533 (98%)	10 (2%)	1 (0%)	43 54

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	1051	ILE

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	252/288 (88%)	246 (98%)	6 (2%)	43 58
1	B	253/288 (88%)	248 (98%)	5 (2%)	48 63
All	All	505/576 (88%)	494 (98%)	11 (2%)	45 60

All (11) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	874	ASN
1	A	952	LYS
1	A	967	LEU
1	A	1013	PRO
1	A	1128	ASP
1	A	1129	GLN
1	B	885	GLN
1	B	925	LEU
1	B	952	LYS
1	B	967	LEU
1	B	1072	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	843	GLN
1	A	988	ASN
1	A	1077	HIS
1	A	1112	GLN
1	A	1125	GLN
1	A	1129	GLN
1	B	872	GLN
1	B	874	ASN
1	B	885	GLN
1	B	944	HIS
1	B	988	ASN
1	B	1077	HIS
1	B	1112	GLN
1	B	1125	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
1	PTR	B	1007	1	15,16,17	0.46	0	17,22,24	0.82	0
1	PTR	A	1007	1	15,16,17	0.47	0	17,22,24	0.53	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	PTR	B	1007	1	-	2/10/11/13	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	PTR	A	1007	1	-	1/10/11/13	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	B	1007	PTR	CZ-OH-P-O1P
1	A	1007	PTR	C-CA-CB-CG
1	B	1007	PTR	C-CA-CB-CG

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.

5.6 Ligand geometry (i)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
3	EDO	B	1202	-	3,3,3	0.14	0	2,2,2	0.09	0
2	YSI	B	1201	-	28,31,31	0.82	2 (7%)	32,43,43	0.89	1 (3%)
2	YSI	A	1201	-	28,31,31	0.82	1 (3%)	32,43,43	1.07	2 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	EDO	B	1202	-	-	0/1/1/1	-
2	YSI	B	1201	-	-	3/18/26/26	0/4/4/4
2	YSI	A	1201	-	-	4/18/26/26	0/4/4/4

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	1201	YSI	C9-C10	-2.30	1.45	1.48
2	A	1201	YSI	C9-C10	-2.22	1.45	1.48
2	B	1201	YSI	C8-N4	2.06	1.36	1.34

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
2	B	1201	YSI	C2-C3-N1	-2.84	122.24	125.09
2	A	1201	YSI	C2-C3-N1	-2.68	122.40	125.09
2	A	1201	YSI	C10-C9-N5	2.00	117.30	115.30

There are no chirality outliers.

All (7) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	1201	YSI	C8-C5-N2-C4
2	B	1201	YSI	C13-C12-N7-C20
2	B	1201	YSI	C8-C5-N2-C4
2	A	1201	YSI	C15-C12-N7-C20
2	A	1201	YSI	C13-C12-N7-N6
2	B	1201	YSI	C13-C12-N7-N6
2	A	1201	YSI	C13-C12-N7-C20

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	1202	EDO	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will

also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand YSI B 1201



Ligand YSI A 1201



5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å^2)	Q<0.9
1	A	280/318 (88%)	0.47	19 (6%)	23	21	23, 35, 71, 90	0
1	B	279/318 (87%)	0.53	24 (8%)	16	14	22, 36, 76, 113	1 (0%)
All	All	559/636 (87%)	0.50	43 (7%)	19	17	22, 35, 73, 113	1 (0%)

All (43) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	1067	ASN	4.3
1	B	859	ASN	4.2
1	B	918	TYR	4.1
1	B	875	THR	4.1
1	A	875	THR	3.9
1	A	1013	PRO	3.7
1	B	1131	ALA	3.4
1	B	1010	VAL	3.4
1	B	871	LEU	3.3
1	A	918	TYR	3.2
1	B	892	LEU	3.2
1	B	1070	GLN	3.2
1	B	923	ARG	3.1
1	B	872	GLN	3.0
1	B	886	HIS	2.9
1	B	1013	PRO	2.9
1	B	876	GLY	2.9
1	B	874	ASN	2.8
1	A	859	ASN	2.8
1	A	1010	VAL	2.8
1	A	858	GLY	2.7
1	A	876	GLY	2.6
1	A	1014	GLY	2.6
1	B	1014	GLY	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	1070	GLN	2.5
1	B	845	GLU	2.5
1	A	873	ASP	2.4
1	B	843	GLN	2.4
1	B	885	GLN	2.4
1	B	890	GLU	2.4
1	A	871	LEU	2.4
1	A	887	SER	2.3
1	B	1066	GLY	2.3
1	B	873	ASP	2.3
1	A	1072	GLN	2.3
1	A	877	GLU	2.3
1	A	874	ASN	2.2
1	A	885	GLN	2.2
1	B	888	THR	2.2
1	A	1071	GLY	2.2
1	A	888	THR	2.1
1	B	867[A]	ARG	2.1
1	B	1108	ASN	2.1

6.2 Non-standard residues in protein, DNA, RNA chains (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
1	PTR	A	1007	16/17	0.88	0.11	42,65,79,82	0
1	PTR	B	1007	16/17	0.88	0.12	41,59,80,82	0

6.3 Carbohydrates (i)

There are no oligosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
3	EDO	B	1202	4/4	0.73	0.17	51,51,52,58	0
2	YSI	B	1201	28/28	0.89	0.11	24,30,36,37	0
2	YSI	A	1201	28/28	0.92	0.10	27,29,33,34	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around YSI B 1201:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)



Electron density around YSI A 1201:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)



6.5 Other polymers

There are no such residues in this entry.