



Full wwPDB EM Validation Report ⓘ

Jun 16, 2025 – 06:57 PM JST

PDB ID : 8J6L / pdb_00008j6l
EMDB ID : EMD-36007
Title : Cryo-EM structure of the hydroxycarboxylic acid receptor 2-Gi protein complex bound niacin
Authors : Yuan, Q.; Zhu, S.; Duan, J.; Xu, H.E.; Duan, X.
Deposited on : 2023-04-26
Resolution : 3.05 Å (reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev118
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4-5-2 with Phenix2.0rc1
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.44


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.05 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	354	
2	B	370	
3	G	70	
4	H	247	
5	R	488	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	NIO	R	501	-	-	X	-

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 8839 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Guanine nucleotide-binding protein G(i) subunit alpha-1.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	217	Total	C	N	O	S	0	0
			1748	1115	292	329	12		

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	47	ASN	SER	engineered mutation	UNP P63096
A	203	ALA	GLY	engineered mutation	UNP P63096
A	245	ALA	GLU	engineered mutation	UNP P63096
A	326	SER	ALA	engineered mutation	UNP P63096

- Molecule 2 is a protein called Guanine nucleotide-binding protein G(I)/G(S)/G(T) subunit beta-1.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	339	Total	C	N	O	S	0	0
			2560	1585	461	493	21		

There are 31 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	-3	GLY	-	expression tag	UNP P62873
B	-2	SER	-	expression tag	UNP P62873
B	-1	LEU	-	expression tag	UNP P62873
B	0	LEU	-	expression tag	UNP P62873
B	1	GLN	-	expression tag	UNP P62873
B	341	GLY	-	expression tag	UNP P62873
B	342	SER	-	expression tag	UNP P62873
B	343	SER	-	expression tag	UNP P62873
B	344	GLY	-	expression tag	UNP P62873
B	345	GLY	-	expression tag	UNP P62873
B	346	GLY	-	expression tag	UNP P62873
B	347	GLY	-	expression tag	UNP P62873

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	348	SER	-	expression tag	UNP P62873
B	349	GLY	-	expression tag	UNP P62873
B	350	GLY	-	expression tag	UNP P62873
B	351	GLY	-	expression tag	UNP P62873
B	352	GLY	-	expression tag	UNP P62873
B	353	SER	-	expression tag	UNP P62873
B	354	SER	-	expression tag	UNP P62873
B	355	GLY	-	expression tag	UNP P62873
B	356	VAL	-	expression tag	UNP P62873
B	357	SER	-	expression tag	UNP P62873
B	358	GLY	-	expression tag	UNP P62873
B	359	TRP	-	expression tag	UNP P62873
B	360	ARG	-	expression tag	UNP P62873
B	361	LEU	-	expression tag	UNP P62873
B	362	PHE	-	expression tag	UNP P62873
B	363	LYS	-	expression tag	UNP P62873
B	364	LYS	-	expression tag	UNP P62873
B	365	ILE	-	expression tag	UNP P62873
B	366	SER	-	expression tag	UNP P62873

- Molecule 3 is a protein called Guanine nucleotide-binding protein G(I)/G(S)/G(O) subunit gamma-2.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	G	56	Total	C	N	O	S	0	0
			383	241	65	74	3		


- Molecule 4 is a protein called SVF16.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	H	233	Total	C	N	O	S	0	0
			1736	1108	286	332	10		

- Molecule 5 is a protein called Hydroxycarboxylic acid receptor 2,hydroxycarboxylic acid receptor 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	R	293	Total	C	N	O	S	0	0
			2403	1602	400	380	21		

- Molecule 6 is NICOTINIC ACID (CCD ID: NIO) (formula: C₆H₅NO₂).




Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
6	R	1	9	6	1	2	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Guanine nucleotide-binding protein G(i) subunit alpha-1




- Molecule 2: Guanine nucleotide-binding protein G(I)/G(S)/G(T) subunit beta-1




Chain G:



Chain H:



Chain R:



ILE	ALA	VAL	PHE	ASP	GLY	LYS	LYS	ILE	THR	VAL	THR	GLY	THR	LEU	TRP	ASN	GLY	ASN	LYS	ILE	ILE	ASP	GLU	ARG	LEU	ILE	THR	PRO	ASP	GLY	SER	MET	LEU	PHE	ARG	VAL	THR	ILE	ASN	SER
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	510037	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	8000	Depositor
Maximum defocus (nm)	18000	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	0.067	Depositor
Minimum map value	-0.044	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.002	Depositor
Recommended contour level	0.01	Depositor
Map size ($\text{\AA}$)	210.944, 210.944, 210.944	wwPDB
Map dimensions	256, 256, 256	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing ($\text{\AA}$)	0.824, 0.824, 0.824	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NIO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.12	0/1777	0.27	0/2382
2	B	0.10	0/2607	0.25	0/3540
3	G	0.63	0/389	0.97	0/532
4	H	0.12	0/1780	0.27	0/2423
5	R	0.19	0/2473	0.43	0/3351
All	All	0.19	0/9026	0.37	0/12228

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1748	0	1746	23	0
2	B	2560	0	2448	46	0
3	G	383	0	345	17	0
4	H	1736	0	1635	18	0
5	R	2403	0	2458	56	0
6	R	9	0	4	8	0
All	All	8839	0	8636	151	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including

hydrogen atoms). The all-atom clashscore for this structure is 9.

All (151) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:R:83:LEU:HD11	6:R:501:NIO:H4	1.59	0.83
5:R:89:ARG:CZ	5:R:94:LYS:HG2	2.15	0.77
1:A:260:THR:HG23	1:A:261:ASP:OD1	1.86	0.75
5:R:180:PHE:HD2	6:R:501:NIO:H1	1.52	0.73
2:B:195:ASP:O	2:B:196:THR:OG1	2.06	0.72
2:B:217:MET:N	2:B:217:MET:SD	2.63	0.71
2:B:87:THR:O	2:B:87:THR:HG22	1.92	0.69
4:H:6:GLU:N	4:H:6:GLU:OE1	2.25	0.69
1:A:315:ASP:OD1	1:A:316:THR:N	2.25	0.69
5:R:139:ILE:HG13	5:R:139:ILE:O	1.96	0.66
2:B:223:THR:HG22	2:B:223:THR:O	1.97	0.64
5:R:58:SER:OG	5:R:59:TRP:N	2.30	0.64
5:R:138:LYS:O	5:R:139:ILE:C	2.41	0.63
2:B:145:TYR:O	2:B:162:GLY:N	2.32	0.61
5:R:89:ARG:HB3	5:R:92:ASP:HB3	1.82	0.61
3:G:8:SER:O	3:G:11:GLN:HG3	2.01	0.60
2:B:22:ARG:O	2:B:259:GLN:NE2	2.34	0.59
5:R:235:VAL:O	5:R:239:VAL:HG13	2.02	0.59
5:R:278:ILE:O	5:R:281:SER:OG	2.20	0.59
2:B:67:SER:OG	2:B:322:ASP:OD1	2.20	0.59
5:R:180:PHE:CD2	6:R:501:NIO:H1	2.36	0.59
1:A:348:LEU:HD21	5:R:129:VAL:CG2	2.33	0.59
1:A:348:LEU:HD21	5:R:129:VAL:HG22	1.85	0.59
2:B:293:ASN:HD21	2:B:307:VAL:HG13	1.67	0.58
3:G:38:MET:HA	3:G:38:MET:HE3	1.83	0.58
1:A:338:ALA:O	1:A:342:VAL:HG23	2.03	0.57
2:B:293:ASN:ND2	2:B:307:VAL:HG13	2.17	0.57
5:R:220:MET:N	5:R:220:MET:SD	2.77	0.57
2:B:333:ASP:O	2:B:334:SER:OG	2.18	0.57
1:A:328:ASP:O	1:A:329:THR:OG1	2.22	0.57
4:H:178:LEU:CB	4:H:188:LEU:HD21	2.34	0.57
5:R:164:LYS:HD2	5:R:164:LYS:O	2.04	0.57
3:G:41:CYS:SG	3:G:42:GLU:N	2.77	0.57
1:A:283:LEU:HD23	1:A:283:LEU:O	2.05	0.56
3:G:10:ALA:O	3:G:14:LYS:HG2	2.04	0.56
4:H:178:LEU:HB3	4:H:188:LEU:HD21	1.87	0.56
2:B:86:THR:OG1	2:B:88:ASN:OD1	2.14	0.56
5:R:136:LEU:C	5:R:136:LEU:HD12	2.31	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:146:LEU:HD11	2:B:159:THR:HB	1.87	0.55
4:H:11:LEU:HD13	4:H:118:THR:HG23	1.88	0.55
2:B:331:SER:OG	2:B:332:TRP:N	2.39	0.54
3:G:30:VAL:O	3:G:33:ALA:HB3	2.07	0.54
1:A:275:GLU:OE2	1:A:279:LYS:NZ	2.33	0.54
5:R:82:PHE:HB2	5:R:103:MET:CE	2.37	0.54
2:B:286:LEU:HG	2:B:296:VAL:HG13	1.90	0.53
2:B:13:GLN:HE22	2:B:14:LEU:HD23	1.71	0.53
5:R:31:PRO:HA	5:R:84:MET:SD	2.49	0.53
4:H:63:THR:HG23	4:H:64:VAL:HG13	1.91	0.53
5:R:45:ASN:O	5:R:49:LEU:HD23	2.09	0.52
5:R:180:PHE:HD2	6:R:501:NIO:C1	2.22	0.52
1:A:348:LEU:HD22	1:A:353:LEU:HD12	1.90	0.52
2:B:47:THR:HG23	2:B:47:THR:O	2.08	0.52
5:R:82:PHE:HB2	5:R:103:MET:HE3	1.92	0.52
1:A:14:GLU:O	1:A:18:MET:HG3	2.10	0.52
5:R:85:ASP:OD1	5:R:89:ARG:NH1	2.43	0.52
2:B:170:ASP:C	2:B:170:ASP:OD2	2.54	0.51
4:H:61:ALA:HB3	4:H:64:VAL:HG22	1.91	0.51
2:B:219:ARG:HA	3:G:21:MET:HE1	1.92	0.51
5:R:23:ASP:OD1	5:R:24:ASP:N	2.40	0.50
2:B:197:ARG:C	2:B:198:LEU:HD22	2.36	0.50
3:G:31:SER:O	3:G:33:ALA:N	2.33	0.50
3:G:31:SER:C	3:G:33:ALA:N	2.69	0.50
2:B:74:SER:OG	2:B:76:ASP:OD1	2.24	0.50
2:B:218:CYS:O	3:G:21:MET:HE1	2.12	0.49
5:R:225:LYS:HA	5:R:225:LYS:HE2	1.95	0.49
5:R:128:ARG:HA	5:R:136:LEU:HD22	1.93	0.49
4:H:246:GLU:N	4:H:246:GLU:OE2	2.46	0.49
5:R:139:ILE:O	5:R:140:SER:C	2.55	0.49
5:R:24:ASP:OD1	5:R:90:ARG:NH2	2.46	0.49
5:R:166:LYS:O	5:R:167:MET:HG2	2.13	0.49
5:R:129:VAL:HG11	5:R:211:ILE:HG23	1.95	0.48
3:G:31:SER:C	3:G:33:ALA:H	2.20	0.48
5:R:89:ARG:NH1	5:R:94:LYS:HG2	2.28	0.48
5:R:73:ASP:OD1	5:R:287:SER:OG	2.30	0.48
1:A:53:MET:C	1:A:53:MET:SD	2.96	0.48
2:B:128:THR:HG22	2:B:130:GLU:H	1.78	0.48
4:H:188:LEU:HD22	4:H:203:PHE:HE1	1.79	0.48
5:R:265:ASN:O	5:R:266:CYS:C	2.56	0.48
4:H:178:LEU:C	4:H:178:LEU:HD23	2.38	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:303:ASP:OD1	2:B:303:ASP:C	2.57	0.48
2:B:76:ASP:OD1	2:B:76:ASP:N	2.39	0.47
3:G:26:ASP:O	3:G:27:ARG:C	2.56	0.47
5:R:30:LEU:N	5:R:31:PRO:CD	2.78	0.47
2:B:10:GLU:O	2:B:14:LEU:HG	2.15	0.47
1:A:272:ASP:O	1:A:276:GLU:OE2	2.33	0.46
1:A:342:VAL:O	1:A:346:ASN:OD1	2.34	0.46
2:B:55:LEU:HD12	2:B:55:LEU:C	2.41	0.46
5:R:31:PRO:O	5:R:84:MET:HE1	2.15	0.46
5:R:83:LEU:HD21	6:R:501:NIO:C3	2.46	0.46
5:R:82:PHE:N	5:R:82:PHE:CD2	2.84	0.46
5:R:130:VAL:HG22	5:R:214:SER:OG	2.16	0.46
2:B:121:CYS:HB2	2:B:146:LEU:HD22	1.98	0.46
5:R:83:LEU:HD11	6:R:501:NIO:C4	2.38	0.46
3:G:18:GLN:O	3:G:21:MET:HB3	2.17	0.45
2:B:250:CYS:O	2:B:264:TYR:N	2.43	0.45
4:H:135:SER:OG	4:H:136:ALA:N	2.50	0.45
2:B:11:ALA:HA	2:B:14:LEU:HD12	1.98	0.45
5:R:98:ILE:HB	5:R:99:PRO:HD3	1.99	0.45
2:B:252:LEU:HD23	2:B:252:LEU:C	2.42	0.45
1:A:232:LEU:HD12	1:A:232:LEU:N	2.32	0.44
5:R:83:LEU:CD1	6:R:501:NIO:H4	2.39	0.44
2:B:219:ARG:HA	3:G:21:MET:CE	2.48	0.44
5:R:83:LEU:HD13	5:R:83:LEU:HA	1.73	0.44
1:A:204:GLN:NE2	2:B:117:LEU:O	2.51	0.44
5:R:246:PRO:O	5:R:250:VAL:HG23	2.17	0.44
4:H:223:ASP:OD1	4:H:223:ASP:N	2.49	0.44
2:B:286:LEU:HD23	2:B:296:VAL:HG22	1.98	0.44
5:R:13:ILE:HG23	5:R:13:ILE:O	2.17	0.44
3:G:21:MET:HB3	3:G:21:MET:HE2	1.92	0.44
5:R:105:PHE:HB2	5:R:163:LEU:HD13	2.00	0.43
5:R:136:LEU:HD12	5:R:136:LEU:O	2.18	0.43
4:H:178:LEU:HB2	4:H:188:LEU:HD11	1.99	0.43
1:A:18:MET:O	1:A:22:ASN:ND2	2.46	0.43
5:R:106:MET:O	5:R:110:ASN:ND2	2.52	0.43
5:R:169:ILE:O	5:R:176:LEU:HD23	2.18	0.43
1:A:184:ILE:HD11	2:B:117:LEU:HD13	2.01	0.43
1:A:29:LYS:O	1:A:33:GLU:HG3	2.18	0.43
5:R:93:TRP:NE1	5:R:95:PHE:O	2.52	0.43
4:H:178:LEU:HB2	4:H:188:LEU:HD21	2.00	0.42
5:R:39:ILE:HG13	5:R:40:PHE:H	1.84	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:276:GLU:OE2	1:A:276:GLU:N	2.52	0.42
4:H:174:LEU:HD21	4:H:212:PHE:CD2	2.54	0.42
1:A:302:TYR:HA	1:A:305:CYS:SG	2.60	0.42
2:B:87:THR:O	2:B:87:THR:CG2	2.63	0.42
4:H:191:ARG:C	4:H:192:MET:HG3	2.44	0.42
5:R:82:PHE:N	5:R:82:PHE:HD2	2.17	0.42
2:B:119:ASN:ND2	2:B:143:THR:O	2.52	0.42
2:B:27:ASP:OD2	3:G:29:LYS:CB	2.68	0.42
4:H:5:VAL:HG23	4:H:113:GLN:HE21	1.85	0.41
4:H:5:VAL:HG13	4:H:5:VAL:O	2.19	0.41
2:B:45:MET:HE3	2:B:45:MET:HB2	1.97	0.41
5:R:269:TYR:O	5:R:270:ARG:C	2.63	0.41
2:B:117:LEU:HA	2:B:145:TYR:HB2	2.02	0.41
2:B:231:ALA:HB1	2:B:276:VAL:HG12	2.02	0.41
5:R:233:ILE:O	5:R:236:VAL:HG12	2.21	0.41
4:H:46:GLU:OE2	4:H:47:TRP:O	2.39	0.41
1:A:341:ASP:OD1	1:A:341:ASP:C	2.63	0.41
2:B:170:ASP:OD2	2:B:170:ASP:O	2.39	0.41
2:B:272:GLY:N	2:B:290:ASP:OD2	2.54	0.41
2:B:115:GLY:HA3	2:B:146:LEU:HD23	2.03	0.41
5:R:140:SER:O	5:R:143:THR:N	2.53	0.41
5:R:76:LEU:HB2	5:R:110:ASN:HB3	2.03	0.41
2:B:110:ASN:OD1	2:B:110:ASN:N	2.54	0.40
5:R:107:LEU:HD21	6:R:501:NIO:O1	2.20	0.40
1:A:211:TRP:HB2	2:B:117:LEU:HD21	2.02	0.40
3:G:14:LYS:N	3:G:14:LYS:HE2	2.36	0.40
5:R:231:THR:O	5:R:235:VAL:HG13	2.20	0.40
2:B:195:ASP:C	2:B:196:THR:HG1	2.18	0.40
3:G:12:ALA:O	3:G:15:LEU:HB3	2.20	0.40
5:R:73:ASP:O	5:R:77:ILE:HG23	2.21	0.40
1:A:200:ASP:OD2	1:A:200:ASP:C	2.64	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	211/354 (60%)	210 (100%)	1 (0%)	0	100	100
2	B	337/370 (91%)	331 (98%)	6 (2%)	0	100	100
3	G	54/70 (77%)	49 (91%)	5 (9%)	0	100	100
4	H	229/247 (93%)	225 (98%)	4 (2%)	0	100	100
5	R	289/488 (59%)	261 (90%)	26 (9%)	2 (1%)	19	46
All	All	1120/1529 (73%)	1076 (96%)	42 (4%)	2 (0%)	45	71

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
5	R	139	ILE
5	R	266	CYS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	192/305 (63%)	192 (100%)	0	100	100
2	B	270/301 (90%)	270 (100%)	0	100	100
3	G	33/57 (58%)	33 (100%)	0	100	100
4	H	181/198 (91%)	181 (100%)	0	100	100
5	R	266/440 (60%)	264 (99%)	2 (1%)	79	88
All	All	942/1301 (72%)	940 (100%)	2 (0%)	91	95

All (2) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
5	R	82	PHE
5	R	83	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	213	HIS
2	B	9	GLN
2	B	13	GLN
2	B	293	ASN
5	R	133	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
6	NIO	R	501	-	9,9,9	1.18	0	11,11,11	1.40	2 (18%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	NIO	R	501	-	-	0/4/4/4	0/1/1/1

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	R	501	NIO	O2-C6-C2	2.54	121.45	114.85
6	R	501	NIO	C2-C1-N	-2.08	120.41	123.49

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	R	501	NIO	8	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-36007. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 128




Y Index: 128




Z Index: 128


6.2.2 Raw map



X Index: 128



Y Index: 128




Z Index: 128


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 125




Y Index: 119




Z Index: 93


6.3.2 Raw map



X Index: 126



Y Index: 119




Z Index: 93


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



X




Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.01. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



X



Y



Z

These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 38 nm^3 ; this corresponds to an approximate mass of 34 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.328 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of $0.328 \text{ \AA}^{-1}$

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.05	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	3.34	3.99	3.44

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-36007 and PDB model 8J6L. Per-residue inclusion information can be found in section 3 on page 7.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.01 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.01).

9.4 Atom inclusion [i](#)



At the recommended contour level, 62% of all backbone atoms, 56% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.01) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.5570	0.4000
A	0.6170	0.4370
B	0.6920	0.4510
G	0.2020	0.1690
H	0.5060	0.4210
R	0.4630	0.3410

