



Full wwPDB EM Validation Report ⓘ

Sep 23, 2025 – 01:39 pm BST

PDB ID : 8QAU / pdb_00008qau
EMDB ID : EMD-18304
Title : Outer kinetochore Ndc80-Dam1 alpha/beta-tubulin complex
Authors : Muir, K.W.; Barford, D.
Deposited on : 2023-08-23
Resolution : 3.54 Å(reported)
Based on initial model : .

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev129
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4-5-2 with Phenix2.0
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.46



1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.54 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	210492	15764	-
Ramachandran outliers	207382	16835	-
Sidechain outliers	206894	16415	-
Q-score	-	25397	12891 (3.04 - 4.04)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	C	451	
2	D	445	
3	A	691	
4	B	451	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
5	E	343	8%92%

2 Entry composition

There are 9 unique types of molecules in this entry. The entry contains 10137 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Tubulin alpha-1A chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	C	431	Total	C	N	O	S	0	0
			3373	2136	573	642	22		

- Molecule 2 is a protein called Tubulin beta chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	D	427	Total	C	N	O	S	0	0
			3359	2110	576	647	26		

- Molecule 3 is a protein called Kinetochore protein NDC80.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	A	253	Total	C	N	O	S	0	0
			1700	1076	310	310	4		

- Molecule 4 is a protein called Kinetochore protein NUF2.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	B	207	Total	C	N	O	S	0	0
			1440	897	250	286	7		

- Molecule 5 is a protein called DASH complex subunit DAM1.

Mol	Chain	Residues	Atoms				AltConf	Trace
5	E	29	Total	C	N	O	0	0
			142	84	29	29		

- Molecule 6 is GUANOSINE-5'-TRIPHOSPHATE (CCD ID: GTP) (formula: $C_{10}H_{16}N_5O_{14}P_3$).




Mol	Chain	Residues	Atoms					AltConf
6	C	1	Total	C	N	O	P	0
			32	10	5	14	3	

- Molecule 7 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		AltConf
7	C	1	Total	Mg	0
			1	1	

- Molecule 8 is GUANOSINE-5'-DIPHOSPHATE (CCD ID: GDP) (formula: C₁₀H₁₅N₅O₁₁P₂).



Mol	Chain	Residues	Atoms					AltConf
8	D	1	Total	C	N	O	P	0
			28	10	5	11	2	


- Molecule 9 is TAXOL (CCD ID: TA1) (formula: $C_{47}H_{51}NO_{14}$).




3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Tubulin alpha-1A chain



• Molecule 2: Tubulin beta chain




• Molecule 3: Kinetochore protein NDC80



MET	GLN	PRO	Q125	H223	LEU	ASP	GLU	VAL
GLN	THR	THR	W224	W225	ARG	SER	ARG	ILE
SER	GLY	GLY	M225	M226	LYS	SER	LEU	HIS
SER	ILE	ILE	Q129	Q128	LYS	ILE	LEU	VAL
THR	ASN	ASN	E130	E131	GLN	ASP	VAL	ILE
THR	LYS	LYS	I132	T228	ILE	ASN	GLN	ASP
ASP	ASN	ASN	I132	M229	SER	LEU	THR	THR
GLN	LYS	LYS	K140	T230	THR	THR	GLN	ASP
HIS	ARG	ARG	K231	K232	GLN	SER	GLN	HIS
VAL	THR	THR	M234	D233	PHE	ARG	ILE	VAL
LEU	ARG	ARG	I143	M234	GLU	SER	LYS	LEU
HIS	SER	SER	F153	M237	LEU	GLN	THR	HIS
HIS	THR	THR	L154	K238	GLN	LEU	ILE	HIS
MET	VAL	VAL	P157	F290	ASN	GLY	MET	ASN
ASP	ALA	ALA	T158	E294	GLN	THR	GLU	GLN
PRO	GLY	GLY	Q159	K160	ARG	VAL	LEU	LYS
HIS	THR	THR	G161	N365	GLU	ASN	ASP	ASN
ARG	ASN	ASN	F162	ALA	LYS	SER	THR	THR
PHE	GLY	GLY	K167	LYS	THR	SER	LEU	GLN
THR	ALA	ALA	L171	LYS	ARG	LEU	LEU	LEU
GLN	LEU	LEU	R172	SER	LEU	ILE	ASP	PRO
THR	ALA	ALA	D174	LYS	ASP	ASN	LYS	THR
SER	ASP	ASP	Y188	THR	ILE	GLU	ILE	ALA
SER	LYS	LYS	K192	GLY	ILE	ASN	ASP	GLN
GLN	ASN	ASN	N193	LYS	GLN	LEU	LEU	LEU
LEU	SER	SER	Y196	LYS	ASP	LEU	GLU	ARG
ARG	ASN	ASN	F197	GLU	LYS	GLU	GLU	ARG
ARG	VAL	VAL	L199	LYS	THR	THR	THR	ASN
SER	SER	SER	F198	LYS	LYS	THR	GLN	ASN
THR	ARG	ARG	S201	THR	SER	GLY	ILE	THR
ASN	LEU	LEU	E200	GLU	ILE	ASN	GLN	ASN
GLN	SER	SER	I202	CYS	LYS	ILE	LYS	LYS
ILE	ILE	ILE	N203	LEU	ARG	TYR	GLY	GLY
LEU	ASN	ASN	Q206	LEU	LYS	GLU	ASN	ASN
THR	GLN	GLN	I207	GLU	LYS	LEU	GLN	LEU
ASP	LEU	LEU	S208	GLU	GLU	LEU	GLU	GLU
MET	GLY	GLY	A209	ILE	ALA	PHE	LEU	ILE
ILE	SER	SER	V210	LYS	GLU	PRO	GLU	ILE
ASN	LYS	LYS	G211	ALA	LYS	LYS	GLU	ASN
SER	GLN	GLN	C212	LEU	ILE	GLY	ALA	GLY
ILE	ILE	ILE	S213	GLN	PHE	SER	GLY	SER
ALA	ALA	ALA	M214	SER	LYS	ILE	GLY	GLY
ARG	SER	SER	W215	ASN	SER	ILE	ILE	ILE
ASN	ASN	ASN	H216	ILE	LEU	GLU	GLU	ASN
THR	THR	THR	K217	ILE	LEU	GLU	GLU	THR
ILE	ILE	ILE	F218	GLU	ASP	SER	ILE	THR
SER	GLY	GLY	L219	LEU	LYS	LYS	LYS	LEU
THR	THR	THR	M221	HIS	ARG	LYS	GLN	GLN
ILE	ILE	ILE	F124	ILE	TYR	ASN	ASN	ILE

● Molecule 4: Kinetochores protein NUF2



● Molecule 5: DASH complex subunit DAM1





4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	95730	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	1200	Depositor
Maximum defocus (nm)	3000	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	0.042	Depositor
Minimum map value	-0.022	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.002	Depositor
Recommended contour level	0.004	Depositor
Map size (Å)	317.99997, 317.99997, 317.99997	wwPDB
Map dimensions	300, 300, 300	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.06, 1.06, 1.06	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: TA1, GDP, MG, GTP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	C	0.19	1/3450 (0.0%)	0.41	3/4684 (0.1%)
2	D	0.13	0/3434	0.31	0/4652
3	A	0.14	0/1728	0.37	0/2359
4	B	0.16	0/1456	0.44	0/1987
5	E	0.09	0/140	0.29	0/191
All	All	0.16	1/10208 (0.0%)	0.38	3/13873 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	32	PRO	CG-CD	-7.00	1.26	1.50

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	32	PRO	CA-N-CD	-11.81	95.46	112.00
1	C	32	PRO	N-CD-CG	-9.43	89.05	103.20
1	C	32	PRO	CA-CB-CG	-5.22	94.58	104.50

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	9	VAL	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	3373	0	3281	73	0
2	D	3359	0	3239	89	0
3	A	1700	0	1343	49	0
4	B	1440	0	1197	38	0
5	E	142	0	67	1	0
6	C	32	0	12	3	0
7	C	1	0	0	0	0
8	D	28	0	12	0	0
9	D	62	0	50	4	0
All	All	10137	0	9201	242	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (242) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:B:61:LEU:HD12	4:B:86:ASN:HD22	1.28	0.98
4:B:15:GLU:HA	4:B:18:ILE:HG12	1.66	0.77
3:A:210:VAL:HG23	3:A:218:PHE:HD2	1.53	0.74
1:C:288:VAL:HG21	1:C:327:ASP:HB3	1.68	0.74
2:D:253:LEU:HG	2:D:257:MET:HE2	1.69	0.74
2:D:248:ALA:HA	2:D:252:LYS:HD3	1.69	0.73
2:D:30:ILE:HD11	2:D:47:ILE:HD11	1.70	0.72
2:D:91:VAL:HG21	2:D:116:VAL:HG12	1.72	0.71
2:D:63:ALA:O	2:D:89:ASN:ND2	2.24	0.71
2:D:190:HIS:HD2	2:D:411:ALA:HA	1.56	0.70
1:C:377:MET:HE3	1:C:379:SER:HB3	1.74	0.68
3:A:193:ASN:HD21	4:B:112:TYR:HB2	1.59	0.67
1:C:91:GLN:HG3	1:C:121:ARG:HD2	1.76	0.67
3:A:222:LEU:O	3:A:225:MET:HB2	1.94	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:B:128:ASN:OD1	4:B:129:TYR:N	2.28	0.66
2:D:130:LEU:HD23	2:D:162:ARG:HG3	1.76	0.66
1:C:217:LEU:HD11	1:C:367:ASP:HB3	1.78	0.66
3:A:158:THR:HG23	3:A:161:GLY:H	1.59	0.66
2:D:143:THR:O	2:D:147:MET:HB2	1.96	0.66
2:D:170:VAL:HG11	2:D:377:LEU:HD21	1.79	0.65
3:A:230:ILE:HG22	3:A:234:MET:HE1	1.76	0.65
3:A:231:LYS:HA	3:A:234:MET:HE2	1.76	0.65
2:D:421:GLU:HG3	3:A:203:ASN:HD21	1.62	0.65
2:D:64:ILE:HG13	2:D:120:VAL:HG12	1.80	0.64
2:D:8:GLN:HE21	2:D:14:ASN:HA	1.62	0.64
2:D:227:HIS:NE2	9:D:502:TA1:O14	2.26	0.64
1:C:191:THR:HA	1:C:194:THR:HG22	1.79	0.64
4:B:53:MET:SD	4:B:55:ILE:HG12	2.38	0.63
2:D:11:GLN:HA	2:D:72:THR:HG21	1.81	0.63
1:C:328:VAL:HG11	1:C:353:VAL:HG11	1.81	0.63
2:D:190:HIS:NE2	2:D:414:ASN:OD1	2.31	0.63
2:D:424:GLN:NE2	3:A:206:GLN:OE1	2.32	0.62
3:A:213:SER:O	3:A:216:HIS:ND1	2.32	0.62
2:D:198:GLU:HA	2:D:264:HIS:HB2	1.82	0.62
4:B:91:ASN:ND2	4:B:108:MET:HB2	2.14	0.62
2:D:51:TYR:HB3	2:D:59:TYR:HB3	1.80	0.61
1:C:178:SER:OG	1:C:183:GLU:OE1	2.18	0.61
1:C:180:ALA:HB3	1:C:183:GLU:HB2	1.81	0.61
2:D:50:TYR:HH	2:D:237:THR:HG1	1.48	0.61
1:C:124:LYS:O	1:C:128:GLN:NE2	2.33	0.60
1:C:102:ASN:HB3	1:C:105:ARG:HB2	1.83	0.60
3:A:119:LEU:HD11	3:A:220:GLY:HA3	1.83	0.59
1:C:316:CYS:SG	1:C:378:LEU:HB2	2.42	0.59
1:C:93:ILE:HG22	1:C:114:ILE:HD11	1.83	0.59
4:B:79:ASN:OD1	4:B:80:ILE:HD12	2.03	0.59
3:A:157:PRO:HG3	3:A:215:TRP:CD2	2.38	0.58
1:C:258:ASN:HB3	1:C:352:LYS:HG3	1.85	0.58
1:C:385:ALA:HA	1:C:388:TRP:CD1	2.39	0.58
3:A:124:PHE:O	3:A:128:ILE:HG12	2.03	0.58
4:B:105:ASP:O	4:B:118:ARG:NH2	2.37	0.58
2:D:20:PHE:HA	2:D:230:SER:HB2	1.85	0.58
2:D:275:SER:O	2:D:279:GLN:HB2	2.03	0.57
2:D:309:ARG:NH1	2:D:343:GLU:OE1	2.37	0.57
1:C:7:ILE:HD12	1:C:137:VAL:HG22	1.87	0.57
2:D:178:THR:HB	2:D:181:GLU:HG3	1.87	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:151:LEU:O	2:D:155:ILE:HG12	2.04	0.57
3:A:125:GLN:NE2	3:A:129:GLN:HE21	2.02	0.57
3:A:231:LYS:HB3	4:B:85:LEU:HD21	1.87	0.57
1:C:298:PRO:HB3	1:C:307:PRO:HD2	1.87	0.56
4:B:93:ILE:HA	4:B:96:LYS:HG3	1.88	0.56
4:B:5:GLN:HG2	5:E:305:VAL:HA	1.88	0.56
3:A:140:LYS:HG3	3:A:143:ILE:HB	1.86	0.56
1:C:425:MET:O	1:C:429:GLU:HG2	2.05	0.55
2:D:102:ALA:HB2	2:D:403:MET:HG3	1.88	0.55
2:D:267:MET:HE1	2:D:305:PRO:HG3	1.88	0.55
2:D:236:VAL:HG22	2:D:368:ILE:HD11	1.89	0.55
3:A:125:GLN:HE21	3:A:129:GLN:HE21	1.54	0.55
3:A:196:TYR:OH	3:A:221:MET:SD	2.54	0.55
1:C:296:PHE:HZ	1:C:351:PHE:HE2	1.55	0.54
1:C:336:LYS:O	1:C:339:ARG:NH2	2.40	0.54
1:C:98:ASP:OD1	1:C:99:ALA:N	2.39	0.54
2:D:10:GLY:O	2:D:14:ASN:ND2	2.34	0.54
1:C:313:MET:HE1	1:C:435:VAL:HG13	1.90	0.54
3:A:132:ILE:HD11	3:A:223:HIS:HA	1.89	0.54
2:D:260:PHE:HB2	2:D:263:LEU:HD13	1.91	0.53
4:B:32:ASN:HB3	4:B:40:TYR:CZ	2.43	0.53
1:C:9:VAL:HG11	1:C:146:GLY:HA2	1.90	0.53
2:D:266:PHE:HE1	2:D:370:ASN:HD22	1.56	0.53
4:B:108:MET:HA	4:B:111:LEU:HD13	1.90	0.53
1:C:298:PRO:HG2	1:C:308:ARG:CZ	2.39	0.53
2:D:64:ILE:HD11	2:D:123:GLU:HG3	1.90	0.53
2:D:279:GLN:NE2	9:D:502:TA1:O07	2.41	0.53
1:C:69:ASP:OD1	1:C:70:LEU:N	2.41	0.53
4:B:55:ILE:HD12	4:B:60:LEU:HD21	1.89	0.53
4:B:117:GLN:O	4:B:120:GLN:HG3	2.08	0.53
2:D:323:MET:HA	2:D:326:VAL:HG12	1.92	0.52
3:A:121:ASP:OD1	3:A:122:LYS:N	2.43	0.52
3:A:225:MET:O	3:A:228:THR:OG1	2.27	0.52
1:C:306:ASP:HB2	1:C:309:HIS:CD2	2.45	0.52
4:B:14:GLN:OE1	4:B:14:GLN:N	2.35	0.52
2:D:252:LYS:O	2:D:256:ASN:ND2	2.40	0.51
4:B:4:ASN:ND2	4:B:104:GLN:H	2.08	0.51
1:C:151:SER:HB3	1:C:193:THR:HG21	1.91	0.51
2:D:313:VAL:HB	2:D:349:VAL:HG22	1.93	0.51
3:A:140:LYS:HD2	3:A:143:ILE:HD12	1.93	0.51
1:C:75:ILE:O	1:C:79:ARG:N	2.36	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:178:THR:HG22	2:D:180:VAL:H	1.76	0.51
4:B:98:PHE:HD2	4:B:106:PHE:CG	2.29	0.51
2:D:21:TRP:CZ3	2:D:61:PRO:HB3	2.46	0.50
2:D:36:TYR:CD1	2:D:44:LEU:HD21	2.47	0.50
2:D:118:ASP:OD1	2:D:119:VAL:N	2.43	0.50
2:D:153:SER:HA	2:D:195:ASN:HD22	1.76	0.50
2:D:21:TRP:CZ3	2:D:24:ILE:HD11	2.47	0.50
1:C:311:LYS:HD2	1:C:342:GLN:HG2	1.94	0.50
2:D:27:GLU:O	2:D:43:GLN:NE2	2.42	0.50
1:C:26:LEU:HD12	1:C:363:VAL:HG22	1.94	0.49
3:A:196:TYR:CE1	3:A:198:PHE:HB2	2.47	0.49
4:B:110:ASP:OD2	4:B:118:ARG:NH2	2.45	0.49
4:B:66:GLN:NE2	4:B:67:GLU:OE2	2.46	0.49
4:B:70:ASP:OD1	4:B:72:HIS:ND1	2.44	0.49
1:C:76:ASP:HA	1:C:79:ARG:HB2	1.94	0.49
4:B:33:ILE:HG12	4:B:123:LEU:HD11	1.94	0.48
1:C:163:LYS:HE2	1:C:163:LYS:HA	1.95	0.48
3:A:200:GLU:N	3:A:200:GLU:OE2	2.45	0.48
3:A:159:GLN:NE2	3:A:208:SER:O	2.46	0.48
4:B:98:PHE:HA	4:B:101:ILE:HG12	1.94	0.48
1:C:172:TYR:CD1	1:C:173:PRO:HD2	2.49	0.48
1:C:67:PHE:HB2	1:C:92:LEU:HD23	1.96	0.48
3:A:233:ASP:OD1	3:A:234:MET:N	2.46	0.48
1:C:2:ARG:HD3	1:C:2:ARG:H	1.78	0.48
2:D:274:THR:HG21	2:D:282:ARG:HE	1.78	0.48
1:C:90:GLU:OE1	1:C:121:ARG:NH2	2.47	0.48
1:C:206:ASN:OD1	6:C:501:GTP:O2'	2.27	0.48
2:D:232:THR:O	2:D:236:VAL:HG23	2.14	0.47
1:C:204:VAL:HG11	1:C:231:ILE:HD11	1.96	0.47
1:C:195:LEU:O	1:C:266:HIS:NE2	2.41	0.47
1:C:70:LEU:HD12	1:C:99:ALA:HB2	1.94	0.47
1:C:244:PHE:HB2	1:C:356:ASN:HD21	1.79	0.47
2:D:67:ASP:OD1	2:D:68:LEU:N	2.48	0.47
9:D:502:TA1:O12	9:D:502:TA1:N01	2.45	0.47
3:A:222:LEU:HA	3:A:225:MET:HG2	1.97	0.47
1:C:109:THR:HG22	1:C:110:ILE:HD13	1.97	0.47
1:C:298:PRO:HG2	1:C:308:ARG:NH1	2.29	0.47
3:A:196:TYR:HE1	3:A:198:PHE:HB2	1.78	0.47
1:C:21:TRP:CZ2	1:C:65:ALA:HB2	2.49	0.47
2:D:21:TRP:CE3	2:D:24:ILE:HD11	2.50	0.46
3:A:193:ASN:ND2	4:B:108:MET:HE1	2.30	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:206:ASN:HD22	1:C:227:LEU:HD22	1.80	0.46
2:D:73:MET:HE1	2:D:92:PHE:CD1	2.51	0.46
2:D:42:LEU:HD22	2:D:356:ILE:HD11	1.97	0.46
2:D:167:PHE:CE2	2:D:233:MET:HG2	2.51	0.46
1:C:101:ASN:CG	2:D:252:LYS:HZ2	2.23	0.46
1:C:88:HIS:HD2	1:C:89:PRO:HD2	1.81	0.45
1:C:337:THR:O	1:C:339:ARG:NH1	2.49	0.45
2:D:95:SER:OG	2:D:108:GLU:OE1	2.35	0.45
2:D:189:VAL:O	2:D:193:VAL:HG23	2.17	0.45
2:D:323:MET:HE2	2:D:323:MET:HB3	1.91	0.45
3:A:157:PRO:HG2	3:A:211:GLY:HA2	1.99	0.45
2:D:166:THR:HG23	2:D:199:THR:HG23	1.98	0.45
1:C:31:GLN:HB2	1:C:35:GLN:O	2.17	0.45
1:C:139:HIS:CG	1:C:150:THR:HG21	2.52	0.45
1:C:115:ILE:HA	1:C:118:VAL:HG12	1.98	0.45
2:D:334:GLN:HE21	2:D:349:VAL:HG23	1.81	0.45
2:D:132:GLY:HA3	2:D:163:ILE:HG22	1.99	0.45
2:D:229:VAL:HG12	2:D:233:MET:HE3	1.99	0.45
1:C:119:LEU:HA	1:C:122:ILE:HG22	1.98	0.45
1:C:143:GLY:HA3	6:C:501:GTP:O2B	2.17	0.45
2:D:139:LEU:HA	2:D:145:SER:HB3	1.99	0.45
2:D:293:MET:SD	2:D:367:PHE:HB2	2.57	0.44
4:B:10:ILE:HG23	4:B:120:GLN:HE22	1.82	0.44
4:B:77:ASN:OD1	4:B:80:ILE:HB	2.17	0.44
1:C:73:THR:OG1	2:D:46:ARG:NH1	2.51	0.44
2:D:294:PHE:CE1	2:D:333:VAL:HG11	2.52	0.44
3:A:153:PHE:HZ	3:A:161:GLY:HA3	1.83	0.44
3:A:220:GLY:O	3:A:223:HIS:HB3	2.18	0.44
4:B:92:LYS:NZ	4:B:96:LYS:HE3	2.33	0.44
2:D:317:PHE:HB3	2:D:321:MET:HE1	1.99	0.44
4:B:14:GLN:NE2	4:B:15:GLU:OE1	2.51	0.44
1:C:115:ILE:O	1:C:119:LEU:HD23	2.18	0.44
2:D:246:LEU:HD23	2:D:246:LEU:HA	1.86	0.44
1:C:32:PRO:HD2	1:C:33:ASP:N	2.32	0.43
1:C:122:ILE:HD13	1:C:157:LEU:HD21	2.00	0.43
1:C:385:ALA:HA	1:C:388:TRP:HD1	1.80	0.43
2:D:64:ILE:HD12	2:D:119:VAL:HG12	1.99	0.43
2:D:170:VAL:N	2:D:202:ILE:O	2.51	0.43
2:D:190:HIS:CD2	2:D:411:ALA:HA	2.46	0.43
2:D:311:LEU:HD23	2:D:311:LEU:HA	1.89	0.43
3:A:174:ASP:CG	4:B:91:ASN:HD21	2.26	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:216:HIS:CE1	3:A:217:LYS:HG3	2.53	0.43
4:B:50:GLU:HG3	4:B:56:SER:HA	2.00	0.43
4:B:79:ASN:O	4:B:82:LEU:HG	2.18	0.43
1:C:88:HIS:HB3	1:C:91:GLN:OE1	2.19	0.43
2:D:44:LEU:HA	2:D:47:ILE:HB	1.99	0.43
3:A:290:PHE:HA	3:A:294:GLU:O	2.18	0.43
1:C:30:ILE:HG22	1:C:31:GLN:O	2.18	0.43
1:C:270:ALA:HA	1:C:378:LEU:HD23	2.00	0.43
3:A:159:GLN:OE1	3:A:210:VAL:HG12	2.18	0.43
2:D:36:TYR:O	2:D:37:HIS:ND1	2.51	0.43
3:A:237:ASN:OD1	3:A:238:LYS:N	2.51	0.43
1:C:75:ILE:HG13	1:C:94:THR:HG22	2.01	0.43
3:A:162:PHE:HE1	3:A:222:LEU:HD11	1.83	0.43
3:A:192:LYS:NZ	3:A:199:LEU:HD13	2.34	0.43
1:C:105:ARG:HG3	1:C:411:GLU:HG2	2.01	0.42
1:C:173:PRO:HG2	1:C:391:LEU:HD11	2.01	0.42
3:A:199:LEU:O	3:A:202:ILE:HG22	2.19	0.42
3:A:218:PHE:O	3:A:221:MET:HB2	2.19	0.42
1:C:264:ARG:NE	1:C:431:ASP:OD2	2.30	0.42
2:D:1:MET:O	2:D:129:CYS:HB3	2.19	0.42
2:D:344:TRP:CD1	2:D:344:TRP:H	2.37	0.42
1:C:185:TYR:O	1:C:189:LEU:HG	2.19	0.42
2:D:375:GLN:HG2	2:D:379:LYS:NZ	2.35	0.42
3:A:173:LEU:HD12	4:B:88:LEU:HG	2.01	0.42
3:A:199:LEU:O	3:A:199:LEU:HD23	2.19	0.42
3:A:210:VAL:O	3:A:215:TRP:HB2	2.19	0.42
2:D:12:CYS:SG	2:D:13:GLY:N	2.93	0.42
2:D:101:TRP:H	2:D:398:TYR:HE1	1.67	0.42
2:D:114:ASP:N	2:D:114:ASP:OD1	2.51	0.42
2:D:293:MET:HE2	2:D:365:ALA:HB1	2.02	0.42
2:D:242:PHE:HB2	2:D:354:CYS:SG	2.60	0.42
2:D:19:LYS:O	2:D:23:VAL:HG23	2.19	0.42
2:D:73:MET:HE1	2:D:92:PHE:CG	2.55	0.42
9:D:502:TA1:H432	9:D:502:TA1:H101	1.76	0.42
3:A:128:ILE:HA	3:A:131:GLU:OE2	2.20	0.42
1:C:172:TYR:OH	1:C:391:LEU:HD12	2.20	0.41
1:C:316:CYS:HA	1:C:352:LYS:O	2.20	0.41
3:A:123:ASN:OD1	3:A:124:PHE:N	2.53	0.41
4:B:46:LYS:O	4:B:49:ILE:HG22	2.20	0.41
1:C:313:MET:HE1	1:C:435:VAL:CG1	2.49	0.41
2:D:121:ARG:O	2:D:125:GLU:HG2	2.21	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:376:GLU:HA	2:D:379:LYS:NZ	2.36	0.41
3:A:167:LYS:O	3:A:171:LEU:HD23	2.20	0.41
3:A:215:TRP:CZ2	3:A:219:LEU:HB3	2.55	0.41
1:C:341:ILE:HD12	1:C:341:ILE:H	1.85	0.41
2:D:293:MET:CE	2:D:365:ALA:HB1	2.50	0.41
6:C:501:GTP:O1A	2:D:252:LYS:NZ	2.52	0.41
2:D:73:MET:HE2	2:D:73:MET:HB3	1.90	0.41
4:B:92:LYS:O	4:B:96:LYS:HG3	2.20	0.41
2:D:155:ILE:O	2:D:159:TYR:N	2.36	0.41
2:D:376:GLU:HA	2:D:379:LYS:HZ3	1.85	0.41
3:A:129:GLN:HG2	3:A:154:LEU:HD22	2.03	0.41
3:A:188:TYR:CE1	3:A:199:LEU:HD21	2.56	0.41
4:B:75:GLU:OE1	4:B:77:ASN:N	2.54	0.41
1:C:47:ASP:HB3	1:C:48:SER:H	1.61	0.41
2:D:253:LEU:HD21	2:D:368:ILE:HD12	2.04	0.41
4:B:8:PHE:HB3	4:B:128:ASN:HD22	1.86	0.41
4:B:49:ILE:HD12	4:B:52:PHE:CZ	2.55	0.40
4:B:112:TYR:C	4:B:113:LYS:HD2	2.46	0.40
2:D:156:ARG:NH1	2:D:197:ASP:OD1	2.54	0.40
1:C:150:THR:O	1:C:154:MET:HG2	2.21	0.40
1:C:154:MET:HE1	1:C:166:LYS:HD2	2.02	0.40
2:D:289:LEU:HD11	2:D:363:MET:HG2	2.02	0.40
1:C:68:VAL:HG11	1:C:149:PHE:CE2	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	C	427/451 (95%)	410 (96%)	17 (4%)	0	100	100
2	D	425/445 (96%)	411 (97%)	14 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	A	251/691 (36%)	244 (97%)	7 (3%)	0	100	100
4	B	205/451 (46%)	197 (96%)	7 (3%)	1 (0%)	25	59
5	E	25/343 (7%)	24 (96%)	1 (4%)	0	100	100
All	All	1333/2381 (56%)	1286 (96%)	46 (4%)	1 (0%)	50	79

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
4	B	179	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	C	363/377 (96%)	363 (100%)	0	100	100
2	D	368/381 (97%)	368 (100%)	0	100	100
3	A	118/652 (18%)	118 (100%)	0	100	100
4	B	123/433 (28%)	123 (100%)	0	100	100
All	All	972/1843 (53%)	972 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	88	HIS
1	C	226	ASN
2	D	57	ASN
2	D	191	GLN
2	D	329	GLN
2	D	426	GLN
3	A	129	GLN
3	A	189	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	A	193	ASN
4	B	91	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 4 ligands modelled in this entry, 1 is monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
9	TA1	D	502	-	68,68,68	0.64	1 (1%)	105,105,105	1.50	17 (16%)
6	GTP	C	501	7	26,34,34	1.13	2 (7%)	32,54,54	1.58	6 (18%)
8	GDP	D	501	-	24,30,30	0.92	1 (4%)	30,47,47	1.34	4 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	TA1	D	502	-	-	14/41/127/127	0/7/7/7
6	GTP	C	501	7	-	3/18/38/38	0/3/3/3
8	GDP	D	501	-	-	2/12/32/32	0/3/3/3

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	C	501	GTP	C5-C6	-3.94	1.39	1.47
8	D	501	GDP	C6-N1	-2.36	1.34	1.37
9	D	502	TA1	C18-C10	2.28	1.62	1.57
6	C	501	GTP	C2-N3	2.14	1.38	1.33

All (27) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	D	502	TA1	C21-C24-C25	-5.10	113.24	120.40
9	D	502	TA1	O04-C11-C14	4.35	117.60	108.09
9	D	502	TA1	O08-C20-C21	-4.20	113.82	119.30
8	D	501	GDP	PA-O3A-PB	-3.82	119.72	132.83
9	D	502	TA1	C19-C18-C17	-3.77	102.29	109.84
9	D	502	TA1	C10-C18-C20	-3.63	110.07	116.31
6	C	501	GTP	PA-O3A-PB	-3.46	120.94	132.83
6	C	501	GTP	PB-O3B-PG	-3.39	121.21	132.83
9	D	502	TA1	C02-O02-C03	3.36	124.15	117.79
9	D	502	TA1	C18-C20-C21	3.32	129.02	121.44
6	C	501	GTP	C5-C6-N1	3.28	119.75	113.95
9	D	502	TA1	C47-C45-C46	-3.19	96.86	106.26
9	D	502	TA1	C45-C24-C25	-3.19	115.20	119.61
9	D	502	TA1	C45-C24-C21	3.18	129.47	118.78
8	D	501	GDP	C3'-C2'-C1'	3.13	105.69	100.98
6	C	501	GTP	C8-N7-C5	3.09	108.87	102.99
6	C	501	GTP	C2-N1-C6	-2.98	119.61	125.10
6	C	501	GTP	C3'-C2'-C1'	2.96	105.43	100.98
9	D	502	TA1	C01-C43-C26	2.89	120.48	114.98
9	D	502	TA1	C47-C45-C24	2.66	123.62	112.83
9	D	502	TA1	C11-O04-C12	2.58	125.73	119.06
9	D	502	TA1	O09-C21-C20	2.56	115.32	108.69
8	D	501	GDP	C8-N7-C5	2.40	107.56	102.99
9	D	502	TA1	C17-C18-C20	2.31	107.93	102.59
8	D	501	GDP	C5-C6-N1	2.31	118.03	113.95
9	D	502	TA1	C19-C18-C10	2.15	119.86	113.15
9	D	502	TA1	O04-C11-C10	-2.04	105.97	109.24

There are no chirality outliers.

All (19) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
6	C	501	GTP	C5'-O5'-PA-O1A
6	C	501	GTP	C5'-O5'-PA-O2A
8	D	501	GDP	C5'-O5'-PA-O1A
9	D	502	TA1	C20-C21-O09-C22
9	D	502	TA1	O02-C03-C04-C05
9	D	502	TA1	O02-C03-C04-C09
9	D	502	TA1	O03-C03-C04-C05
9	D	502	TA1	O03-C03-C04-C09
9	D	502	TA1	O13-C28-C29-C37
9	D	502	TA1	C23-C22-O09-C21
9	D	502	TA1	C27-C28-C29-N01
8	D	501	GDP	C5'-O5'-PA-O3A
9	D	502	TA1	C24-C21-O09-C22
9	D	502	TA1	O11-C27-C28-O13
9	D	502	TA1	O10-C22-O09-C21
9	D	502	TA1	O12-C27-C28-O13
9	D	502	TA1	N01-C29-C37-C42
9	D	502	TA1	N01-C29-C37-C38
6	C	501	GTP	C5'-O5'-PA-O3A



There are no ring outliers.

2 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
9	D	502	TA1	4	0
6	C	501	GTP	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-18304. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 150




Y Index: 150




Z Index: 150


6.2.2 Raw map



X Index: 150



Y Index: 150




Z Index: 150


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 173




Y Index: 141




Z Index: 148


6.3.2 Raw map



X Index: 173



Y Index: 141



Z Index: 148

The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.004. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 430 nm^3 ; this corresponds to an approximate mass of 388 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.282 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.282 $\text{\AA}^{-1}$

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.54	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	4.44	7.42	4.54

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.44 differs from the reported value 3.54 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-18304 and PDB model 8QAU. Per-residue inclusion information can be found in [section 3](#) on [page 7](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.004 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.004).

9.4 Atom inclusion [i](#)



At the recommended contour level, 99% of all backbone atoms, 94% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.004) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.9450	0.3430
A	0.9700	0.2380
B	0.9430	0.1690
C	0.9420	0.4060
D	0.9360	0.4120
E	0.9370	0.1800

