



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 24, 2025 – 05:04 pm BST

PDB ID : 8QFX / pdb_00008qfx
Title : Human Angiotensin-1 converting enzyme N-domain in complex with the lactotripeptide IPP
Authors : Gregory, K.S.; Acharya, K.R.; Cozier, G.E.
Deposited on : 2023-09-05
Resolution : 1.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0rc1
Mogul : 1.8.4, CSD as541be (2020)
Xtrriage (Phenix) : 2.0rc1
EDS : 3.0
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.003 (Gargrove)
Density-Fitness : 1.0.11
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.44


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.





Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	4274 (1.60-1.60)
Clashscore	180529	4682 (1.60-1.60)
Ramachandran outliers	177936	4583 (1.60-1.60)
Sidechain outliers	177891	4582 (1.60-1.60)
RSRZ outliers	164620	4272 (1.60-1.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	628	 5% 87% 9% . .
1	B	628	 % 92% 5% .
1	C	628	 2% 87% 9% .
1	D	628	 2% 88% 7% . .
2	E	3	 100%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	F	3	 100%
2	G	3	 67% 33%
2	H	3	 100%
3	I	2	 100%
3	J	2	 50% 50%
3	L	2	 100%
3	N	2	 100%
4	K	3	 33% 33% 33%
5	P	2	 50% 50%
5	R	2	 100%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
16	ACT	D	712	-	-	X	-
18	PG4	C	706	-	-	X	-

2 Entry composition [i](#)

There are 20 unique types of molecules in this entry. The entry contains 23659 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Angiotensin-converting enzyme, soluble form.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	609	5129	3284	882	944	19	0	20	0
1	B	613	5138	3292	880	946	20	0	18	0
1	C	606	5075	3250	875	931	19	0	15	0
1	D	605	5069	3250	867	931	21	0	18	0

There are 32 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	9	GLN	ASN	engineered mutation	UNP P12821
A	25	GLN	ASN	engineered mutation	UNP P12821
A	82	GLN	ASN	engineered mutation	UNP P12821
A	117	GLN	ASN	engineered mutation	UNP P12821
A	131	GLN	ASN	engineered mutation	UNP P12821
A	289	GLN	ASN	engineered mutation	UNP P12821
A	545	ARG	GLN	engineered mutation	UNP P12821
A	576	LEU	PRO	engineered mutation	UNP P12821
B	9	GLN	ASN	engineered mutation	UNP P12821
B	25	GLN	ASN	engineered mutation	UNP P12821
B	82	GLN	ASN	engineered mutation	UNP P12821
B	117	GLN	ASN	engineered mutation	UNP P12821
B	131	GLN	ASN	engineered mutation	UNP P12821
B	289	GLN	ASN	engineered mutation	UNP P12821
B	545	ARG	GLN	engineered mutation	UNP P12821
B	576	LEU	PRO	engineered mutation	UNP P12821
C	9	GLN	ASN	engineered mutation	UNP P12821
C	25	GLN	ASN	engineered mutation	UNP P12821
C	82	GLN	ASN	engineered mutation	UNP P12821
C	117	GLN	ASN	engineered mutation	UNP P12821
C	131	GLN	ASN	engineered mutation	UNP P12821

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	289	GLN	ASN	engineered mutation	UNP P12821
C	545	ARG	GLN	engineered mutation	UNP P12821
C	576	LEU	PRO	engineered mutation	UNP P12821
D	9	GLN	ASN	engineered mutation	UNP P12821
D	25	GLN	ASN	engineered mutation	UNP P12821
D	82	GLN	ASN	engineered mutation	UNP P12821
D	117	GLN	ASN	engineered mutation	UNP P12821
D	131	GLN	ASN	engineered mutation	UNP P12821
D	289	GLN	ASN	engineered mutation	UNP P12821
D	545	ARG	GLN	engineered mutation	UNP P12821
D	576	LEU	PRO	engineered mutation	UNP P12821

- Molecule 2 is a protein called ILE-PRO-PRO.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
2	E	3	23	16	3	4	0	0	0
2	F	3	23	16	3	4	0	0	0
2	G	3	23	16	3	4	0	0	0
2	H	3	23	16	3	4	0	0	0


- Molecule 3 is an oligosaccharide called alpha-L-fucopyranose-(1-6)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
3	I	2	24	14	1	9	0	0	0
3	J	2	24	14	1	9	0	0	0
3	L	2	24	14	1	9	0	0	0
3	N	2	24	14	1	9	0	0	0

- Molecule 4 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[al

pha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace	
			Total	C	N				O
4	K	3	38	22	2	14	0	0	0

- Molecule 5 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace	
			Total	C	N				O
5	P	2	28	16	2	10	0	0	0
5	R	2	28	16	2	10	0	0	0

- Molecule 6 is ZINC ION (CCD ID: ZN) (formula: Zn) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	1	Total	Zn	0	0
			1	1		
6	B	1	Total	Zn	0	0
			1	1		
6	C	1	Total	Zn	0	0
			1	1		
6	D	1	Total	Zn	0	0
			1	1		

- Molecule 7 is CHLORIDE ION (CCD ID: CL) (formula: Cl) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	1	Total	Cl	0	0
			1	1		
7	B	1	Total	Cl	0	0
			1	1		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	C	1	Total Cl 1 1	0	0
7	D	1	Total Cl 1 1	0	0

- Molecule 8 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	A	1	Total Mg 1 1	0	0
8	B	1	Total Mg 1 1	0	0
8	C	1	Total Mg 1 1	0	0
8	D	1	Total Mg 1 1	0	0

- Molecule 9 is TRIETHYLENE GLYCOL (CCD ID: PGE) (formula: C₆H₁₄O₄).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	A	1	Total C O 10 6 4	0	0
9	A	1	Total C O 10 6 4	0	0
9	B	1	Total C O 10 6 4	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	C	1	Total	C	O	0	0
			10	6	4		
9	D	1	Total	C	O	0	0
			10	6	4		

- Molecule 10 is DODECAETHYLENE GLYCOL (CCD ID: 12P) (formula: $C_{24}H_{50}O_{13}$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
10	A	1	Total	C	O	0	0
			37	24	13		

- Molecule 11 is 3,6,9,12,15,18,21,24,27-NONAOXANONACOSANE-1,29-DIOL (CCD ID: XPE) (formula: $C_{20}H_{42}O_{11}$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
11	A	1	Total	C	O	0	0
			31	20	11		
11	D	1	Total	C	O	0	1
			62	40	22		

- Molecule 12 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: $C_4H_{10}O_3$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
12	A	1	Total	C	O	0	0
			7	4	3		
12	A	1	Total	C	O	0	0
			7	4	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
12	A	1	Total	C	O	0	0
			7	4	3		
12	A	1	Total	C	O	0	0
			7	4	3		
12	B	1	Total	C	O	0	0
			7	4	3		
12	B	1	Total	C	O	0	0
			7	4	3		
12	B	1	Total	C	O	0	0
			7	4	3		
12	B	1	Total	C	O	0	0
			7	4	3		
12	C	1	Total	C	O	0	0
			7	4	3		
12	D	1	Total	C	O	0	0
			7	4	3		
12	D	1	Total	C	O	0	0
			7	4	3		

- Molecule 13 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
13	A	1	Total	C	O	0	0
			4	2	2		
13	A	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
13	A	1	Total	C	O	0	0
			4	2	2		
13	A	1	Total	C	O	0	0
			4	2	2		
13	A	1	Total	C	O	0	0
			4	2	2		
13	B	1	Total	C	O	0	0
			4	2	2		
13	B	1	Total	C	O	0	0
			4	2	2		
13	B	1	Total	C	O	0	0
			4	2	2		
13	B	1	Total	C	O	0	0
			4	2	2		
13	C	1	Total	C	O	0	0
			4	2	2		
13	C	1	Total	C	O	0	0
			4	2	2		
13	C	1	Total	C	O	0	0
			4	2	2		
13	C	1	Total	C	O	0	0
			4	2	2		
13	C	1	Total	C	O	0	0
			4	2	2		
13	D	1	Total	C	O	0	0
			4	2	2		
13	D	1	Total	C	O	0	0
			4	2	2		
13	D	1	Total	C	O	0	0
			4	2	2		
13	D	1	Total	C	O	0	0
			4	2	2		

- Molecule 14 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
14	A	1	Total 14	C 8	N 1	O 5	0	0
14	A	1	Total 14	C 8	N 1	O 5	0	0
14	A	1	Total 14	C 8	N 1	O 5	0	0
14	A	1	Total 14	C 8	N 1	O 5	0	0
14	B	1	Total 14	C 8	N 1	O 5	0	0
14	B	1	Total 14	C 8	N 1	O 5	0	0
14	C	1	Total 14	C 8	N 1	O 5	0	0
14	C	1	Total 14	C 8	N 1	O 5	0	0
14	C	1	Total 14	C 8	N 1	O 5	0	0
14	D	1	Total 14	C 8	N 1	O 5	0	0
14	D	1	Total 14	C 8	N 1	O 5	0	0
14	D	1	Total 14	C 8	N 1	O 5	0	0
14	D	1	Total 14	C 8	N 1	O 5	0	0

- Molecule 15 is beta-D-mannopyranose (CCD ID: BMA) (formula: C₆H₁₂O₆).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
15	A	1	Total	C	O	0	0
			11	6	5		
15	B	1	Total	C	O	0	0
			11	6	5		
15	C	1	Total	C	O	0	0
			11	6	5		
15	D	1	Total	C	O	0	0
			11	6	5		

- Molecule 16 is ACETATE ION (CCD ID: ACT) (formula: $C_2H_3O_2^-$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
16	B	1	Total	C	O	0	0
			4	2	2		
16	C	1	Total	C	O	0	0
			4	2	2		
16	D	1	Total	C	O	0	0
			4	2	2		

- Molecule 17 is alpha-L-fucopyranose (CCD ID: FUC) (formula: C₆H₁₂O₅).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
17	B	1	Total	C	O	0	0
			10	6	4		
17	D	1	Total	C	O	0	0
			10	6	4		

- Molecule 18 is TETRAETHYLENE GLYCOL (CCD ID: PG4) (formula: C₈H₁₈O₅).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
18	C	1	Total	C	O	0	0
			13	8	5		
18	D	1	Total	C	O	0	0
			13	8	5		

- Molecule 19 is PENTAETHYLENE GLYCOL (CCD ID: 1PE) (formula: $C_{10}H_{22}O_6$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
19	C	1	Total	C	O	0	0
			16	10	6		


- Molecule 20 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
20	A	576	Total O 576 576	0	0
20	B	622	Total O 622 622	0	0
20	C	572	Total O 572 572	0	0
20	D	547	Total O 547 547	0	0
20	E	2	Total O 2 2	0	0
20	F	2	Total O 2 2	0	0
20	G	2	Total O 2 2	0	0
20	H	2	Total O 2 2	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Angiotensin-converting enzyme, soluble form




- Molecule 1: Angiotensin-converting enzyme, soluble form



- Molecule 1: Angiotensin-converting enzyme, soluble form



- Molecule 1: Angiotensin-converting enzyme, soluble form



- Molecule 2: ILE-PRO-PRO

Chain E: 

There are no outlier residues recorded for this chain.

- Molecule 2: ILE-PRO-PRO

Chain F: 

There are no outlier residues recorded for this chain.

- Molecule 2: ILE-PRO-PRO

Chain G: 



- Molecule 2: ILE-PRO-PRO

Chain H: 

There are no outlier residues recorded for this chain.

- Molecule 3: alpha-L-fucopyranose-(1-6)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I: 



- Molecule 3: alpha-L-fucopyranose-(1-6)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J: 



- Molecule 3: alpha-L-fucopyranose-(1-6)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain L:  100%

MAG1
FUC2

- Molecule 3: alpha-L-fucopyranose-(1-6)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain N:  100%

MAG1
FUC2

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain K:  33% 33% 33%

MAG1
MAG2
FUC3

- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain P:  50% 50%

MAG1
MAG2

- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain R:  100%

MAG1
MAG2

4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	74.23Å 103.39Å 115.42Å 84.95° 85.49° 81.55°	Depositor
Resolution (Å)	79.45 – 1.60 79.45 – 1.60	Depositor EDS
% Data completeness (in resolution range)	97.1 (79.45-1.60) 95.2 (79.45-1.60)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.37 (at 1.60Å)	Xtrriage
Refinement program	REFMAC 5.8.0419	Depositor
R, R_{free}	0.181 , 0.211 0.179 , 0.210	Depositor DCC
R_{free} test set	21617 reflections (4.98%)	wwPDB-VP
Wilson B-factor (Å ²)	16.4	Xtrriage
Anisotropy	0.253	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 41.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.35$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	23659	wwPDB-VP
Average B, all atoms (Å ²)	24.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 35.30 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 5.9563e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PEG, MG, PGE, FUC, PG4, BMA, CL, 1PE, ZN, 12P, EDO, XPE, NAG, ACT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.97	0/5288	1.17	19/7199 (0.3%)
1	B	1.00	0/5297	1.17	7/7212 (0.1%)
1	C	0.97	1/5231 (0.0%)	1.14	15/7120 (0.2%)
1	D	0.90	2/5234 (0.0%)	1.13	8/7126 (0.1%)
2	E	1.49	0/24	1.30	0/32
2	F	1.21	0/24	1.16	0/32
2	G	1.25	0/24	1.09	0/32
2	H	1.42	0/24	1.05	0/32
All	All	0.97	3/21146 (0.0%)	1.15	49/28785 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
1	C	0	6
1	D	0	2
All	All	0	10

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	164	HIS	CE1-NE2	6.68	1.39	1.32
1	C	483	HIS	CE1-NE2	5.39	1.38	1.32
1	D	42	HIS	CG-CD2	5.22	1.41	1.35

All (49) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	188	GLN	CB-CG-CD	-10.50	94.75	112.60
1	A	85	ASP	CB-CA-C	8.76	120.15	110.08
1	A	354	ASP	CA-CB-CG	8.06	120.66	112.60
1	C	354	ASP	CA-CB-CG	7.80	120.40	112.60
1	B	582	GLN	CB-CA-C	-7.37	98.56	110.79
1	A	85	ASP	CA-CB-CG	7.22	119.82	112.60
1	A	192	THR	CA-CB-OG1	-7.04	99.04	109.60
1	B	481	GLU	CB-CG-CD	6.95	124.42	112.60
1	A	590	GLU	CB-CG-CD	6.88	124.30	112.60
1	C	575	GLN	CB-CG-CD	-6.64	101.31	112.60
1	C	74	GLU	CB-CG-CD	-6.54	101.48	112.60
1	A	89	ARG	CA-C-N	6.26	128.96	120.44
1	A	89	ARG	C-N-CA	6.26	128.96	120.44
1	C	511	PHE	CA-CB-CG	6.17	119.97	113.80
1	A	372	TYR	CA-CB-CG	6.11	124.89	113.90
1	C	56	GLU	CB-CA-C	6.08	120.42	110.88
1	D	481	GLU	CB-CG-CD	6.00	122.80	112.60
1	C	275	PRO	CB-CA-C	-5.82	103.36	110.98
1	A	453	ARG	CG-CD-NE	-5.78	99.27	112.00
1	A	45	ASN	CA-CB-CG	5.73	118.33	112.60
1	B	354	ASP	CA-CB-CG	5.68	118.28	112.60
1	C	66	GLU	CB-CG-CD	5.68	122.25	112.60
1	A	230	ARG	NE-CZ-NH1	-5.67	115.83	121.50
1	C	45	ASN	CA-CB-CG	5.66	118.26	112.60
1	B	387	PHE	CA-CB-CG	5.65	119.45	113.80
1	D	453	ARG	CB-CG-CD	5.61	124.19	111.30
1	A	18	GLN	CB-CG-CD	5.58	122.09	112.60
1	D	598	GLN	CB-CA-C	-5.51	98.98	109.95
1	A	377	VAL	N-CA-CB	5.47	119.12	110.54
1	C	25	GLN	CB-CG-CD	5.42	121.82	112.60
1	A	151	ARG	NE-CZ-NH2	5.40	124.06	119.20
1	A	199	ARG	NE-CZ-NH1	-5.38	116.12	121.50
1	C	482	THR	CA-CB-OG1	-5.35	101.57	109.60
1	D	381	ARG	CB-CA-C	-5.35	99.21	111.95
1	B	270	PRO	N-CA-CB	-5.34	97.45	103.33
1	C	590	GLU	CB-CG-CD	5.28	121.58	112.60
1	D	507	LEU	N-CA-CB	-5.23	102.16	110.22
1	A	241	TYR	N-CA-CB	-5.20	103.70	110.88
1	D	575	GLN	CB-CG-CD	-5.18	103.79	112.60
1	A	606	ASN	CA-CB-CG	5.17	117.78	112.60
1	B	474	CYS	O-C-N	-5.16	118.22	121.88
1	C	336	ASP	CA-CB-CG	5.11	117.70	112.60
1	C	387	PHE	CA-CB-CG	5.08	118.88	113.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	215	TYR	N-CA-CB	5.08	117.69	110.06
1	D	605	ASP	CA-CB-CG	5.08	117.68	112.60
1	A	73	LYS	CB-CA-C	5.05	118.89	110.81
1	C	608	PRO	N-CA-C	5.05	125.22	112.10
1	A	151	ARG	CB-CG-CD	5.03	122.88	111.30
1	C	85	ASP	CA-CB-CG	5.01	117.61	112.60

There are no chirality outliers.

All (10) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	550	ARG	Sidechain
1	B	53	ARG	Sidechain
1	C	230	ARG	Sidechain
1	C	236	ARG	Sidechain
1	C	340	ARG	Sidechain
1	C	380	ARG	Sidechain
1	C	381	ARG	Sidechain
1	C	467	ARG	Sidechain
1	D	381	ARG	Sidechain
1	D	479	ARG	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5129	0	4887	39	0
1	B	5138	0	4902	23	0
1	C	5075	0	4834	40	0
1	D	5069	0	4835	30	0
2	E	23	0	27	0	0
2	F	23	0	27	0	0
2	G	23	0	27	1	0
2	H	23	0	27	0	0
3	I	24	0	21	0	0
3	J	24	0	21	0	0
3	L	24	0	22	3	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	N	24	0	22	3	0
4	K	38	0	34	4	0
5	P	28	0	25	3	0
5	R	28	0	25	0	0
6	A	1	0	0	0	0
6	B	1	0	0	0	0
6	C	1	0	0	0	0
6	D	1	0	0	0	0
7	A	1	0	0	0	0
7	B	1	0	0	0	0
7	C	1	0	0	0	0
7	D	1	0	0	0	0
8	A	1	0	0	0	0
8	B	1	0	0	0	0
8	C	1	0	0	0	0
8	D	1	0	0	0	0
9	A	20	0	28	3	0
9	B	10	0	14	0	0
9	C	10	0	14	2	0
9	D	10	0	14	1	0
10	A	37	0	50	9	0
11	A	31	0	42	4	0
11	D	62	0	84	12	0
12	A	28	0	40	2	0
12	B	28	0	40	3	0
12	C	7	0	10	2	0
12	D	14	0	20	0	0
13	A	20	0	30	1	0
13	B	16	0	24	3	0
13	C	20	0	30	8	0
13	D	16	0	24	3	0
14	A	56	0	51	7	0
14	B	28	0	26	8	0
14	C	42	0	39	6	0
14	D	56	0	52	9	0
15	A	11	0	10	2	0
15	B	11	0	10	4	0
15	C	11	0	10	4	0
15	D	11	0	10	2	0
16	B	4	0	3	1	0
16	C	4	0	3	1	0
16	D	4	0	3	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
17	B	10	0	10	4	0
17	D	10	0	10	3	0
18	C	13	0	18	12	0
18	D	13	0	18	1	0
19	C	16	0	22	2	0
20	A	576	0	0	4	0
20	B	622	0	0	7	0
20	C	572	0	0	12	0
20	D	547	0	0	15	0
20	E	2	0	0	0	0
20	F	2	0	0	0	0
20	G	2	0	0	0	0
20	H	2	0	0	0	0
All	All	23659	0	20495	198	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (198) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
14:A:717:NAG:O4	15:A:718:BMA:C1	1.68	1.42
14:C:716:NAG:O4	14:C:717:NAG:C1	1.69	1.39
15:C:714:BMA:C1	4:K:2:NAG:O4	1.75	1.32
14:B:714:NAG:O4	15:B:715:BMA:C1	1.77	1.32
14:A:720:NAG:O4	14:A:721:NAG:C1	1.88	1.19
1:B:155[A]:MET:HA	1:B:155[A]:MET:CE	1.73	1.18
14:B:716:NAG:O6	17:B:717:FUC:C1	1.94	1.15
14:D:715:NAG:O6	17:D:717:FUC:C1	2.03	1.07
15:D:713:BMA:C1	5:P:2:NAG:O4	2.07	1.03
11:D:705[A]:XPE:H141	20:D:1130:HOH:O	1.59	1.02
1:B:155[A]:MET:HE3	1:B:155[A]:MET:CA	1.91	0.99
1:B:155[A]:MET:HA	1:B:155[A]:MET:HE3	1.00	0.99
1:C:478:THR:H	13:C:709:EDO:H21	1.32	0.91
9:C:708:PGE:H52	20:C:1263:HOH:O	1.71	0.90
14:B:716:NAG:C6	17:B:717:FUC:C1	2.49	0.89
14:C:716:NAG:HO4	14:C:717:NAG:C1	1.84	0.89
1:C:274:LYS:HB3	1:C:275:PRO:HD2	1.52	0.88
14:D:718:NAG:O4	14:D:719:NAG:C1	2.22	0.87
9:D:701:PGE:H42	20:D:1242:HOH:O	1.76	0.86
14:C:715:NAG:C1	3:N:1:NAG:O4	2.23	0.85

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
14:A:719:NAG:C1	3:L:1:NAG:O4	2.27	0.83
14:B:714:NAG:C4	15:B:715:BMA:C1	2.57	0.82
1:B:155[A]:MET:CE	1:B:155[A]:MET:CA	2.53	0.81
1:A:235:ARG:HE	11:A:706:XPE:H21	1.44	0.81
1:B:110[B]:GLN:HG3	13:B:712:EDO:H22	1.61	0.81
1:A:66:GLU:O	1:A:70:GLN:HG3	1.82	0.80
10:A:705:12P:H231	1:C:292:HIS:HE2	1.47	0.80
19:C:707:1PE:H241	20:C:821:HOH:O	1.83	0.79
1:B:155[A]:MET:SD	1:B:615:THR:HG22	2.26	0.76
1:C:105:LEU:H	18:C:706:PG4:H11	1.51	0.75
13:C:712:EDO:H12	20:C:1255:HOH:O	1.87	0.73
14:D:715:NAG:O4	14:D:716:NAG:H2	1.88	0.72
15:C:714:BMA:C1	4:K:2:NAG:C4	2.68	0.72
1:C:104:PRO:HA	18:C:706:PG4:H22	1.71	0.71
14:D:715:NAG:O4	14:D:716:NAG:C2	2.39	0.70
14:B:716:NAG:H62	17:B:717:FUC:C1	2.22	0.69
14:A:720:NAG:C4	14:A:721:NAG:C1	2.71	0.68
1:D:157:LEU:HD11	1:D:477:VAL:HG13	1.75	0.68
11:D:705[C]:XPE:H81	20:D:890:HOH:O	1.94	0.67
1:C:102:ASN:HA	18:C:706:PG4:H71	1.75	0.67
12:B:706:PEG:H22	20:B:808:HOH:O	1.94	0.67
14:A:717:NAG:C4	15:A:718:BMA:C1	2.74	0.66
1:C:144[A]:THR:HG22	20:C:1209:HOH:O	1.95	0.66
14:D:715:NAG:O4	14:D:716:NAG:C1	2.44	0.66
1:C:24:TYR:OH	12:C:705:PEG:H22	1.96	0.66
1:C:105:LEU:H	18:C:706:PG4:C1	2.09	0.66
1:A:96:ARG:HH11	1:A:96:ARG:HG3	1.59	0.65
1:B:110[B]:GLN:HG3	13:B:712:EDO:C2	2.27	0.65
1:C:105:LEU:CB	18:C:706:PG4:H11	2.26	0.65
1:A:80:TRP:CZ2	1:A:96:ARG:HD3	2.31	0.65
1:D:188:GLN:OE1	13:D:709:EDO:H22	1.96	0.65
1:A:572:LYS:HD2	20:A:1306:HOH:O	1.97	0.65
1:C:73:LYS:O	1:C:77:GLU:HB2	1.97	0.65
1:A:187:LYS:HE3	20:A:867:HOH:O	1.97	0.64
15:C:714:BMA:C1	4:K:2:NAG:HO4	2.06	0.64
1:A:92:ILE:O	1:A:96:ARG:HG2	1.98	0.64
1:C:105:LEU:H	18:C:706:PG4:C2	2.10	0.64
1:A:235:ARG:HE	11:A:706:XPE:C2	2.10	0.63
11:D:705[A]:XPE:C14	20:D:1130:HOH:O	2.33	0.63
1:A:612:ASP:C	1:A:612:ASP:OD1	2.42	0.62
1:A:21:ALA:O	1:A:25:GLN:HG3	1.98	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
11:D:705[A]:XPE:H122	20:D:1130:HOH:O	1.99	0.62
1:A:77:GLU:HA	1:A:77:GLU:OE1	1.98	0.62
1:A:292:HIS:NE2	10:A:705:12P:H171	2.15	0.62
1:B:208:GLU:OE1	16:B:713:ACT:H1	2.00	0.62
1:A:77:GLU:OE2	1:A:96:ARG:NE	2.32	0.61
12:B:708:PEG:O1	12:B:708:PEG:H32	1.99	0.61
17:D:717:FUC:H61	20:D:1223:HOH:O	1.99	0.61
1:D:598:GLN:HG2	13:D:711:EDO:H12	1.83	0.61
19:C:707:1PE:H131	20:C:821:HOH:O	2.01	0.60
10:A:705:12P:H331	13:C:701:EDO:H21	1.84	0.60
1:A:289[A]:GLN:H	1:A:292:HIS:HD1	1.48	0.60
1:A:289[B]:GLN:H	1:A:292:HIS:HD1	1.48	0.59
14:C:716:NAG:C4	14:C:717:NAG:C1	2.79	0.59
1:C:105:LEU:HB3	18:C:706:PG4:H11	1.84	0.59
3:L:1:NAG:O5	3:L:2:FUC:H5	2.03	0.58
1:C:582:GLN:HG3	13:C:712:EDO:H21	1.84	0.58
1:C:478:THR:H	13:C:709:EDO:C2	2.13	0.57
1:D:524:PRO:HG3	5:P:2:NAG:H82	1.85	0.57
1:B:291:THR:HG23	20:B:1150:HOH:O	2.03	0.56
1:C:59:LEU:HD22	20:C:1090:HOH:O	2.05	0.56
1:C:568:GLN:HB3	13:C:711:EDO:H11	1.88	0.56
3:L:1:NAG:O7	3:L:1:NAG:H3	2.05	0.56
1:C:104:PRO:CA	18:C:706:PG4:H22	2.35	0.56
1:D:60:LEU:HD23	1:D:60:LEU:C	2.31	0.56
14:A:720:NAG:O4	14:A:721:NAG:C2	2.54	0.55
1:A:292:HIS:NE2	10:A:705:12P:C17	2.69	0.55
14:B:716:NAG:HO6	17:B:717:FUC:C1	2.16	0.55
1:D:326:ARG:HD2	14:D:718:NAG:H82	1.89	0.55
14:B:714:NAG:O4	15:B:715:BMA:C2	2.51	0.55
9:A:704:PGE:H4	9:A:704:PGE:O4	2.06	0.55
1:A:87:GLN:O	1:A:90:ARG:HB2	2.07	0.54
1:C:31:VAL:O	1:C:34:GLN:HG3	2.07	0.54
1:C:184[A]:GLU:OE2	20:C:801:HOH:O	2.18	0.54
1:B:56[B]:GLU:HG2	20:B:925:HOH:O	2.08	0.54
1:A:292:HIS:NE2	10:A:705:12P:H202	2.23	0.54
1:C:32:LEU:HD11	12:C:705:PEG:H31	1.89	0.53
1:D:60:LEU:HD23	1:D:60:LEU:O	2.08	0.53
1:C:605:ASP:O	1:C:606:ASN:HB2	2.08	0.53
1:A:77:GLU:CD	1:A:96:ARG:HE	2.15	0.52
1:B:155[A]:MET:SD	1:B:615:THR:CG2	2.97	0.52
1:B:25:GLN:OE1	1:B:376:PRO:HA	2.10	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:25:GLN:OE1	1:D:376:PRO:HA	2.09	0.52
1:A:157:LEU:HD11	1:A:477:VAL:HG13	1.91	0.52
1:C:274:LYS:HB3	1:C:275:PRO:CD	2.32	0.51
1:D:554:GLU:OE1	20:D:801:HOH:O	2.19	0.51
18:D:706:PG4:H72	20:D:1235:HOH:O	2.11	0.51
1:D:31:VAL:O	1:D:34:GLN:HG3	2.11	0.50
14:C:715:NAG:C1	14:C:715:NAG:O7	2.59	0.50
13:C:711:EDO:H21	20:C:973:HOH:O	2.12	0.50
1:C:90:ARG:HG3	1:C:90:ARG:HH11	1.77	0.50
10:A:705:12P:H231	1:C:292:HIS:NE2	2.24	0.49
1:C:232:ALA:CB	1:C:268:VAL:HG12	2.41	0.49
1:C:139:LEU:O	1:C:144[A]:THR:HG23	2.12	0.49
1:C:570:LEU:C	1:C:570:LEU:HD23	2.38	0.49
1:C:96:ARG:HG3	1:C:96:ARG:HH11	1.78	0.48
1:A:49:GLU:OE1	1:A:53:ARG:NE	2.46	0.48
1:D:29:GLU:OE2	1:D:340:ARG:NH1	2.46	0.48
1:D:507:LEU:HD13	1:D:565:LEU:CD2	2.44	0.48
16:D:712:ACT:H3	20:D:860:HOH:O	2.13	0.48
1:B:106:ALA:O	13:B:712:EDO:H22	2.13	0.48
1:C:77:GLU:HB3	1:C:78:PRO:HD3	1.96	0.48
14:D:715:NAG:C6	17:D:717:FUC:C1	2.92	0.48
1:C:105:LEU:N	18:C:706:PG4:H11	2.24	0.48
1:A:274:LYS:HB3	1:A:275:PRO:HD2	1.96	0.47
1:C:105:LEU:H	18:C:706:PG4:H22	1.77	0.47
1:B:60:LEU:HD23	1:B:60:LEU:O	2.15	0.47
1:B:605:ASP:HB3	20:B:1337:HOH:O	2.13	0.47
12:B:708:PEG:O1	12:B:708:PEG:C3	2.57	0.47
1:D:275:PRO:HG3	1:D:413:ARG:HD3	1.97	0.47
1:B:31:VAL:O	1:B:34:GLN:HG3	2.15	0.46
16:C:713:ACT:H1	20:C:1277:HOH:O	2.16	0.46
1:A:292:HIS:NE2	10:A:705:12P:C20	2.79	0.46
1:A:292:HIS:CE1	10:A:705:12P:H201	2.50	0.46
11:D:705[A]:XPE:H211	20:D:919:HOH:O	2.15	0.46
1:D:296:VAL:HG22	11:D:705[A]:XPE:H91	1.97	0.46
14:D:718:NAG:O4	14:D:719:NAG:C2	2.63	0.46
1:B:373:LYS:NZ	20:B:815:HOH:O	2.48	0.46
14:A:719:NAG:O7	14:A:719:NAG:H3	2.16	0.45
1:D:73:LYS:O	1:D:77:GLU:HB2	2.16	0.45
1:A:80:TRP:CE2	1:A:96:ARG:HD3	2.51	0.45
1:A:235:ARG:NE	11:A:706:XPE:H21	2.23	0.45
12:A:712:PEG:H42	12:A:712:PEG:H22	1.48	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:440:TYR:O	1:A:444[B]:GLN:HG2	2.16	0.45
1:D:292:HIS:NE2	11:D:705[C]:XPE:O25	2.49	0.45
9:A:704:PGE:H42	20:A:1271:HOH:O	2.17	0.45
1:C:187:LYS:HE3	20:C:967:HOH:O	2.17	0.45
1:A:49:GLU:OE1	1:A:52:ARG:NH2	2.50	0.45
1:A:212[A]:GLU:O	1:A:216:GLN:HG3	2.17	0.45
1:C:104:PRO:HA	18:C:706:PG4:H52	1.99	0.45
1:A:236:ARG:HD2	1:A:267:MET:SD	2.57	0.44
1:D:326:ARG:CD	14:D:718:NAG:H82	2.47	0.44
1:A:265:TYR:CE1	1:A:427:LYS:HB2	2.52	0.44
1:D:580:TRP:O	1:D:584:GLN:HG2	2.17	0.44
14:B:714:NAG:H4	15:B:715:BMA:C1	2.44	0.44
1:D:18[A]:GLN:HG3	20:D:1081:HOH:O	2.18	0.44
1:A:71:LYS:HZ2	13:A:711:EDO:C2	2.29	0.44
1:D:188:GLN:OE1	13:D:709:EDO:C2	2.64	0.44
1:B:541[A]:ARG:NE	1:B:545:ARG:HD2	2.33	0.43
1:D:292:HIS:CD2	11:D:705[A]:XPE:O31	2.72	0.43
1:C:406:HIS:NE2	1:C:413:ARG:NH2	2.65	0.43
14:C:715:NAG:C2	3:N:1:NAG:O4	2.65	0.43
1:A:80:TRP:HA	1:A:83:PHE:CD2	2.53	0.43
1:C:264:ILE:HB	1:C:267:MET:HE3	2.01	0.43
1:D:325:GLY:O	1:D:326:ARG:C	2.61	0.43
1:B:110[A]:GLN:NE2	20:B:801:HOH:O	2.24	0.43
1:D:25:GLN:OE1	1:D:377:VAL:N	2.51	0.43
1:A:344:ARG:HH12	12:A:712:PEG:H31	1.84	0.43
1:D:85:ASP:OD1	1:D:85:ASP:C	2.61	0.43
9:A:704:PGE:H6	2:G:1:ILE:HD12	2.00	0.43
18:C:706:PG4:H52	18:C:706:PG4:H31	1.39	0.43
10:A:705:12P:H272	13:C:701:EDO:O1	2.18	0.42
1:A:31:VAL:O	1:A:34:GLN:HG3	2.19	0.42
1:B:60:LEU:HD23	1:B:60:LEU:C	2.44	0.42
1:D:295:ARG:HB3	11:D:705[A]:XPE:C12	2.49	0.42
1:D:295:ARG:HG3	11:D:705[A]:XPE:H152	2.00	0.42
1:A:235:ARG:HB3	11:A:706:XPE:H21	2.00	0.42
3:N:1:NAG:O5	3:N:2:FUC:H5	2.19	0.42
11:D:705[C]:XPE:C9	20:D:890:HOH:O	2.66	0.42
1:A:409:GLY:HA2	20:A:1176:HOH:O	2.20	0.41
1:C:607:TYR:HA	1:C:608:PRO:HA	1.82	0.41
16:D:712:ACT:H1	20:D:987:HOH:O	2.20	0.41
1:C:232:ALA:HB3	1:C:268:VAL:HG12	2.02	0.41
9:C:708:PGE:H2	9:C:708:PGE:H42	1.83	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
15:C:714:BMA:C2	4:K:2:NAG:O4	2.59	0.41
1:D:18[A]:GLN:CG	20:D:1081:HOH:O	2.68	0.41
1:A:19:LEU:HA	1:A:22:GLN:HG3	2.02	0.41
1:B:274:LYS:HB3	1:B:275:PRO:CD	2.50	0.41
1:A:274:LYS:HB3	1:A:275:PRO:CD	2.50	0.41
1:C:73:LYS:NZ	20:C:828:HOH:O	2.53	0.41
1:D:140:ASP:HA	1:D:141:PRO:HA	1.85	0.41
1:B:274:LYS:NZ	20:B:824:HOH:O	2.52	0.41
1:D:17:ALA:HB1	1:D:92[A]:ILE:HD11	2.01	0.41
11:D:705[A]:XPE:C12	20:D:1130:HOH:O	2.64	0.41
15:D:713:BMA:C1	5:P:2:NAG:HO4	2.29	0.41
1:B:140:ASP:HA	1:B:141:PRO:HA	1.87	0.41
1:C:187:LYS:HD2	20:C:1275:HOH:O	2.20	0.41
1:D:507:LEU:HD13	1:D:565:LEU:HD23	2.03	0.41

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	625/628 (100%)	616 (99%)	9 (1%)	0	100	100
1	B	627/628 (100%)	617 (98%)	10 (2%)	0	100	100
1	C	617/628 (98%)	608 (98%)	9 (2%)	0	100	100
1	D	619/628 (99%)	610 (98%)	7 (1%)	2 (0%)	37	20
2	E	1/3 (33%)	1 (100%)	0	0	100	100
2	F	1/3 (33%)	1 (100%)	0	0	100	100
2	G	1/3 (33%)	1 (100%)	0	0	100	100
2	H	1/3 (33%)	1 (100%)	0	0	100	100
All	All	2492/2524 (99%)	2455 (98%)	35 (1%)	2 (0%)	48	28

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	326	ARG
1	D	130	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	544/540 (101%)	536 (98%)	8 (2%)	60	39
1	B	546/540 (101%)	538 (98%)	8 (2%)	60	39
1	C	537/540 (99%)	532 (99%)	5 (1%)	75	62
1	D	539/540 (100%)	532 (99%)	7 (1%)	65	46
2	E	3/3 (100%)	3 (100%)	0	100	100
2	F	3/3 (100%)	3 (100%)	0	100	100
2	G	3/3 (100%)	3 (100%)	0	100	100
2	H	3/3 (100%)	3 (100%)	0	100	100
All	All	2178/2172 (100%)	2150 (99%)	28 (1%)	65	46

All (28) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	22	GLN
1	A	29	GLU
1	A	187	LYS
1	A	239	ASP
1	A	372	TYR
1	A	388	HIS
1	A	557	LYS
1	A	612	ASP
1	B	155[A]	MET
1	B	155[B]	MET
1	B	340	ARG
1	B	372	TYR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	388	HIS
1	B	575	GLN
1	B	608	PRO
1	B	609	GLU
1	C	368	TYR
1	C	372	TYR
1	C	388	HIS
1	C	421	ASP
1	C	606	ASN
1	D	135	THR
1	D	289	GLN
1	D	368	TYR
1	D	372	TYR
1	D	388	HIS
1	D	412	ASP
1	D	557	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (29) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	30	GLN
1	A	109	GLN
1	A	203	ASN
1	A	371	GLN
1	A	588	ASN
1	B	203	ASN
1	B	289	GLN
1	B	444	GLN
1	B	575	GLN
1	B	588	ASN
1	B	606	ASN
1	C	30	GLN
1	C	70	GLN
1	C	82	GLN
1	C	109	GLN
1	C	371	GLN
1	C	582	GLN
1	C	588	ASN
1	D	22	GLN
1	D	81	GLN
1	D	203	ASN
1	D	224	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	285	GLN
1	D	292	HIS
1	D	371	GLN
1	D	444	GLN
1	D	585	ASN
1	D	588	ASN
1	D	606	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

15 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	NAG	I	1	3,1	14,14,15	0.66	0	17,19,21	1.56	3 (17%)
3	FUC	I	2	3	10,10,11	0.52	0	14,14,16	1.63	2 (14%)
3	NAG	J	1	3,1	14,14,15	0.51	0	17,19,21	1.50	3 (17%)
3	FUC	J	2	3	10,10,11	0.62	0	14,14,16	0.92	0
4	NAG	K	1	4,1	14,14,15	0.33	0	17,19,21	1.69	4 (23%)
4	NAG	K	2	4	14,14,15	0.35	0	17,19,21	1.67	3 (17%)
4	FUC	K	3	4	10,10,11	0.66	0	14,14,16	0.81	0
3	NAG	L	1	3,1	14,14,15	0.73	0	17,19,21	2.26	5 (29%)
3	FUC	L	2	3	10,10,11	0.82	0	14,14,16	1.36	2 (14%)
3	NAG	N	1	3,1	14,14,15	0.68	0	17,19,21	1.84	5 (29%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	FUC	N	2	3	10,10,11	0.52	0	14,14,16	1.24	2 (14%)
5	NAG	P	1	5,1	14,14,15	0.34	0	17,19,21	1.62	3 (17%)
5	NAG	P	2	5	14,14,15	0.45	0	17,19,21	0.98	2 (11%)
5	NAG	R	1	5,1	14,14,15	0.56	0	17,19,21	1.49	4 (23%)
5	NAG	R	2	5	14,14,15	0.57	0	17,19,21	1.22	2 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	I	1	3,1	-	0/6/23/26	0/1/1/1
3	FUC	I	2	3	-	-	0/1/1/1
3	NAG	J	1	3,1	-	0/6/23/26	0/1/1/1
3	FUC	J	2	3	-	-	0/1/1/1
4	NAG	K	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	K	2	4	-	2/6/23/26	0/1/1/1
4	FUC	K	3	4	-	-	0/1/1/1
3	NAG	L	1	3,1	-	2/6/23/26	0/1/1/1
3	FUC	L	2	3	-	-	0/1/1/1
3	NAG	N	1	3,1	-	1/6/23/26	0/1/1/1
3	FUC	N	2	3	-	-	0/1/1/1
5	NAG	P	1	5,1	-	2/6/23/26	0/1/1/1
5	NAG	P	2	5	-	2/6/23/26	0/1/1/1
5	NAG	R	1	5,1	-	0/6/23/26	0/1/1/1
5	NAG	R	2	5	-	2/6/23/26	0/1/1/1

There are no bond length outliers.

All (40) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	L	1	NAG	O3-C3-C2	6.10	122.09	109.47
4	K	1	NAG	C2-N2-C7	4.63	129.49	122.90
3	I	2	FUC	O2-C2-C3	4.62	119.39	110.14
4	K	2	NAG	C2-N2-C7	4.19	128.87	122.90
3	I	1	NAG	C1-O5-C5	4.15	117.82	112.19
5	P	1	NAG	C2-N2-C7	3.88	128.42	122.90
3	L	1	NAG	C2-N2-C7	-3.82	117.46	122.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	N	1	NAG	C2-N2-C7	3.73	128.22	122.90
4	K	2	NAG	O5-C1-C2	3.59	116.96	111.29
3	N	1	NAG	C1-O5-C5	-3.53	107.41	112.19
3	J	1	NAG	C1-O5-C5	3.39	116.78	112.19
4	K	1	NAG	O4-C4-C3	-3.28	102.75	110.35
3	L	1	NAG	C1-O5-C5	-3.24	107.80	112.19
3	J	1	NAG	O3-C3-C2	-3.19	102.87	109.47
3	N	1	NAG	C1-C2-N2	3.14	115.85	110.49
3	J	1	NAG	C2-N2-C7	3.09	127.30	122.90
3	L	2	FUC	O4-C4-C3	-3.07	103.25	110.35
3	L	1	NAG	O6-C6-C5	-3.06	100.80	111.29
3	I	1	NAG	O4-C4-C5	-3.05	101.71	109.30
5	R	1	NAG	O3-C3-C2	-3.02	103.21	109.47
5	R	1	NAG	O5-C5-C4	-2.97	103.59	110.83
5	R	1	NAG	C1-O5-C5	2.94	116.17	112.19
5	P	1	NAG	O4-C4-C3	-2.76	103.97	110.35
5	R	2	NAG	C2-N2-C7	2.70	126.75	122.90
3	N	1	NAG	O6-C6-C5	-2.68	102.08	111.29
3	L	2	FUC	O2-C2-C3	2.67	115.48	110.14
5	R	2	NAG	C1-C2-N2	-2.55	106.14	110.49
5	P	2	NAG	O5-C1-C2	2.46	115.17	111.29
3	N	1	NAG	C3-C4-C5	-2.45	105.86	110.24
4	K	1	NAG	C1-O5-C5	2.45	115.51	112.19
4	K	2	NAG	C1-C2-N2	-2.44	106.33	110.49
3	N	2	FUC	O4-C4-C3	-2.36	104.89	110.35
3	I	1	NAG	O3-C3-C2	-2.26	104.78	109.47
3	I	2	FUC	C2-C3-C4	-2.23	107.04	110.89
5	P	1	NAG	O5-C5-C4	-2.14	105.61	110.83
4	K	1	NAG	C1-C2-N2	2.12	114.11	110.49
3	N	2	FUC	C1-C2-C3	2.12	112.27	109.67
3	L	1	NAG	C3-C4-C5	-2.10	106.49	110.24
5	R	1	NAG	C1-C2-N2	2.08	114.04	110.49
5	P	2	NAG	C2-N2-C7	2.06	125.83	122.90

There are no chirality outliers.

All (11) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	P	2	NAG	C8-C7-N2-C2
5	P	2	NAG	O7-C7-N2-C2
5	P	1	NAG	O5-C5-C6-O6
5	P	1	NAG	C4-C5-C6-O6

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
4	K	2	NAG	C4-C5-C6-O6
5	R	2	NAG	O5-C5-C6-O6
5	R	2	NAG	C4-C5-C6-O6
4	K	2	NAG	O5-C5-C6-O6
3	L	1	NAG	C1-C2-N2-C7
3	L	1	NAG	C3-C2-N2-C7
3	N	1	NAG	C3-C2-N2-C7



There are no ring outliers.


6 monomers are involved in 13 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	K	2	NAG	4	0
3	N	1	NAG	3	0
3	N	2	FUC	1	0
3	L	1	NAG	3	0
5	P	2	NAG	3	0
3	L	2	FUC	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.














5.6 Ligand geometry [i](#)

Of 75 ligands modelled in this entry, 12 are monoatomic - leaving 63 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
13	EDO	A	711	-	3,3,3	0.55	0	2,2,2	1.15	0
15	BMA	A	718	-	11,11,12	0.54	0	15,15,17	1.21	2 (13%)
12	PEG	A	714	-	6,6,6	0.27	0	5,5,5	0.18	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
14	NAG	C	716	1	14,14,15	0.58	0	17,19,21	0.91	1 (5%)
12	PEG	A	712	-	6,6,6	0.36	0	5,5,5	0.40	0
9	PGE	D	701	-	9,9,9	0.35	0	8,8,8	0.37	0
13	EDO	C	701	-	3,3,3	0.40	0	2,2,2	1.20	0
10	12P	A	705	-	36,36,36	0.41	0	35,35,35	0.40	0
9	PGE	A	704	-	9,9,9	0.29	0	8,8,8	0.33	0
14	NAG	A	721	-	14,14,15	0.46	0	17,19,21	1.25	1 (5%)
14	NAG	A	717	-	14,14,15	0.43	0	17,19,21	1.60	3 (17%)
14	NAG	C	717	-	14,14,15	0.40	0	17,19,21	1.09	3 (17%)
12	PEG	B	706	-	6,6,6	0.48	0	5,5,5	0.37	0
9	PGE	C	708	-	9,9,9	0.45	0	8,8,8	0.41	0
14	NAG	A	719	-	14,14,15	0.48	0	17,19,21	2.62	4 (23%)
14	NAG	C	715	-	14,14,15	0.47	0	17,19,21	1.28	1 (5%)
12	PEG	B	708	-	6,6,6	0.47	0	5,5,5	0.33	0
13	EDO	C	711	-	3,3,3	0.29	0	2,2,2	0.05	0
12	PEG	A	709	-	6,6,6	0.19	0	5,5,5	0.12	0
12	PEG	D	707	-	6,6,6	0.17	0	5,5,5	0.42	0
17	FUC	B	717	-	10,10,11	0.47	0	14,14,16	1.28	4 (28%)
16	ACT	B	713	-	3,3,3	1.62	0	3,3,3	0.53	0
13	EDO	C	710	-	3,3,3	0.26	0	2,2,2	0.42	0
13	EDO	D	710	-	3,3,3	0.25	0	2,2,2	0.43	0
13	EDO	D	711	-	3,3,3	0.40	0	2,2,2	0.94	0
14	NAG	D	716	-	14,14,15	0.50	0	17,19,21	2.15	5 (29%)
16	ACT	D	712	-	3,3,3	1.18	0	3,3,3	0.91	0
11	XPE	A	706	-	30,30,30	0.52	0	29,29,29	0.52	0
16	ACT	C	713	-	3,3,3	1.17	0	3,3,3	1.28	0
13	EDO	A	715	-	3,3,3	0.34	0	2,2,2	0.57	0
14	NAG	D	715	1	14,14,15	0.45	0	17,19,21	1.63	3 (17%)
9	PGE	B	709	-	9,9,9	0.42	0	8,8,8	0.27	0
13	EDO	A	716	-	3,3,3	0.56	0	2,2,2	1.10	0
13	EDO	B	705	-	3,3,3	0.35	0	2,2,2	0.35	0
13	EDO	C	712	-	3,3,3	0.28	0	2,2,2	0.53	0
18	PG4	C	706	-	12,12,12	0.58	0	11,11,11	0.52	0
14	NAG	D	718	1	14,14,15	0.50	0	17,19,21	1.44	2 (11%)
13	EDO	A	710	-	3,3,3	0.86	0	2,2,2	0.91	0
15	BMA	C	714	-	11,11,12	0.75	0	15,15,17	1.39	2 (13%)
12	PEG	B	704	-	6,6,6	0.23	0	5,5,5	0.17	0
13	EDO	D	709	-	3,3,3	0.23	0	2,2,2	0.49	0
17	FUC	D	717	-	10,10,11	0.79	0	14,14,16	1.29	2 (14%)
13	EDO	C	709	-	3,3,3	0.22	0	2,2,2	0.89	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
11	XPE	D	705[C]	-	30,30,30	0.44	0	29,29,29	0.36	0
12	PEG	D	708	-	6,6,6	0.18	0	5,5,5	0.13	0
14	NAG	B	714	-	14,14,15	0.45	0	17,19,21	1.99	3 (17%)
19	1PE	C	707	-	15,15,15	0.39	0	14,14,14	0.20	0
12	PEG	C	705	-	6,6,6	0.42	0	5,5,5	0.31	0
15	BMA	B	715	-	11,11,12	0.81	1 (9%)	15,15,17	1.08	1 (6%)
13	EDO	B	710	-	3,3,3	0.31	0	2,2,2	0.67	0
9	PGE	A	708	-	9,9,9	0.33	0	8,8,8	0.18	0
15	BMA	D	713	-	11,11,12	0.67	0	15,15,17	0.82	1 (6%)
18	PG4	D	706	-	12,12,12	0.44	0	11,11,11	0.37	0
13	EDO	A	713	-	3,3,3	0.36	0	2,2,2	0.54	0
13	EDO	B	711	-	3,3,3	0.22	0	2,2,2	0.11	0
12	PEG	A	707	-	6,6,6	0.54	0	5,5,5	0.32	0
14	NAG	D	719	-	14,14,15	0.54	0	17,19,21	1.14	1 (5%)
14	NAG	A	720	1	14,14,15	0.49	0	17,19,21	1.12	1 (5%)
12	PEG	B	707	-	6,6,6	0.41	0	5,5,5	0.29	0
14	NAG	B	716	1	14,14,15	0.59	0	17,19,21	1.38	3 (17%)
13	EDO	B	712	-	3,3,3	1.43	0	2,2,2	2.05	1 (50%)
11	XPE	D	705[A]	-	30,30,30	0.28	0	29,29,29	0.21	0
13	EDO	D	714	-	3,3,3	0.18	0	2,2,2	0.14	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
13	EDO	A	711	-	-	1/1/1/1	-
15	BMA	A	718	-	-	0/2/19/22	0/1/1/1
12	PEG	A	714	-	-	4/4/4/4	-
14	NAG	C	716	1	-	1/6/23/26	0/1/1/1
12	PEG	A	712	-	-	3/4/4/4	-
9	PGE	D	701	-	-	6/7/7/7	-
13	EDO	C	701	-	-	1/1/1/1	-
10	12P	A	705	-	-	21/34/34/34	-
9	PGE	A	704	-	-	3/7/7/7	-
14	NAG	A	721	-	-	0/6/23/26	0/1/1/1
14	NAG	A	717	-	-	2/6/23/26	0/1/1/1
14	NAG	C	717	-	-	3/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
12	PEG	B	706	-	-	3/4/4/4	-
9	PGE	C	708	-	-	4/7/7/7	-
14	NAG	A	719	-	-	3/6/23/26	0/1/1/1
14	NAG	C	715	-	-	3/6/23/26	0/1/1/1
12	PEG	B	708	-	-	1/4/4/4	-
13	EDO	C	711	-	-	1/1/1/1	-
12	PEG	A	709	-	-	1/4/4/4	-
12	PEG	D	707	-	-	1/4/4/4	-
17	FUC	B	717	-	-	-	0/1/1/1
13	EDO	C	710	-	-	1/1/1/1	-
13	EDO	D	710	-	-	1/1/1/1	-
13	EDO	D	711	-	-	1/1/1/1	-
14	NAG	D	716	-	-	3/6/23/26	0/1/1/1
11	XPE	A	706	-	-	7/28/28/28	-
13	EDO	A	715	-	-	1/1/1/1	-
14	NAG	D	715	1	-	1/6/23/26	0/1/1/1
9	PGE	B	709	-	-	3/7/7/7	-
13	EDO	A	716	-	-	1/1/1/1	-
13	EDO	B	705	-	-	1/1/1/1	-
13	EDO	C	712	-	-	1/1/1/1	-
18	PG4	C	706	-	-	3/10/10/10	-
14	NAG	D	718	1	-	0/6/23/26	0/1/1/1
13	EDO	A	710	-	-	1/1/1/1	-
15	BMA	C	714	-	-	0/2/19/22	0/1/1/1
12	PEG	B	704	-	-	2/4/4/4	-
13	EDO	D	709	-	-	1/1/1/1	-
17	FUC	D	717	-	-	-	0/1/1/1
13	EDO	C	709	-	-	1/1/1/1	-
11	XPE	D	705[C]	-	-	17/28/28/28	-
12	PEG	D	708	-	-	2/4/4/4	-
14	NAG	B	714	-	-	0/6/23/26	0/1/1/1
19	1PE	C	707	-	-	9/13/13/13	-
12	PEG	C	705	-	-	2/4/4/4	-
15	BMA	B	715	-	-	0/2/19/22	0/1/1/1
13	EDO	B	710	-	-	1/1/1/1	-
9	PGE	A	708	-	-	3/7/7/7	-
15	BMA	D	713	-	-	2/2/19/22	0/1/1/1
18	PG4	D	706	-	-	8/10/10/10	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
13	EDO	A	713	-	-	0/1/1/1	-
13	EDO	B	711	-	-	1/1/1/1	-
12	PEG	A	707	-	-	2/4/4/4	-
14	NAG	D	719	-	-	2/6/23/26	0/1/1/1
14	NAG	A	720	1	-	2/6/23/26	0/1/1/1
12	PEG	B	707	-	-	2/4/4/4	-
14	NAG	B	716	1	-	3/6/23/26	0/1/1/1
13	EDO	B	712	-	-	1/1/1/1	-
11	XPE	D	705[A]	-	-	15/28/28/28	-
13	EDO	D	714	-	-	1/1/1/1	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
15	B	715	BMA	O5-C1	2.03	1.47	1.43

All (44) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	A	719	NAG	O5-C1-C2	8.09	124.06	111.29
14	B	714	NAG	O5-C1-C2	6.26	121.17	111.29
14	A	719	NAG	C2-N2-C7	5.51	130.75	122.90
14	D	716	NAG	O5-C1-C2	-5.40	102.77	111.29
14	D	716	NAG	C2-N2-C7	4.90	129.89	122.90
14	A	717	NAG	O4-C4-C3	-4.33	100.33	110.35
14	A	721	NAG	C2-N2-C7	4.18	128.85	122.90
14	D	715	NAG	O5-C1-C2	-4.07	104.85	111.29
15	C	714	BMA	O5-C1-C2	3.74	116.54	110.77
14	D	719	NAG	O5-C1-C2	-3.48	105.79	111.29
14	C	715	NAG	O5-C1-C2	-3.43	105.87	111.29
14	D	718	NAG	O3-C3-C2	-3.36	102.51	109.47
14	D	718	NAG	O5-C1-C2	-3.23	106.19	111.29
14	A	719	NAG	C1-O5-C5	3.13	116.44	112.19
14	B	714	NAG	C2-N2-C7	3.12	127.34	122.90
14	B	716	NAG	C1-C2-N2	3.11	115.80	110.49
14	B	716	NAG	C2-N2-C7	2.80	126.89	122.90
14	C	717	NAG	O5-C1-C2	2.78	115.68	111.29
14	A	717	NAG	C1-C2-N2	2.76	115.20	110.49
14	A	717	NAG	C2-N2-C7	-2.74	119.00	122.90
14	A	720	NAG	O3-C3-C2	-2.71	103.87	109.47
15	A	718	BMA	O2-C2-C3	2.68	115.51	110.14

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
17	D	717	FUC	O5-C1-C2	2.65	114.86	110.77
14	D	715	NAG	O5-C5-C4	-2.62	104.46	110.83
14	D	716	NAG	C1-O5-C5	2.61	115.73	112.19
14	B	714	NAG	O3-C3-C2	-2.50	104.29	109.47
14	D	715	NAG	C1-C2-N2	2.50	114.75	110.49
14	B	716	NAG	O6-C6-C5	-2.32	103.32	111.29
17	B	717	FUC	C1-O5-C5	2.29	117.97	112.78
15	C	714	BMA	C1-C2-C3	2.28	112.47	109.67
17	D	717	FUC	C1-C2-C3	2.25	112.44	109.67
17	B	717	FUC	O5-C1-C2	2.18	114.14	110.77
13	B	712	EDO	O2-C2-C1	2.17	127.49	111.91
14	D	716	NAG	C1-C2-N2	2.16	114.18	110.49
15	A	718	BMA	O5-C1-C2	2.16	114.10	110.77
14	D	716	NAG	O3-C3-C2	2.13	113.87	109.47
17	B	717	FUC	O4-C4-C3	-2.12	105.45	110.35
14	C	717	NAG	C2-N2-C7	2.11	125.91	122.90
15	B	715	BMA	O5-C5-C6	2.10	110.50	107.20
14	C	716	NAG	C1-O5-C5	2.10	115.03	112.19
17	B	717	FUC	C1-C2-C3	2.09	112.24	109.67
15	D	713	BMA	C1-C2-C3	2.09	112.23	109.67
14	A	719	NAG	C4-C3-C2	2.07	114.06	111.02
14	C	717	NAG	C1-C2-N2	2.07	114.02	110.49

There are no chirality outliers.

All (164) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
14	A	719	NAG	C3-C2-N2-C7
14	D	716	NAG	C8-C7-N2-C2
14	D	716	NAG	O7-C7-N2-C2
18	C	706	PG4	C3-C4-O3-C5
9	A	708	PGE	C6-C5-O3-C4
11	A	706	XPE	C12-C11-O10-C9
12	B	708	PEG	C1-C2-O2-C3
14	A	717	NAG	C8-C7-N2-C2
15	D	713	BMA	O5-C5-C6-O6
10	A	705	12P	C17-C18-O19-C20
12	A	712	PEG	C4-C3-O2-C2
10	A	705	12P	C30-C29-O28-C27
19	C	707	1PE	OH7-C16-C26-OH6
9	A	704	PGE	C6-C5-O3-C4
14	C	715	NAG	O5-C5-C6-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
15	D	713	BMA	C4-C5-C6-O6
14	A	717	NAG	O7-C7-N2-C2
14	A	719	NAG	C4-C5-C6-O6
14	A	719	NAG	O5-C5-C6-O6
14	C	715	NAG	C4-C5-C6-O6
11	D	705[C]	XPE	O22-C23-C24-O25
11	A	706	XPE	O4-C5-C6-O7
11	D	705[A]	XPE	O16-C17-C18-O19
18	C	706	PG4	O2-C3-C4-O3
14	C	715	NAG	C1-C2-N2-C7
10	A	705	12P	O28-C29-C30-O31
11	D	705[C]	XPE	O25-C26-C27-O28
11	D	705[A]	XPE	O22-C23-C24-O25
11	D	705[C]	XPE	O4-C5-C6-O7
18	D	706	PG4	O2-C3-C4-O3
9	B	709	PGE	O2-C3-C4-O3
11	D	705[A]	XPE	O7-C8-C9-O10
18	D	706	PG4	O3-C5-C6-O4
11	D	705[C]	XPE	O28-C29-C30-O31
12	A	712	PEG	O2-C3-C4-O4
12	B	706	PEG	O2-C3-C4-O4
18	D	706	PG4	O1-C1-C2-O2
9	D	701	PGE	O2-C3-C4-O3
11	D	705[C]	XPE	O19-C20-C21-O22
11	D	705[C]	XPE	O1-C2-C3-O4
12	A	709	PEG	O1-C1-C2-O2
12	C	705	PEG	O2-C3-C4-O4
18	D	706	PG4	O4-C7-C8-O5
19	C	707	1PE	OH4-C13-C23-OH3
10	A	705	12P	O16-C17-C18-O19
11	A	706	XPE	O10-C11-C12-O13
12	D	708	PEG	O1-C1-C2-O2
13	A	710	EDO	O1-C1-C2-O2
13	A	711	EDO	O1-C1-C2-O2
13	A	715	EDO	O1-C1-C2-O2
13	B	712	EDO	O1-C1-C2-O2
13	C	712	EDO	O1-C1-C2-O2
19	C	707	1PE	OH6-C15-C25-OH5
11	D	705[A]	XPE	O25-C26-C27-O28
11	D	705[C]	XPE	O7-C8-C9-O10
12	A	714	PEG	C4-C3-O2-C2
14	A	720	NAG	C4-C5-C6-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
9	D	701	PGE	O1-C1-C2-O2
11	D	705[C]	XPE	C6-C5-O4-C3
10	A	705	12P	O25-C26-C27-O28
11	D	705[A]	XPE	O1-C2-C3-O4
12	A	714	PEG	O1-C1-C2-O2
12	A	714	PEG	O2-C3-C4-O4
12	B	706	PEG	O1-C1-C2-O2
12	D	707	PEG	O1-C1-C2-O2
14	C	717	NAG	C4-C5-C6-O6
14	A	720	NAG	O5-C5-C6-O6
11	D	705[A]	XPE	C6-C5-O4-C3
19	C	707	1PE	OH5-C14-C24-OH4
9	C	708	PGE	C4-C3-O2-C2
13	D	709	EDO	O1-C1-C2-O2
9	D	701	PGE	C6-C5-O3-C4
14	C	717	NAG	O5-C5-C6-O6
14	B	716	NAG	C4-C5-C6-O6
12	A	707	PEG	O2-C3-C4-O4
10	A	705	12P	O7-C8-C9-O10
11	D	705[C]	XPE	O10-C11-C12-O13
9	B	709	PGE	O1-C1-C2-O2
13	B	711	EDO	O1-C1-C2-O2
13	C	701	EDO	O1-C1-C2-O2
13	C	709	EDO	O1-C1-C2-O2
13	C	710	EDO	O1-C1-C2-O2
10	A	705	12P	O22-C23-C24-O25
10	A	705	12P	C20-C21-O22-C23
9	B	709	PGE	O3-C5-C6-O4
11	D	705[A]	XPE	O28-C29-C30-O31
11	A	706	XPE	C27-C26-O25-C24
12	B	704	PEG	C1-C2-O2-C3
9	D	701	PGE	C4-C3-O2-C2
18	D	706	PG4	C8-C7-O4-C6
9	C	708	PGE	C3-C4-O3-C5
10	A	705	12P	C5-C6-O7-C8
19	C	707	1PE	C23-C13-OH4-C24
11	A	706	XPE	C26-C27-O28-C29
12	B	706	PEG	C1-C2-O2-C3
14	D	719	NAG	C8-C7-N2-C2
10	A	705	12P	C15-C14-O13-C12
12	B	704	PEG	C4-C3-O2-C2
9	D	701	PGE	C3-C4-O3-C5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
10	A	705	12P	O13-C14-C15-O16
12	A	707	PEG	O1-C1-C2-O2
10	A	705	12P	C6-C5-O4-C3
11	D	705[C]	XPE	C8-C9-O10-C11
9	A	708	PGE	O1-C1-C2-O2
13	D	710	EDO	O1-C1-C2-O2
13	D	711	EDO	O1-C1-C2-O2
11	D	705[A]	XPE	C21-C20-O19-C18
11	D	705[C]	XPE	C23-C24-O25-C26
10	A	705	12P	C12-C11-O10-C9
19	C	707	1PE	C16-C26-OH6-C15
18	D	706	PG4	C5-C6-O4-C7
11	D	705[A]	XPE	C15-C14-O13-C12
11	D	705[C]	XPE	C26-C27-O28-C29
18	C	706	PG4	C6-C5-O3-C4
19	C	707	1PE	C25-C15-OH6-C26
10	A	705	12P	C27-C26-O25-C24
12	A	712	PEG	O1-C1-C2-O2
11	D	705[C]	XPE	C5-C6-O7-C8
10	A	705	12P	C24-C23-O22-C21
11	D	705[A]	XPE	C30-C29-O28-C27
14	D	715	NAG	C1-C2-N2-C7
13	B	710	EDO	O1-C1-C2-O2
13	C	711	EDO	O1-C1-C2-O2
9	C	708	PGE	C6-C5-O3-C4
14	D	716	NAG	O5-C5-C6-O6
12	C	705	PEG	C1-C2-O2-C3
11	D	705[C]	XPE	C24-C23-O22-C21
9	A	704	PGE	O3-C5-C6-O4
11	D	705[C]	XPE	C20-C21-O22-C23
14	B	716	NAG	C3-C2-N2-C7
10	A	705	12P	C21-C20-O19-C18
18	D	706	PG4	C4-C3-O2-C2
14	D	719	NAG	O7-C7-N2-C2
12	B	707	PEG	O1-C1-C2-O2
9	A	704	PGE	C4-C3-O2-C2
11	A	706	XPE	C9-C8-O7-C6
12	A	714	PEG	C1-C2-O2-C3
11	D	705[C]	XPE	O13-C14-C15-O16
19	C	707	1PE	C13-C23-OH3-C22
13	A	716	EDO	O1-C1-C2-O2
11	D	705[A]	XPE	C11-C12-O13-C14

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
12	D	708	PEG	C4-C3-O2-C2
9	A	708	PGE	C3-C4-O3-C5
10	A	705	12P	O10-C11-C12-O13
11	D	705[A]	XPE	C9-C8-O7-C6
10	A	705	12P	C33-C32-O31-C30
11	D	705[A]	XPE	C12-C11-O10-C9
10	A	705	12P	O4-C5-C6-O7
11	D	705[C]	XPE	C2-C3-O4-C5
14	C	717	NAG	C8-C7-N2-C2
13	B	705	EDO	O1-C1-C2-O2
13	D	714	EDO	O1-C1-C2-O2
11	D	705[A]	XPE	O10-C11-C12-O13
18	D	706	PG4	C3-C4-O3-C5
19	C	707	1PE	C15-C25-OH5-C14
9	D	701	PGE	O3-C5-C6-O4
10	A	705	12P	O19-C20-C21-O22
14	C	716	NAG	C4-C5-C6-O6
14	B	716	NAG	O5-C5-C6-O6
10	A	705	12P	O1-C2-C3-O4
9	C	708	PGE	O2-C3-C4-O3
12	B	707	PEG	O2-C3-C4-O4
11	A	706	XPE	C23-C24-O25-C26
11	D	705[A]	XPE	O13-C14-C15-O16

There are no ring outliers.

44 monomers are involved in 107 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
13	A	711	EDO	1	0
15	A	718	BMA	2	0
14	C	716	NAG	3	0
12	A	712	PEG	2	0
9	D	701	PGE	1	0
13	C	701	EDO	2	0
10	A	705	12P	9	0
9	A	704	PGE	3	0
14	A	721	NAG	3	0
14	A	717	NAG	2	0
14	C	717	NAG	3	0
12	B	706	PEG	1	0
9	C	708	PGE	2	0
14	A	719	NAG	2	0


Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
14	C	715	NAG	3	0
12	B	708	PEG	2	0
13	C	711	EDO	2	0
17	B	717	FUC	4	0
16	B	713	ACT	1	0
13	D	711	EDO	1	0
14	D	716	NAG	3	0
16	D	712	ACT	2	0
11	A	706	XPE	4	0
16	C	713	ACT	1	0
14	D	715	NAG	5	0
13	C	712	EDO	2	0
18	C	706	PG4	12	0
14	D	718	NAG	4	0
15	C	714	BMA	4	0
13	D	709	EDO	2	0
17	D	717	FUC	3	0
13	C	709	EDO	2	0
11	D	705[C]	XPE	3	0
14	B	714	NAG	4	0
19	C	707	1PE	2	0
12	C	705	PEG	2	0
15	B	715	BMA	4	0
15	D	713	BMA	2	0
18	D	706	PG4	1	0
14	D	719	NAG	2	0
14	A	720	NAG	3	0
14	B	716	NAG	4	0
13	B	712	EDO	3	0
11	D	705[A]	XPE	9	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	609/628 (96%)	-0.17	30 (4%) 36 35	7, 19, 42, 70	20 (3%)
1	B	613/628 (97%)	-0.42	8 (1%) 74 78	6, 18, 35, 78	18 (2%)
1	C	606/628 (96%)	-0.33	15 (2%) 58 60	7, 19, 38, 90	15 (2%)
1	D	605/628 (96%)	-0.20	12 (1%) 64 67	8, 22, 41, 87	18 (2%)
2	E	3/3 (100%)	-0.92	0 100 100	13, 13, 14, 15	0
2	F	3/3 (100%)	-0.70	0 100 100	13, 13, 14, 15	0
2	G	3/3 (100%)	-0.64	0 100 100	14, 14, 14, 15	0
2	H	3/3 (100%)	-0.51	0 100 100	16, 16, 16, 17	0
All	All	2445/2524 (96%)	-0.28	65 (2%) 56 57	6, 20, 40, 90	71 (2%)

All (65) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	613	LEU	6.8
1	A	130	PRO	4.9
1	D	414	VAL	4.7
1	B	135	THR	4.6
1	A	91	ILE	4.4
1	A	135	THR	3.6
1	B	414	VAL	3.5
1	A	325	GLY	3.3
1	B	131	GLN	3.3
1	B	325	GLY	3.2
1	C	608	PRO	3.1
1	C	325	GLY	3.1
1	A	75	LEU	3.1
1	A	79	ILE	3.0
1	D	413	ARG	3.0
1	A	95	VAL	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	15	ALA	2.9
1	A	92	ILE	2.8
1	C	414	VAL	2.8
1	C	132	LYS	2.8
1	A	90	ARG	2.8
1	D	325	GLY	2.8
1	A	84	THR	2.8
1	D	135	THR	2.8
1	A	412	ASP	2.7
1	D	130	PRO	2.7
1	A	78	PRO	2.7
1	C	235[A]	ARG	2.7
1	A	76	TYR	2.7
1	A	20	PHE	2.7
1	A	81	GLN	2.6
1	C	130	PRO	2.6
1	A	12	ALA	2.6
1	B	129	LEU	2.6
1	A	414	VAL	2.6
1	B	9[A]	GLN	2.5
1	D	129	LEU	2.5
1	D	131	GLN	2.5
1	A	94	ALA	2.5
1	A	88	LEU	2.5
1	A	80	TRP	2.5
1	C	607	TYR	2.5
1	D	608	PRO	2.5
1	A	93	GLY	2.4
1	D	78	PRO	2.4
1	A	73	LYS	2.4
1	B	130	PRO	2.4
1	D	415	THR	2.3
1	C	275	PRO	2.3
1	C	415	THR	2.3
1	C	606	ASN	2.3
1	D	606	ASN	2.3
1	A	24	TYR	2.3
1	C	131	GLN	2.2
1	C	609	GLU	2.2
1	B	415	THR	2.2
1	A	25	GLN	2.2
1	C	78	PRO	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	72	ALA	2.2
1	A	83	PHE	2.2
1	C	129	LEU	2.2
1	A	22	GLN	2.1
1	D	412	ASP	2.1
1	C	273	ASP	2.0
1	A	86	PRO	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	NAG	N	1	14/15	0.83	0.14	23,30,38,39	0
3	FUC	J	2	10/11	0.84	0.15	25,33,43,45	10
3	FUC	L	2	10/11	0.85	0.14	39,43,48,48	0
4	FUC	K	3	10/11	0.86	0.14	45,49,55,60	0
3	FUC	I	2	10/11	0.87	0.13	27,30,32,34	10
4	NAG	K	2	14/15	0.88	0.12	40,46,58,60	0
3	NAG	L	1	14/15	0.90	0.10	27,34,42,43	0
3	FUC	N	2	10/11	-	-	42,49,56,63	0
3	NAG	J	1	14/15	0.93	0.10	24,31,37,43	0
4	NAG	K	1	14/15	0.93	0.08	34,41,47,53	0
3	NAG	I	1	14/15	0.95	0.08	23,27,34,35	0
5	NAG	P	1	14/15	-	-	42,51,68,72	0
5	NAG	P	2	14/15	-	-	41,54,67,68	0
5	NAG	R	1	14/15	-	-	19,25,31,31	14
5	NAG	R	2	14/15	-	-	34,42,63,64	0




The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around Chain I:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain J:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain L:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain N:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain K:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around Chain P:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q < 0.9
14	NAG	D	716	14/15	0.59	0.20	45,73,94,106	0
14	NAG	A	719	14/15	0.64	0.18	51,63,75,78	0
14	NAG	C	717	14/15	0.69	0.16	57,74,92,96	0
15	BMA	C	714	11/12	0.70	0.15	47,55,66,80	0
14	NAG	D	719	14/15	0.72	0.17	49,65,74,74	0
12	PEG	B	707	7/7	0.74	0.20	57,60,64,72	0
15	BMA	D	713	11/12	0.74	0.14	58,69,74,79	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
14	NAG	A	721	14/15	0.75	0.15	50,55,67,77	0
13	EDO	A	713	4/4	0.75	0.18	49,55,56,60	0
15	BMA	A	718	11/12	0.76	0.15	54,63,69,75	0
13	EDO	C	709	4/4	0.77	0.17	31,41,46,47	0
15	BMA	B	715	11/12	0.77	0.14	36,37,47,48	0
14	NAG	C	715	14/15	0.79	0.14	45,60,73,78	0
12	PEG	A	714	7/7	0.80	0.17	47,53,58,59	0
9	PGE	A	708	10/10	0.80	0.18	44,49,57,58	0
13	EDO	D	709	4/4	0.80	0.15	45,47,48,59	0
13	EDO	D	711	4/4	0.80	0.15	45,46,46,46	0
13	EDO	D	714	4/4	0.80	0.17	49,57,61,68	0
13	EDO	B	711	4/4	0.81	0.16	46,47,48,50	0
12	PEG	C	705	7/7	0.81	0.14	36,46,49,50	0
13	EDO	C	711	4/4	0.81	0.17	42,49,49,57	0
12	PEG	A	709	7/7	0.81	0.17	47,51,57,62	0
18	PG4	D	706	13/13	0.81	0.17	42,47,54,55	0
13	EDO	A	715	4/4	0.82	0.16	40,46,48,48	0
18	PG4	C	706	13/13	0.82	0.19	32,57,71,73	0
12	PEG	B	708	7/7	0.82	0.17	40,41,52,55	0
12	PEG	A	707	7/7	0.83	0.17	36,44,53,62	0
19	1PE	C	707	16/16	0.83	0.16	37,49,59,68	0
17	FUC	B	717	10/11	0.84	0.13	33,45,51,60	0
12	PEG	D	707	7/7	0.84	0.17	42,52,56,58	0
13	EDO	B	705	4/4	0.84	0.17	44,45,46,51	0
9	PGE	A	704	10/10	0.84	0.19	46,56,63,67	0
9	PGE	B	709	10/10	0.85	0.14	44,51,57,59	0
13	EDO	B	712	4/4	0.85	0.23	29,33,34,37	0
9	PGE	C	708	10/10	0.85	0.14	30,44,53,60	0
12	PEG	A	712	7/7	0.86	0.16	49,56,72,76	0
14	NAG	A	717	14/15	0.86	0.13	38,43,52,53	0
13	EDO	C	701	4/4	0.86	0.14	40,43,45,49	0
13	EDO	A	710	4/4	0.86	0.14	38,38,42,44	0
16	ACT	D	712	4/4	0.87	0.14	24,33,33,34	0
13	EDO	B	710	4/4	0.87	0.15	40,41,46,53	0
17	FUC	D	717	10/11	0.87	0.11	37,47,52,52	0
13	EDO	C	710	4/4	0.87	0.12	42,44,46,54	0
14	NAG	A	720	14/15	0.87	0.11	27,31,37,39	0
13	EDO	A	716	4/4	0.87	0.14	26,37,38,43	0
12	PEG	B	706	7/7	0.88	0.14	46,47,49,58	0
9	PGE	D	701	10/10	0.88	0.14	38,44,47,48	0
14	NAG	B	716	14/15	0.88	0.11	29,36,44,46	0
13	EDO	C	712	4/4	0.88	0.13	41,42,46,53	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
14	NAG	C	716	14/15	0.88	0.12	25,31,41,42	14
10	12P	A	705	37/37	0.88	0.14	32,43,59,63	0
11	XPE	D	705[A]	31/31	0.89	0.16	26,34,37,37	31
13	EDO	D	710	4/4	0.89	0.13	31,31,40,43	0
11	XPE	D	705[C]	31/31	0.89	0.16	33,39,54,57	31
14	NAG	D	715	14/15	0.89	0.10	28,31,42,48	0
14	NAG	D	718	14/15	0.90	0.10	26,30,35,39	14
13	EDO	A	711	4/4	0.90	0.13	34,36,37,39	0
12	PEG	D	708	7/7	0.91	0.11	48,49,54,56	0
14	NAG	B	714	14/15	0.91	0.12	27,31,40,41	0
16	ACT	B	713	4/4	0.91	0.17	28,28,34,38	0
12	PEG	B	704	7/7	0.92	0.10	34,40,47,48	0
11	XPE	A	706	31/31	0.93	0.11	19,34,47,48	0
16	ACT	C	713	4/4	0.93	0.11	22,28,29,32	0
8	MG	D	704	1/1	0.97	0.14	29,29,29,29	0
8	MG	A	703	1/1	0.99	0.05	20,20,20,20	0
8	MG	C	704	1/1	0.99	0.07	23,23,23,23	0
6	ZN	A	701	1/1	0.99	0.02	14,14,14,14	0
6	ZN	B	701	1/1	0.99	0.03	12,12,12,12	0
6	ZN	C	702	1/1	0.99	0.02	13,13,13,13	0
6	ZN	D	702	1/1	0.99	0.02	16,16,16,16	0
7	CL	B	702	1/1	1.00	0.02	14,14,14,14	0
7	CL	C	703	1/1	1.00	0.02	14,14,14,14	0
7	CL	D	703	1/1	1.00	0.02	16,16,16,16	0
7	CL	A	702	1/1	1.00	0.02	15,15,15,15	0
8	MG	B	703	1/1	1.00	0.05	11,11,11,11	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around 12P A 705:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around XPE D 705 (A):


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around XPE D 705 (C):




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)








Electron density around ZN A 701:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZN B 701:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZN C 702:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZN D 702:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




Electron density around CL B 702:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CL C 703:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around CL D 703:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.