



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 24, 2025 – 01:38 pm BST

PDB ID : 8S0S / pdb_00008s0s
Title : A fragment-based inhibitor of SHP2
Authors : Cleasby, A.; Price, A.
Deposited on : 2024-02-14
Resolution : 1.94 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0rc1
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 2.0rc1
EDS : 3.0
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.003 (Gargrove)
Density-Fitness : 1.0.11
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.44


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.94 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	1306 (1.94-1.94)
Clashscore	180529	1400 (1.94-1.94)
Ramachandran outliers	177936	1387 (1.94-1.94)
Sidechain outliers	177891	1387 (1.94-1.94)
RSRZ outliers	164620	1306 (1.94-1.94)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	537	
1	B	537	

2 Entry composition i

There are 3 unique types of molecules in this entry. The entry contains 8532 atoms, of which 46 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Tyrosine-protein phosphatase non-receptor type 11.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	494	4003	2518	712	755	18	0	0	0
1	B	489	3966	2495	711	742	18	0	1	0

There are 18 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	0	HIS	-	expression tag	UNP Q06124
A	529	LEU	-	expression tag	UNP Q06124
A	530	GLU	-	expression tag	UNP Q06124
A	531	HIS	-	expression tag	UNP Q06124
A	532	HIS	-	expression tag	UNP Q06124
A	533	HIS	-	expression tag	UNP Q06124
A	534	HIS	-	expression tag	UNP Q06124
A	535	HIS	-	expression tag	UNP Q06124
A	536	HIS	-	expression tag	UNP Q06124
B	0	HIS	-	expression tag	UNP Q06124
B	529	LEU	-	expression tag	UNP Q06124
B	530	GLU	-	expression tag	UNP Q06124
B	531	HIS	-	expression tag	UNP Q06124
B	532	HIS	-	expression tag	UNP Q06124
B	533	HIS	-	expression tag	UNP Q06124
B	534	HIS	-	expression tag	UNP Q06124
B	535	HIS	-	expression tag	UNP Q06124
B	536	HIS	-	expression tag	UNP Q06124

- Molecule 2 is (1R,5S)-8-[7-(4-chloranyl-2-methyl-indazol-5-yl)-5H-pyrrolo[2,3-b]pyrazin-3-yl]-8-azabicyclo[3.2.1]octan-3-amine (CCD ID: A1H4H) (formula: C₂₁H₂₂ClN₇) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	Cl	H			N
2	A	1	52	21	1	23	7	0	0
2	B	1	52	21	1	23	7	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
3	A	243	243	243	0	0
3	B	216	216	216	0	0


3 Residue-property plots i

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Tyrosine-protein phosphatase non-receptor type 11



- Molecule 1: Tyrosine-protein phosphatase non-receptor type 11



HIS
HIS
HIS

4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	45.72Å 213.73Å 55.84Å 90.00° 96.96° 90.00°	Depositor
Resolution (Å)	55.44 – 1.94 55.44 – 1.94	Depositor EDS
% Data completeness (in resolution range)	99.7 (55.44-1.94) 99.7 (55.44-1.94)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.19 (at 1.94Å)	Xtrriage
Refinement program	REFMAC 5.8.0232	Depositor
R, R_{free}	0.215 , 0.258 0.222 , 0.263	Depositor DCC
R_{free} test set	3958 reflections (5.05%)	wwPDB-VP
Wilson B-factor (Å ²)	36.2	Xtrriage
Anisotropy	0.274	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 44.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	8532	wwPDB-VP
Average B, all atoms (Å ²)	47.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 13.26% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: A1H4H

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.78	0/4083	0.97	8/5504 (0.1%)
1	B	0.78	0/4047	0.95	6/5451 (0.1%)
All	All	0.78	0/8130	0.96	14/10955 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2
1	B	0	3
All	All	0	5

There are no bond length outliers.

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	458	HIS	O-C-N	6.68	130.14	122.99
1	A	438	PHE	CA-CB-CG	6.13	119.93	113.80
1	B	458	HIS	CA-C-N	5.98	132.96	121.54
1	B	458	HIS	C-N-CA	5.98	132.96	121.54
1	A	458	HIS	CA-C-N	5.82	132.66	121.54
1	A	458	HIS	C-N-CA	5.82	132.66	121.54
1	B	33	PRO	N-CA-CB	5.61	108.31	103.31
1	A	37	ASN	CA-C-N	5.58	124.94	118.85
1	A	37	ASN	C-N-CA	5.58	124.94	118.85
1	B	454	PRO	N-CA-CB	5.28	107.94	103.35
1	A	299	GLU	CA-C-N	5.13	126.25	119.84
1	A	299	GLU	C-N-CA	5.13	126.25	119.84

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	371	TRP	CA-C-N	-5.05	115.36	120.31
1	B	371	TRP	C-N-CA	-5.05	115.36	120.31

There are no chirality outliers.

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	265	ARG	Sidechain
1	A	4	ARG	Sidechain
1	B	265	ARG	Sidechain
1	B	480	ARG	Sidechain
1	B	5	ARG	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4003	0	3929	30	0
1	B	3966	0	3909	28	0
2	A	29	23	0	0	0
2	B	29	23	0	0	0
3	A	243	0	0	1	0
3	B	216	0	0	3	0
All	All	8486	46	7838	58	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (58) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:5:ARG:HB2	1:A:103:ASN:OD1	1.79	0.83
1:B:141:GLN:NE2	3:B:701:HOH:O	2.27	0.66
1:A:65:LEU:C	1:A:65:LEU:HD23	2.21	0.65
1:A:11:ILE:HD11	1:A:19:LEU:HD12	1.79	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:65:LEU:HD23	1:A:66:TYR:N	2.15	0.62
1:B:65:LEU:C	1:B:65:LEU:HD23	2.26	0.61
1:A:362:ARG:HH11	1:A:426:HIS:CD2	2.21	0.59
1:A:59:THR:HG21	1:A:426:HIS:CE1	2.38	0.58
1:A:114:HIS:O	1:A:115:GLY:C	2.48	0.57
1:B:54:ILE:HD11	1:B:96:ILE:HD13	1.88	0.55
1:A:162:ASP:N	1:A:162:ASP:OD1	2.40	0.54
1:A:397:THR:OG1	1:A:421:ARG:NE	2.35	0.53
1:B:34:SER:OG	1:B:55:LYS:NZ	2.42	0.53
1:B:193:LEU:C	1:B:193:LEU:HD23	2.34	0.53
1:B:6:TRP:HB3	1:B:101:PRO:HB3	1.90	0.53
1:A:6:TRP:HB3	1:A:101:PRO:HB3	1.92	0.51
1:A:65:LEU:C	1:A:65:LEU:CD2	2.85	0.50
1:A:233:LEU:O	1:A:245:GLN:HB3	2.12	0.50
1:B:114:HIS:HB2	1:B:117:LEU:HD12	1.92	0.49
1:A:525:LEU:O	1:A:526:GLN:C	2.55	0.49
1:A:114:HIS:HB2	1:A:117:LEU:HD12	1.95	0.49
1:A:278:ARG:NH2	1:A:333:CYS:O	2.47	0.48
1:A:149:LEU:HD23	1:A:202:MET:HE1	1.96	0.48
1:B:80:TYR:CE1	1:B:281:ASN:ND2	2.82	0.48
1:B:265:ARG:HD3	3:B:794:HOH:O	2.14	0.48
1:B:65:LEU:HD23	1:B:66:TYR:N	2.29	0.47
1:B:81:TYR:CD1	1:B:88:LEU:HB2	2.49	0.47
1:B:37:ASN:ND2	3:B:721:HOH:O	2.49	0.46
1:B:523:GLU:OE2	1:B:527:ARG:NH1	2.49	0.46
1:A:418:TYR:HB3	1:A:438:PHE:CE1	2.51	0.46
1:B:134:SER:HA	1:B:214:GLN:O	2.15	0.46
1:A:309:ILE:HD13	1:A:328:ILE:HG12	1.98	0.46
1:A:54:ILE:HD11	1:A:96:ILE:HD13	1.97	0.45
1:B:385:VAL:HA	1:B:402:LYS:O	2.16	0.45
1:B:70:LYS:HD2	1:B:279:TYR:CD1	2.52	0.45
1:A:278:ARG:HG2	1:A:279:TYR:CE2	2.52	0.45
1:B:479:ILE:O	1:B:483:GLY:N	2.48	0.44
1:B:110:GLU:OE2	1:B:191:THR:OG1	2.32	0.44
1:B:28:SER:HA	1:B:100:TYR:O	2.17	0.44
1:B:309:ILE:HD13	1:B:328:ILE:HG12	1.99	0.44
1:A:255:GLN:OE1	1:A:498:ARG:NH1	2.47	0.43
1:A:275:ASN:N	3:A:707:HOH:O	2.38	0.43
1:B:65:LEU:HD23	1:B:66:TYR:O	2.19	0.43
1:B:77:LEU:C	1:B:77:LEU:HD23	2.44	0.43
1:B:109:SER:CB	1:B:256:GLN:HG3	2.48	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:467:GLY:HA2	1:B:504:MET:HE3	2.00	0.43
1:A:355:MET:HE3	1:A:367:CYS:SG	2.59	0.42
1:B:65:LEU:C	1:B:65:LEU:CD2	2.92	0.42
1:B:54:ILE:HD11	1:B:96:ILE:CD1	2.49	0.42
1:A:11:ILE:CD1	1:A:19:LEU:HD12	2.47	0.41
1:A:514:ILE:O	1:A:518:VAL:HG23	2.20	0.41
1:A:89:LYS:HA	1:A:94:ASP:O	2.21	0.41
1:B:418:TYR:HB3	1:B:438:PHE:CE1	2.55	0.41
1:A:114:HIS:CB	1:A:117:LEU:HD12	2.51	0.41
1:A:28:SER:HA	1:A:100:TYR:O	2.21	0.41
1:A:125:LEU:HB3	1:A:216:LEU:HD21	2.03	0.41
1:B:303:ASP:OD1	1:B:303:ASP:C	2.65	0.40
1:A:114:HIS:CE1	1:A:218:THR:HG21	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	480/537 (89%)	461 (96%)	16 (3%)	3 (1%)	22	12
1	B	476/537 (89%)	463 (97%)	11 (2%)	2 (0%)	30	22
All	All	956/1074 (89%)	924 (97%)	27 (3%)	5 (0%)	25	15

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	459	CYS
1	B	459	CYS
1	A	505	VAL
1	B	505	VAL
1	A	144	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	440/479 (92%)	431 (98%)	9 (2%)	50	38
1	B	435/479 (91%)	425 (98%)	10 (2%)	45	33
All	All	875/958 (91%)	856 (98%)	19 (2%)	47	35

All (19) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	35	LYS
1	A	109	SER
1	A	118	SER
1	A	156	ASP
1	A	162	ASP
1	A	228	SER
1	A	364	LYS
1	A	382	VAL
1	A	527	ARG
1	B	3	SER
1	B	102	LEU
1	B	118	SER
1	B	205	THR
1	B	216	LEU
1	B	265	ARG
1	B	278	ARG
1	B	364	LYS
1	B	367	CYS
1	B	481	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	87	GLN
1	A	196	HIS
1	A	245	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	293	HIS
1	A	426	HIS
1	B	10	ASN
1	B	196	HIS
1	B	200	ASN
1	B	408	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	A1H4H	B	601	-	30,34,34	1.14	3 (10%)	31,52,52	1.76	5 (16%)
2	A1H4H	A	601	-	30,34,34	1.16	4 (13%)	31,52,52	1.72	5 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	A1H4H	B	601	-	-	2/8/37/37	0/7/6/6
2	A1H4H	A	601	-	-	3/8/37/37	0/7/6/6

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	601	A1H4H	C17-N21	3.11	1.41	1.36
2	A	601	A1H4H	C17-N21	2.90	1.40	1.36
2	A	601	A1H4H	C17-N16	2.70	1.36	1.32
2	B	601	A1H4H	C17-N16	2.37	1.35	1.32
2	B	601	A1H4H	C7-C5	2.24	1.42	1.39
2	A	601	A1H4H	C7-C5	2.24	1.42	1.39
2	A	601	A1H4H	C18-N19	2.09	1.35	1.31

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	601	A1H4H	C17-N16-C15	-7.27	112.18	117.65
2	A	601	A1H4H	C17-N16-C15	-7.23	112.21	117.65
2	A	601	A1H4H	C18-N19-C20	-3.50	113.29	116.78
2	B	601	A1H4H	C18-N19-C20	-3.42	113.37	116.78
2	B	601	A1H4H	C8-C7-C12	-2.43	115.33	119.27
2	A	601	A1H4H	C24-C25-N21	2.29	103.64	102.11
2	A	601	A1H4H	C17-C18-N19	2.23	123.80	121.67
2	B	601	A1H4H	C17-C18-N19	2.16	123.73	121.67
2	A	601	A1H4H	C29-C27-C26	2.10	112.37	110.25
2	B	601	A1H4H	C29-C27-C26	2.05	112.32	110.25

There are no chirality outliers.

All (5) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	601	A1H4H	N16-C17-N21-C25
2	B	601	A1H4H	N16-C17-N21-C25
2	A	601	A1H4H	C18-C17-N21-C25
2	B	601	A1H4H	C18-C17-N21-C25
2	A	601	A1H4H	C13-C12-C7-C5

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths,

bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	494/537 (91%)	1.03	82 (16%) 5 6	22, 44, 82, 105	0
1	B	489/537 (91%)	1.01	73 (14%) 7 7	23, 45, 76, 100	1 (0%)
All	All	983/1074 (91%)	1.02	155 (15%) 6 7	22, 45, 79, 105	1 (0%)

All (155) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	86	GLY	6.0
1	A	525	LEU	5.7
1	B	109	SER	4.8
1	B	426	HIS	4.7
1	A	527	ARG	4.5
1	A	177	LEU	4.4
1	A	117	LEU	4.3
1	B	177	LEU	4.2
1	A	368	VAL	4.1
1	A	84	HIS	4.1
1	B	88	LEU	4.0
1	A	301	VAL	4.0
1	A	485	ASP	4.0
1	B	484	VAL	3.9
1	B	368	VAL	3.8
1	B	89	LYS	3.8
1	B	248	TRP	3.7
1	A	484	VAL	3.6
1	B	226	ILE	3.6
1	A	210	LEU	3.5
1	A	248	TRP	3.5
1	A	296	ASP	3.5
1	B	485	ASP	3.5
1	A	93	GLY	3.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	221	ILE	3.4
1	A	226	ILE	3.4
1	B	36	SER	3.3
1	A	522	ILE	3.3
1	A	526	GLN	3.3
1	A	486	CYS	3.2
1	A	299	GLU	3.2
1	A	116	HIS	3.2
1	A	181	VAL	3.1
1	B	11	ILE	3.1
1	A	66	TYR	3.1
1	B	206	LEU	3.1
1	B	3	SER	3.1
1	A	324	LYS	3.1
1	B	522	ILE	3.0
1	B	293[A]	HIS	3.0
1	B	181	VAL	3.0
1	A	212	LEU	3.0
1	B	294	ASP	3.0
1	A	38	PRO	2.9
1	A	300	PRO	2.9
1	A	524	THR	2.9
1	B	117	LEU	2.9
1	A	95	VAL	2.9
1	A	203	VAL	2.9
1	A	224	ALA	2.9
1	A	275	ASN	2.8
1	A	294	ASP	2.8
1	A	451	ASP	2.8
1	B	524	THR	2.8
1	A	488	ILE	2.8
1	A	206	LEU	2.8
1	A	120	LYS	2.8
1	B	367	CYS	2.8
1	B	295	GLY	2.8
1	B	363	GLY	2.8
1	A	119	GLY	2.7
1	A	88	LEU	2.7
1	A	426	HIS	2.7
1	B	14	VAL	2.7
1	B	203	VAL	2.7
1	A	450	MET	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	57	GLN	2.7
1	A	235	LYS	2.7
1	A	476	ILE	2.7
1	B	96	ILE	2.7
1	A	167	VAL	2.6
1	B	95	VAL	2.6
1	A	10	ASN	2.6
1	A	187	PHE	2.6
1	B	119	GLY	2.6
1	B	324	LYS	2.6
1	B	221	ILE	2.6
1	B	528	ARG	2.6
1	B	525	LEU	2.6
1	B	451	ASP	2.6
1	B	52	THR	2.6
1	B	205	THR	2.6
1	A	162	ASP	2.6
1	A	87	GLN	2.5
1	A	105	ALA	2.5
1	A	512	ARG	2.5
1	B	231	ARG	2.4
1	B	362	ARG	2.4
1	B	526	GLN	2.4
1	B	275	ASN	2.4
1	A	156	ASP	2.4
1	A	279	TYR	2.4
1	A	523	GLU	2.4
1	B	232	GLU	2.4
1	B	233	LEU	2.4
1	A	278	ARG	2.4
1	B	235	LYS	2.4
1	A	246	GLY	2.4
1	B	335	GLN	2.4
1	A	164	LYS	2.3
1	A	478	ILE	2.3
1	B	478	ILE	2.3
1	A	223	ALA	2.3
1	B	224	ALA	2.3
1	A	427	GLY	2.3
1	A	48	ASN	2.3
1	A	205	THR	2.3
1	B	246	GLY	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	174	CYS	2.3
1	B	108	THR	2.3
1	B	171	MET	2.3
1	A	196	HIS	2.3
1	A	437	ASP	2.3
1	A	11	ILE	2.3
1	A	35	LYS	2.3
1	A	171	MET	2.3
1	A	118	SER	2.3
1	B	66	TYR	2.3
1	B	120	LYS	2.2
1	B	170	VAL	2.2
1	B	147	PHE	2.2
1	B	142	SER	2.2
1	B	527	ARG	2.2
1	B	210	LEU	2.2
1	A	89	LYS	2.2
1	A	335	GLN	2.2
1	B	227	GLU	2.2
1	B	94	ASP	2.2
1	A	247	PHE	2.2
1	B	187	PHE	2.2
1	B	98	LEU	2.2
1	B	154	GLY	2.2
1	B	476	ILE	2.2
1	B	225	GLU	2.2
1	A	183	GLY	2.2
1	B	336	ASN	2.2
1	B	148	VAL	2.1
1	A	231	ARG	2.1
1	A	408	GLN	2.1
1	B	57	GLN	2.1
1	B	313	GLU	2.1
1	B	518	VAL	2.1
1	B	279	TYR	2.1
1	A	207	GLY	2.1
1	B	116	HIS	2.0
1	B	425	ASP	2.0
1	A	482	LYS	2.0
1	B	166	LYS	2.0
1	B	274	LYS	2.0
1	A	407	GLY	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	141	GLN	2.0
1	A	209	VAL	2.0
1	A	230	VAL	2.0
1	A	34	SER	2.0
1	A	228	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	A1H4H	B	601	29/29	0.91	0.11	27,38,46,49	52
2	A1H4H	A	601	29/29	0.92	0.10	34,43,54,56	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around A1H4H B 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around A1H4H A 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.