



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 26, 2025 – 04:17 PM EST

PDB ID : 8ULC
Title : LSD1-CoREST in complex with T15, long soaking
Authors : Caroli, J.; Mattevi, A.
Deposited on : 2023-10-16
Resolution : 2.82 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 1.21
EDS : 3.0
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.004 (Gargrove)
Density-Fitness : 1.0.11
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.40


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.82 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	4293 (2.84-2.80)
Clashscore	180529	4801 (2.84-2.80)
Ramachandran outliers	177936	4739 (2.84-2.80)
Sidechain outliers	177891	4741 (2.84-2.80)
RSRZ outliers	164620	4295 (2.84-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	871	 2% 57% 18% 24%
2	B	144	 15% 62% 26% 8%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 6360 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Lysine-specific histone demethylase 1A.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	666	5217	3324	906	967	20	0	0	0

There are 19 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-18	GLY	-	expression tag	UNP O60341
A	-17	SER	-	expression tag	UNP O60341
A	-16	SER	-	expression tag	UNP O60341
A	-15	HIS	-	expression tag	UNP O60341
A	-14	HIS	-	expression tag	UNP O60341
A	-13	HIS	-	expression tag	UNP O60341
A	-12	HIS	-	expression tag	UNP O60341
A	-11	HIS	-	expression tag	UNP O60341
A	-10	HIS	-	expression tag	UNP O60341
A	-9	SER	-	expression tag	UNP O60341
A	-8	SER	-	expression tag	UNP O60341
A	-7	GLY	-	expression tag	UNP O60341
A	-6	LEU	-	expression tag	UNP O60341
A	-5	VAL	-	expression tag	UNP O60341
A	-4	PRO	-	expression tag	UNP O60341
A	-3	ARG	-	expression tag	UNP O60341
A	-2	GLY	-	expression tag	UNP O60341
A	-1	SER	-	expression tag	UNP O60341
A	0	HIS	-	expression tag	UNP O60341


- Molecule 2 is a protein called REST corepressor 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	133	1076	676	194	203	3	0	0	0

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	297	GLY	-	expression tag	UNP Q9UKL0
B	298	PRO	-	expression tag	UNP Q9UKL0
B	299	LEU	-	expression tag	UNP Q9UKL0
B	300	GLY	-	expression tag	UNP Q9UKL0
B	301	SER	-	expression tag	UNP Q9UKL0
B	302	PRO	-	expression tag	UNP Q9UKL0
B	303	GLU	-	expression tag	UNP Q9UKL0
B	304	PHE	-	expression tag	UNP Q9UKL0

- Molecule 3 is methyl 3-{(1R,3S,3aS,13R)-8-[(2S,3S,4R)-5-{{(S)-[(S)-{(2R,3S,4R,5R)-5-(6-amino-9H-purin-9-yl)-3,4-dihydroxyoxolan-2-yl)methoxy}(hydroxy)phosphoryl]oxy}(hydroxy)phosphoryl]oxy}-2,3,4-trihydroxypentyl]-1-hydroxy-10,11-dimethyl-4,6-dioxo-2,3,4,5,6,8-hexahydro-1H-benzo[g]pyrrolo[2,1-e]pteridin-3-yl}benzoate (non-preferred name) (three-letter code: XRK) (formula: C₃₈H₄₅N₉O₁₈P₂) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	N	O			P
3	A	1	67	38	9	18	2	0	0

3 Residue-property plots i


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Lysine-specific histone demethylase 1A



- Molecule 2: REST corepressor 1





4 Data and refinement statistics

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants a, b, c, α , β , γ	118.32Å 179.61Å 234.35Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.54 – 2.82 48.54 – 2.82	Depositor EDS
% Data completeness (in resolution range)	96.5 (48.54-2.82) 97.1 (48.54-2.82)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.58 (at 2.81Å)	Xtrriage
Refinement program	PHENIX 1.18.2_3874	Depositor
R, R_{free}	0.231 , 0.255 0.226 , 0.238	Depositor DCC
R_{free} test set	58443 reflections (3.33%)	wwPDB-VP
Wilson B-factor (Å ²)	77.2	Xtrriage
Anisotropy	0.499	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 52.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	6360	wwPDB-VP
Average B, all atoms (Å ²)	85.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.39% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: XRK

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.64	2/5331 (0.0%)	0.77	3/7232 (0.0%)
2	B	0.56	0/1091	0.76	0/1471
All	All	0.63	2/6422 (0.0%)	0.76	3/8703 (0.0%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	801	GLU	CD-OE2	-7.27	1.17	1.25
1	A	801	GLU	CD-OE1	-5.71	1.19	1.25

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	479	LEU	CB-CG-CD1	-5.96	100.88	111.00
1	A	693	LEU	CB-CG-CD2	5.34	120.08	111.00
1	A	448	MET	CG-SD-CE	5.19	108.51	100.20

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5217	0	5252	154	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	1076	0	1091	58	0
3	A	67	0	0	5	0
All	All	6360	0	6343	184	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (184) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:716:GLU:HG2	1:A:750:ARG:HG2	1.18	1.11
2:B:388:GLN:HG2	2:B:428:PHE:CE2	1.87	1.08
2:B:388:GLN:HG2	2:B:428:PHE:HE2	1.17	1.05
2:B:383:TRP:CZ2	2:B:412:LYS:HD3	1.93	1.01
2:B:383:TRP:CE2	2:B:412:LYS:HD3	1.98	0.99
1:A:427:GLN:NE2	1:A:518:ASP:HA	1.86	0.91
1:A:427:GLN:HE22	1:A:518:ASP:HA	1.35	0.89
1:A:801:GLU:HG3	1:A:809:ALA:HA	1.53	0.88
1:A:456:LYS:HA	2:B:370:TYR:CE1	2.09	0.88
1:A:447:LYS:NZ	1:A:497:LEU:HD21	1.89	0.85
1:A:656:PHE:O	1:A:752:ARG:NH2	2.11	0.84
1:A:447:LYS:HZ2	1:A:497:LEU:HD21	1.42	0.80
1:A:456:LYS:HA	2:B:370:TYR:HE1	1.44	0.80
1:A:690:GLU:OE1	1:A:726:ARG:NH1	2.15	0.79
1:A:518:ASP:OD2	1:A:518:ASP:N	2.12	0.78
1:A:583:ASP:OD2	1:A:585:LYS:NZ	2.17	0.78
1:A:566:THR:HG21	1:A:697:LEU:HD22	1.65	0.77
1:A:435:VAL:HG13	2:B:349:ILE:CD1	2.14	0.77
1:A:325:TYR:CE1	1:A:665:CYS:HB3	2.19	0.77
1:A:273:LEU:HD12	1:A:273:LEU:N	2.00	0.75
1:A:509:GLN:NE2	1:A:509:GLN:HA	2.02	0.74
1:A:435:VAL:CG1	2:B:349:ILE:HD13	2.18	0.73
1:A:509:GLN:HA	1:A:509:GLN:HE21	1.52	0.73
1:A:451:LEU:HD23	1:A:494:TYR:HB2	1.71	0.72
1:A:325:TYR:HE1	1:A:665:CYS:HB3	1.55	0.71
1:A:370:VAL:HG21	1:A:528:ILE:HD13	1.72	0.71
1:A:435:VAL:HG13	2:B:349:ILE:HD11	1.73	0.71
1:A:441:LEU:HD23	2:B:356:ASN:HD22	1.55	0.70
1:A:435:VAL:HG12	2:B:349:ILE:HD13	1.74	0.70
1:A:524:ARG:HG2	1:A:524:ARG:HH21	1.58	0.69
1:A:511:LEU:HD23	1:A:511:LEU:N	2.08	0.69

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:441:LEU:HD23	2:B:356:ASN:ND2	2.09	0.68
1:A:446:ASN:OD1	2:B:359:LEU:HD21	1.95	0.67
1:A:524:ARG:HG2	1:A:524:ARG:NH2	2.08	0.67
1:A:592:GLN:NE2	1:A:638:GLN:OE1	2.28	0.67
1:A:449:VAL:HG22	2:B:363:LEU:HD21	1.77	0.66
2:B:383:TRP:CZ2	2:B:420:PHE:HB2	2.29	0.66
1:A:366:ASN:OD1	1:A:367:GLY:N	2.28	0.66
2:B:416:GLN:HA	2:B:419:ASN:HB2	1.78	0.64
1:A:384:ARG:NH2	2:B:312:LYS:O	2.25	0.64
1:A:316:ARG:NH1	3:A:901:XRK:O12	2.31	0.63
2:B:437:TRP:O	2:B:440:GLU:HG3	1.98	0.63
1:A:672:ASP:HB3	1:A:675:VAL:HG12	1.81	0.63
1:A:499:GLU:HA	1:A:499:GLU:OE1	1.98	0.62
1:A:524:ARG:HH21	1:A:524:ARG:CG	2.12	0.62
1:A:484:HIS:CD2	2:B:372:LEU:HD13	2.34	0.62
1:A:435:VAL:CG1	2:B:349:ILE:CD1	2.77	0.62
1:A:438:GLN:HE21	1:A:508:LEU:HD21	1.65	0.62
1:A:308:GLU:OE1	3:A:901:XRK:O15	2.17	0.62
2:B:388:GLN:HG2	2:B:428:PHE:CZ	2.32	0.62
1:A:661:LYS:HD3	1:A:704:LEU:HD21	1.83	0.61
1:A:734:ILE:HD12	1:A:734:ILE:N	2.15	0.61
2:B:400:ARG:NH2	2:B:438:GLU:OE2	2.19	0.60
1:A:308:GLU:OE2	3:A:901:XRK:O16	2.19	0.59
2:B:376:ILE:HG13	2:B:376:ILE:O	2.03	0.59
2:B:370:TYR:N	2:B:370:TYR:HD2	2.01	0.59
1:A:188:MET:HE1	1:A:200:ILE:HA	1.85	0.59
1:A:456:LYS:CA	2:B:370:TYR:HE1	2.16	0.58
1:A:225:PRO:O	1:A:348:GLN:NE2	2.36	0.58
2:B:388:GLN:CG	2:B:428:PHE:HE2	2.06	0.58
2:B:370:TYR:N	2:B:370:TYR:CD2	2.72	0.58
1:A:257:GLU:HG3	1:A:263:ASN:HD22	1.69	0.57
1:A:198:ASP:OD2	1:A:251:ARG:NH2	2.38	0.57
1:A:456:LYS:HA	2:B:370:TYR:CD1	2.40	0.57
1:A:609:SER:O	1:A:609:SER:OG	2.23	0.57
1:A:447:LYS:HZ1	1:A:497:LEU:HD21	1.71	0.56
1:A:722:VAL:O	1:A:726:ARG:HG3	2.04	0.56
1:A:730:ILE:O	1:A:734:ILE:HD13	2.06	0.56
1:A:801:GLU:HG3	1:A:809:ALA:CA	2.30	0.56
2:B:412:LYS:HG3	2:B:416:GLN:HG3	1.88	0.55
1:A:509:GLN:HE21	1:A:509:GLN:CA	2.16	0.55
2:B:383:TRP:CZ2	2:B:412:LYS:CD	2.82	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:456:LYS:HG3	2:B:370:TYR:CE1	2.41	0.55
1:A:780:ILE:HB	1:A:796:LEU:HB3	1.89	0.55
1:A:231:PHE:HE1	1:A:249:VAL:HG12	1.72	0.54
1:A:449:VAL:HG22	2:B:363:LEU:CD2	2.38	0.54
1:A:449:VAL:CG2	2:B:363:LEU:HD21	2.38	0.54
1:A:280:LYS:HD3	1:A:303:ASP:CG	2.28	0.54
1:A:280:LYS:HD3	1:A:303:ASP:HB3	1.90	0.54
1:A:452:LYS:HE3	2:B:366:GLY:O	2.07	0.54
1:A:770:GLY:O	1:A:805:ARG:HG3	2.08	0.54
1:A:273:LEU:HD12	1:A:273:LEU:H	1.69	0.53
1:A:441:LEU:CD2	2:B:356:ASN:HD22	2.21	0.53
1:A:456:LYS:HG3	2:B:370:TYR:HE1	1.74	0.53
1:A:533:PHE:O	1:A:537:GLU:HG3	2.08	0.53
1:A:235:LEU:HD21	1:A:246:THR:HG22	1.91	0.53
1:A:511:LEU:N	1:A:511:LEU:CD2	2.72	0.53
1:A:370:VAL:HG21	1:A:528:ILE:CD1	2.39	0.52
1:A:680:HIS:CD2	1:A:730:ILE:HD13	2.45	0.52
1:A:335:THR:O	1:A:335:THR:OG1	2.24	0.51
1:A:734:ILE:N	1:A:734:ILE:CD1	2.73	0.51
1:A:198:ASP:N	1:A:198:ASP:OD1	2.44	0.51
1:A:322:LYS:O	1:A:325:TYR:HB2	2.10	0.51
1:A:366:ASN:OD1	1:A:368:GLN:N	2.41	0.51
1:A:497:LEU:CD1	1:A:497:LEU:N	2.74	0.51
1:A:219:GLN:HG2	1:A:223:ASP:OD2	2.12	0.50
1:A:344:VAL:O	1:A:348:GLN:HG3	2.12	0.50
1:A:451:LEU:CD2	1:A:494:TYR:HB2	2.39	0.50
1:A:486:ASP:OD2	2:B:398:TYR:OH	2.27	0.50
1:A:180:GLN:HA	1:A:339:GLY:HA2	1.93	0.50
1:A:273:LEU:N	1:A:273:LEU:CD1	2.72	0.50
1:A:437:THR:CG2	1:A:508:LEU:HD23	2.42	0.49
2:B:369:PRO:HB2	2:B:370:TYR:CD2	2.46	0.49
1:A:437:THR:HG21	1:A:508:LEU:HD23	1.94	0.49
2:B:399:GLY:N	2:B:437:TRP:CD1	2.81	0.49
2:B:418:LYS:O	2:B:421:PHE:HB2	2.12	0.49
1:A:325:TYR:HD1	1:A:665:CYS:SG	2.36	0.48
1:A:484:HIS:CD2	2:B:372:LEU:CD1	2.96	0.48
1:A:504:LEU:N	1:A:504:LEU:HD23	2.26	0.48
1:A:601:GLU:OE1	1:A:617:LYS:HE2	2.13	0.48
2:B:369:PRO:HB2	2:B:370:TYR:HD2	1.79	0.48
2:B:415:VAL:O	2:B:418:LYS:N	2.46	0.48
1:A:287:GLY:O	1:A:291:LEU:HD12	2.13	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:665:CYS:HB2	1:A:745:GLU:O	2.13	0.48
1:A:548:SER:O	1:A:552:TRP:HB3	2.14	0.48
1:A:724:VAL:O	1:A:728:LEU:HG	2.13	0.48
2:B:412:LYS:CG	2:B:416:GLN:HG3	2.43	0.47
1:A:273:LEU:HD13	1:A:273:LEU:O	2.14	0.47
1:A:693:LEU:HD23	1:A:694:PHE:N	2.30	0.47
1:A:319:THR:HB	1:A:572:SER:HB3	1.97	0.47
1:A:449:VAL:O	1:A:453:GLU:HG2	2.15	0.47
1:A:832:ALA:HB1	1:A:834:TYR:CE1	2.50	0.47
1:A:280:LYS:HD3	1:A:303:ASP:CB	2.45	0.46
1:A:325:TYR:CD1	1:A:665:CYS:HB3	2.48	0.46
1:A:536:LEU:HA	1:A:536:LEU:HD23	1.70	0.46
1:A:672:ASP:HB3	1:A:675:VAL:CG1	2.46	0.46
1:A:484:HIS:HD2	2:B:372:LEU:HD13	1.77	0.46
1:A:601:GLU:HA	1:A:616:TYR:O	2.15	0.46
1:A:374:LYS:HZ3	1:A:374:LYS:HG3	1.62	0.45
1:A:439:GLU:OE2	2:B:352:ILE:CD1	2.63	0.45
1:A:695:TRP:HB3	1:A:697:LEU:HG	1.98	0.45
1:A:802:HIS:ND1	1:A:802:HIS:N	2.60	0.45
1:A:542:THR:HG1	1:A:546:THR:HG1	1.56	0.45
2:B:415:VAL:O	2:B:419:ASN:N	2.32	0.45
1:A:695:TRP:CE3	1:A:697:LEU:HD11	2.52	0.45
1:A:231:PHE:CE1	1:A:249:VAL:HG12	2.52	0.45
1:A:693:LEU:HD23	1:A:694:PHE:H	1.81	0.44
1:A:280:LYS:HD2	1:A:303:ASP:O	2.17	0.44
1:A:205:GLN:O	1:A:209:VAL:HG23	2.18	0.44
1:A:247:VAL:O	1:A:251:ARG:HB2	2.17	0.44
1:A:439:GLU:HG2	2:B:352:ILE:HD13	1.99	0.44
1:A:494:TYR:CD2	1:A:494:TYR:O	2.70	0.44
1:A:370:VAL:CG2	1:A:528:ILE:CD1	2.95	0.44
1:A:665:CYS:O	1:A:744:LYS:N	2.50	0.44
2:B:318:GLN:O	2:B:321:VAL:HG22	2.17	0.44
1:A:672:ASP:O	1:A:675:VAL:HG12	2.16	0.44
1:A:198:ASP:CG	1:A:251:ARG:HH22	2.20	0.44
2:B:368:GLU:N	2:B:369:PRO:CD	2.81	0.44
1:A:283:ILE:HG12	1:A:622:LEU:HB3	2.00	0.43
1:A:718:ILE:HG22	1:A:723:ILE:HG13	2.00	0.43
1:A:188:MET:HG2	1:A:210:PHE:HE2	1.83	0.43
1:A:456:LYS:CB	2:B:370:TYR:HE1	2.30	0.43
1:A:537:GLU:HG2	1:A:544:LEU:CD2	2.48	0.43
1:A:732:LYS:HG2	1:A:737:SER:HA	2.01	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:329:THR:O	2:B:333:THR:HG23	2.18	0.43
2:B:363:LEU:HD23	2:B:363:LEU:N	2.32	0.43
1:A:311:ASP:OD1	1:A:311:ASP:N	2.44	0.43
1:A:594:ARG:HB2	1:A:601:GLU:HG2	2.00	0.43
1:A:791:GLN:HA	1:A:792:PRO:HD3	1.84	0.42
1:A:479:LEU:HD12	1:A:479:LEU:HA	1.87	0.42
1:A:537:GLU:HG2	1:A:544:LEU:HD21	2.01	0.42
2:B:417:VAL:O	2:B:421:PHE:HD2	2.02	0.42
1:A:183:LEU:HD13	1:A:214:ARG:HD2	2.00	0.42
1:A:255:TYR:CD2	1:A:256:LEU:HD23	2.55	0.42
1:A:469:LYS:HA	1:A:469:LYS:HE2	2.00	0.42
1:A:470:PRO:HA	1:A:472:ARG:HG2	2.00	0.42
1:A:691:LEU:HD23	1:A:691:LEU:HA	1.84	0.42
1:A:315:GLY:HA3	3:A:901:XRK:O11	2.20	0.42
1:A:231:PHE:CZ	1:A:250:HIS:HB2	2.55	0.41
1:A:291:LEU:HD21	1:A:579:ALA:HB2	2.01	0.41
1:A:568:ARG:HH21	1:A:699:LYS:HA	1.86	0.41
1:A:456:LYS:CG	2:B:370:TYR:HE1	2.33	0.41
1:A:832:ALA:HB1	1:A:834:TYR:CZ	2.55	0.41
1:A:268:LYS:HA	1:A:268:LYS:HD3	1.62	0.41
1:A:267:TYR:CD1	1:A:267:TYR:N	2.88	0.41
2:B:395:ILE:HG22	2:B:433:VAL:HG12	2.03	0.41
1:A:287:GLY:HA3	3:A:901:XRK:O13	2.22	0.40
1:A:444:LEU:CD1	1:A:500:THR:CG2	2.99	0.40
2:B:318:GLN:O	2:B:322:GLU:OE1	2.39	0.40
1:A:380:GLN:HA	1:A:383:ASN:HD22	1.86	0.40
1:A:632:GLN:NE2	1:A:758:ARG:HH21	2.20	0.40
2:B:327:ASN:ND2	2:B:330:ALA:HB2	2.36	0.40
1:A:430:HIS:O	1:A:433:LYS:HB2	2.21	0.40
1:A:750:ARG:NH1	1:A:750:ARG:HG3	2.36	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	664/871 (76%)	643 (97%)	21 (3%)	0	100	100
2	B	131/144 (91%)	128 (98%)	3 (2%)	0	100	100
All	All	795/1015 (78%)	771 (97%)	24 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	566/715 (79%)	525 (93%)	41 (7%)	12	33
2	B	117/125 (94%)	105 (90%)	12 (10%)	6	18
All	All	683/840 (81%)	630 (92%)	53 (8%)	10	29

All (53) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	191	GLN
1	A	237	GLN
1	A	238	LEU
1	A	239	GLU
1	A	266	ILE
1	A	268	LYS
1	A	270	ILE
1	A	271	LYS
1	A	273	LEU
1	A	275	THR
1	A	332	MET
1	A	335	THR
1	A	351	MET
1	A	373	GLU
1	A	374	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	433	LYS
1	A	437	THR
1	A	466	SER
1	A	472	ARG
1	A	473	ASP
1	A	504	LEU
1	A	506	GLU
1	A	507	LYS
1	A	510	GLU
1	A	511	LEU
1	A	512	GLU
1	A	518	ASP
1	A	524	ARG
1	A	526	ARG
1	A	528	ILE
1	A	543	PRO
1	A	564	HIS
1	A	591	ARG
1	A	610	THR
1	A	645	GLU
1	A	734	ILE
1	A	750	ARG
1	A	785	SER
1	A	786	ILE
1	A	791	GLN
1	A	801	GLU
2	B	364	ASP
2	B	368	GLU
2	B	370	TYR
2	B	371	ARG
2	B	374	GLU
2	B	388	GLN
2	B	390	LEU
2	B	409	ILE
2	B	412	LYS
2	B	414	VAL
2	B	415	VAL
2	B	418	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	237	GLN
1	A	383	ASN
1	A	427	GLN
1	A	438	GLN
1	A	484	HIS
1	A	509	GLN
1	A	514	ASN
1	A	806	ASN
2	B	435	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	XRK	A	901	-	67,74,74	1.41	12 (17%)	83,115,115	1.64	11 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	XRK	A	901	-	-	13/40/112/112	0/7/8/8

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	901	XRK	O4-C20	-3.47	1.36	1.43
3	A	901	XRK	C35-N8	-3.34	1.29	1.36
3	A	901	XRK	P2-O10	-2.89	1.56	1.59
3	A	901	XRK	C36-N9	-2.74	1.33	1.37
3	A	901	XRK	P1-O10	-2.68	1.56	1.59
3	A	901	XRK	C27-N4	-2.53	1.30	1.34
3	A	901	XRK	C11-N1	-2.38	1.37	1.41
3	A	901	XRK	O17-C35	-2.25	1.19	1.24
3	A	901	XRK	C18-C11	-2.16	1.37	1.41
3	A	901	XRK	P1-O8	-2.09	1.45	1.55
3	A	901	XRK	C26-N3	-2.04	1.44	1.49
3	A	901	XRK	P2-O11	-2.01	1.46	1.55

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	901	XRK	C37-C8-C7	6.83	126.69	116.08
3	A	901	XRK	C11-N1-C10	-6.36	109.33	123.92
3	A	901	XRK	C36-C37-C34	-5.45	103.73	113.40
3	A	901	XRK	C8-C9-C10	-3.80	96.58	104.25
3	A	901	XRK	C36-N9-C35	-3.53	120.10	125.42
3	A	901	XRK	C25-O14-C26	-3.38	106.83	109.92
3	A	901	XRK	C6-C7-C8	-2.73	115.62	121.07
3	A	901	XRK	C28-C29-N5	2.29	123.79	120.31
3	A	901	XRK	O17-C35-N8	-2.23	118.10	121.80
3	A	901	XRK	O11-P2-O12	2.05	121.98	112.44
3	A	901	XRK	C38-C7-C8	2.01	125.97	120.63

There are no chirality outliers.

All (13) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	901	XRK	O6-C22-C23-O7
3	A	901	XRK	C23-O7-P1-O9
3	A	901	XRK	C3-C2-O1-C1

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	A	901	XRK	O2-C2-O1-C1
3	A	901	XRK	P1-O10-P2-O12
3	A	901	XRK	P2-O10-P1-O7
3	A	901	XRK	C23-O7-P1-O10
3	A	901	XRK	C23-O7-P1-O8
3	A	901	XRK	P1-O10-P2-O11
3	A	901	XRK	C21-C22-C23-O7
3	A	901	XRK	O13-C24-C25-O14
3	A	901	XRK	O4-C20-C21-C22
3	A	901	XRK	O4-C20-C21-O5

There are no ring outliers.

1 monomer is involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	901	XRK	5	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	666/871 (76%)	0.14	20 (3%) 52 44	49, 78, 112, 131	0
2	B	133/144 (92%)	1.12	21 (15%) 6 5	78, 110, 133, 142	0
All	All	799/1015 (78%)	0.30	41 (5%) 34 27	49, 83, 120, 142	0

All (41) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	836	LEU	5.6
2	B	376	ILE	4.4
2	B	315	PHE	4.3
2	B	308	ARG	4.1
1	A	275	THR	3.9
2	B	340	MET	3.7
2	B	323	ALA	3.6
1	A	171	PRO	3.6
2	B	427	ARG	3.4
1	A	272	PRO	3.1
2	B	428	PHE	3.0
2	B	426	ARG	3.0
2	B	375	VAL	3.0
2	B	382	ARG	3.0
1	A	833	MET	2.9
1	A	467	GLU	2.8
1	A	273	LEU	2.8
1	A	556	ASP	2.8
1	A	508	LEU	2.8
1	A	835	THR	2.7
2	B	381	ALA	2.6
1	A	377	MET	2.6
1	A	557	ASP	2.6
2	B	422	VAL	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	440	GLU	2.4
1	A	786	ILE	2.4
2	B	378	LYS	2.4
2	B	336	ARG	2.4
2	B	421	PHE	2.3
1	A	403	ASN	2.2
1	A	506	GLU	2.2
1	A	509	GLN	2.2
2	B	313	GLY	2.2
2	B	337	GLN	2.2
1	A	226	LYS	2.1
1	A	699	LYS	2.1
2	B	431	ASP	2.1
2	B	325	SER	2.1
1	A	447	LYS	2.0
2	B	348	GLN	2.0
1	A	269	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	XRK	A	901	67/67	0.94	0.11	42,60,83,89	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [i](#)

There are no such residues in this entry.