



Full wwPDB EM Validation Report ⓘ

Jun 17, 2025 – 04:21 AM JST

PDB ID : 8WMI / pdb_00008wmi
EMDB ID : EMD-37653
Title : Cryo-EM structure of DiCas7-11 mutant in complex with crRNA
Authors : Ma, H.Y.; Tang, X.D.
Deposited on : 2023-10-03
Resolution : 3.53 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev118
MolProbity : 4-5-2 with Phenix2.0rc1
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.44


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.53 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415
RNA backbone	6643	2191

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	R	39	
2	A	1601	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 10763 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called crRNA (39-MER).

Mol	Chain	Residues	Atoms					AltConf	Trace
1	R	39	Total	C	N	O	P	0	0
			826	369	139	279	39		

- Molecule 2 is a protein called CRISPR-associated RAMP family protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	A	1237	Total	C	N	O	S	0	0
			9933	6292	1771	1822	48		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	429	ALA	ASP	engineered mutation	UNP A0A401FT36
A	654	ALA	ASP	engineered mutation	UNP A0A401FT36


- Molecule 3 is ZINC ION (CCD ID: ZN) (formula: Zn) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		AltConf
3	A	4	Total	Zn	0
			4	4	


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: crRNA (39-MER)



- Molecule 2: CRISPR-associated RAMP family protein



T1008	VAL	GLU	LYS	PHE	GLU	LYS	ALA	GLY	GLU	LYS
	GLU	LYS	ASN	ASN	ALA	PHE	ILE	ALA	GLY	GLN
	LEU	LYS	ARG	ARG	GLN	GLU	THR	THR	THR	THR
	SER	LYS	ARG	ARG	ILE	ILE	PHE	PHE	PHE	PHE
	GLY	GLY	LYS	LYS	PRO	PRO	ILE	ILE	ILE	ILE
K1408	D1273	ASN	ASN	ASN	GLU	GLU	ASN	GLN	GLN	LYS
	ASN	GLU	GLU	PRO	GLU	ASN	ASP	GLN	LYS	THR
	GLU	GLU	GLU	GLU	GLU	GLU	GLY	VAL	ASN	GLN
	GLU	GLU	GLU	GLU	GLU	GLU	GLY	VAL	GLU	GLU
	GLU	GLU	GLU	GLU	GLU	GLU	GLY	VAL	GLU	GLU
E1437	D1286	GLU	GLU	ASP	GLU	CYS	THR	TYR	TYR	ASP
	GLU	GLU	GLU	ASP	GLU	CYS	THR	TYR	TYR	ASP
	GLU	GLU	GLU	ASP	GLU	CYS	THR	TYR	TYR	ASP
	GLU	GLU	GLU	ASP	GLU	CYS	THR	TYR	TYR	ASP
	GLU	GLU	GLU	ASP	GLU	CYS	THR	TYR	TYR	ASP
N1442	D1297	GLU	GLU	ASP	GLU	CYS	THR	TYR	TYR	ASP
	GLU	GLU	GLU	ASP	GLU	CYS	THR	TYR	TYR	ASP
	GLU	GLU	GLU	ASP	GLU	CYS	THR	TYR	TYR	ASP
	GLU	GLU	GLU	ASP	GLU	CYS	THR	TYR	TYR	ASP
	GLU	GLU	GLU	ASP	GLU	CYS	THR	TYR	TYR	ASP
K1479	R1304	GLY	GLY	GLY	GLY	GLY	GLY	VAL	VAL	GLN
	GLY	GLY	GLY	GLY	GLY	GLY	GLY	VAL	VAL	GLN
	GLY	GLY	GLY	GLY	GLY	GLY	GLY	VAL	VAL	GLN
	GLY	GLY	GLY	GLY	GLY	GLY	GLY	VAL	VAL	GLN
	GLY	GLY	GLY	GLY	GLY	GLY	GLY	VAL	VAL	GLN
H1483	C1312	TYR	TYR	TYR	TYR	TYR	TYR	HIS	ASN	GLN
	TYR	TYR	TYR	TYR	TYR	TYR	TYR	HIS	ASN	GLN
	TYR	TYR	TYR	TYR	TYR	TYR	TYR	HIS	ASN	GLN
	TYR	TYR	TYR	TYR	TYR	TYR	TYR	HIS	ASN	GLN
	TYR	TYR	TYR	TYR	TYR	TYR	TYR	HIS	ASN	GLN
R1513	H1313	THR	THR	THR	THR	THR	THR	GLY	GLY	ASN
	THR	THR	THR	THR	THR	THR	THR	GLY	GLY	ASN
	THR	THR	THR	THR	THR	THR	THR	GLY	GLY	ASN
	THR	THR	THR	THR	THR	THR	THR	GLY	GLY	ASN
	THR	THR	THR	THR	THR	THR	THR	GLY	GLY	ASN
E1518	G1314	ASP	ASP	ASP	ASP	ASP	ASP	THR	THR	GLN
	ASP	ASP	ASP	ASP	ASP	ASP	ASP	THR	THR	GLN
	ASP	ASP	ASP	ASP	ASP	ASP	ASP	THR	THR	GLN
	ASP	ASP	ASP	ASP	ASP	ASP	ASP	THR	THR	GLN
	ASP	ASP	ASP	ASP	ASP	ASP	ASP	THR	THR	GLN
E1532	TRP	TRP	TRP	TRP	TRP	TRP	TRP	GLY	GLY	ASN
	TRP	TRP	TRP	TRP	TRP	TRP	TRP	GLY	GLY	ASN
	TRP	TRP	TRP	TRP	TRP	TRP	TRP	GLY	GLY	ASN
	TRP	TRP	TRP	TRP	TRP	TRP	TRP	GLY	GLY	ASN
	TRP	TRP	TRP	TRP	TRP	TRP	TRP	GLY	GLY	ASN
D1539	VAL	VAL	VAL	VAL	VAL	VAL	VAL	GLY	GLY	ASN
	VAL	VAL	VAL	VAL	VAL	VAL	VAL	GLY	GLY	ASN
	VAL	VAL	VAL	VAL	VAL	VAL	VAL	GLY	GLY	ASN
	VAL	VAL	VAL	VAL	VAL	VAL	VAL	GLY	GLY	ASN
	VAL	VAL	VAL	VAL	VAL	VAL	VAL	GLY	GLY	ASN
E1554	GLU	GLU	GLU	GLU	GLU	GLU	GLU	THR	THR	GLN
	GLU	GLU	GLU	GLU	GLU	GLU	GLU	THR	THR	GLN
	GLU	GLU	GLU	GLU	GLU	GLU	GLU	THR	THR	GLN
	GLU	GLU	GLU	GLU	GLU	GLU	GLU	THR	THR	GLN
	GLU	GLU	GLU	GLU	GLU	GLU	GLU	THR	THR	GLN
Q1555	ASP	ASP	ASP	ASP	ASP	ASP	ASP	THR	THR	GLN
	ASP	ASP	ASP	ASP	ASP	ASP	ASP	THR	THR	GLN
	ASP	ASP	ASP	ASP	ASP	ASP	ASP	THR	THR	GLN
	ASP	ASP	ASP	ASP	ASP	ASP	ASP	THR	THR	GLN
	ASP	ASP	ASP	ASP	ASP	ASP	ASP	THR	THR	GLN
L1564	LEU	LEU	LEU	LEU	LEU	LEU	LEU	THR	THR	GLN
	LEU	LEU	LEU	LEU	LEU	LEU	LEU	THR	THR	GLN
	LEU	LEU	LEU	LEU	LEU	LEU	LEU	THR	THR	GLN
	LEU	LEU	LEU	LEU	LEU	LEU	LEU	THR	THR	GLN
	LEU	LEU	LEU	LEU	LEU	LEU	LEU	THR	THR	GLN
R1565	ASN	ASN	ASN	ASN	ASN	ASN	ASN	THR	THR	GLN
	ASN	ASN	ASN	ASN	ASN	ASN	ASN	THR	THR	GLN
	ASN	ASN	ASN	ASN	ASN	ASN	ASN	THR	THR	GLN
	ASN	ASN	ASN	ASN	ASN	ASN	ASN	THR	THR	GLN
	ASN	ASN	ASN	ASN	ASN	ASN	ASN	THR	THR	GLN
K1566	GLY	GLY	GLY	GLY	GLY	GLY	GLY	THR	THR	GLN
	GLY	GLY	GLY	GLY	GLY	GLY	GLY	THR	THR	GLN
	GLY	GLY	GLY	GLY	GLY	GLY	GLY	THR	THR	GLN
	GLY	GLY	GLY	GLY	GLY	GLY	GLY	THR	THR	GLN
	GLY	GLY	GLY	GLY	GLY	GLY	GLY	THR	THR	GLN
E1567	LEU	LEU	LEU	LEU	LEU	LEU	LEU	THR	THR	GLN
	LEU	LEU	LEU	LEU	LEU	LEU	LEU	THR	THR	GLN
	LEU	LEU	LEU	LEU	LEU	LEU	LEU	THR	THR	GLN
	LEU	LEU	LEU	LEU	LEU	LEU	LEU	THR	THR	GLN
	LEU	LEU	LEU	LEU	LEU	LEU	LEU	THR	THR	GLN
D1568	ASN	ASN	ASN	ASN	ASN	ASN	ASN	THR	THR	GLN
	ASN	ASN	ASN	ASN	ASN	ASN	ASN	THR	THR	GLN
	ASN	ASN	ASN	ASN	ASN	ASN	ASN	THR	THR	GLN
	ASN	ASN	ASN	ASN	ASN	ASN	ASN	THR	THR	GLN
	ASN	ASN	ASN	ASN	ASN	ASN	ASN	THR	THR	GLN
D1569	GLY	GLY	GLY	GLY	GLY	GLY	GLY	THR	THR	GLN
	GLY	GLY	GLY	GLY	GLY	GLY	GLY	THR	THR	GLN
	GLY	GLY	GLY	GLY	GLY	GLY	GLY	THR	THR	GLN
	GLY	GLY	GLY	GLY	GLY	GLY	GLY	THR	THR	GLN
	GLY	GLY	GLY	GLY	GLY	GLY	GLY	THR	THR	GLN
P1570	LEU	LEU	LEU	LEU	LEU	LEU	LEU	THR	THR	GLN
	LEU	LEU	LEU	LEU	LEU	LEU	LEU	THR	THR	GLN
	LEU	LEU	LEU	LEU	LEU	LEU	LEU	THR	THR	GLN
	LEU	LEU	LEU	LEU	LEU	LEU	LEU	THR	THR	GLN
	LEU	LEU	LEU	LEU	LEU	LEU	LEU	THR	THR	GLN
E1577	ASN	ASN	ASN	ASN	ASN	ASN	ASN	THR	THR	GLN
	ASN	ASN	ASN	ASN	ASN	ASN	ASN	THR	THR	GLN
	ASN	ASN	ASN	ASN	ASN	ASN	ASN	THR	THR	GLN
	ASN	ASN	ASN	ASN	ASN	ASN	ASN	THR	THR	GLN
	ASN	ASN	ASN	ASN	ASN	ASN	ASN	THR	THR	GLN
D1581	GLY	GLY	GLY	GLY	GLY	GLY	GLY	THR	THR	GLN
	GLY	GLY	GLY	GLY	GLY	GLY	GLY	THR	THR	GLN
	GLY	GLY	GLY	GLY	GLY	GLY	GLY	THR	THR	GLN
	GLY	GLY	GLY	GLY	GLY	GLY	GLY	THR	THR	GLN
	GLY	GLY	GLY	GLY	GLY	GLY	GLY	THR	THR	GLN
G1582	LEU	LEU	LEU	LEU	LEU	LEU	LEU	THR	THR	GLN
	LEU	LEU	LEU	LEU	LEU	LEU	LEU	THR	THR	GLN
	LEU	LEU	LEU	LEU	LEU	LEU	LEU	THR	THR	GLN
	LEU	LEU	LEU	LEU	LEU	LEU	LEU	THR	THR	GLN
	LEU	LEU	LEU	LEU	LEU	LEU	LEU	THR	THR	GLN
E1583	ASN	ASN	ASN	ASN	ASN	ASN	ASN	THR	THR	GLN
	ASN	ASN	ASN	ASN	ASN	ASN	ASN	THR	THR	GLN
	ASN	ASN	ASN	ASN	ASN	ASN	ASN	THR	THR	GLN
	ASN	ASN	ASN	ASN	ASN	ASN	ASN	THR	THR	GLN
	ASN	ASN	ASN	ASN	ASN	ASN	ASN	THR	THR	GLN
E1587	GLY	GLY	GLY	GLY	GLY	GLY	GLY	THR	THR	GLN
	GLY	GLY	GLY	GLY	GLY	GLY	GLY	THR	THR	GLN
	GLY	GLY	GLY	GLY	GLY	GLY	GLY	THR	THR	GLN
	GLY	GLY	GLY	GLY	GLY	GLY	GLY	THR	THR	GLN
	GLY	GLY	GLY	GLY	GLY	GLY	GLY	THR	THR	GLN
Q1590	LEU	LEU	LEU	LEU	LEU	LEU	LEU	THR	THR	GLN
	LEU	LEU	LEU	LEU	LEU	LEU	LEU	THR	THR	GLN
	LEU	LEU	LEU	LEU	LEU	LEU	LEU	THR	THR	GLN
	LEU	LEU	LEU	LEU	LEU	LEU	LEU	THR	THR	GLN
	LEU	LEU	LEU	LEU	LEU	LEU	LEU	THR	THR	GLN
K1591	ASN	ASN	ASN	ASN	ASN	ASN	ASN	THR	THR	GLN
	ASN	ASN	ASN	ASN	ASN	ASN	ASN	THR	THR	GLN
	ASN	ASN	ASN	ASN	ASN	ASN	ASN	THR	THR	GLN
	ASN	ASN	ASN	ASN	ASN	ASN	ASN	THR	THR	GLN
	ASN	ASN	ASN	ASN	ASN	ASN	ASN	THR	THR	GLN
K1592	GLY	GLY	GLY	GLY	GLY	GLY	GLY	THR	THR	GLN
	GLY	GLY	GLY	GLY	GLY	GLY	GLY	THR	THR	GLN
	GLY	GLY	GLY	GLY	GLY	GLY	GLY	THR	THR	GLN
	GLY	GLY	GLY	GLY	GLY	GLY	GLY	THR	THR	GLN
	GLY	GLY	GLY	GLY	GLY	GLY	GLY	THR	THR	GLN
T1598	LEU	LEU	LEU	LEU	LEU	LEU	LEU	THR	THR	GLN
	LEU	LEU	LEU	LEU	LEU	LEU	LEU	THR	THR	GLN
	LEU	LEU	LEU	LEU	LEU	LEU	LEU	THR	THR	GLN
	LEU	LEU	LEU	LEU	LEU	LEU	LEU	THR	THR	GLN
	LEU	LEU	LEU	LEU	LEU	LEU	LEU	THR	THR	GLN
A1601	ASN	ASN	ASN	ASN	ASN	ASN	ASN	THR	THR	GLN
	ASN	ASN	ASN	ASN	ASN	ASN	ASN	THR	THR	GLN
	ASN	ASN	ASN	ASN	ASN	ASN	ASN	THR	THR	GLN
	ASN	ASN	ASN	ASN	ASN	ASN	ASN	THR	THR	GLN
	ASN	ASN	ASN	ASN	ASN	ASN	ASN	THR	THR	GLN

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	21836	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	56.6	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	3100	Depositor
Magnification	Not provided	
Image detector	GATAN K2 QUANTUM (4k x 4k)	Depositor
Maximum map value	0.865	Depositor
Minimum map value	-0.481	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.025	Depositor
Recommended contour level	0.14	Depositor
Map size (Å)	248.20001, 248.20001, 248.20001	wwPDB
Map dimensions	292, 292, 292	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.85, 0.85, 0.85	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	R	0.17	0/921	0.38	1/1432 (0.1%)
2	A	0.16	0/10161	0.35	0/13683
All	All	0.16	0/11082	0.35	1/15115 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	R	1	U	C4'-C3'-O3'	-5.38	104.93	113.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	R	826	0	416	11	0
2	A	9933	0	9841	77	0
3	A	4	0	0	0	0
All	All	10763	0	10257	78	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (78) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:866:TYR:CE1	2:A:1598:THR:HG22	2.11	0.84
2:A:1243:ARG:HE	2:A:1244:VAL:HG13	1.46	0.81
2:A:697:PRO:HA	2:A:885:LYS:HD3	1.63	0.79
2:A:697:PRO:HG3	2:A:885:LYS:HE3	1.70	0.72
2:A:1449:ALA:O	2:A:1452:ASN:ND2	2.24	0.70
2:A:21:GLN:O	2:A:26:ARG:NH1	2.25	0.69
2:A:1598:THR:O	2:A:1598:THR:HG23	1.92	0.69
2:A:452:ARG:HA	2:A:480:MET:HE1	1.76	0.68
2:A:590:ASP:O	2:A:594:ASN:ND2	2.27	0.68
2:A:959:GLU:OE2	2:A:967:ARG:NH1	2.27	0.68
2:A:1437:GLU:O	2:A:1442:ASN:ND2	2.26	0.68
1:R:29:A:O3'	2:A:1395:ARG:NH2	2.27	0.68
1:R:9:C:O4'	2:A:227:ARG:NH1	2.28	0.67
2:A:555:GLY:O	2:A:569:ARG:NH1	2.26	0.67
2:A:1280:ASN:ND2	2:A:1285:GLU:OE2	2.28	0.67
1:R:32:U:OP2	2:A:978:ARG:NH2	2.27	0.66
2:A:167:ILE:O	2:A:196:ARG:NH2	2.29	0.66
2:A:801:ASN:O	2:A:894:LYS:NZ	2.29	0.65
2:A:953:MET:SD	2:A:1483:HIS:ND1	2.69	0.65
2:A:866:TYR:HE1	2:A:1598:THR:HG22	1.62	0.64
1:R:11:G:O6	2:A:35:ARG:NE	2.33	0.60
2:A:1565:ARG:HD3	2:A:1567:LYS:HE2	1.81	0.60
2:A:876:ARG:NE	2:A:1312:CYS:SG	2.74	0.60
2:A:1408:LYS:O	2:A:1590:GLN:NE2	2.35	0.58
2:A:406:VAL:HG22	2:A:577:TYR:HB2	1.85	0.57
2:A:447:VAL:HG11	2:A:485:VAL:HG21	1.87	0.57
2:A:428:THR:O	2:A:431:GLN:NE2	2.37	0.57
2:A:17:MET:N	2:A:190:TYR:O	2.38	0.57
2:A:404:THR:CG2	2:A:406:VAL:HG23	2.35	0.56
2:A:719:GLU:OE2	2:A:722:LYS:NZ	2.39	0.56
2:A:1297:ASP:OD2	2:A:1304:ARG:NH2	2.37	0.56
2:A:417:PHE:O	2:A:560:SER:OG	2.23	0.56
2:A:305:ASP:OD1	2:A:306:HIS:N	2.39	0.56
2:A:1429:HIS:N	2:A:1434:LYS:O	2.39	0.55
2:A:1587:GLU:O	2:A:1591:LYS:NZ	2.39	0.54
2:A:847:LYS:O	2:A:1479:LYS:NZ	2.40	0.54
2:A:230:GLY:O	2:A:444:ARG:NH2	2.41	0.53
2:A:124:PRO:O	2:A:128:LEU:HD23	2.08	0.53
2:A:221:SER:O	2:A:225:THR:HG23	2.08	0.53
2:A:404:THR:HG22	2:A:406:VAL:HG23	1.91	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:R:24:C:OP2	2:A:746:ARG:NH2	2.42	0.52
1:R:25:U:O2'	1:R:26:U:OP2	2.28	0.51
2:A:1598:THR:O	2:A:1598:THR:CG2	2.57	0.51
2:A:7:ILE:HG22	2:A:9:ILE:HD13	1.93	0.50
1:R:7:C:O3'	2:A:67:ARG:NH1	2.43	0.50
2:A:1347:LEU:CD1	2:A:1463:LEU:HD21	2.41	0.50
2:A:361:LEU:O	2:A:364:LYS:NZ	2.31	0.50
2:A:16:ARG:HH22	2:A:173:LEU:HD11	1.77	0.49
2:A:890:ARG:C	2:A:891:LEU:HD12	2.36	0.49
2:A:490:SER:OG	2:A:491:GLU:N	2.46	0.49
2:A:1583:GLU:O	2:A:1592:LYS:NZ	2.46	0.48
2:A:16:ARG:NH2	2:A:173:LEU:HD11	2.29	0.47
1:R:28:G:N2	2:A:1392:GLU:OE1	2.47	0.47
2:A:564:SER:OG	2:A:680:ARG:NH1	2.48	0.46
2:A:692:MET:HE1	2:A:885:LYS:HD2	1.98	0.46
1:R:29:A:C5	2:A:1564:LEU:HD11	2.51	0.45
2:A:881:CYS:SG	2:A:890:ARG:NH1	2.88	0.45
2:A:1513:ARG:NH1	2:A:1518:GLU:OE2	2.48	0.45
2:A:7:ILE:HG22	2:A:9:ILE:CD1	2.47	0.44
2:A:651:ARG:NH2	2:A:738:THR:OG1	2.52	0.43
2:A:995:VAL:HG13	2:A:995:VAL:O	2.17	0.43
2:A:310:ASP:OD1	2:A:330:ARG:NE	2.52	0.43
2:A:597:TRP:CE3	2:A:606:LEU:HD21	2.53	0.43
2:A:1347:LEU:HD13	2:A:1463:LEU:HD21	2.01	0.43
1:R:7:C:O2	2:A:481:ARG:NH1	2.53	0.42
2:A:273:LEU:O	2:A:277:LYS:N	2.52	0.42
2:A:400:VAL:C	2:A:401:LEU:HD12	2.45	0.42
2:A:48:ASP:OD1	2:A:49:ASN:N	2.52	0.42
2:A:226:ASP:OD1	2:A:227:ARG:N	2.53	0.42
2:A:859:GLU:N	2:A:859:GLU:OE1	2.53	0.41
2:A:311:ASP:OD1	2:A:311:ASP:N	2.47	0.41
2:A:866:TYR:HE1	2:A:1598:THR:CG2	2.29	0.41
2:A:109:TRP:CD1	2:A:110:THR:HG23	2.55	0.41
2:A:76:SER:OG	2:A:77:ASP:N	2.53	0.41
2:A:1581:ASP:OD1	2:A:1581:ASP:N	2.51	0.41
2:A:1:MET:N	2:A:208:ASN:OD1	2.54	0.41
1:R:18:U:OP1	2:A:504:ILE:HG22	2.20	0.40
2:A:82:GLU:OE1	2:A:82:GLU:N	2.54	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	A	1215/1601 (76%)	1151 (95%)	64 (5%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	A	1065/1393 (76%)	1065 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
2	A	37	GLN
2	A	344	ASN
2	A	586	ASN
2	A	1382	HIS
2	A	1452	ASN

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	R	38/39 (97%)	18 (47%)	0

All (18) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	R	1	U
1	R	2	G
1	R	3	A
1	R	6	U
1	R	9	C
1	R	10	G
1	R	12	A
1	R	13	A
1	R	18	U
1	R	19	G
1	R	21	U
1	R	25	U
1	R	28	G
1	R	29	A
1	R	30	C
1	R	33	G
1	R	34	G
1	R	38	A

There are no RNA pucker outliers to report.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 4 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-37653. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 146




Y Index: 146




Z Index: 146

6.2.2 Raw map



X Index: 146



Y Index: 146




Z Index: 146


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 146




Y Index: 125




Z Index: 120


6.3.2 Raw map



X Index: 0



Y Index: 0




Z Index: 0


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y



Z


The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)


6.5.1 Primary map



X




Y




Z

The images above show the 3D surface view of the map at the recommended contour level 0.14. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5.2 Raw map



X



Y



Z

These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_37653_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 76 nm³; this corresponds to an approximate mass of 69 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.283 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.283 $\text{\AA}^{-1}$

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.53	-	-
Author-provided FSC curve	3.53	4.14	3.59
Unmasked-calculated*	4.74	9.35	6.28

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.74 differs from the reported value 3.53 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-37653 and PDB model 8WMI. Per-residue inclusion information can be found in [section 3](#) on [page 4](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.14 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.14).

9.4 Atom inclusion [i](#)



At the recommended contour level, 83% of all backbone atoms, 72% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.14) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.7190	0.4260
A	0.7130	0.4280
R	0.7890	0.4020

