



Full wwPDB EM Validation Report ⓘ

Jul 15, 2025 – 10:32 PM JST

PDB ID : 8WSR / pdb_00008wsr
EMDB ID : EMD-37822
Title : the structure of BtSY1_RBD/hACE2 protein
Authors : Xu, Z.P.; Sun, J.Q.
Deposited on : 2023-10-17
Resolution : 2.99 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : **FAILED**
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4-5-2 with Phenix2.0rc1
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : **FAILED**
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.44


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.99 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	C	222	
2	A	805	
3	B	2	

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 6475 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Spike protein S1.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	C	193	Total	C	N	O	S	0	0
			1514	968	253	285	8		

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	308	VAL	ALA	conflict	UNP U5WLK5
C	311	ARG	LYS	conflict	UNP U5WLK5
C	312	ASP	GLU	conflict	UNP U5WLK5
C	333	LYS	THR	conflict	UNP U5WLK5
C	432	ILE	THR	conflict	UNP U5WLK5
C	433	ALA	SER	conflict	UNP U5WLK5

- Molecule 2 is a protein called Angiotensin-converting enzyme 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	A	596	Total	C	N	O	S	0	0
			4862	3111	805	917	29		

- Molecule 3 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
3	B	2	Total	C	N	O	0	0
			28	16	2	10		

- Molecule 4 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				AltConf
4	A	1	Total	C	N	O	0
			14	8	1	5	
4	A	1	Total	C	N	O	0
			14	8	1	5	
4	A	1	Total	C	N	O	0
			14	8	1	5	
4	A	1	Total	C	N	O	0
			14	8	1	5	
4	A	1	Total	C	N	O	0
			14	8	1	5	

- Molecule 5 is ZINC ION (CCD ID: ZN) (formula: Zn) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		AltConf
5	A	1	Total	Zn	0
			1	1	



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	178395	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	60	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	C	0.22	0/1558	0.54	3/2126 (0.1%)
2	A	0.28	2/4999 (0.0%)	0.50	4/6792 (0.1%)
All	All	0.27	2/6557 (0.0%)	0.51	7/8918 (0.1%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	135	PRO	N-CD	-5.69	1.39	1.47
2	A	83	TYR	CA-C	5.08	1.59	1.52

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	463	GLY	N-CA-C	-8.23	100.84	112.37
1	C	460	TYR	N-CA-C	7.88	122.11	111.24
1	C	459	ILE	N-CA-C	6.59	118.43	112.17
2	A	468	ILE	CA-C-N	-6.02	114.43	120.21
2	A	468	ILE	C-N-CA	-6.02	114.43	120.21
2	A	402	GLU	N-CA-C	5.76	118.50	111.82
2	A	23	GLU	N-CA-C	5.52	118.06	111.71

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	1514	0	1434	22	0
2	A	4862	0	4631	63	0
3	B	28	0	25	0	0
4	A	70	0	65	0	0
5	A	1	0	0	1	0
All	All	6475	0	6155	85	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (85) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:134:ASN:OD1	2:A:135:PRO:HD2	1.37	1.24
2:A:137:ASN:CG	2:A:140:GLU:HG2	1.70	1.09
2:A:134:ASN:OD1	2:A:135:PRO:CD	2.05	1.05
2:A:503:LEU:HD23	2:A:505:HIS:H	1.31	0.94
2:A:137:ASN:OD1	2:A:140:GLU:HG2	1.67	0.92
2:A:137:ASN:CG	2:A:140:GLU:CG	2.46	0.88
1:C:459:ILE:HG22	1:C:459:ILE:O	1.75	0.85
2:A:133:CYS:HB3	2:A:141:CYS:HA	1.57	0.85
2:A:132:VAL:HG23	2:A:171:GLU:OE1	1.84	0.77
2:A:177:ARG:NH1	2:A:495:GLU:O	2.18	0.77
1:C:335:PRO:HG3	1:C:341:GLU:HG3	1.67	0.74
1:C:459:ILE:O	1:C:459:ILE:CG2	2.36	0.74
2:A:474:MET:HE1	2:A:500:PRO:HD2	1.74	0.70
2:A:132:VAL:HG21	2:A:167:SER:HB3	1.74	0.69
2:A:134:ASN:CG	2:A:135:PRO:HD2	2.18	0.68
2:A:503:LEU:HD23	2:A:505:HIS:N	2.05	0.68
2:A:503:LEU:CD2	2:A:505:HIS:H	2.07	0.67
2:A:553:LYS:NZ	2:A:573:VAL:O	2.29	0.65
2:A:402:GLU:OE2	5:A:904:ZN:ZN	1.45	0.65
2:A:184:VAL:HG22	2:A:464:PHE:HE1	1.62	0.65
2:A:239:HIS:HD2	2:A:592:PHE:HE1	1.46	0.62
1:C:420:VAL:HG22	1:C:498:VAL:HG22	1.80	0.62
2:A:402:GLU:HB3	2:A:518:ARG:HD2	1.82	0.61
2:A:209:VAL:HG21	2:A:565:PRO:HB3	1.84	0.59
1:C:382:VAL:HG22	1:C:501:PHE:HB3	1.84	0.59
2:A:122:THR:O	2:A:126:ILE:HG22	2.02	0.59
2:A:50:TYR:CD1	2:A:62:MET:HE1	2.37	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:426:ASN:HD22	1:C:492:GLN:NE2	2.02	0.57
1:C:412:LEU:HD23	1:C:413:PRO:HD2	1.88	0.56
2:A:140:GLU:O	2:A:140:GLU:HG3	2.07	0.55
2:A:152:MET:HE3	2:A:152:MET:HA	1.87	0.55
1:C:425:THR:HG22	1:C:425:THR:O	2.08	0.53
2:A:293:VAL:HG12	2:A:366:MET:HG3	1.91	0.53
2:A:331:SER:OG	2:A:358:ILE:O	2.26	0.53
2:A:108:LEU:HD21	2:A:189:GLU:HG2	1.91	0.52
2:A:431:ASP:OD1	2:A:431:ASP:N	2.38	0.52
2:A:178:PRO:O	2:A:181:GLU:HB2	2.10	0.52
1:C:363:THR:HB	1:C:422:ALA:HB3	1.91	0.51
2:A:89:GLN:OE1	2:A:89:GLN:N	2.44	0.51
2:A:134:ASN:OD1	2:A:135:PRO:N	2.44	0.51
2:A:379:ILE:O	2:A:383:MET:HG3	2.11	0.51
2:A:238:GLU:HG2	2:A:604:VAL:HG13	1.94	0.50
2:A:347:THR:HG1	2:A:349:TRP:CD1	2.29	0.50
2:A:501:ALA:O	2:A:507:SER:OG	2.29	0.48
2:A:86:GLN:NE2	2:A:86:GLN:HA	2.29	0.48
1:C:340:TRP:O	1:C:453:ARG:NH1	2.46	0.48
1:C:448:LEU:HD22	1:C:452:GLU:HB2	1.96	0.48
2:A:32:PHE:HE2	2:A:391:LEU:HD21	1.79	0.48
1:C:468:SER:O	1:C:468:SER:OG	2.30	0.48
2:A:177:ARG:HB2	2:A:498:CYS:HB2	1.95	0.48
1:C:464:GLY:O	1:C:465:GLN:HG3	2.14	0.47
2:A:432:ASN:HA	2:A:435:GLU:HG2	1.96	0.47
2:A:38:ASP:C	2:A:38:ASP:OD1	2.58	0.47
2:A:597:ASP:O	2:A:600:LYS:HG3	2.15	0.46
1:C:488:GLY:O	1:C:492:GLN:HG3	2.15	0.46
2:A:503:LEU:HD23	2:A:504:PHE:N	2.31	0.46
1:C:445:ARG:HH11	1:C:445:ARG:HG2	1.81	0.45
2:A:32:PHE:CE2	2:A:391:LEU:HD21	2.51	0.45
2:A:134:ASN:OD1	2:A:135:PRO:CG	2.61	0.45
2:A:247:LYS:HA	2:A:247:LYS:HD3	1.75	0.45
2:A:133:CYS:HB3	2:A:141:CYS:CA	2.37	0.44
1:C:396:GLN:HE22	1:C:405:ILE:H	1.66	0.44
1:C:325:PHE:HB3	1:C:355:LEU:HD21	1.99	0.44
2:A:582:ARG:HH11	2:A:582:ARG:HG2	1.81	0.44
2:A:312:GLU:HB2	2:A:376:MET:HE1	1.99	0.44
2:A:381:TYR:CD1	2:A:558:LEU:HD22	2.53	0.44
2:A:468:ILE:HG22	2:A:473:TRP:HD1	1.84	0.43
2:A:187:LYS:HE3	2:A:199:TYR:CZ	2.53	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:607:SER:OG	2:A:609:ASP:OD1	2.29	0.42
2:A:145:GLU:HA	2:A:146:PRO:HA	1.89	0.42
1:C:325:PHE:HB3	1:C:355:LEU:HD11	2.02	0.42
2:A:151:ILE:HD11	2:A:160:GLU:HB3	2.01	0.41
2:A:227:GLU:H	2:A:227:GLU:HG2	1.64	0.41
2:A:356:PHE:HB3	2:A:379:ILE:HD12	2.02	0.41
2:A:134:ASN:HB2	2:A:163:TRP:CZ2	2.56	0.41
2:A:477:TRP:CZ3	2:A:500:PRO:HB3	2.56	0.41
1:C:473:ASN:HA	1:C:475:TYR:CZ	2.55	0.41
2:A:336:PRO:O	2:A:338:ASN:ND2	2.53	0.41
1:C:364:PHE:CD2	1:C:364:PHE:C	2.99	0.40
1:C:389:VAL:HG12	1:C:390:LYS:N	2.36	0.40
1:C:365:LYS:HD3	1:C:367:TYR:OH	2.22	0.40
2:A:20:THR:HG22	2:A:22:GLU:H	1.86	0.40
2:A:88:ILE:O	2:A:94:LYS:HD2	2.22	0.40
2:A:444:LEU:HD23	2:A:444:LEU:HA	1.95	0.40
2:A:590:PRO:O	2:A:593:THR:HG22	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	C	191/222 (86%)	184 (96%)	7 (4%)	0	100	100
2	A	594/805 (74%)	580 (98%)	14 (2%)	0	100	100
All	All	785/1027 (76%)	764 (97%)	21 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	C	166/195 (85%)	164 (99%)	2 (1%)	67	86
2	A	526/711 (74%)	518 (98%)	8 (2%)	60	83
All	All	692/906 (76%)	682 (99%)	10 (1%)	62	83

All (10) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	388	VAL
1	C	456	SER
2	A	102	GLN
2	A	125	THR
2	A	133	CYS
2	A	156	LEU
2	A	283	VAL
2	A	376	MET
2	A	391	LEU
2	A	401	HIS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	347	ASN
1	C	396	GLN
1	C	437	ASN
1	C	492	GLN
2	A	34	HIS
2	A	42	GLN
2	A	81	GLN
2	A	86	GLN
2	A	96	GLN
2	A	102	GLN
2	A	117	ASN
2	A	121	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	A	139	GLN
2	A	194	ASN
2	A	239	HIS
2	A	330	ASN
2	A	531	GLN
2	A	601	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

2 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	NAG	B	1	3,2	14,14,15	0.21	0	17,19,21	0.70	1 (5%)
3	NAG	B	2	3	14,14,15	0.22	0	17,19,21	0.53	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	B	1	3,2	-	0/6/23/26	0/1/1/1
3	NAG	B	2	3	-	2/6/23/26	0/1/1/1

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
3	B	1	NAG	C1-O5-C5	2.59	115.70	112.19

There are no chirality outliers.


All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	2	NAG	O5-C5-C6-O6
3	B	2	NAG	C3-C2-N2-C7

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 1 is monoatomic - leaving 5 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	NAG	A	902	2	14,14,15	0.17	0	17,19,21	0.56	0
4	NAG	A	905	2	14,14,15	0.24	0	17,19,21	0.43	0
4	NAG	A	903	2	14,14,15	0.19	0	17,19,21	0.36	0
4	NAG	A	901	2	14,14,15	0.30	0	17,19,21	0.75	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	NAG	A	906	2	14,14,15	0.24	0	17,19,21	1.16	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	A	902	2	-	2/6/23/26	0/1/1/1
4	NAG	A	905	2	-	1/6/23/26	0/1/1/1
4	NAG	A	903	2	-	1/6/23/26	0/1/1/1
4	NAG	A	901	2	-	4/6/23/26	0/1/1/1
4	NAG	A	906	2	-	3/6/23/26	0/1/1/1

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	906	NAG	C2-N2-C7	2.80	126.89	122.90

There are no chirality outliers.

All (11) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	A	901	NAG	C8-C7-N2-C2
4	A	901	NAG	O7-C7-N2-C2
4	A	906	NAG	C8-C7-N2-C2
4	A	906	NAG	O7-C7-N2-C2
4	A	902	NAG	C4-C5-C6-O6
4	A	901	NAG	O5-C5-C6-O6
4	A	902	NAG	O5-C5-C6-O6
4	A	901	NAG	C4-C5-C6-O6
4	A	906	NAG	C1-C2-N2-C7
4	A	903	NAG	O5-C5-C6-O6
4	A	905	NAG	O5-C5-C6-O6



There are no ring outliers.



No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths,

bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.