



Full wwPDB EM Validation Report ⓘ

Jul 8, 2025 – 02:31 PM JST

PDB ID : 8X54 / pdb_00008x54
EMDB ID : EMD-38061
Title : Cryo-EM structure of human gamma-secretase in complex with APP-C99
Authors : Guo, X.; Yan, C.; Lei, J.; Zhou, R.; Shi, Y.
Deposited on : 2023-11-16
Resolution : 2.90 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : **FAILED**
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4-5-2 with Phenix2.0rc1
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : **FAILED**
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.44


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	E	120	5% 11% . . 79%
2	A	709	83% 11% 6%
3	B	467	52% 11% . 34%
4	C	265	83% 8% 8%
5	D	101	84% 11% 5%
6	F	2	100%
6	H	2	50% 50%
6	I	2	100%
6	J	2	50% 50%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
6	K	2	 100%
7	G	5	 20%80%

2 Entry composition

There are 10 unique types of molecules in this entry. The entry contains 11009 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Amyloid-beta precursor protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	E	25	Total	C	N	O	S	0	0
			178	120	28	27	3		

There are 21 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
E	31	CYS	ILE	conflict	UNP P05067
E	100	GLU	-	expression tag	UNP P05067
E	101	GLN	-	expression tag	UNP P05067
E	102	LYS	-	expression tag	UNP P05067
E	103	LEU	-	expression tag	UNP P05067
E	104	ILE	-	expression tag	UNP P05067
E	105	SER	-	expression tag	UNP P05067
E	106	GLU	-	expression tag	UNP P05067
E	107	GLU	-	expression tag	UNP P05067
E	108	ASP	-	expression tag	UNP P05067
E	109	LEU	-	expression tag	UNP P05067
E	110	LEU	-	expression tag	UNP P05067
E	111	GLU	-	expression tag	UNP P05067
E	112	HIS	-	expression tag	UNP P05067
E	113	HIS	-	expression tag	UNP P05067
E	114	HIS	-	expression tag	UNP P05067
E	115	HIS	-	expression tag	UNP P05067
E	116	HIS	-	expression tag	UNP P05067
E	117	HIS	-	expression tag	UNP P05067
E	118	HIS	-	expression tag	UNP P05067
E	119	HIS	-	expression tag	UNP P05067

- Molecule 2 is a protein called Nicastrin.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	A	667	Total	C	N	O	S	0	0
			5233	3318	890	1003	22		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	242	CYS	ILE	conflict	UNP Q92542

- Molecule 3 is a protein called Presenilin-1.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	B	306	Total	C	N	O	S	0	0
			2424	1640	370	400	14		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	385	ASN	ASP	conflict	UNP P49768

- Molecule 4 is a protein called Gamma-secretase subunit APH-1A.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	C	243	Total	C	N	O	S	0	0
			1872	1254	299	315	4		

- Molecule 5 is a protein called Gamma-secretase subunit PEN-2.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	D	96	Total	C	N	O	S	0	0
			814	559	126	128	1		

- Molecule 6 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms					AltConf	Trace
6	F	2	Total	C	N	O		0	0
			28	16	2	10			
6	H	2	Total	C	N	O		0	0
			28	16	2	10			
6	I	2	Total	C	N	O		0	0
			28	16	2	10			

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				AltConf	Trace
6	J	2	Total	C	N	O	0	0
			28	16	2	10		
6	K	2	Total	C	N	O	0	0
			28	16	2	10		

- Molecule 7 is an oligosaccharide called beta-D-mannopyranose-(1-3)-[beta-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
7	G	5	Total	C	N	O	0	0
			61	34	2	25		

- Molecule 8 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).




Mol	Chain	Residues	Atoms				AltConf
8	A	1	Total	C	N	O	0
			14	8	1	5	
8	A	1	Total	C	N	O	0
			14	8	1	5	

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				AltConf
8	A	1	Total	C	N	O	0
			14	8	1	5	
8	A	1	Total	C	N	O	0
			14	8	1	5	
8	A	1	Total	C	N	O	0
			14	8	1	5	
8	A	1	Total	C	N	O	0
			14	8	1	5	

- Molecule 9 is 1,2-DIACYL-SN-GLYCERO-3-PHOSPHOCHOLINE (CCD ID: PC1) (formula: $C_{44}H_{88}NO_8P$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					AltConf
9	B	1	Total	C	N	O	P	0
			37	27	1	8	1	
9	B	1	Total	C	N	O	P	0
			41	31	1	8	1	
9	C	1	Total	C	N	O	P	0
			41	31	1	8	1	

- Molecule 10 is CHOLESTEROL (CCD ID: CLR) (formula: $C_{27}H_{46}O$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms			AltConf
10	C	1	Total	C	O	0
			28	27	1	
10	C	1	Total	C	O	0
			28	27	1	
10	C	1	Total	C	O	0
			28	27	1	

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Amyloid-beta precursor protein

Chain E: 




- Molecule 2: Nicastrin


Chain A: 



- Molecule 3: Presenilin-1

Chain B: 





- Molecule 4: Gamma-secretase subunit APH-1A

Chain C: 83% 8% 8%



- Molecule 5: Gamma-secretase subunit PEN-2

Chain D: 84% 11% 5%



- Molecule 6: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F: 100%



- Molecule 6: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain H: 50% 50%



- Molecule 6: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I: 100%



- Molecule 6: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J: 50% 50%




- Molecule 6: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain K:  100%

MAG1
MAG2

- Molecule 7: beta-D-mannopyranose-(1-3)-[beta-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G:  20% 80%

MAG1
MAG2
BMA3
BMA4
BMA5

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	822574	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	1500	Depositor
Maximum defocus (nm)	1800	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CLR, NAG, BMA, PC1

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	E	0.93	1/177 (0.6%)	1.70	5/237 (2.1%)
2	A	0.32	0/5356	0.54	3/7299 (0.0%)
3	B	1.03	19/2486 (0.8%)	1.02	19/3392 (0.6%)
4	C	0.33	0/1924	0.69	2/2624 (0.1%)
5	D	0.24	0/847	0.42	0/1157
All	All	0.58	20/10790 (0.2%)	0.73	29/14709 (0.2%)

All (20) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	241	LEU	C-N	14.96	1.51	1.33
3	B	384	GLY	C-O	-13.50	1.09	1.24
3	B	434	ALA	C-O	12.79	1.39	1.24
3	B	437	ILE	C-O	-12.21	1.09	1.24
3	B	438	SER	C-O	-12.01	1.08	1.24
3	B	435	LEU	C-N	11.49	1.49	1.33
3	B	439	ILE	C-O	-11.28	1.10	1.24
3	B	435	LEU	C-O	-11.11	1.10	1.24
3	B	165	TRP	C-O	-10.77	1.11	1.24
3	B	79	ALA	C-O	-9.10	1.12	1.24
3	B	436	PRO	C-O	-9.00	1.12	1.24
3	B	386	PHE	C-O	-8.65	1.13	1.24
3	B	438	SER	CA-CB	-8.33	1.39	1.53
3	B	112	GLN	C-O	-7.92	1.14	1.23
3	B	116	THR	C-N	7.87	1.52	1.33
3	B	113	LEU	C-O	-6.87	1.14	1.23
1	E	46	VAL	C-O	-6.63	1.15	1.24
3	B	114	ILE	C-O	-6.20	1.18	1.24
3	B	78	GLY	C-O	-5.75	1.16	1.23
3	B	436	PRO	N-CA	-5.75	1.40	1.47

All (29) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	C	233	GLY	N-CA-C	20.33	144.10	115.43
3	B	116	THR	CA-C-N	14.40	137.84	119.84
3	B	116	THR	C-N-CA	14.40	137.84	119.84
3	B	435	LEU	CA-C-N	11.87	131.58	119.24
3	B	435	LEU	C-N-CA	11.87	131.58	119.24
3	B	79	ALA	CA-C-N	9.96	133.39	120.44
3	B	79	ALA	C-N-CA	9.96	133.39	120.44
1	E	47	ILE	CA-C-N	-9.67	109.65	123.00
1	E	47	ILE	C-N-CA	-9.67	109.65	123.00
3	B	241	LEU	CA-C-N	9.14	130.35	120.11
3	B	241	LEU	C-N-CA	9.14	130.35	120.11
3	B	436	PRO	CB-CA-C	-7.73	100.14	113.20
1	E	45	ILE	CA-C-N	7.54	133.00	120.64
1	E	45	ILE	C-N-CA	7.54	133.00	120.64
3	B	112	GLN	CB-CA-C	-7.39	96.68	111.17
2	A	244	PRO	N-CA-C	7.13	122.71	111.38
3	B	386	PHE	CB-CA-C	-7.07	97.56	110.63
3	B	434	ALA	O-C-N	7.02	130.66	122.17
3	B	435	LEU	O-C-N	-6.68	113.63	121.32
4	C	234	GLY	N-CA-C	-6.45	101.04	110.90
3	B	116	THR	CA-C-O	-6.42	113.77	121.22
3	B	116	THR	CA-CB-CG2	6.08	120.84	110.50
3	B	112	GLN	CA-C-O	-6.08	114.94	121.38
1	E	44	VAL	N-CA-C	-5.85	108.16	113.71
3	B	439	ILE	CA-C-O	-5.60	114.72	120.71
2	A	371	ARG	N-CA-C	5.44	119.14	111.52
3	B	384	GLY	O-C-N	5.36	129.06	122.84
2	A	226	SER	N-CA-CB	5.21	119.48	111.56
3	B	436	PRO	CA-C-O	-5.21	111.81	120.05

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	E	178	0	219	36	0
2	A	5233	0	5120	41	0
3	B	2424	0	2551	62	0
4	C	1872	0	1911	17	0
5	D	814	0	804	9	0
6	F	28	0	25	0	0
6	H	28	0	25	0	0
6	I	28	0	25	0	0
6	J	28	0	25	0	0
6	K	28	0	25	0	0
7	G	61	0	52	0	0
8	A	84	0	78	1	0
9	B	78	0	104	3	0
9	C	41	0	56	3	0
10	C	84	0	138	4	0
All	All	11009	0	11158	138	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (138) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:49:LEU:HB2	3:B:257:ASP:OD1	1.55	1.04
1:E:44:VAL:HA	1:E:47:ILE:HG12	1.39	1.01
1:E:44:VAL:HA	1:E:47:ILE:CG1	2.00	0.90
1:E:47:ILE:HG23	3:B:147:THR:OG1	1.75	0.86
1:E:48:THR:HG21	3:B:286:LEU:HD13	1.56	0.85
3:B:173:LEU:HD21	3:B:233:MET:HG2	1.63	0.81
1:E:54:LYS:HG3	3:B:380:LYS:HE2	1.64	0.80
1:E:44:VAL:CA	1:E:47:ILE:HG12	2.11	0.80
1:E:46:VAL:HG23	3:B:387:ILE:HD13	1.66	0.75
1:E:45:ILE:HD12	3:B:383:LEU:HD12	1.72	0.71
1:E:42:ALA:C	1:E:44:VAL:H	1.99	0.70
3:B:114:ILE:O	3:B:114:ILE:HG13	1.95	0.66
3:B:113:LEU:HD13	3:B:115:TYR:HE1	1.61	0.65
3:B:113:LEU:HD12	3:B:241:LEU:CD1	2.27	0.64
3:B:139:MET:SD	3:B:249:ILE:HG13	2.37	0.63
1:E:43:THR:O	3:B:146:MET:SD	2.57	0.63
9:B:802:PC1:H352	9:B:802:PC1:C39	2.28	0.63
1:E:48:THR:CG2	3:B:286:LEU:HD13	2.26	0.62
1:E:41:ILE:HG22	3:B:169:SER:HA	1.81	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:B:116:THR:HB	3:B:135:ASN:HB3	1.83	0.61
1:E:44:VAL:HG22	1:E:44:VAL:O	2.00	0.60
4:C:24:THR:HG21	9:C:304:PC1:H251	1.82	0.60
1:E:41:ILE:HG22	3:B:169:SER:CB	2.32	0.60
3:B:106:TYR:HA	3:B:239:LYS:HD3	1.84	0.59
3:B:384:GLY:HA2	3:B:387:ILE:HD12	1.84	0.59
1:E:45:ILE:HD12	3:B:383:LEU:CD1	2.32	0.59
2:A:86:LEU:HD22	2:A:114:ARG:HD2	1.86	0.58
3:B:113:LEU:HD13	3:B:115:TYR:CE1	2.38	0.58
3:B:113:LEU:HD12	3:B:241:LEU:HD13	1.83	0.58
2:A:530:ASN:OD1	2:A:535:GLN:NE2	2.36	0.58
3:B:287:ILE:O	3:B:287:ILE:HG22	2.03	0.58
2:A:261:LYS:NZ	2:A:321:LEU:O	2.38	0.57
4:C:20:LEU:HD21	9:C:304:PC1:H291	1.86	0.57
4:C:220:VAL:HG22	10:C:302:CLR:H25	1.85	0.57
1:E:49:LEU:CB	3:B:257:ASP:OD1	2.41	0.57
2:A:36:VAL:HG21	4:C:137:ILE:HG22	1.85	0.57
1:E:37:GLY:O	1:E:41:ILE:HG13	2.06	0.56
2:A:691:ASN:HD22	4:C:23:ILE:HG22	1.71	0.56
1:E:41:ILE:CG2	3:B:169:SER:HA	2.36	0.55
1:E:42:ALA:HA	3:B:169:SER:OG	2.06	0.55
2:A:699:ILE:HG13	4:C:233:GLY:O	2.07	0.55
1:E:42:ALA:C	1:E:44:VAL:N	2.65	0.54
2:A:112:LYS:NZ	2:A:175:ASP:O	2.40	0.54
2:A:559:SER:HB3	2:A:629:ARG:HH12	1.72	0.54
3:B:392:LEU:HD22	3:B:414:ILE:HD11	1.90	0.54
2:A:543:ARG:HD3	2:A:606:GLN:HE22	1.72	0.53
1:E:41:ILE:HG22	3:B:169:SER:CA	2.38	0.53
2:A:52:ARG:NH2	2:A:63:GLN:OE1	2.41	0.53
1:E:42:ALA:CB	3:B:173:LEU:HD11	2.39	0.53
1:E:41:ILE:HG22	3:B:169:SER:HB2	1.91	0.52
3:B:168:ILE:O	3:B:172:LEU:HD23	2.09	0.52
3:B:288:TYR:C	3:B:288:TYR:CD1	2.86	0.52
3:B:421:THR:HG21	3:B:434:ALA:HA	1.91	0.52
1:E:40:VAL:O	3:B:146:MET:HE1	2.09	0.52
1:E:38:GLY:HA2	3:B:172:LEU:HG	1.92	0.51
3:B:136:ALA:HA	3:B:249:ILE:HD11	1.92	0.51
4:C:204:THR:HB	4:C:207:ASN:HD21	1.76	0.51
2:A:136:PRO:HB2	2:A:172:ALA:HB2	1.93	0.51
4:C:69:TYR:HE2	10:C:301:CLR:H6	1.75	0.51
2:A:54:LEU:HD11	2:A:223:ALA:HB1	1.93	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:45:ILE:HD11	3:B:233:MET:HG3	1.93	0.50
2:A:253:ASP:OD1	2:A:561:THR:OG1	2.26	0.50
2:A:249:ASP:OD2	2:A:652:ARG:NH1	2.41	0.50
4:C:80:VAL:HG13	4:C:197:HIS:CD2	2.45	0.50
2:A:265:THR:OG1	2:A:626:ARG:NH1	2.44	0.50
3:B:192:ALA:HB2	5:D:97:PRO:HD3	1.93	0.50
3:B:233:MET:HE3	3:B:237:PHE:HE2	1.77	0.50
4:C:174:TRP:HE1	4:C:224:MET:HE3	1.75	0.50
1:E:48:THR:HG21	3:B:286:LEU:CD1	2.34	0.50
2:A:524:GLY:HA2	2:A:531:ASN:HD21	1.77	0.49
3:B:77:TYR:O	3:B:80:LYS:HB3	2.12	0.49
3:B:166:LEU:HD21	3:B:285:ALA:HB3	1.95	0.49
1:E:46:VAL:HG23	3:B:387:ILE:CD1	2.38	0.49
2:A:281:ARG:NH2	2:A:334:THR:OG1	2.45	0.49
2:A:266:THR:HB	8:A:804:NAG:HN2	1.78	0.49
2:A:120:GLY:H	2:A:178:PHE:HB2	1.77	0.49
3:B:96:VAL:HG21	3:B:390:SER:HB3	1.94	0.49
3:B:174:LEU:HD12	3:B:210:MET:HE2	1.94	0.49
2:A:460:ALA:HB1	2:A:465:VAL:HB	1.95	0.48
4:C:204:THR:HB	4:C:207:ASN:ND2	2.28	0.48
3:B:194:ASP:OD2	5:D:74:TRP:NE1	2.39	0.48
2:A:285:ARG:HG2	2:A:454:GLN:HE21	1.79	0.48
9:B:801:PC1:O14	9:B:801:PC1:H121	2.14	0.47
3:B:192:ALA:O	5:D:79:GLN:NE2	2.36	0.47
1:E:43:THR:O	1:E:43:THR:HG22	2.15	0.47
3:B:165:TRP:O	3:B:165:TRP:CD1	2.67	0.47
2:A:202:SER:OG	2:A:206:SER:O	2.31	0.47
1:E:50:VAL:CG2	3:B:431:ALA:HB1	2.45	0.47
2:A:388:GLU:OE1	2:A:391:ARG:NH2	2.47	0.47
4:C:2:GLY:N	4:C:143:GLY:O	2.48	0.46
3:B:437:ILE:O	3:B:437:ILE:HG22	2.15	0.46
2:A:310:GLU:HB2	2:A:574:LEU:HD23	1.98	0.46
1:E:35:MET:O	1:E:39:VAL:HG23	2.15	0.46
1:E:44:VAL:HA	1:E:47:ILE:HG13	1.92	0.46
2:A:282:LEU:HD11	2:A:567:VAL:HG21	1.97	0.46
2:A:154:PRO:O	2:A:160:ARG:NH1	2.49	0.46
2:A:108:MET:HE1	2:A:121:LEU:HD21	1.97	0.45
1:E:49:LEU:C	3:B:385:ASN:HD21	2.24	0.45
4:C:20:LEU:O	4:C:24:THR:OG1	2.32	0.45
2:A:49:PRO:HG3	2:A:656:ILE:HD13	1.98	0.45
2:A:408:VAL:HG22	2:A:410:ALA:H	1.80	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:331:GLN:HE21	2:A:555:ILE:HB	1.81	0.45
3:B:165:TRP:O	3:B:165:TRP:HD1	2.00	0.44
1:E:50:VAL:HG22	1:E:51:MET:N	2.32	0.44
5:D:34:ILE:HD11	5:D:61:ALA:HA	1.99	0.44
3:B:171:LEU:HD23	3:B:210:MET:HE3	1.99	0.44
3:B:145:VAL:HA	3:B:148:ILE:HG22	1.99	0.44
3:B:249:ILE:HD13	3:B:249:ILE:HA	1.81	0.44
2:A:253:ASP:HB3	2:A:331:GLN:HG2	2.00	0.44
5:D:39:ARG:HG3	5:D:43:LEU:HD22	2.00	0.44
3:B:433:PRO:HB2	3:B:436:PRO:CD	2.48	0.43
4:C:159:THR:HG21	4:C:210:TYR:CD1	2.54	0.43
9:B:802:PC1:H133	9:B:802:PC1:H112	1.81	0.43
3:B:165:TRP:CD1	3:B:165:TRP:C	2.96	0.43
10:C:302:CLR:H262	10:C:302:CLR:H231	1.76	0.43
5:D:39:ARG:HA	5:D:43:LEU:HD13	2.01	0.43
2:A:224:VAL:HG11	5:D:99:GLY:O	2.19	0.42
3:B:241:LEU:HD23	3:B:246:ALA:CB	2.49	0.42
2:A:589:PRO:HD2	2:A:597:LYS:HD2	2.02	0.42
2:A:56:ALA:HA	2:A:227:THR:HG22	2.01	0.42
2:A:286:SER:OG	2:A:287:PHE:N	2.53	0.42
4:C:207:ASN:C	4:C:209:TRP:H	2.28	0.42
3:B:256:TYR:HA	3:B:259:VAL:HG12	2.01	0.42
2:A:533:TRP:CZ2	2:A:573:ASN:ND2	2.86	0.42
5:D:7:SER:OG	5:D:9:GLU:OE1	2.38	0.42
10:C:303:CLR:H162	10:C:303:CLR:H221	1.46	0.42
1:E:55:LYS:HD2	1:E:55:LYS:HA	1.82	0.42
4:C:24:THR:O	4:C:31:ARG:NH1	2.50	0.42
3:B:208:VAL:HG21	5:D:28:PHE:HD2	1.85	0.41
2:A:377:TRP:CE2	2:A:445:SER:HB3	2.55	0.41
3:B:241:LEU:HD23	3:B:246:ALA:HB2	2.01	0.41
2:A:589:PRO:HG2	2:A:597:LYS:HB2	2.02	0.41
3:B:464:GLN:NE2	4:C:160:SER:OG	2.54	0.41
2:A:200:ASN:HD21	2:A:213:CYS:HB3	1.86	0.41
9:C:304:PC1:H362	9:C:304:PC1:H2A1	2.03	0.41
2:A:64:SER:OG	2:A:65:SER:N	2.53	0.41
2:A:632:SER:HA	2:A:633:PRO:HD3	1.97	0.41
3:B:437:ILE:HG21	3:B:437:ILE:HD13	1.71	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	E	23/120 (19%)	20 (87%)	3 (13%)	0	100	100
2	A	665/709 (94%)	626 (94%)	39 (6%)	0	100	100
3	B	302/467 (65%)	294 (97%)	8 (3%)	0	100	100
4	C	241/265 (91%)	234 (97%)	7 (3%)	0	100	100
5	D	94/101 (93%)	90 (96%)	4 (4%)	0	100	100
All	All	1325/1662 (80%)	1264 (95%)	61 (5%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	E	21/106 (20%)	17 (81%)	4 (19%)	1	4
2	A	584/612 (95%)	584 (100%)	0	100	100
3	B	264/408 (65%)	257 (97%)	7 (3%)	40	73
4	C	193/214 (90%)	192 (100%)	1 (0%)	86	96
5	D	84/89 (94%)	84 (100%)	0	100	100
All	All	1146/1429 (80%)	1134 (99%)	12 (1%)	71	91

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	E	35	MET
1	E	41	ILE
1	E	46	VAL
1	E	52	LEU
3	B	82	VAL
3	B	114	ILE
3	B	115	TYR
3	B	249	ILE
3	B	287	ILE
3	B	383	LEU
3	B	436	PRO
4	C	149	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (20) such sidechains are listed below:

Mol	Chain	Res	Type
2	A	59	GLN
2	A	74	HIS
2	A	102	HIS
2	A	158	HIS
2	A	163	GLN
2	A	194	GLN
2	A	197	GLN
2	A	331	GLN
2	A	358	ASN
2	A	449	HIS
2	A	454	GLN
2	A	516	GLN
2	A	531	ASN
2	A	553	HIS
2	A	606	GLN
2	A	691	ASN
3	B	214	HIS
3	B	385	ASN
3	B	464	GLN
4	C	207	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

15 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	NAG	F	1	2,6	14,14,15	0.26	0	17,19,21	0.42	0
6	NAG	F	2	6	14,14,15	0.24	0	17,19,21	0.58	0
7	NAG	G	1	7,2	14,14,15	0.25	0	17,19,21	0.53	0
7	NAG	G	2	7	14,14,15	0.21	0	17,19,21	0.64	1 (5%)
7	BMA	G	3	7	11,11,12	0.67	0	15,15,17	0.89	1 (6%)
7	BMA	G	4	7	11,11,12	0.67	0	15,15,17	0.92	1 (6%)
7	BMA	G	5	7	11,11,12	1.59	3 (27%)	15,15,17	1.89	4 (26%)
6	NAG	H	1	2,6	14,14,15	0.33	0	17,19,21	1.05	1 (5%)
6	NAG	H	2	6	14,14,15	0.39	0	17,19,21	0.49	0
6	NAG	I	1	6	14,14,15	0.23	0	17,19,21	0.47	0
6	NAG	I	2	6	14,14,15	0.22	0	17,19,21	0.55	0
6	NAG	J	1	2,6	14,14,15	0.23	0	17,19,21	0.51	0
6	NAG	J	2	6	14,14,15	0.73	1 (7%)	17,19,21	2.23	3 (17%)
6	NAG	K	1	2,6	14,14,15	0.32	0	17,19,21	0.53	0
6	NAG	K	2	6	14,14,15	0.25	0	17,19,21	0.48	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	NAG	F	1	2,6	-	0/6/23/26	0/1/1/1
6	NAG	F	2	6	-	2/6/23/26	0/1/1/1
7	NAG	G	1	7,2	-	4/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	NAG	G	2	7	-	1/6/23/26	0/1/1/1
7	BMA	G	3	7	-	2/2/19/22	0/1/1/1
7	BMA	G	4	7	-	1/2/19/22	0/1/1/1
7	BMA	G	5	7	-	0/2/19/22	0/1/1/1
6	NAG	H	1	2,6	-	1/6/23/26	0/1/1/1
6	NAG	H	2	6	-	4/6/23/26	0/1/1/1
6	NAG	I	1	6	-	2/6/23/26	0/1/1/1
6	NAG	I	2	6	-	2/6/23/26	0/1/1/1
6	NAG	J	1	2,6	-	2/6/23/26	0/1/1/1
6	NAG	J	2	6	-	3/6/23/26	0/1/1/1
6	NAG	K	1	2,6	-	2/6/23/26	0/1/1/1
6	NAG	K	2	6	-	2/6/23/26	0/1/1/1

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	G	5	BMA	C2-C3	3.10	1.57	1.52
7	G	5	BMA	C1-C2	2.95	1.58	1.52
7	G	5	BMA	O5-C1	2.10	1.47	1.43
6	J	2	NAG	C1-C2	2.03	1.55	1.52

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	J	2	NAG	C2-N2-C7	7.76	133.95	122.90
7	G	5	BMA	C1-O5-C5	5.00	118.96	112.19
6	J	2	NAG	C1-C2-N2	3.67	116.75	110.49
6	H	1	NAG	C2-N2-C7	3.18	127.43	122.90
7	G	5	BMA	C1-C2-C3	3.00	113.36	109.67
7	G	5	BMA	O5-C1-C2	2.75	115.01	110.77
7	G	2	NAG	C1-O5-C5	2.23	115.22	112.19
7	G	5	BMA	C2-C3-C4	2.20	114.70	110.89
6	J	2	NAG	C8-C7-N2	2.14	119.73	116.10
7	G	4	BMA	C1-O5-C5	2.05	114.97	112.19
7	G	3	BMA	O2-C2-C3	-2.05	106.04	110.14

There are no chirality outliers.


All (28) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
6	J	1	NAG	O5-C5-C6-O6
7	G	3	BMA	C4-C5-C6-O6
6	K	1	NAG	O5-C5-C6-O6
6	J	1	NAG	C4-C5-C6-O6
7	G	3	BMA	O5-C5-C6-O6
6	K	1	NAG	C4-C5-C6-O6
6	F	2	NAG	C8-C7-N2-C2
6	F	2	NAG	O7-C7-N2-C2
6	H	2	NAG	C8-C7-N2-C2
6	H	2	NAG	O7-C7-N2-C2
6	I	2	NAG	C8-C7-N2-C2
6	I	2	NAG	O7-C7-N2-C2
6	J	2	NAG	C8-C7-N2-C2
6	J	2	NAG	O7-C7-N2-C2
7	G	1	NAG	C8-C7-N2-C2
7	G	1	NAG	O7-C7-N2-C2
6	H	2	NAG	O5-C5-C6-O6
6	H	2	NAG	C4-C5-C6-O6
7	G	4	BMA	O5-C5-C6-O6
7	G	1	NAG	C4-C5-C6-O6
6	K	2	NAG	C4-C5-C6-O6
7	G	2	NAG	O5-C5-C6-O6
6	I	1	NAG	C4-C5-C6-O6
7	G	1	NAG	O5-C5-C6-O6
6	K	2	NAG	O5-C5-C6-O6
6	I	1	NAG	O5-C5-C6-O6
6	H	1	NAG	C3-C2-N2-C7
6	J	2	NAG	C3-C2-N2-C7


There are no ring outliers.


No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.














5.6 Ligand geometry [i](#)

12 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
8	NAG	A	806	2	14,14,15	0.22	0	17,19,21	0.61	1 (5%)
8	NAG	A	802	2	14,14,15	0.51	0	17,19,21	1.00	1 (5%)
9	PC1	B	802	-	40,40,53	0.30	0	46,48,61	0.32	0
8	NAG	A	805	2	14,14,15	0.25	0	17,19,21	0.47	0
9	PC1	B	801	-	36,36,53	0.31	0	42,44,61	0.34	0
8	NAG	A	801	2	14,14,15	0.36	0	17,19,21	0.58	1 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
10	CLR	C	301	-	31,31,31	0.28	0	48,48,48	0.33	0
9	PC1	C	304	-	40,40,53	0.30	0	46,48,61	0.32	0
8	NAG	A	803	2	14,14,15	0.45	0	17,19,21	0.46	0
10	CLR	C	303	-	31,31,31	0.29	0	48,48,48	0.33	0
8	NAG	A	804	2	14,14,15	0.92	1 (7%)	17,19,21	2.26	3 (17%)
10	CLR	C	302	-	31,31,31	0.29	0	48,48,48	0.33	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	NAG	A	806	2	-	0/6/23/26	0/1/1/1
8	NAG	A	802	2	-	3/6/23/26	0/1/1/1
9	PC1	B	802	-	-	26/44/44/57	-
8	NAG	A	805	2	-	0/6/23/26	0/1/1/1
9	PC1	B	801	-	-	11/40/40/57	-
8	NAG	A	801	2	-	0/6/23/26	0/1/1/1
10	CLR	C	301	-	-	5/10/68/68	0/4/4/4
9	PC1	C	304	-	-	7/44/44/57	-
8	NAG	A	803	2	-	2/6/23/26	0/1/1/1
10	CLR	C	303	-	-	8/10/68/68	0/4/4/4
8	NAG	A	804	2	-	5/6/23/26	0/1/1/1
10	CLR	C	302	-	-	9/10/68/68	0/4/4/4

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	A	804	NAG	C1-C2	2.89	1.56	1.52

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	A	804	NAG	C2-N2-C7	7.89	134.13	122.90
8	A	804	NAG	C1-C2-N2	3.70	116.81	110.49
8	A	802	NAG	C2-N2-C7	3.10	127.32	122.90
8	A	804	NAG	C8-C7-N2	2.15	119.73	116.10
8	A	806	NAG	C1-O5-C5	2.13	115.08	112.19
8	A	801	NAG	C1-O5-C5	2.03	114.94	112.19

There are no chirality outliers.

All (76) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
9	B	801	PC1	C11-O13-P-O14
9	B	802	PC1	C1-O11-P-O14
9	B	802	PC1	O13-C11-C12-N
9	C	304	PC1	C11-O13-P-O14
9	C	304	PC1	C12-C11-O13-P
9	C	304	PC1	O22-C21-O21-C2
10	C	303	CLR	C13-C17-C20-C21
8	A	802	NAG	O5-C5-C6-O6
8	A	804	NAG	O5-C5-C6-O6
9	C	304	PC1	C22-C21-O21-C2
10	C	303	CLR	C21-C20-C22-C23
10	C	303	CLR	C16-C17-C20-C21
10	C	303	CLR	C16-C17-C20-C22
10	C	303	CLR	C13-C17-C20-C22
10	C	302	CLR	C21-C20-C22-C23
8	A	802	NAG	C4-C5-C6-O6
8	A	804	NAG	C4-C5-C6-O6
10	C	302	CLR	C17-C20-C22-C23
10	C	303	CLR	C17-C20-C22-C23
8	A	804	NAG	C8-C7-N2-C2
8	A	804	NAG	O7-C7-N2-C2
10	C	302	CLR	C13-C17-C20-C22
8	A	803	NAG	O5-C5-C6-O6
10	C	302	CLR	C22-C23-C24-C25
10	C	301	CLR	C17-C20-C22-C23
9	B	801	PC1	C11-O13-P-O11
9	B	802	PC1	C1-O11-P-O13
9	B	802	PC1	C11-C12-N-C13
9	B	802	PC1	C11-C12-N-C14
9	B	802	PC1	C11-C12-N-C15
9	B	802	PC1	C27-C28-C29-C2A
10	C	301	CLR	C23-C24-C25-C27
10	C	301	CLR	C22-C23-C24-C25
10	C	302	CLR	C13-C17-C20-C21
9	B	802	PC1	C24-C25-C26-C27
9	B	802	PC1	C32-C31-O31-C3
10	C	303	CLR	C22-C23-C24-C25
10	C	301	CLR	C21-C20-C22-C23
10	C	302	CLR	C16-C17-C20-C21
10	C	302	CLR	C16-C17-C20-C22

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
9	B	802	PC1	O32-C31-O31-C3
9	B	802	PC1	C22-C21-O21-C2
9	B	802	PC1	C36-C37-C38-C39
10	C	301	CLR	C23-C24-C25-C26
9	B	802	PC1	O22-C21-O21-C2
9	B	802	PC1	C1-C2-C3-O31
10	C	302	CLR	C23-C24-C25-C27
9	B	802	PC1	C21-C22-C23-C24
9	B	802	PC1	C2A-C2B-C2C-C2D
8	A	803	NAG	C4-C5-C6-O6
10	C	302	CLR	C23-C24-C25-C26
9	B	802	PC1	C26-C27-C28-C29
9	B	802	PC1	O11-C1-C2-O21
10	C	303	CLR	C20-C22-C23-C24
9	B	802	PC1	C11-O13-P-O11
9	B	801	PC1	C11-O13-P-O12
9	B	802	PC1	C1-O11-P-O12
9	B	801	PC1	C12-C11-O13-P
9	B	802	PC1	C12-C11-O13-P
9	B	801	PC1	O13-C11-C12-N
9	C	304	PC1	O13-C11-C12-N
9	B	802	PC1	O21-C2-C3-O31
9	B	802	PC1	O11-C1-C2-C3
9	B	802	PC1	C33-C34-C35-C36
9	C	304	PC1	C11-O13-P-O11
9	B	801	PC1	C32-C31-O31-C3
9	B	801	PC1	O32-C31-O31-C3
9	B	802	PC1	C29-C2A-C2B-C2C
9	B	801	PC1	C34-C35-C36-C37
9	C	304	PC1	C21-C22-C23-C24
9	B	802	PC1	C32-C33-C34-C35
9	B	801	PC1	O21-C21-C22-C23
8	A	802	NAG	C3-C2-N2-C7
8	A	804	NAG	C3-C2-N2-C7
9	B	801	PC1	O22-C21-C22-C23
9	B	801	PC1	C21-C22-C23-C24

There are no ring outliers.

7 monomers are involved in 11 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
9	B	802	PC1	2	0


Continued on next page...


Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
9	B	801	PC1	1	0
10	C	301	CLR	1	0
9	C	304	PC1	3	0
10	C	303	CLR	1	0
8	A	804	NAG	1	0
10	C	302	CLR	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.