



Full wwPDB EM Validation Report ⓘ

Jul 15, 2025 – 10:28 PM JST

PDB ID : 8X8R / pdb_00008x8r
EMDB ID : EMD-38157
Title : Structure of hemagglutinin from HN/4-10 H3N8 influenza virus G228 mutant complexed with human receptor analog LSTc
Authors : Hao, T.J.; Xie, Y.F.; Chai, Y.; Song, H.; Gao, G.F.
Deposited on : 2023-11-28
Resolution : 2.84 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : **FAILED**
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4-5-2 with Phenix2.0rc1
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : **FAILED**
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.44

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 2.84 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Mol	Chain	Length	Quality of chain
1	A	509	84% 10% 5%
1	B	509	86% 9% 5%
1	C	509	84% 10% 5%
2	D	5	60% 40%
2	F	5	60% 40%
2	H	5	20% 80%
3	E	2	100%
3	G	2	100%
3	I	2	100%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	M	3	 100%
4	N	3	 100%
4	O	3	 100%

2 Entry composition [i](#)


There are 5 unique types of molecules in this entry. The entry contains 11870 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Hemagglutinin.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	482	Total 3804	C 2371	N 672	O 742	S 19	0	0
1	B	484	Total 3816	C 2380	N 675	O 742	S 19	0	0
1	C	482	Total 3803	C 2371	N 672	O 741	S 19	0	0

- Molecule 2 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
2	D	5	Total 61	C 34	N 2	O 25	0	0
2	F	5	Total 61	C 34	N 2	O 25	0	0
2	H	5	Total 61	C 34	N 2	O 25	0	0

- Molecule 3 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
3	E	2	Total 28	C 16	N 2	O 10	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
3	G	2	28	16	2	10	0	0
3	I	2	28	16	2	10	0	0

- Molecule 4 is an oligosaccharide called N-acetyl-alpha-neuraminic acid-(2-6)-beta-D-galactopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
4	M	3	46	25	2	19	0	0
4	N	3	46	25	2	19	0	0
4	O	3	46	25	2	19	0	0

- Molecule 5 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
5	A	1	14	8	1	5	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
5	B	1	14	8	1	5	0
5	C	1	14	8	1	5	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Hemagglutinin



- Molecule 1: Hemagglutinin



- Molecule 1: Hemagglutinin



- Molecule 2: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain D:  60% 40%



- Molecule 2: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F:  60% 40%



- Molecule 2: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain H:  20% 80%



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E:  100%



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G:  100%



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I:  100%



- Molecule 4: N-acetyl-alpha-neuraminic acid-(2-6)-beta-D-galactopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain M:  100%

NA61
GAL2
SIA3

- Molecule 4: N-acetyl-alpha-neuraminic acid-(2-6)-beta-D-galactopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain N:  100%

NA61
GAL2
SIA3

- Molecule 4: N-acetyl-alpha-neuraminic acid-(2-6)-beta-D-galactopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain O:  100%

NA61
GAL2
SIA3

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	22596	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50.0	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GAL, BMA, MAN, NAG, SIA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.13	0/3884	0.28	0/5265
1	B	0.13	0/3896	0.26	0/5280
1	C	0.13	0/3883	0.27	0/5264
All	All	0.13	0/11663	0.27	0/15809

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3804	0	3660	29	0
1	B	3816	0	3678	28	0
1	C	3803	0	3657	33	0
2	D	61	0	52	0	0
2	F	61	0	52	0	0
2	H	61	0	52	1	0
3	E	28	0	25	0	0
3	G	28	0	25	0	0
3	I	28	0	25	0	0
4	M	46	0	40	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	N	46	0	39	0	0
4	O	46	0	39	0	0
5	A	14	0	13	0	0
5	B	14	0	13	0	0
5	C	14	0	13	0	0
All	All	11870	0	11383	84	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (84) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:465:GLY:HA2	1:B:455:ARG:HD2	1.76	0.67
1:B:348:MET:HE1	1:B:354:GLY:HA3	1.78	0.66
1:C:382:LYS:NZ	1:C:434:GLU:OE1	2.25	0.64
1:A:170:MET:HE3	1:A:171:PRO:HD2	1.81	0.63
1:A:385:ARG:NE	1:C:34:ASP:OD1	2.32	0.63
1:A:285:THR:HG22	1:A:303:THR:HG22	1.81	0.62
1:A:34:ASP:OD1	1:B:385:ARG:NE	2.30	0.62
1:B:481:GLU:OE2	1:B:485:ASN:ND2	2.33	0.61
1:B:285:THR:HG22	1:B:303:THR:HG22	1.82	0.61
1:C:361:GLU:OE1	1:C:477:ASN:ND2	2.30	0.61
1:C:285:THR:HG22	1:C:303:THR:HG22	1.83	0.60
1:C:342:GLU:OE2	1:C:342:GLU:N	2.34	0.60
1:B:464:MET:HE3	1:B:470:LYS:HE2	1.83	0.59
1:C:495:ASP:OD1	1:C:495:ASP:N	2.36	0.59
1:A:214:THR:HG21	1:C:218:ASN:HB3	1.85	0.58
1:B:188:SER:OG	1:B:192:GLU:OE1	2.22	0.58
1:A:359:ASN:HD21	1:A:476:ASP:HA	1.70	0.56
1:C:18:GLY:HA2	1:C:340:PHE:HB3	1.87	0.56
1:C:359:ASN:HD21	1:C:476:ASP:HA	1.69	0.56
1:B:359:ASN:ND2	1:B:475:CYS:O	2.35	0.56
1:A:348:MET:HE1	1:A:354:GLY:HA3	1.89	0.55
1:A:143:ARG:HG3	1:A:148:GLY:HA3	1.91	0.53
1:A:383:LEU:HD12	1:A:434:GLU:OE2	2.10	0.50
1:B:18:GLY:HA2	1:B:340:PHE:HB3	1.93	0.50
1:B:456:GLN:HE22	1:B:486:GLY:HA2	1.76	0.50
1:C:445:GLU:HA	1:C:448:LYS:HE2	1.93	0.49
1:A:454:ARG:HB2	1:A:469:PHE:HZ	1.77	0.49
1:A:222:ARG:HD3	1:A:231:ARG:HG2	1.94	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:456:GLN:NE2	1:B:486:GLY:HA2	2.28	0.48
1:C:154:ASN:HB3	1:C:255:ALA:HB3	1.96	0.48
1:C:54:CYS:SG	1:C:281:SER:OG	2.67	0.47
1:C:456:GLN:OE1	1:C:486:GLY:HA2	2.14	0.47
1:C:481:GLU:OE2	1:C:485:ASN:ND2	2.47	0.47
1:A:285:THR:OG1	1:A:288:GLY:O	2.25	0.47
1:B:157:THR:HG22	1:B:158:LYS:H	1.80	0.47
1:C:222:ARG:HD3	1:C:231:ARG:HG2	1.97	0.47
1:C:348:MET:HE1	1:C:354:GLY:HA3	1.96	0.47
1:B:65:ASP:OD1	1:B:65:ASP:N	2.48	0.47
1:A:383:LEU:O	1:A:387:ILE:HG22	2.15	0.46
1:A:18:GLY:HA2	1:A:340:PHE:HB3	1.96	0.46
1:A:459:GLU:OE1	1:A:501:ARG:NH2	2.48	0.46
1:A:73:LEU:HD22	1:A:153:LEU:HD11	1.97	0.46
1:A:460:ASN:HB3	1:A:473:HIS:HD2	1.80	0.46
1:B:170:MET:HE2	1:B:170:MET:HB2	1.83	0.45
1:A:268:SER:OG	1:A:269:ILE:N	2.50	0.45
1:B:222:ARG:HD3	1:B:231:ARG:HG2	1.98	0.45
1:A:30:THR:HG22	1:A:435:ASN:HB3	1.99	0.45
1:C:156:LEU:HD12	1:C:253:LEU:HD23	1.99	0.45
1:B:391:ASN:HB2	1:B:393:LYS:HE2	1.99	0.45
1:C:382:LYS:O	1:C:383:LEU:HB3	2.17	0.45
1:B:143:ARG:NH2	1:B:151:SER:HB3	2.32	0.44
1:A:494:ARG:HH11	1:A:498:LEU:HD11	1.82	0.44
2:H:1:NAG:H61	2:H:2:NAG:HN2	1.81	0.44
1:A:64:ARG:HD2	1:A:64:ARG:H	1.83	0.44
1:C:175:ASN:OD1	1:C:175:ASN:N	2.50	0.43
1:C:483:ILE:HG13	1:C:488:TYR:CD2	2.53	0.43
1:C:355:PHE:CD1	1:C:484:ARG:HD3	2.53	0.43
1:C:473:HIS:HE2	1:C:488:TYR:HH	1.64	0.43
1:A:327:GLU:HG3	1:A:343:ASN:OD1	2.19	0.43
1:B:303:THR:HB	1:B:307:CYS:SG	2.59	0.43
1:C:368:ASP:OD1	1:C:369:LEU:N	2.52	0.43
1:C:473:HIS:NE2	1:C:488:TYR:OH	2.47	0.43
1:C:462:GLU:OE2	1:C:501:ARG:NH2	2.46	0.43
1:A:456:GLN:OE1	1:A:486:GLY:HA2	2.19	0.43
1:C:454:ARG:HB2	1:C:469:PHE:CZ	2.53	0.43
1:C:135:ASN:OD1	1:C:257:ARG:NH2	2.32	0.43
1:B:30:THR:HG22	1:B:435:ASN:HB3	2.01	0.42
1:C:170:MET:HE2	1:C:170:MET:HB2	1.88	0.42
1:C:322:MET:HE1	1:C:353:TYR:CE1	2.54	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:377:ASP:OD1	1:A:377:ASP:C	2.61	0.42
1:B:356:ARG:HE	1:B:365:GLN:CD	2.27	0.42
1:C:454:ARG:HB2	1:C:469:PHE:HZ	1.85	0.42
1:A:223:PRO:HB2	1:B:209:ARG:HG2	2.02	0.42
1:B:85:LYS:HB3	1:B:85:LYS:HE3	1.92	0.42
1:A:203:ARG:NH1	1:C:219:ILE:O	2.53	0.41
1:A:475:CYS:SG	1:A:480:ILE:HD13	2.60	0.41
1:C:438:THR:HA	1:C:441:LEU:HD23	2.03	0.41
1:B:34:ASP:N	1:B:34:ASP:OD1	2.52	0.41
1:B:37:GLU:OE2	1:B:324:ASN:ND2	2.41	0.41
1:B:297:GLN:NE2	1:B:300:ASN:O	2.34	0.41
1:A:293:ASP:OD1	1:A:293:ASP:N	2.52	0.41
1:B:218:ASN:HB3	1:C:214:THR:HG21	2.03	0.40
1:B:480:ILE:O	1:B:484:ARG:HG3	2.21	0.40
1:B:301:LYS:HG3	1:B:399:LYS:HD3	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	478/509 (94%)	468 (98%)	10 (2%)	0	100	100
1	B	480/509 (94%)	468 (98%)	12 (2%)	0	100	100
1	C	478/509 (94%)	469 (98%)	9 (2%)	0	100	100
All	All	1436/1527 (94%)	1405 (98%)	31 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	422/444 (95%)	417 (99%)	5 (1%)	67	85
1	B	422/444 (95%)	418 (99%)	4 (1%)	75	88
1	C	421/444 (95%)	421 (100%)	0	100	100
All	All	1265/1332 (95%)	1256 (99%)	9 (1%)	80	91

All (9) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	24	ASN
1	A	50	THR
1	A	112	SER
1	A	198	VAL
1	A	266	ARG
1	B	121	ASP
1	B	138	SER
1	B	348	MET
1	B	383	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	35	GLN
1	A	213	GLN
1	B	199	GLN
1	B	213	GLN
1	C	199	GLN
1	C	213	GLN
1	C	359	ASN
1	C	384	ASN
1	C	396	GLN
1	C	456	GLN
1	C	485	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

30 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	D	1	1,2	14,14,15	0.23	0	17,19,21	0.42	0
2	NAG	D	2	2	14,14,15	0.23	0	17,19,21	0.41	0
2	BMA	D	3	2	11,11,12	0.53	0	15,15,17	0.85	0
2	MAN	D	4	2	11,11,12	0.65	0	15,15,17	0.91	1 (6%)
2	MAN	D	5	2	11,11,12	0.59	0	15,15,17	0.96	2 (13%)
3	NAG	E	1	1,3	14,14,15	0.31	0	17,19,21	0.37	0
3	NAG	E	2	3	14,14,15	0.20	0	17,19,21	0.43	0
2	NAG	F	1	1,2	14,14,15	0.37	0	17,19,21	0.42	0
2	NAG	F	2	2	14,14,15	0.24	0	17,19,21	0.45	0
2	BMA	F	3	2	11,11,12	0.54	0	15,15,17	0.71	0
2	MAN	F	4	2	11,11,12	0.66	0	15,15,17	1.11	2 (13%)
2	MAN	F	5	2	11,11,12	0.67	0	15,15,17	1.06	2 (13%)
3	NAG	G	1	1,3	14,14,15	0.27	0	17,19,21	0.36	0
3	NAG	G	2	3	14,14,15	0.21	0	17,19,21	0.39	0
2	NAG	H	1	1,2	14,14,15	0.31	0	17,19,21	0.43	0
2	NAG	H	2	2	14,14,15	0.25	0	17,19,21	0.43	0
2	BMA	H	3	2	11,11,12	0.60	0	15,15,17	0.91	0
2	MAN	H	4	2	11,11,12	0.65	0	15,15,17	0.93	2 (13%)
2	MAN	H	5	2	11,11,12	0.68	0	15,15,17	1.04	2 (13%)
3	NAG	I	1	1,3	14,14,15	0.31	0	17,19,21	0.39	0
3	NAG	I	2	3	14,14,15	0.23	0	17,19,21	0.43	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	NAG	M	1	4	15,15,15	0.57	1 (6%)	21,21,21	1.18	2 (9%)
4	GAL	M	2	4	11,11,12	0.60	0	15,15,17	1.88	1 (6%)
4	SIA	M	3	4	20,20,21	1.83	2 (10%)	24,28,31	1.62	4 (16%)
4	NAG	N	1	4	15,15,15	0.57	1 (6%)	21,21,21	1.90	2 (9%)
4	GAL	N	2	4	11,11,12	0.64	0	15,15,17	1.95	1 (6%)
4	SIA	N	3	4	20,20,21	1.87	2 (10%)	24,28,31	1.71	4 (16%)
4	NAG	O	1	4	15,15,15	0.56	1 (6%)	21,21,21	1.90	2 (9%)
4	GAL	O	2	4	11,11,12	0.64	0	15,15,17	1.95	1 (6%)
4	SIA	O	3	4	20,20,21	1.87	2 (10%)	24,28,31	1.71	4 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	D	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	D	2	2	-	1/6/23/26	0/1/1/1
2	BMA	D	3	2	-	0/2/19/22	0/1/1/1
2	MAN	D	4	2	-	1/2/19/22	0/1/1/1
2	MAN	D	5	2	-	2/2/19/22	0/1/1/1
3	NAG	E	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	E	2	3	-	0/6/23/26	0/1/1/1
2	NAG	F	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	F	2	2	-	0/6/23/26	0/1/1/1
2	BMA	F	3	2	-	0/2/19/22	0/1/1/1
2	MAN	F	4	2	-	1/2/19/22	0/1/1/1
2	MAN	F	5	2	-	1/2/19/22	0/1/1/1
3	NAG	G	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	G	2	3	-	2/6/23/26	0/1/1/1
2	NAG	H	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	H	2	2	-	2/6/23/26	0/1/1/1
2	BMA	H	3	2	-	0/2/19/22	0/1/1/1
2	MAN	H	4	2	-	1/2/19/22	0/1/1/1
2	MAN	H	5	2	-	2/2/19/22	0/1/1/1
3	NAG	I	1	1,3	-	1/6/23/26	0/1/1/1
3	NAG	I	2	3	-	2/6/23/26	0/1/1/1
4	NAG	M	1	4	-	0/6/26/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GAL	M	2	4	-	0/2/19/22	0/1/1/1
4	SIA	M	3	4	-	4/18/34/38	0/1/1/1
4	NAG	N	1	4	-	0/6/26/26	0/1/1/1
4	GAL	N	2	4	-	0/2/19/22	0/1/1/1
4	SIA	N	3	4	-	4/18/34/38	0/1/1/1
4	NAG	O	1	4	-	0/6/26/26	0/1/1/1
4	GAL	O	2	4	-	0/2/19/22	0/1/1/1
4	SIA	O	3	4	-	4/18/34/38	0/1/1/1

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	O	3	SIA	C2-C1	7.12	1.58	1.52
4	N	3	SIA	C2-C1	7.12	1.58	1.52
4	M	3	SIA	C2-C1	7.00	1.58	1.52
4	O	3	SIA	O6-C2	2.79	1.47	1.43
4	N	3	SIA	O6-C2	2.76	1.47	1.43
4	M	3	SIA	O6-C2	2.56	1.47	1.43
4	M	1	NAG	O4-C4	-2.18	1.37	1.43
4	N	1	NAG	O4-C4	-2.18	1.37	1.43
4	O	1	NAG	O4-C4	-2.15	1.37	1.43

All (32) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	N	1	NAG	O4-C4-C3	8.07	129.00	110.35
4	O	1	NAG	O4-C4-C3	8.07	129.00	110.35
4	N	2	GAL	O6-C6-C5	-6.58	88.71	111.29
4	O	2	GAL	O6-C6-C5	-6.58	88.73	111.29
4	M	2	GAL	O6-C6-C5	-6.28	89.75	111.29
4	O	3	SIA	O1A-C1-C2	-4.59	111.72	122.57
4	N	3	SIA	O1A-C1-C2	-4.56	111.79	122.57
4	M	3	SIA	O1A-C1-C2	-4.41	112.15	122.57
4	M	1	NAG	O4-C4-C3	4.35	120.40	110.35
4	N	3	SIA	C6-O6-C2	3.97	119.84	111.34
4	O	3	SIA	C6-O6-C2	3.96	119.82	111.34
4	M	3	SIA	C6-O6-C2	3.32	118.44	111.34
4	N	1	NAG	O4-C4-C5	3.25	117.38	109.30
4	O	1	NAG	O4-C4-C5	3.25	117.37	109.30
4	M	1	NAG	O4-C4-C5	3.18	117.19	109.30
4	M	3	SIA	C4-C3-C2	3.10	115.36	109.81

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	N	3	SIA	C4-C3-C2	2.80	114.82	109.81
4	O	3	SIA	C4-C3-C2	2.78	114.78	109.81
2	F	4	MAN	C1-O5-C5	2.67	115.81	112.19
4	O	3	SIA	O1B-C1-O1A	2.55	129.87	124.09
4	N	3	SIA	O1B-C1-O1A	2.53	129.83	124.09
4	M	3	SIA	O1B-C1-O1A	2.50	129.77	124.09
2	H	5	MAN	C1-O5-C5	2.42	115.47	112.19
2	F	5	MAN	O2-C2-C3	-2.37	105.39	110.14
2	D	5	MAN	C1-O5-C5	2.35	115.38	112.19
2	D	4	MAN	O2-C2-C3	-2.32	105.49	110.14
2	F	4	MAN	O2-C2-C3	-2.30	105.53	110.14
2	H	4	MAN	O2-C2-C3	-2.29	105.56	110.14
2	D	5	MAN	O2-C2-C3	-2.28	105.58	110.14
2	F	5	MAN	C1-O5-C5	2.27	115.27	112.19
2	H	5	MAN	O2-C2-C3	-2.13	105.87	110.14
2	H	4	MAN	C1-O5-C5	2.09	115.02	112.19

There are no chirality outliers.

All (38) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	N	3	SIA	C6-C7-C8-O8
4	N	3	SIA	O7-C7-C8-O8
4	O	3	SIA	C6-C7-C8-O8
4	O	3	SIA	O7-C7-C8-O8
2	H	2	NAG	O5-C5-C6-O6
3	I	2	NAG	C4-C5-C6-O6
3	E	1	NAG	O5-C5-C6-O6
3	G	2	NAG	C4-C5-C6-O6
3	I	2	NAG	O5-C5-C6-O6
3	E	1	NAG	C4-C5-C6-O6
4	M	3	SIA	O7-C7-C8-O8
2	D	5	MAN	O5-C5-C6-O6
3	G	2	NAG	O5-C5-C6-O6
2	H	2	NAG	C4-C5-C6-O6
4	M	3	SIA	C6-C7-C8-O8
4	N	3	SIA	O7-C7-C8-C9
4	O	3	SIA	O7-C7-C8-C9
4	M	3	SIA	C6-C7-C8-C9
4	N	3	SIA	C6-C7-C8-C9
4	O	3	SIA	C6-C7-C8-C9
3	G	1	NAG	O5-C5-C6-O6

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	D	5	MAN	C4-C5-C6-O6
2	D	1	NAG	O5-C5-C6-O6
2	F	4	MAN	O5-C5-C6-O6
2	H	4	MAN	O5-C5-C6-O6
4	M	3	SIA	O7-C7-C8-C9
2	D	1	NAG	C4-C5-C6-O6
2	H	5	MAN	O5-C5-C6-O6
2	F	1	NAG	O5-C5-C6-O6
2	F	1	NAG	C4-C5-C6-O6
2	H	5	MAN	C4-C5-C6-O6
2	H	1	NAG	C4-C5-C6-O6
2	H	1	NAG	O5-C5-C6-O6
2	D	4	MAN	O5-C5-C6-O6
3	I	1	NAG	O5-C5-C6-O6
3	G	1	NAG	C4-C5-C6-O6
2	D	2	NAG	C4-C5-C6-O6
2	F	5	MAN	O5-C5-C6-O6


There are no ring outliers.


2 monomers are involved in 1 short contact:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	H	1	NAG	1	0
2	H	2	NAG	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.





















5.6 Ligand geometry [i](#)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	NAG	C	601	1	14,14,15	0.19	0	17,19,21	0.47	0
5	NAG	A	601	1	14,14,15	0.24	0	17,19,21	0.45	0
5	NAG	B	601	1	14,14,15	0.23	0	17,19,21	0.45	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	C	601	1	-	2/6/23/26	0/1/1/1
5	NAG	A	601	1	-	1/6/23/26	0/1/1/1
5	NAG	B	601	1	-	2/6/23/26	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	B	601	NAG	O5-C5-C6-O6
5	B	601	NAG	C4-C5-C6-O6
5	C	601	NAG	O5-C5-C6-O6
5	C	601	NAG	C4-C5-C6-O6
5	A	601	NAG	O5-C5-C6-O6

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.