



Full wwPDB EM Validation Report (i)

Jul 16, 2025 – 01:37 AM JST

PDB ID : 8Y0Q / pdb_00008y0q
EMDB ID : EMD-38814
Title : Complex of FMDV O/18074 and inter-serotype broadly neutralizing antibodies pOA-2
Authors : Wu, S.; Lei, D.
Deposited on : 2024-01-23
Resolution : 2.44 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at
<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references \(i\)](#)) were used in the production of this report:


| | |
|--------------------------------|--|
| EMDB validation analysis | : FAILED |
| MolProbit | : 4-5-2 with Phenix2.0rc1 |
| Percentile statistics | : 20231227.v01 (using entries in the PDB archive December 27th 2023) |
| MapQ | : FAILED |
| Ideal geometry (proteins) | : Engh & Huber (2001) |
| Ideal geometry (DNA, RNA) | : Parkinson et al. (1996) |
| Validation Pipeline (wwPDB-VP) | : 2.44 |

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 2.44 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



| Metric | Whole archive (#Entries) | EM structures (#Entries) |
|-----------------------|--------------------------|--------------------------|
| Clashscore | 210492 | 15764 |
| Ramachandran outliers | 207382 | 16835 |
| Sidechain outliers | 206894 | 16415 |

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$



2 Entry composition [\(i\)](#)

There are 6 unique types of molecules in this entry. The entry contains 6858 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called VP1 of capsid protein.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 1 | 1 | 184 | 1441 | 914 | 252 | 272 | 3 | 0 | 0 |

There are 6 discrepancies between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment | Reference |
|-------|---------|----------|--------|----------|----------------|
| 1 | 33 | THR | ALA | conflict | UNP A0A1P8DYS7 |
| 1 | 47 | GLU | GLN | conflict | UNP A0A1P8DYS7 |
| 1 | 141 | THR | ALA | conflict | UNP A0A1P8DYS7 |
| 1 | 194 | ILE | THR | conflict | UNP A0A1P8DYS7 |
| 1 | 199 | ALA | ASP | conflict | UNP A0A1P8DYS7 |
| 1 | 209 | VAL | ALA | conflict | UNP A0A1P8DYS7 |

- Molecule 2 is a protein called VP2 of capsid protein.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 2 | 2 | 205 | 1608 | 1025 | 276 | 301 | 6 | 0 | 0 |

There are 3 discrepancies between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment | Reference |
|-------|---------|----------|--------|----------|------------|
| 2 | 182 | THR | MET | conflict | UNP J9PGT1 |
| 2 | 190 | LYS | ASN | conflict | UNP J9PGT1 |
| 2 | 209 | TYR | HIS | conflict | UNP J9PGT1 |

- Molecule 3 is a protein called VP3 of capsid protein.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 3 | 3 | 219 | 1674 | 1073 | 273 | 320 | 8 | 0 | 0 |

There are 5 discrepancies between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment | Reference |
|-------|---------|----------|--------|----------|----------------|
| 3 | 56 | ARG | HIS | conflict | UNP A0A1C6ZW66 |
| 3 | 73 | LYS | VAL | conflict | UNP A0A1C6ZW66 |
| 3 | 75 | VAL | ALA | conflict | UNP A0A1C6ZW66 |
| 3 | 134 | THR | LYS | conflict | UNP A0A1C6ZW66 |
| 3 | 219 | ALA | THR | conflict | UNP A0A1C6ZW66 |

- Molecule 4 is a protein called VP4 of capsid protein.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---|---------|-------|
| 4 | 4 | 46 | Total | C | N | O | S | 0 | 0 |
| | | | 356 | 224 | 58 | 72 | 2 | | |

- Molecule 5 is a protein called pOA2 VH.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 5 | H | 123 | Total | C | N | O | S | 0 | 0 |
| | | | 964 | 604 | 171 | 183 | 6 | | |


- Molecule 6 is a protein called pOA2 VL.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 6 | L | 109 | Total | C | N | O | S | 0 | 0 |
| | | | 815 | 515 | 135 | 161 | 4 | | |

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: VP1 of capsid protein




- Molecule 2: VP2 of capsid protein




- Molecule 3: VP3 of capsid protein



- Molecule 4: VP4 of capsid protein



- Molecule 5: pOA2 VH



- Molecule 6: pOA2 VL

Chain L:  87% 13%



4 Experimental information (i)

| Property | Value | Source |
|--------------------------------------|---|-----------|
| EM reconstruction method | SINGLE PARTICLE | Depositor |
| Imposed symmetry | POINT, I | Depositor |
| Number of particles used | 3202 | Depositor |
| Resolution determination method | FSC 0.143 CUT-OFF | Depositor |
| CTF correction method | PHASE FLIPPING AND AMPLITUDE CORRECTION | Depositor |
| Microscope | FEI TITAN KRIOS | Depositor |
| Voltage (kV) | 300 | Depositor |
| Electron dose ($e^-/\text{\AA}^2$) | 30 | Depositor |
| Minimum defocus (nm) | 800 | Depositor |
| Maximum defocus (nm) | 2000 | Depositor |
| Magnification | Not provided | |
| Image detector | GATAN K3 BIOQUANTUM (6k x 4k) | Depositor |

5 Model quality i

5.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Chain | Bond lengths | | Bond angles | |
|-----|-------|--------------|-------------|-------------|-------------|
| | | RMSZ | # $ Z > 5$ | RMSZ | # $ Z > 5$ |
| 1 | 1 | 0.18 | 0/1474 | 0.31 | 0/2016 |
| 2 | 2 | 0.19 | 0/1650 | 0.33 | 0/2255 |
| 3 | 3 | 0.18 | 0/1722 | 0.33 | 0/2356 |
| 4 | 4 | 0.14 | 0/362 | 0.24 | 0/486 |
| 5 | H | 0.16 | 0/985 | 0.31 | 0/1330 |
| 6 | L | 0.14 | 0/834 | 0.32 | 0/1138 |
| All | All | 0.17 | 0/7027 | 0.32 | 0/9581 |

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

| Mol | Chain | Non-H | H(model) | H(added) | Clashes | Symm-Clashes |
|-----|-------|-------|----------|----------|---------|--------------|
| 1 | 1 | 1441 | 0 | 1448 | 20 | 0 |
| 2 | 2 | 1608 | 0 | 1576 | 16 | 0 |
| 3 | 3 | 1674 | 0 | 1614 | 23 | 0 |
| 4 | 4 | 356 | 0 | 327 | 0 | 0 |
| 5 | H | 964 | 0 | 928 | 13 | 0 |
| 6 | L | 815 | 0 | 792 | 9 | 0 |
| All | All | 6858 | 0 | 6685 | 71 | 0 |

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (71) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

| Atom-1 | Atom-2 | Interatomic distance (Å) | Clash overlap (Å) |
|------------------|------------------|--------------------------|-------------------|
| 2:2:83:LEU:HD11 | 2:2:125:MET:HE1 | 1.57 | 0.86 |
| 1:1:91:ASN:HD21 | 1:1:121:ALA:HA | 1.48 | 0.78 |
| 3:3:122:MET:HE3 | 3:3:189:ILE:HD11 | 1.74 | 0.68 |
| 2:2:72:ASN:ND2 | 6:L:95:ASN:OD1 | 2.29 | 0.66 |
| 6:L:34:PRO:HD2 | 6:L:52:ALA:HB2 | 1.78 | 0.66 |
| 2:2:103:ASN:HD22 | 2:2:205:PRO:HB3 | 1.63 | 0.64 |
| 1:1:110:GLU:HB3 | 1:1:111:PRO:HD3 | 1.81 | 0.63 |
| 1:1:66:LEU:HD13 | 1:1:180:MET:HE1 | 1.84 | 0.60 |
| 1:1:111:PRO:HG2 | 1:1:112:LEU:HD23 | 1.82 | 0.60 |
| 5:H:37:VAL:HG12 | 5:H:47:TRP:HA | 1.84 | 0.60 |
| 3:3:212:ARG:HG3 | 3:3:213:LEU:HG | 1.83 | 0.60 |
| 3:3:73:LYS:HD3 | 3:3:76:GLN:HB2 | 1.83 | 0.59 |
| 5:H:39:GLN:HB2 | 5:H:45:LEU:HD23 | 1.85 | 0.59 |
| 3:3:120:ARG:HD3 | 3:3:148:ASP:OD1 | 2.03 | 0.58 |
| 2:2:41:ASP:OD1 | 2:2:102:ARG:NH2 | 2.34 | 0.58 |
| 3:3:56:ARG:NE | 3:3:60:ASP:OD1 | 2.36 | 0.58 |
| 3:3:75:VAL:HG12 | 3:3:186:LEU:HB3 | 1.86 | 0.58 |
| 3:3:100:GLN:OE1 | 3:3:212:ARG:NH1 | 2.36 | 0.57 |
| 2:2:13:ARG:NH2 | 2:2:152:THR:O | 2.38 | 0.56 |
| 3:3:132:PRO:HG3 | 3:3:183:TRP:CD2 | 2.41 | 0.55 |
| 5:H:40:ALA:HB3 | 5:H:43:LYS:HB2 | 1.89 | 0.55 |
| 1:1:6:GLU:HA | 2:2:147:PHE:HB2 | 1.89 | 0.55 |
| 5:H:91:THR:HG23 | 5:H:120:VAL:HA | 1.89 | 0.54 |
| 6:L:84:GLU:HA | 6:L:106:LEU:O | 2.08 | 0.54 |
| 1:1:53:LEU:HD13 | 1:1:180:MET:HE3 | 1.91 | 0.53 |
| 6:L:22:GLY:HA3 | 6:L:71:LYS:NZ | 2.24 | 0.53 |
| 2:2:83:LEU:O | 2:2:85:THR:N | 2.41 | 0.51 |
| 2:2:65:HIS:CE1 | 5:H:105:LYS:HG3 | 2.45 | 0.51 |
| 6:L:22:GLY:HA3 | 6:L:71:LYS:HZ2 | 1.76 | 0.50 |
| 3:3:66:THR:HG23 | 3:3:188:GLN:HE22 | 1.76 | 0.50 |
| 3:3:120:ARG:HB3 | 3:3:190:THR:HG22 | 1.93 | 0.50 |
| 2:2:72:ASN:HD21 | 5:H:107:ARG:NH1 | 2.11 | 0.49 |
| 3:3:99:THR:HB | 3:3:213:LEU:HB2 | 1.93 | 0.49 |
| 5:H:33:GLU:HG2 | 5:H:52:THR:HA | 1.94 | 0.48 |
| 5:H:20:LEU:HD23 | 5:H:83:MET:HE2 | 1.96 | 0.48 |
| 1:1:38:ARG:HB2 | 3:3:17:THR:HG22 | 1.96 | 0.47 |
| 2:2:122:LEU:HB3 | 2:2:182:THR:HG22 | 1.96 | 0.47 |
| 5:H:73:ASP:OD1 | 5:H:75:SER:OG | 2.32 | 0.47 |
| 3:3:120:ARG:HE | 3:3:146:GLU:HB3 | 1.80 | 0.47 |
| 1:1:27:ARG:HB3 | 3:3:43:ASN:HD21 | 1.81 | 0.46 |

Continued on next page...

Continued from previous page...

| Atom-1 | Atom-2 | Interatomic distance (Å) | Clash overlap (Å) |
|------------------|------------------|--------------------------|-------------------|
| 1:1:119:TYR:CZ | 1:1:121:ALA:HB3 | 2.51 | 0.46 |
| 1:1:43:LYS:HD2 | 1:1:44:PRO:HD2 | 1.98 | 0.45 |
| 1:1:26:ARG:H | 3:3:210:ASP:CG | 2.24 | 0.45 |
| 3:3:56:ARG:NH1 | 3:3:84:LYS:HE3 | 2.32 | 0.45 |
| 3:3:208:ASP:OD1 | 3:3:208:ASP:N | 2.44 | 0.45 |
| 5:H:38:ARG:HB3 | 5:H:48:LEU:HD11 | 1.98 | 0.44 |
| 2:2:37:ALA:HB3 | 2:2:161:PRO:HG3 | 1.98 | 0.44 |
| 2:2:91:TYR:OH | 2:2:103:ASN:ND2 | 2.49 | 0.44 |
| 3:3:103:GLY:HA3 | 3:3:209:PHE:HA | 1.98 | 0.44 |
| 1:1:86:LEU:HD11 | 1:1:168:ILE:HD12 | 1.99 | 0.43 |
| 2:2:149:ASN:HB3 | 2:2:152:THR:HG22 | 2.01 | 0.43 |
| 6:L:38:GLN:HB2 | 6:L:48:LEU:HD11 | 2.00 | 0.43 |
| 5:H:22:CYS:O | 5:H:78:THR:HA | 2.18 | 0.43 |
| 6:L:93:LYS:O | 6:L:97:ASN:HB3 | 2.19 | 0.43 |
| 2:2:111:ALA:HB3 | 2:2:148:ILE:HG21 | 2.01 | 0.42 |
| 6:L:4:ILE:HD11 | 6:L:24:ILE:HG12 | 2.01 | 0.42 |
| 1:1:68:THR:O | 1:1:189:ARG:N | 2.53 | 0.42 |
| 1:1:205:ILE:HD12 | 3:3:173:ASP:HB2 | 2.01 | 0.42 |
| 1:1:202:LYS:HB3 | 3:3:174:VAL:HG12 | 2.02 | 0.42 |
| 1:1:68:THR:O | 1:1:188:PRO:HA | 2.20 | 0.42 |
| 5:H:33:GLU:OE1 | 5:H:50:TYR:OH | 2.25 | 0.41 |
| 3:3:45:LEU:HD23 | 3:3:45:LEU:HA | 1.78 | 0.41 |
| 1:1:53:LEU:HD12 | 1:1:72:TYR:CE2 | 2.55 | 0.41 |
| 5:H:23:VAL:HG22 | 5:H:78:THR:HG22 | 2.03 | 0.41 |
| 1:1:16:GLU:HG3 | 1:1:20:GLY:O | 2.20 | 0.41 |
| 1:1:112:LEU:CD1 | 3:3:14:LEU:HD22 | 2.51 | 0.41 |
| 2:2:66:LEU:HD13 | 2:2:181:VAL:HG21 | 2.03 | 0.41 |
| 6:L:84:GLU:HG3 | 6:L:107:THR:HA | 2.01 | 0.41 |
| 1:1:83:GLU:OE1 | 1:1:172:ARG:NH1 | 2.53 | 0.40 |
| 2:2:100:TYR:HE1 | 2:2:170:GLN:HE21 | 1.70 | 0.40 |
| 3:3:119:ALA:HA | 3:3:191:HIS:HA | 2.03 | 0.40 |

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed | Favoured | Allowed | Outliers | Percentiles |
|-----|-------|---------------|-----------|---------|----------|-------------|
| 1 | 1 | 180/213 (84%) | 171 (95%) | 7 (4%) | 2 (1%) | 12 12 |
| 2 | 2 | 203/218 (93%) | 192 (95%) | 11 (5%) | 0 | 100 100 |
| 3 | 3 | 217/220 (99%) | 212 (98%) | 5 (2%) | 0 | 100 100 |
| 4 | 4 | 42/85 (49%) | 40 (95%) | 2 (5%) | 0 | 100 100 |
| 5 | H | 121/123 (98%) | 117 (97%) | 4 (3%) | 0 | 100 100 |
| 6 | L | 107/109 (98%) | 104 (97%) | 3 (3%) | 0 | 100 100 |
| All | All | 870/968 (90%) | 836 (96%) | 32 (4%) | 2 (0%) | 45 53 |

All (2) Ramachandran outliers are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 1 | 1 | 110 | GLU |
| 1 | 1 | 111 | PRO |

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed | Rotameric | Outliers | Percentiles |
|-----|-------|----------------|------------|----------|-------------|
| 1 | 1 | 156/181 (86%) | 156 (100%) | 0 | 100 100 |
| 2 | 2 | 177/190 (93%) | 177 (100%) | 0 | 100 100 |
| 3 | 3 | 177/178 (99%) | 177 (100%) | 0 | 100 100 |
| 4 | 4 | 37/68 (54%) | 37 (100%) | 0 | 100 100 |
| 5 | H | 102/102 (100%) | 102 (100%) | 0 | 100 100 |
| 6 | L | 89/89 (100%) | 89 (100%) | 0 | 100 100 |
| All | All | 738/808 (91%) | 738 (100%) | 0 | 100 100 |

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 1 | 1 | 23 | GLN |
| 1 | 1 | 91 | ASN |
| 2 | 2 | 72 | ASN |
| 2 | 2 | 103 | ASN |
| 4 | 4 | 29 | GLN |
| 6 | L | 80 | GLN |

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [\(i\)](#)

There are no ligands in this entry.

5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.