



Full wwPDB EM Validation Report ⓘ

Jun 26, 2025 – 05:11 AM JST

PDB ID : 8Y8F / pdb_00008y8f
EMDB ID : EMD-39044
Title : Structure of HCoV-HKU1C spike in the glycan-activated-closed conformation
Authors : Lu, Y.C.; Zhang, X.; Wang, H.F.; Sun, L.; Yang, H.T.
Deposited on : 2024-02-06
Resolution : 3.07 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev118
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4-5-2 with Phenix2.0rc1
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.44


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.07 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1263	 84% 10% 5%
1	B	1263	 82% 11% 8%
1	C	1263	 84% 10% 6%
2	D	2	 100%
2	E	2	 100%
2	G	2	 100%
3	F	3	 100%

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 28027 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Spike glycoprotein.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	1196	Total	C	N	O	S	0	0
			9202	5867	1510	1768	57		
1	B	1168	Total	C	N	O	S	0	0
			9061	5785	1481	1742	53		
1	C	1186	Total	C	N	O	S	0	0
			9193	5866	1501	1770	56		

There are 30 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	752	GLY	ARG	engineered mutation	UNP Q0ZME7
A	753	GLY	ARG	engineered mutation	UNP Q0ZME7
A	754	SER	LYS	engineered mutation	UNP Q0ZME7
A	755	GLY	ARG	engineered mutation	UNP Q0ZME7
A	756	SER	ARG	engineered mutation	UNP Q0ZME7
A	902	PRO	LEU	engineered mutation	UNP Q0ZME7
A	980	PRO	SER	engineered mutation	UNP Q0ZME7
A	1023	PRO	ASN	engineered mutation	UNP Q0ZME7
A	1067	PRO	ASN	engineered mutation	UNP Q0ZME7
A	1068	PRO	LEU	engineered mutation	UNP Q0ZME7
B	752	GLY	ARG	engineered mutation	UNP Q0ZME7
B	753	GLY	ARG	engineered mutation	UNP Q0ZME7
B	754	SER	LYS	engineered mutation	UNP Q0ZME7
B	755	GLY	ARG	engineered mutation	UNP Q0ZME7
B	756	SER	ARG	engineered mutation	UNP Q0ZME7
B	902	PRO	LEU	engineered mutation	UNP Q0ZME7
B	980	PRO	SER	engineered mutation	UNP Q0ZME7
B	1023	PRO	ASN	engineered mutation	UNP Q0ZME7
B	1067	PRO	ASN	engineered mutation	UNP Q0ZME7
B	1068	PRO	LEU	engineered mutation	UNP Q0ZME7
C	752	GLY	ARG	engineered mutation	UNP Q0ZME7
C	753	GLY	ARG	engineered mutation	UNP Q0ZME7
C	754	SER	LYS	engineered mutation	UNP Q0ZME7
C	755	GLY	ARG	engineered mutation	UNP Q0ZME7

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	756	SER	ARG	engineered mutation	UNP Q0ZME7
C	902	PRO	LEU	engineered mutation	UNP Q0ZME7
C	980	PRO	SER	engineered mutation	UNP Q0ZME7
C	1023	PRO	ASN	engineered mutation	UNP Q0ZME7
C	1067	PRO	ASN	engineered mutation	UNP Q0ZME7
C	1068	PRO	LEU	engineered mutation	UNP Q0ZME7

- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
2	D	2	Total	C	N	O	0	0
			28	16	2	10		
2	E	2	Total	C	N	O	0	0
			28	16	2	10		
2	G	2	Total	C	N	O	0	0
			28	16	2	10		

- Molecule 3 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
3	F	3	Total	C	N	O	0	0
			39	22	2	15		

- Molecule 4 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms				AltConf
4	A	1	Total	C	N	O	0
			14	8	1	5	
4	A	1	Total	C	N	O	0
			14	8	1	5	
4	A	1	Total	C	N	O	0
			14	8	1	5	
4	A	1	Total	C	N	O	0
			14	8	1	5	
4	A	1	Total	C	N	O	0
			14	8	1	5	
4	A	1	Total	C	N	O	0
			14	8	1	5	
4	A	1	Total	C	N	O	0
			14	8	1	5	
4	A	1	Total	C	N	O	0
			14	8	1	5	
4	A	1	Total	C	N	O	0
			14	8	1	5	
4	B	1	Total	C	N	O	0
			14	8	1	5	
4	B	1	Total	C	N	O	0
			14	8	1	5	
4	B	1	Total	C	N	O	0
			14	8	1	5	

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf
4	B	1	Total	C	N	O	0
			14	8	1	5	
4	B	1	Total	C	N	O	0
			14	8	1	5	
4	B	1	Total	C	N	O	0
			14	8	1	5	
4	B	1	Total	C	N	O	0
			14	8	1	5	
4	B	1	Total	C	N	O	0
			14	8	1	5	
4	B	1	Total	C	N	O	0
			14	8	1	5	
4	B	1	Total	C	N	O	0
			14	8	1	5	
4	B	1	Total	C	N	O	0
			14	8	1	5	
4	C	1	Total	C	N	O	0
			14	8	1	5	
4	C	1	Total	C	N	O	0
			14	8	1	5	
4	C	1	Total	C	N	O	0
			14	8	1	5	
4	C	1	Total	C	N	O	0
			14	8	1	5	
4	C	1	Total	C	N	O	0
			14	8	1	5	
4	C	1	Total	C	N	O	0
			14	8	1	5	
4	C	1	Total	C	N	O	0
			14	8	1	5	
4	C	1	Total	C	N	O	0
			14	8	1	5	


3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Spike glycoprotein




• Molecule 1: Spike glycoprotein





• Molecule 1: Spike glycoprotein



• Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose





- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E:  100%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G:  100%



- Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F:  100%



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	106369	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	60	Depositor
Minimum defocus (nm)	1200	Depositor
Maximum defocus (nm)	2200	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	1.856	Depositor
Minimum map value	-0.002	Depositor
Average map value	0.002	Depositor
Map value standard deviation	0.034	Depositor
Recommended contour level	0.1	Depositor
Map size (Å)	328.0, 328.0, 328.0	wwPDB
Map dimensions	400, 400, 400	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.82, 0.82, 0.82	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: BMA, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.07	0/9426	0.22	0/12856
1	B	0.07	0/9280	0.22	0/12643
1	C	0.07	0/9418	0.21	0/12839
All	All	0.07	0/28124	0.22	0/38338

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	9202	0	8731	71	0
1	B	9061	0	8690	69	0
1	C	9193	0	8811	68	0
2	D	28	0	25	0	0
2	E	28	0	25	0	0
2	G	28	0	25	0	0
3	F	39	0	34	0	0
4	A	154	0	143	1	0
4	B	168	0	156	0	0
4	C	126	0	117	0	0
All	All	28027	0	26757	197	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (197) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:140:GLN:HB2	1:B:147:GLU:HB2	1.73	0.71
1:B:201:HIS:HB2	1:B:212:TYR:HB2	1.75	0.68
1:A:1208:CYS:HA	1:C:998:ASN:HD21	1.58	0.68
1:A:214:ALA:HB2	1:A:220:THR:HA	1.76	0.68
1:A:201:HIS:HB2	1:A:212:TYR:HB2	1.76	0.67
1:B:690:LEU:HB2	1:B:721:LEU:HB2	1.75	0.67
1:C:964:VAL:HA	1:C:967:MET:HE2	1.76	0.67
1:C:131:VAL:HG23	1:C:133:THR:H	1.60	0.66
1:A:846:VAL:HG13	1:A:1096:ILE:HD12	1.77	0.66
1:A:873:THR:HG21	1:A:890:CYS:HA	1.77	0.65
1:C:214:ALA:HB2	1:C:220:THR:HA	1.78	0.65
1:C:638:ALA:HB3	1:C:666:THR:HG21	1.79	0.64
1:C:466:CYS:HB3	1:C:547:PRO:HD2	1.79	0.64
1:A:466:CYS:HB3	1:A:547:PRO:HD2	1.80	0.64
1:A:440:ASN:O	1:A:446:ARG:NH1	2.32	0.63
1:B:466:CYS:HB3	1:B:547:PRO:HD2	1.80	0.63
1:A:387:THR:HB	1:A:593:ILE:HB	1.81	0.63
1:A:690:LEU:HB2	1:A:721:LEU:HB2	1.80	0.62
1:A:21:THR:O	1:A:22:ASN:ND2	2.33	0.62
1:C:313:PRO:HB3	1:C:620:VAL:HA	1.82	0.61
1:C:201:HIS:HB2	1:C:212:TYR:HB2	1.81	0.61
1:B:36:SER:HB3	1:B:73:ASN:HB3	1.82	0.61
1:B:1037:ALA:O	1:B:1041:ASN:ND2	2.31	0.60
1:A:743:CYS:SG	1:A:744:ILE:N	2.75	0.60
1:C:690:LEU:HB2	1:C:721:LEU:HB2	1.84	0.59
1:A:159:PRO:HB2	1:A:238:MET:HE3	1.85	0.58
1:A:1062:LEU:O	1:B:377:LYS:NZ	2.35	0.58
1:B:159:PRO:HB2	1:B:238:MET:HE3	1.84	0.58
1:A:839:ILE:HG23	1:A:1089:VAL:HG11	1.86	0.57
1:C:1112:GLU:OE1	1:C:1120:ARG:NH1	2.36	0.57
1:A:1128:ASN:HB3	1:A:1148:TYR:HB3	1.85	0.57
1:C:494:ILE:HD13	1:C:563:SER:HB3	1.85	0.57
1:C:888:LEU:HD11	1:C:967:MET:HE1	1.85	0.56
1:A:818:VAL:O	1:A:1081:ARG:NH1	2.39	0.56
1:A:834:THR:O	1:A:838:ASN:ND2	2.39	0.56
1:A:447:ARG:NH2	1:C:17:ASP:OD2	2.36	0.56
1:C:75:ARG:NH2	1:C:93:PRO:O	2.38	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:75:ARG:NH2	1:A:93:PRO:O	2.38	0.56
1:C:370:CYS:HA	1:C:423:CYS:HA	1.89	0.55
1:A:828:LEU:HD11	1:A:1071:GLN:HG3	1.89	0.55
1:C:456:SER:OG	1:C:459:ASP:OD2	2.24	0.55
1:A:1163:CYS:HA	1:A:1169:GLY:HA2	1.89	0.55
1:B:204:GLN:HE22	1:B:232:LEU:H	1.55	0.55
1:B:214:ALA:HB2	1:B:220:THR:HA	1.89	0.55
1:B:638:ALA:HB3	1:B:666:THR:HG21	1.89	0.55
1:C:346:ARG:HH21	1:C:387:THR:HG21	1.73	0.54
1:C:1067:PRO:O	1:C:1071:GLN:HG2	2.07	0.54
1:B:578:ASP:OD1	1:B:579:SER:N	2.38	0.54
1:A:162:VAL:HB	1:A:172:GLU:HB2	1.90	0.54
1:A:394:PRO:HB3	1:A:578:ASP:HB3	1.90	0.54
1:B:1019:PHE:HA	1:B:1023:PRO:HB3	1.89	0.54
1:B:700:VAL:HA	1:B:704:ILE:HG12	1.90	0.54
1:B:77:LEU:HD22	1:B:237:VAL:HB	1.91	0.53
1:B:523:ASP:OD1	1:B:526:SER:OG	2.26	0.53
1:C:680:ALA:HB1	1:C:736:LEU:HD13	1.91	0.53
1:C:247:SER:HA	1:C:251:ASN:HA	1.89	0.53
1:A:966:ALA:HB2	1:A:973:ALA:HB3	1.91	0.53
1:B:113:VAL:HG22	1:B:114:ASN:H	1.74	0.53
1:A:425:LEU:HB3	1:A:590:SER:HB3	1.91	0.53
1:B:1053:ALA:HA	1:B:1076:ARG:HH21	1.74	0.53
1:C:504:CYS:HA	1:C:518:CYS:HA	1.90	0.53
1:A:340:SER:OG	1:A:343:ASN:OD1	2.23	0.53
1:A:700:VAL:HG22	1:A:704:ILE:HD12	1.91	0.53
1:A:1164:LEU:N	1:A:1168:ARG:O	2.40	0.52
1:B:839:ILE:HG23	1:B:1089:VAL:HG11	1.92	0.52
1:C:348:ILE:HG12	1:C:387:THR:HG22	1.92	0.52
1:C:937:VAL:O	1:C:941:ASN:ND2	2.37	0.52
1:A:74:PHE:HB3	1:A:257:TRP:HB3	1.91	0.52
1:B:340:SER:OG	1:B:343:ASN:OD1	2.21	0.52
1:B:832:TYR:OH	1:B:1075:ASP:OD1	2.26	0.52
1:A:604:SER:OG	1:A:606:ASP:OD1	2.27	0.51
1:C:66:TYR:HB3	1:C:261:LEU:HD13	1.93	0.51
1:B:182:LEU:HD23	1:B:182:LEU:H	1.75	0.51
1:B:680:ALA:HB1	1:B:736:LEU:HD13	1.92	0.51
1:B:129:VAL:HG23	1:B:131:VAL:HG22	1.92	0.51
1:B:691:LEU:HD13	1:B:720:VAL:HG22	1.93	0.51
1:A:370:CYS:HA	1:A:423:CYS:HA	1.93	0.50
1:A:1129:HIS:NE2	1:A:1132:SER:OG	2.40	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:139:VAL:HG12	1:B:148:ILE:HG12	1.93	0.50
1:C:393:ILE:HD11	1:C:589:PHE:HB2	1.94	0.50
1:B:156:CYS:SG	1:B:157:GLU:N	2.84	0.50
1:B:872:ASN:O	1:B:874:ASN:ND2	2.45	0.50
1:B:1162:LEU:HD13	1:B:1177:PHE:HD2	1.77	0.50
1:B:245:ILE:HG23	1:B:252:GLU:HG3	1.94	0.49
1:B:966:ALA:HB2	1:B:973:ALA:HB3	1.92	0.49
1:A:335:ASN:OD1	1:A:336:VAL:N	2.44	0.49
1:C:839:ILE:HG23	1:C:1089:VAL:HG11	1.95	0.49
1:A:597:ILE:HG21	1:C:1064:ARG:HG2	1.93	0.49
1:B:103:PHE:HB2	1:B:261:LEU:HD21	1.95	0.49
1:C:125:VAL:HG12	1:C:138:VAL:HG22	1.95	0.49
1:C:389:ASP:OD2	1:C:414:TYR:OH	2.28	0.49
1:A:523:ASP:OD1	1:A:526:SER:OG	2.26	0.49
1:B:870:ASN:ND2	1:C:777:ASP:O	2.46	0.49
1:C:446:ARG:HA	1:C:450:PHE:HB3	1.94	0.49
1:B:800:GLU:HB3	1:B:1015:ILE:HD11	1.94	0.49
1:C:428:SER:O	1:C:585:ARG:NH2	2.45	0.49
1:C:604:SER:OG	1:C:606:ASP:OD1	2.30	0.49
1:A:380:GLY:H	1:A:604:SER:HB3	1.77	0.48
1:A:1112:GLU:OE1	1:A:1120:ARG:NH1	2.46	0.48
1:A:1158:VAL:HB	1:A:1176:TYR:HB3	1.96	0.48
1:B:563:SER:OG	1:B:564:SER:N	2.46	0.48
1:A:68:PRO:O	1:A:266:TYR:OH	2.28	0.47
1:A:834:THR:OG1	1:B:1049:ASN:ND2	2.47	0.47
1:B:1112:GLU:OE1	1:B:1120:ARG:NH1	2.46	0.47
1:A:129:VAL:HG23	1:A:131:VAL:HG22	1.96	0.47
1:C:177:ASP:N	1:C:177:ASP:OD1	2.48	0.47
1:C:663:THR:HG23	1:C:665:LYS:HG2	1.96	0.47
1:A:691:LEU:HD13	1:A:720:VAL:HG22	1.97	0.47
1:A:692:TYR:HB3	1:A:695:LEU:HD12	1.97	0.47
1:A:791:PRO:HB3	1:A:1150:PRO:HB3	1.97	0.47
1:A:819:CYS:HB2	1:A:826:HIS:CE1	2.49	0.47
1:B:109:THR:HG21	1:B:254:LEU:HD23	1.97	0.47
1:C:1065:LEU:HD23	1:C:1069:GLU:HB2	1.96	0.47
1:A:872:ASN:O	1:A:894:GLN:NE2	2.48	0.47
1:C:442:SER:OG	1:C:445:ASN:ND2	2.44	0.47
1:C:51:VAL:HG21	1:C:56:TYR:HE1	1.80	0.46
1:A:103:PHE:HB2	1:A:261:LEU:HD21	1.97	0.46
1:B:60:THR:HG22	1:B:267:LEU:HD11	1.98	0.46
1:C:395:ASN:ND2	1:C:579:SER:O	2.48	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:51:VAL:HG23	1:B:54:ARG:HB2	1.98	0.46
1:B:335:ASN:OD1	1:B:336:VAL:N	2.48	0.46
1:C:373:LEU:HD22	1:C:421:SER:HB2	1.98	0.46
1:C:68:PRO:O	1:C:266:TYR:OH	2.27	0.46
1:B:832:TYR:HB3	1:B:835:PHE:HD2	1.81	0.46
1:C:159:PRO:HB2	1:C:238:MET:HE3	1.97	0.46
1:B:16:GLY:H	1:B:157:GLU:HA	1.81	0.45
1:B:425:LEU:HB3	1:B:590:SER:HB3	1.98	0.45
1:A:336:VAL:HG12	1:A:433:ASN:HB3	1.98	0.45
1:A:80:LYS:HE3	1:A:245:ILE:HB	1.98	0.45
1:B:223:LEU:HD22	1:B:224:PHE:HD1	1.80	0.45
1:B:387:THR:HB	1:B:593:ILE:HB	1.97	0.45
1:B:131:VAL:HG23	1:B:133:THR:H	1.82	0.45
1:B:117:LEU:O	1:B:143:ASN:ND2	2.49	0.44
1:B:370:CYS:HA	1:B:423:CYS:HA	1.98	0.44
1:C:791:PRO:HB3	1:C:1150:PRO:HB3	2.00	0.44
1:A:131:VAL:HG23	1:A:133:THR:H	1.83	0.44
1:A:1093:LEU:HD22	1:B:1094:SER:HB3	1.99	0.44
1:C:1158:VAL:HB	1:C:1176:TYR:HB3	2.00	0.44
1:C:482:VAL:HG21	1:C:492:SER:HB2	1.99	0.44
1:C:691:LEU:HD13	1:C:720:VAL:HG22	2.00	0.43
1:A:264:ARG:HH21	1:A:283:SER:HB3	1.83	0.43
1:B:907:LEU:HD11	1:B:1142:LEU:HD22	2.00	0.43
1:C:382:CYS:HA	1:C:603:CYS:HA	2.00	0.43
1:C:1066:ASP:HB3	1:C:1068:PRO:HD2	2.00	0.43
1:C:890:CYS:SG	1:C:899:SER:OG	2.75	0.43
1:B:142:HIS:NE2	1:B:145:ILE:O	2.51	0.43
1:C:286:PHE:HE2	1:C:690:LEU:HD21	1.84	0.43
1:A:397:ARG:NH2	1:A:400:ASP:OD2	2.46	0.43
1:B:821:ASN:ND2	1:C:310:THR:OG1	2.52	0.43
1:A:113:VAL:C	1:A:115:ASN:H	2.25	0.43
1:A:814:CYS:SG	1:A:815:SER:N	2.91	0.43
1:B:1073:GLN:OE1	1:B:1076:ARG:NH2	2.52	0.43
1:A:779:VAL:HG21	1:C:871:LEU:HD13	2.01	0.43
1:B:1179:LYS:HD3	1:B:1184:TRP:CE2	2.53	0.43
1:C:340:SER:OG	1:C:343:ASN:OD1	2.28	0.43
1:B:1158:VAL:HB	1:B:1176:TYR:HB3	2.01	0.42
1:B:1164:LEU:HD12	1:B:1168:ARG:HH12	1.83	0.42
1:B:409:LEU:HA	1:B:413:ASN:HD22	1.84	0.42
1:C:482:VAL:HG13	1:C:490:PRO:HD2	2.02	0.42
1:A:865:VAL:HG13	1:A:965:ALA:HB2	2.02	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:635:GLU:OE2	1:A:665:LYS:NZ	2.47	0.42
1:A:739:GLY:HA2	1:C:949:ILE:HA	2.00	0.42
1:B:218:MET:HB2	1:B:219:PRO:HD3	2.01	0.42
1:C:966:ALA:HB2	1:C:973:ALA:HB3	2.02	0.42
1:C:32:ILE:HD12	1:C:33:PRO:HD2	2.02	0.42
1:A:709:GLN:HA	1:A:710:PRO:HD3	1.93	0.42
1:C:1126:ASN:N	1:C:1126:ASN:OD1	2.52	0.42
1:B:700:VAL:HG22	1:B:704:ILE:HD11	2.02	0.42
1:C:130:PHE:HB3	1:C:155:MET:HG3	2.02	0.42
1:B:726:LEU:HD12	1:B:763:ARG:HG2	2.02	0.41
1:C:374:ASP:HB3	1:C:377:LYS:HG2	2.02	0.41
1:A:396:ARG:N	1:A:578:ASP:OD2	2.39	0.41
1:A:486:ALA:H	1:A:513:LYS:HA	1.85	0.41
1:B:62:LEU:HD22	1:B:265:GLN:HE21	1.85	0.41
1:A:608:LEU:HD23	1:A:608:LEU:H	1.86	0.41
1:A:448:TYR:OH	1:A:473:PHE:O	2.36	0.41
1:C:448:TYR:OH	1:C:473:PHE:O	2.20	0.41
1:B:320:ARG:NH2	1:B:382:CYS:SG	2.94	0.41
1:C:372:ASN:HB2	1:C:421:SER:HA	2.01	0.41
1:C:738:MET:HG2	1:C:743:CYS:HA	2.02	0.41
1:A:35:ILE:HG23	1:A:76:ASP:HB3	2.03	0.41
1:A:680:ALA:HB1	1:A:736:LEU:HD13	2.03	0.41
1:B:142:HIS:O	1:B:191:TYR:OH	2.36	0.41
1:A:282:CYS:HA	1:A:288:SER:HB3	2.03	0.41
1:A:502:ARG:NH2	1:A:519:SER:O	2.53	0.41
1:A:1029:ILE:HD13	1:A:1138:PRO:HD2	2.02	0.41
1:B:23:SER:HB3	1:B:170:ARG:HH12	1.86	0.41
1:C:338:VAL:HG21	1:C:434:VAL:HG13	2.03	0.41
1:B:1059:GLN:NE2	1:C:628:THR:O	2.39	0.41
1:B:34:ARG:HG2	1:B:35:ILE:HG23	2.02	0.40
1:B:791:PRO:HB3	1:B:1150:PRO:HB3	2.02	0.40
1:A:22:ASN:HB2	4:A:1311:NAG:H5	2.04	0.40
1:B:893:SER:HG	1:B:894:GLN:CD	2.23	0.40
1:A:382:CYS:HA	1:A:603:CYS:HA	2.04	0.40
1:C:323:ASN:O	1:C:323:ASN:ND2	2.55	0.40
1:C:906:LEU:O	1:C:910:LYS:NZ	2.47	0.40
1:C:129:VAL:HG23	1:C:131:VAL:HG22	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1190/1263 (94%)	1147 (96%)	43 (4%)	0	100	100
1	B	1156/1263 (92%)	1129 (98%)	27 (2%)	0	100	100
1	C	1180/1263 (93%)	1141 (97%)	39 (3%)	0	100	100
All	All	3526/3789 (93%)	3417 (97%)	109 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	1034/1132 (91%)	1022 (99%)	12 (1%)	67	82
1	B	1031/1132 (91%)	1015 (98%)	16 (2%)	58	76
1	C	1048/1132 (93%)	1034 (99%)	14 (1%)	65	80
All	All	3113/3396 (92%)	3071 (99%)	42 (1%)	64	80

All (42) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	21	THR
1	A	30	LYS
1	A	35	ILE
1	A	163	CYS
1	A	201	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	213	TYR
1	A	216	VAL
1	A	292	CYS
1	A	873	THR
1	A	1071	GLN
1	A	1093	LEU
1	A	1163	CYS
1	B	20	CYS
1	B	77	LEU
1	B	175	HIS
1	B	186	LYS
1	B	187	LYS
1	B	223	LEU
1	B	476	CYS
1	B	481	VAL
1	B	573	LEU
1	B	619	CYS
1	B	734	CYS
1	B	835	PHE
1	B	866	THR
1	B	873	THR
1	B	1069	GLU
1	B	1163	CYS
1	C	31	THR
1	C	51	VAL
1	C	163	CYS
1	C	169	ILE
1	C	213	TYR
1	C	216	VAL
1	C	335	ASN
1	C	336	VAL
1	C	540	VAL
1	C	573	LEU
1	C	879	VAL
1	C	891	LEU
1	C	1019	PHE
1	C	1069	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (60) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	22	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	201	HIS
1	A	331	ASN
1	A	334	ASN
1	A	372	ASN
1	A	384	ASN
1	A	424	GLN
1	A	587	ASN
1	A	709	GLN
1	A	826	HIS
1	A	838	ASN
1	A	863	GLN
1	A	870	ASN
1	A	876	HIS
1	A	941	ASN
1	A	1001	GLN
1	A	1036	ASN
1	A	1122	ASN
1	A	1135	GLN
1	A	1180	GLN
1	B	53	ASN
1	B	140	GLN
1	B	188	ASN
1	B	204	GLN
1	B	265	GLN
1	B	273	HIS
1	B	384	ASN
1	B	402	GLN
1	B	583	ASN
1	B	584	ASN
1	B	709	GLN
1	B	821	ASN
1	B	870	ASN
1	B	881	ASN
1	B	1016	GLN
1	B	1036	ASN
1	B	1049	ASN
1	B	1071	GLN
1	B	1092	GLN
1	B	1135	GLN
1	B	1136	ASN
1	B	1145	HIS
1	B	1180	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	29	ASN
1	C	160	HIS
1	C	323	ASN
1	C	351	ASN
1	C	364	HIS
1	C	372	ASN
1	C	438	ASN
1	C	445	ASN
1	C	552	ASN
1	C	605	ASN
1	C	826	HIS
1	C	998	ASN
1	C	1001	GLN
1	C	1059	GLN
1	C	1092	GLN
1	C	1135	GLN
1	C	1145	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

9 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAG	D	1	2,1	14,14,15	0.23	0	17,19,21	0.45	0
2	NAG	D	2	2	14,14,15	0.26	0	17,19,21	0.52	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	E	1	2,1	14,14,15	0.25	0	17,19,21	0.52	0
2	NAG	E	2	2	14,14,15	0.22	0	17,19,21	0.42	0
3	NAG	F	1	1,3	14,14,15	0.23	0	17,19,21	0.43	0
3	NAG	F	2	3	14,14,15	0.22	0	17,19,21	0.42	0
3	BMA	F	3	3	11,11,12	0.57	0	15,15,17	0.75	0
2	NAG	G	1	2,1	14,14,15	0.20	0	17,19,21	0.46	0
2	NAG	G	2	2	14,14,15	0.23	0	17,19,21	0.42	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	D	1	2,1	-	4/6/23/26	0/1/1/1
2	NAG	D	2	2	-	2/6/23/26	0/1/1/1
2	NAG	E	1	2,1	-	1/6/23/26	0/1/1/1
2	NAG	E	2	2	-	2/6/23/26	0/1/1/1
3	NAG	F	1	1,3	-	4/6/23/26	0/1/1/1
3	NAG	F	2	3	-	2/6/23/26	0/1/1/1
3	BMA	F	3	3	-	1/2/19/22	0/1/1/1
2	NAG	G	1	2,1	-	4/6/23/26	0/1/1/1
2	NAG	G	2	2	-	2/6/23/26	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (22) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	G	1	NAG	O5-C5-C6-O6
2	G	2	NAG	O5-C5-C6-O6
3	F	1	NAG	O5-C5-C6-O6
3	F	1	NAG	C4-C5-C6-O6
2	G	2	NAG	C4-C5-C6-O6
2	D	1	NAG	C8-C7-N2-C2
2	D	1	NAG	O7-C7-N2-C2
2	E	2	NAG	C8-C7-N2-C2
2	E	2	NAG	O7-C7-N2-C2

Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	G	1	NAG	C8-C7-N2-C2
2	G	1	NAG	O7-C7-N2-C2
3	F	1	NAG	C8-C7-N2-C2
3	F	1	NAG	O7-C7-N2-C2
2	G	1	NAG	C4-C5-C6-O6
2	D	1	NAG	O5-C5-C6-O6
3	F	2	NAG	O5-C5-C6-O6
2	D	1	NAG	C4-C5-C6-O6
3	F	2	NAG	C4-C5-C6-O6
2	D	2	NAG	O5-C5-C6-O6
3	F	3	BMA	O5-C5-C6-O6
2	D	2	NAG	C3-C2-N2-C7
2	E	1	NAG	C3-C2-N2-C7


There are no ring outliers.


No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.









5.6 Ligand geometry [i](#)

32 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	NAG	C	1304	1	14,14,15	0.24	0	17,19,21	0.44	0
4	NAG	A	1303	1	14,14,15	0.23	0	17,19,21	0.42	0
4	NAG	B	1311	1	14,14,15	0.22	0	17,19,21	0.42	0
4	NAG	C	1309	1	14,14,15	0.26	0	17,19,21	0.52	0
4	NAG	B	1303	1	14,14,15	0.21	0	17,19,21	0.42	0
4	NAG	B	1309	1	14,14,15	0.23	0	17,19,21	0.41	0
4	NAG	C	1303	1	14,14,15	0.21	0	17,19,21	0.43	0
4	NAG	A	1308	1	14,14,15	0.22	0	17,19,21	0.43	0
4	NAG	C	1305	1	14,14,15	0.24	0	17,19,21	0.53	0
4	NAG	B	1306	1	14,14,15	0.26	0	17,19,21	0.53	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	NAG	B	1310	1	14,14,15	0.22	0	17,19,21	0.42	0
4	NAG	B	1312	1	14,14,15	0.20	0	17,19,21	0.42	0
4	NAG	A	1309	1	14,14,15	0.25	0	17,19,21	0.52	0
4	NAG	C	1307	1	14,14,15	0.23	0	17,19,21	0.46	0
4	NAG	A	1310	1	14,14,15	0.28	0	17,19,21	0.54	0
4	NAG	C	1308	1	14,14,15	0.22	0	17,19,21	0.42	0
4	NAG	A	1307	1	14,14,15	0.24	0	17,19,21	0.43	0
4	NAG	A	1301	1	14,14,15	0.22	0	17,19,21	0.41	0
4	NAG	B	1302	1	14,14,15	0.21	0	17,19,21	0.43	0
4	NAG	C	1301	1	14,14,15	0.21	0	17,19,21	0.41	0
4	NAG	A	1311	1	14,14,15	0.27	0	17,19,21	0.53	0
4	NAG	C	1302	1	14,14,15	0.22	0	17,19,21	0.43	0
4	NAG	B	1308	1	14,14,15	0.21	0	17,19,21	0.41	0
4	NAG	A	1302	1	14,14,15	0.21	0	17,19,21	0.40	0
4	NAG	B	1301	1	14,14,15	0.21	0	17,19,21	0.42	0
4	NAG	C	1306	1	14,14,15	0.25	0	17,19,21	0.43	0
4	NAG	A	1305	1	14,14,15	0.22	0	17,19,21	0.42	0
4	NAG	B	1307	1	14,14,15	0.22	0	17,19,21	0.41	0
4	NAG	B	1305	1	14,14,15	0.21	0	17,19,21	0.41	0
4	NAG	A	1306	1	14,14,15	0.22	0	17,19,21	0.42	0
4	NAG	A	1304	1	14,14,15	0.21	0	17,19,21	0.42	0
4	NAG	B	1304	1	14,14,15	0.22	0	17,19,21	0.42	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	C	1304	1	-	2/6/23/26	0/1/1/1
4	NAG	A	1303	1	-	2/6/23/26	0/1/1/1
4	NAG	B	1311	1	-	0/6/23/26	0/1/1/1
4	NAG	C	1309	1	-	1/6/23/26	0/1/1/1
4	NAG	B	1303	1	-	2/6/23/26	0/1/1/1
4	NAG	B	1309	1	-	2/6/23/26	0/1/1/1
4	NAG	C	1303	1	-	2/6/23/26	0/1/1/1
4	NAG	A	1308	1	-	2/6/23/26	0/1/1/1
4	NAG	C	1305	1	-	3/6/23/26	0/1/1/1
4	NAG	B	1306	1	-	1/6/23/26	0/1/1/1
4	NAG	B	1310	1	-	2/6/23/26	0/1/1/1
4	NAG	B	1312	1	-	2/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	A	1309	1	-	3/6/23/26	0/1/1/1
4	NAG	C	1307	1	-	4/6/23/26	0/1/1/1
4	NAG	A	1310	1	-	3/6/23/26	0/1/1/1
4	NAG	C	1308	1	-	2/6/23/26	0/1/1/1
4	NAG	A	1307	1	-	0/6/23/26	0/1/1/1
4	NAG	A	1301	1	-	0/6/23/26	0/1/1/1
4	NAG	B	1302	1	-	0/6/23/26	0/1/1/1
4	NAG	C	1301	1	-	0/6/23/26	0/1/1/1
4	NAG	A	1311	1	-	3/6/23/26	0/1/1/1
4	NAG	C	1302	1	-	2/6/23/26	0/1/1/1
4	NAG	B	1308	1	-	2/6/23/26	0/1/1/1
4	NAG	A	1302	1	-	1/6/23/26	0/1/1/1
4	NAG	B	1301	1	-	2/6/23/26	0/1/1/1
4	NAG	C	1306	1	-	0/6/23/26	0/1/1/1
4	NAG	A	1305	1	-	4/6/23/26	0/1/1/1
4	NAG	B	1307	1	-	0/6/23/26	0/1/1/1
4	NAG	B	1305	1	-	2/6/23/26	0/1/1/1
4	NAG	A	1306	1	-	2/6/23/26	0/1/1/1
4	NAG	A	1304	1	-	2/6/23/26	0/1/1/1
4	NAG	B	1304	1	-	0/6/23/26	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (53) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	C	1302	NAG	O5-C5-C6-O6
4	B	1310	NAG	O5-C5-C6-O6
4	A	1311	NAG	O5-C5-C6-O6
4	C	1308	NAG	O5-C5-C6-O6
4	A	1304	NAG	O5-C5-C6-O6
4	B	1308	NAG	O5-C5-C6-O6
4	A	1305	NAG	C4-C5-C6-O6
4	C	1303	NAG	O5-C5-C6-O6
4	C	1302	NAG	C4-C5-C6-O6
4	A	1305	NAG	O5-C5-C6-O6
4	B	1308	NAG	C4-C5-C6-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	B	1309	NAG	O5-C5-C6-O6
4	A	1309	NAG	O5-C5-C6-O6
4	B	1310	NAG	C4-C5-C6-O6
4	C	1303	NAG	C4-C5-C6-O6
4	A	1309	NAG	C4-C5-C6-O6
4	A	1311	NAG	C4-C5-C6-O6
4	C	1308	NAG	C4-C5-C6-O6
4	A	1305	NAG	C8-C7-N2-C2
4	A	1305	NAG	O7-C7-N2-C2
4	B	1312	NAG	C8-C7-N2-C2
4	B	1312	NAG	O7-C7-N2-C2
4	C	1307	NAG	C8-C7-N2-C2
4	C	1307	NAG	O7-C7-N2-C2
4	A	1308	NAG	O5-C5-C6-O6
4	A	1304	NAG	C4-C5-C6-O6
4	B	1305	NAG	O5-C5-C6-O6
4	A	1303	NAG	O5-C5-C6-O6
4	A	1306	NAG	C4-C5-C6-O6
4	A	1308	NAG	C4-C5-C6-O6
4	A	1303	NAG	C4-C5-C6-O6
4	C	1305	NAG	O5-C5-C6-O6
4	C	1305	NAG	C4-C5-C6-O6
4	B	1301	NAG	C4-C5-C6-O6
4	B	1301	NAG	O5-C5-C6-O6
4	B	1303	NAG	C4-C5-C6-O6
4	A	1310	NAG	C4-C5-C6-O6
4	A	1310	NAG	O5-C5-C6-O6
4	A	1306	NAG	O5-C5-C6-O6
4	B	1305	NAG	C4-C5-C6-O6
4	C	1307	NAG	C4-C5-C6-O6
4	B	1303	NAG	O5-C5-C6-O6
4	C	1307	NAG	O5-C5-C6-O6
4	B	1309	NAG	C4-C5-C6-O6
4	C	1304	NAG	C4-C5-C6-O6
4	A	1309	NAG	C3-C2-N2-C7
4	A	1310	NAG	C3-C2-N2-C7
4	A	1311	NAG	C3-C2-N2-C7
4	B	1306	NAG	C3-C2-N2-C7
4	C	1305	NAG	C3-C2-N2-C7
4	C	1309	NAG	C3-C2-N2-C7
4	C	1304	NAG	O5-C5-C6-O6
4	A	1302	NAG	C4-C5-C6-O6

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	1311	NAG	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-39044. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z

The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)

6.2.1 Primary map



X Index: 200




Y Index: 200




Z Index: 200


6.2.2 Raw map



X Index: 200



Y Index: 200



Z Index: 200

The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)

6.3.1 Primary map



X Index: 205




Y Index: 210




Z Index: 179


6.3.2 Raw map



X Index: 205



Y Index: 210



Z Index: 179


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)

6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.1. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 170 nm^3 ; this corresponds to an approximate mass of 154 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of $0.326 \text{ \AA}^{-1}$

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of $0.326 \text{ \AA}^{-1}$

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.07	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	3.70	4.43	3.78

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.70 differs from the reported value 3.07 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-39044 and PDB model 8Y8F. Per-residue inclusion information can be found in section [3](#) on page [7](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.1 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.1).

9.4 Atom inclusion [i](#)



At the recommended contour level, 91% of all backbone atoms, 84% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.1) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.8360	0.4890
A	0.8530	0.5050
B	0.8340	0.4810
C	0.8230	0.4830
D	0.7860	0.4240
E	0.7140	0.4200
F	0.8720	0.5210
G	0.7500	0.3120

1.0

0.0

<0.0