



Full wwPDB EM Validation Report ⓘ

Jul 16, 2025 – 12:44 PM JST

PDB ID : 8YWI / pdb_00008ywi
EMDB ID : EMD-39634
Title : The structure of ASFV DNA polymerase in replicating state
Authors : Kuai, L.; Sun, J.Q.; Peng, Q.; Shi, Y.
Deposited on : 2024-03-31
Resolution : 2.70 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : **FAILED**
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4-5-2 with Phenix2.0rc1
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : **FAILED**
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.44


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Mol	Chain	Length	Quality of chain
1	A	1206	
2	P	25	
3	T	38	

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 8710 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DNA polymerase.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	980	Total	C	N	O	S	0	0
			7983	5118	1348	1466	51		

- Molecule 2 is a DNA chain called The primer strand.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	P	14	Total	C	N	O	P	0	0
			287	138	51	84	14		


- Molecule 3 is a DNA chain called The template strand.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	T	20	Total	C	N	O	P	0	0
			410	197	76	117	20		

- Molecule 4 is MAGNESIUM ION (CCD ID: MG) (formula: Mg) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		AltConf
4	A	1	Total	Mg	0
			1	1	

- Molecule 5 is THYMIDINE-5'-TRIPHOSPHATE (CCD ID: TTP) (formula: C₁₀H₁₇N₂O₁₄P₃) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					AltConf
5	T	1	Total	C	N	O	P	0
			29	10	2	14	3	


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: DNA polymerase



- Molecule 2: The primer strand



- Molecule 3: The template strand



DC	DT	DG	DC	DC	DA	DC	DC	DG	A-2	A-1	T0	T8	T9	A13	A17	DT	DG	DG	DT	DC	DC	DA	DT	DA	DG	DC	DT
----	----	----	----	----	----	----	----	----	-----	-----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----	----	----

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	290488	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	60	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, TTP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.14	0/8176	0.35	4/11054 (0.0%)
2	P	0.22	0/321	0.39	0/493
3	T	0.21	0/460	0.36	0/707
All	All	0.15	0/8957	0.35	4/12254 (0.0%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	193	LEU	CA-C-N	5.90	132.58	121.97
1	A	193	LEU	C-N-CA	5.90	132.58	121.97
1	A	230	ASP	CA-C-N	5.26	131.44	121.97
1	A	230	ASP	C-N-CA	5.26	131.44	121.97

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	7983	0	7925	80	0
2	P	287	0	158	2	0
3	T	410	0	227	3	0
4	A	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	T	29	0	13	1	0
All	All	8710	0	8323	84	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (84) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:389:CYS:HG	1:A:435:HIS:HE2	1.22	0.86
1:A:95:ILE:HD11	1:A:134:LYS:HD2	1.70	0.73
1:A:74:VAL:HG12	1:A:146:THR:HG22	1.78	0.66
1:A:773:GLY:HA2	1:A:815:MET:HE1	1.77	0.65
1:A:73:ASP:HB2	1:A:147:ALA:HB3	1.78	0.65
1:A:305:VAL:HG12	1:A:309:MET:HE2	1.81	0.63
1:A:230:ASP:O	1:A:231:VAL:HG22	2.02	0.60
1:A:20:GLN:NE2	1:A:24:ASN:OD1	2.34	0.60
3:T:-1:DA:N3	3:T:0:DT:N3	2.49	0.58
1:A:3:SER:OG	1:A:285:ARG:NH1	2.36	0.58
1:A:282:GLN:OE1	1:A:285:ARG:NH2	2.37	0.58
1:A:547:MET:HE3	1:A:553:LEU:HB2	1.85	0.57
1:A:689:ASP:OD2	5:T:1101:TTP:O1A	2.21	0.57
1:A:920:ARG:NH2	3:T:13:DA:OP1	2.37	0.57
1:A:454:ASP:HA	1:A:458:TYR:HD2	1.72	0.55
1:A:757:GLU:HG3	1:A:758:GLU:HG2	1.89	0.54
1:A:847:PHE:CD1	1:A:938:ILE:HD11	2.44	0.53
1:A:51:MET:HE2	1:A:65:ILE:HD11	1.91	0.53
1:A:498:ALA:O	1:A:666:GLN:NE2	2.38	0.53
1:A:523:PRO:O	1:A:527:MET:HG3	2.09	0.52
1:A:628:ASP:OD1	1:A:631:GLN:NE2	2.37	0.52
1:A:251:THR:OG1	1:A:282:GLN:NE2	2.42	0.52
1:A:273:LYS:HE3	1:A:313:ILE:HG21	1.91	0.52
1:A:521:LEU:HD22	1:A:689:ASP:HB3	1.92	0.51
1:A:464:VAL:O	1:A:468:LEU:HD23	2.09	0.51
1:A:527:MET:HE2	1:A:586:LEU:HB3	1.92	0.51
1:A:146:THR:OG1	1:A:149:ASP:OD2	2.26	0.51
1:A:161:GLU:OE2	1:A:479:ARG:NH2	2.43	0.51
1:A:366:VAL:HG21	1:A:428:CYS:HB3	1.92	0.51
1:A:212:ILE:HG22	1:A:235:ILE:HG12	1.93	0.50
1:A:854:ASP:OD1	1:A:855:ALA:N	2.44	0.50
1:A:676:VAL:HB	1:A:683:ILE:HD11	1.93	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:467:MET:HE2	1:A:585:VAL:HG13	1.93	0.50
1:A:103:LEU:HD11	1:A:105:GLN:HE21	1.77	0.49
1:A:102:THR:HG22	1:A:122:ILE:HG12	1.94	0.49
1:A:677:ILE:HG12	1:A:683:ILE:HD12	1.94	0.49
1:A:687:ASP:O	1:A:689:ASP:N	2.45	0.49
1:A:725:VAL:HG12	1:A:729:MET:HE3	1.93	0.49
1:A:273:LYS:HG3	1:A:313:ILE:HD13	1.94	0.49
1:A:330:ASP:N	1:A:330:ASP:OD1	2.46	0.48
1:A:193:LEU:O	1:A:194:VAL:HG22	2.14	0.48
1:A:340:GLU:HA	1:A:352:ILE:HG23	1.94	0.48
1:A:511:LYS:NZ	1:A:697:ASP:OD1	2.41	0.48
1:A:876:ARG:HG3	1:A:886:ALA:HB1	1.96	0.48
1:A:945:ASN:HA	1:A:949:LEU:HD23	1.95	0.47
1:A:825:PRO:HB2	1:A:829:GLU:OE2	2.15	0.47
1:A:644:GLU:OE2	1:A:650:SER:OG	2.25	0.47
1:A:792:ILE:HG22	1:A:792:ILE:O	2.16	0.46
1:A:389:CYS:SG	1:A:435:HIS:NE2	2.63	0.46
1:A:514:THR:HG21	1:A:732:MET:HG3	1.98	0.46
1:A:31:PRO:HA	1:A:172:LEU:O	2.15	0.45
1:A:987:VAL:HA	1:A:990:ILE:HG12	1.98	0.45
1:A:21:ARG:O	1:A:25:LEU:HD12	2.16	0.45
1:A:101:GLU:HB2	1:A:123:ARG:HG3	1.99	0.45
1:A:964:PRO:HB3	1:A:974:TYR:CD2	2.52	0.45
1:A:418:ALA:HA	1:A:421:CYS:SG	2.58	0.44
2:P:14:DA:H5'	2:P:14:DA:C8	2.53	0.44
2:P:16:DT:H2''	2:P:17:DA:C8	2.54	0.43
1:A:272:GLU:OE2	1:A:307:LYS:HD2	2.19	0.43
1:A:238:ARG:HE	1:A:250:SER:HB3	1.83	0.43
1:A:41:GLU:HB2	1:A:47:TYR:HE1	1.84	0.42
1:A:747:ASN:HD22	1:A:752:LEU:HD12	1.84	0.42
1:A:825:PRO:HA	1:A:826:PRO:HD3	1.90	0.42
1:A:829:GLU:OE2	1:A:830:ILE:HG13	2.20	0.42
3:T:8:DT:H2'	3:T:9:DT:H71	2.02	0.42
1:A:405:TYR:CE1	1:A:413:LYS:HD2	2.55	0.41
1:A:789:ILE:HG12	1:A:811:MET:HE1	2.02	0.41
1:A:140:ASN:C	1:A:140:ASN:HD22	2.28	0.41
1:A:844:GLN:HG3	1:A:845:TRP:CD1	2.55	0.41
1:A:70:VAL:HG13	1:A:132:ARG:HD2	2.03	0.41
1:A:499:PHE:HB2	1:A:666:GLN:HG2	2.01	0.41
1:A:787:LEU:HD23	1:A:811:MET:HE2	2.03	0.41
1:A:85:PHE:CE2	1:A:89:LEU:HD11	2.56	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:242:ILE:HD11	1:A:438:ILE:HG21	2.03	0.41
1:A:744:ARG:HG2	1:A:744:ARG:NH1	2.35	0.41
1:A:859:ASP:OD1	1:A:859:ASP:N	2.52	0.41
1:A:35:MET:HA	1:A:36:PRO:HD3	1.80	0.41
1:A:95:ILE:HD13	1:A:95:ILE:HA	1.96	0.41
1:A:345:ILE:HD13	1:A:371:MET:HB3	2.02	0.41
1:A:700:TYR:CD1	1:A:724:LYS:HG2	2.56	0.41
1:A:973:GLU:OE2	1:A:977:ARG:NE	2.54	0.41
1:A:590:LEU:HD13	1:A:638:MET:HE1	2.02	0.41
1:A:308:SER:O	1:A:312:GLY:N	2.55	0.40
1:A:443:GLU:HA	1:A:443:GLU:OE1	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	976/1206 (81%)	921 (94%)	47 (5%)	8 (1%)	16	38

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	194	VAL
1	A	231	VAL
1	A	76	ILE
1	A	789	ILE
1	A	935	ASN
1	A	148	ALA
1	A	203	ASP
1	A	688	THR

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	879/1081 (81%)	878 (100%)	1 (0%)	92	98

All (1) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	29	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	20	GLN
1	A	24	ASN
1	A	105	GLN
1	A	140	ASN
1	A	145	ASN
1	A	282	GLN
1	A	319	ASN
1	A	554	HIS
1	A	668	ASN
1	A	776	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry

Of 2 ligands modelled in this entry, 1 is monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	TTP	T	1101	4	26,30,30	0.45	0	39,47,47	0.60	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	TTP	T	1101	4	-	3/22/34/34	0/2/2/2

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	T	1101	TTP	C5'-O5'-PA-O3A
5	T	1101	TTP	PB-O3A-PA-O5'
5	T	1101	TTP	C5'-O5'-PA-O2A


There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	T	1101	TTP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will

also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.