

Integrative Structure Validation Report

October 09, 2025 - 04:37 PM PDT

The following software was used in the production of this report:

IHMValidation Version 3.0

Python-IHM Version 2.5

MolProbity Version 4.5.2

PDB ID	8ZZF pdb_00008zzf
PDB-Dev ID	PDBDEV_00000015
Structure Title	Structure of human mitochondrial iron sulfur cluster core complex (NIAUF)2
Structure Authors	Cai, K.; Frederick, R.O.; Dashti, H.; Markley, J.L.
Deposited on	2018-01-24

This is a PDB-IHM Structure Validation Report.

We welcome your comments at helpdesk@pdb-ihm.org

A user guide is available at https://pdb-ihm.org/validation_help.html with specific help available everywhere you see the  symbol.

List of references used to build this report is available [here](#).

1. Overview

1.1. Summary


This entry consists of 1 model(s). A total of 5 dataset(s) were used to build this entry.

Name	Type	Count
Crosslinking-MS data	Experimental data	2
NMR data	Experimental data	1
Experimental model	Starting model	2


1.2. Overall quality ?

This validation report contains model quality assessments for all structures, data quality and fit to model assessments for SAS and crosslinking-MS datasets. Data quality and fit to model assessments for other datasets and model uncertainty are under development. Number of plots is limited to 256.

Model Quality: MolProbity Analysis ?



Fit to Data Used for Modeling ?



2. Model Details ?

2.1. Ensemble information ?

This entry consists of 0 distinct ensemble(s).

2.2. Representation ?

This entry has 1 representation(s).

ID	Model(s)	Entity ID	Molecule name	Chain(s) [auth]	Total residues	Rigid segments	Flexible segments	Model coverage/ Starting model coverage (%)	Scale
1	1	1	NFS1	A	406	-	3-401	98.28 / 100.00	Atomic
		2	ISD11	B	91	-	5-85	89.01 / 100.00	Atomic
		3	Acp	C	77	-	4-74	92.21 / 100.00	Atomic
		4	ISCU	D	150	-	6-133	85.33 / 100.00	Atomic
		1	NFS1	E	406	-	3-403	98.77 / 100.00	Atomic

ID	Model(s)	Entity ID	Molecule name	Chain(s) [auth]	Total residues	Rigid segments	Flexible segments	Model coverage/ Starting model coverage (%)	Scale
		2	ISD11	F	91	-	3-85	91.21 / 100.00	Atomic
		3	Acp	G	77	-	3-72	90.91 / 100.00	Atomic
		4	ISCU	H	150	-	10-133	82.67 / 100.00	Atomic
		5	FXN	I	119	-	1-119	100.00 / 100.00	Atomic
				J					
		7	S-[2-({N-[(2R)-2-hydroxy-3,3-dimethyl-4-(phosphonooxy)butanoyl]-beta-alanyl}amino)ethyl] dodecanethioate	L [C]	Non-polymeric	-	-	Not available / Not available	Atomic
				O [G]					
		8	ZINC ION	M [D]	Non-polymeric	-	-	Not available / Not available	Atomic
				P [H]					

2.3. Datasets used for modeling

There are 5 unique datasets used to build the models in this entry.

ID	Dataset type	Database name	Data access code
1	Experimental model	PDB	pdb_00005wlv
2	Experimental model	PDB	pdb_00001ekg
3	NMR data	BMRB	27171
4	Crosslinking-MS data	PRIDE	PXD006938
5	Crosslinking-MS data	PRIDE	PXD006928

2.4. Methodology and software

This entry is a result of 1 distinct protocol(s).

Step number	Protocol ID	Method name	Method type	Method description	Number of computed models	Multi state modeling	Multi scale modeling
1	1	Not available	Not available	Not available	Not available	False	False

There is 1 software package reported in this entry.

ID	Software name	Software version	Software classification	Software location
1	HADDOCK	2.20	molecular docking	http://haddock.science.uu.nl/services/HADDOCK/

3. Data quality

3.2. Crosslinking-MS

At the moment, data validation is only available for crosslinking-MS data deposited as a fully *compliant* dataset in the *PRIDE Crosslinking* database. Correspondence between crosslinking-MS and entry entities is established using *pyHMMER*. Only residue pairs that passed the reported threshold are used for the analysis. The values in the report have to be interpreted in the context of the experiment (i.e. only a minor fraction of in-situ or in-vivo dataset can be used for modeling).

Crosslinking-MS dataset is not available in the [PRIDE Crosslinking](#) database.

3.4. NMR

Validation for this section is under development.

4. Model quality

For models with atomic structures, MolProbity analysis is performed. For models with coarse-grained or multi-scale structures, excluded volume analysis is performed.

4.1b. MolProbity Analysis

Excluded volume satisfaction for the models in the entry are listed below. The *Analysed* column shows the number of particle-particle or particle-atom pairs for which excluded volume was analysed.

Standard geometry: bond outliers

There are no bond length outliers.

Standard geometry: angle outliers

There are 1 bond angle outliers in this entry (0.01% of 16167 assessed bonds). A summary is provided below.

Chain	Res	Type	Atoms	Z	Observed (Å)	Ideal (Å)	Model ID (Worst)	Models (Total)
H	20	ASN	N-CA-C	4.49	98.42	111.00	1	1

Too-close contacts

The following all-atom clashscore is based on a MolProbity analysis. All-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The table below contains clashscores for all atomic models in this entry.

Model ID	Clash score	Number of clashes
1	17.37	396

There are 396 clashes. The table below contains the detailed list of all clashes based on a MolProbity analysis. Bad clashes are ≥ 0.4 Angstrom. The output is limited to 100 rows.

Atom 1	Atom 2	Clash(Å)	Model ID (Worst)	Models (Total)
D:115:ILE:HG23	I:76:ARG:NH2	1.35	1	1
D:42:PRO:HG2	I:62:ASN:OD1	1.25	1	1
E:221:ARG:NH1	I:35:ASP:OD1	1.25	1	1
D:115:ILE:CG2	I:76:ARG:HH21	1.22	1	1
D:115:ILE:CG2	I:76:ARG:NH2	1.12	1	1
F:6:ARG:NH2	O:1:8Q1:O3	1.11	1	1
A:221:ARG:NH2	J:36:VAL:O	1.10	1	1
H:20:ASN:H	H:21:PRO:CD	1.09	1	1
A:71:ILE:HD12	A:219:ILE:HD12	1.03	1	1
H:20:ASN:H	H:21:PRO:HD3	1.01	1	1
H:20:ASN:N	H:21:PRO:CD	0.98	1	1
A:66:ASP:OD1	A:67:PRO:HD2	0.98	1	1
D:115:ILE:HG21	I:76:ARG:HE	0.98	1	1
D:108:PRO:HG3	I:55:VAL:HG11	0.97	1	1
D:42:PRO:CG	I:62:ASN:OD1	0.97	1	1
F:44:LYS:O	O:1:8Q1:H35	0.96	1	1
G:59:ALA:HA	G:62:ILE:HD13	0.95	1	1
A:220:ARG:HD3	A:223:PRO:HD2	0.94	1	1
H:20:ASN:O	H:22:ARG:NE	0.94	1	1
C:59:ALA:HA	C:62:ILE:HD13	0.92	1	1
D:115:ILE:CG2	I:76:ARG:CZ	0.91	1	1
D:115:ILE:HG23	I:76:ARG:CZ	0.89	1	1
A:76:ALA:HB2	A:204:SER:HB2	0.89	1	1
D:115:ILE:CG2	I:76:ARG:NE	0.89	1	1
D:115:ILE:CG2	I:76:ARG:HE	0.88	1	1
H:16:ASP:O	H:20:ASN:HB2	0.88	1	1
D:108:PRO:CG	I:55:VAL:HG11	0.88	1	1
A:270:ARG:NH2	A:363:THR:O	0.88	1	1
E:270:ARG:NH2	E:363:THR:O	0.86	1	1
A:286:LEU:HD11	A:376:ILE:HA	0.86	1	1
A:391:MET:O	A:395:GLY:N	0.85	1	1
A:334:SER:CB	I:40:SER:HB3	0.85	1	1
D:115:ILE:HG23	I:76:ARG:HH21	0.84	1	1
D:115:ILE:HG21	I:76:ARG:NE	0.84	1	1
D:43:ALA:HA	I:61:PRO:HG3	0.82	1	1

Atom 1	Atom 2	Clash(Å)	Model ID (Worst)	Models (Total)
D:38:LEU:HD13	D:49:LYS:HB2	0.80	1	1
A:221:ARG:HH12	J:35:ASP:HA	0.80	1	1
D:108:PRO:CB	I:55:VAL:HG11	0.80	1	1
E:387:PRO:O	E:391:MET:HG3	0.79	1	1
D:43:ALA:HB2	I:59:GLN:OE1	0.79	1	1
H:19:GLU:HA	H:21:PRO:HD3	0.77	1	1
A:341:LEU:O	A:346:THR:HG22	0.77	1	1
E:315:LEU:O	E:319:LEU:HD12	0.76	1	1
E:177:TYR:CE2	E:225:VAL:HG13	0.76	1	1
H:20:ASN:N	H:21:PRO:HD3	0.76	1	1
D:43:ALA:HA	I:61:PRO:CG	0.76	1	1
B:41:ARG:NH1	C:35:ASP:OD2	0.76	1	1
D:8:VAL:HG13	D:9:ASP:H	0.75	1	1
C:12:GLY:O	C:16:GLY:N	0.75	1	1
E:247:THR:HB	E:248:PRO:HD3	0.74	1	1
E:221:ARG:HH22	I:36:VAL:H	0.73	1	1
L:1:8Q1:N36	L:1:8Q1:O40	0.73	1	1
B:55:LEU:HB3	L:1:8Q1:O4	0.73	1	1
D:98:THR:CB	I:74:PRO:HD3	0.72	1	1
A:56:ARG:NH1	A:70:ILE:O	0.72	1	1
D:112:HIS:HA	I:66:TRP:CZ3	0.72	1	1
D:60:ILE:HB	D:85:LYS:O	0.71	1	1
E:85:LYS:HB2	E:230:LEU:HD11	0.71	1	1
A:66:ASP:OD1	A:67:PRO:CD	0.71	1	1
H:65:PHE:CD1	H:67:THR:HG23	0.70	1	1
A:315:LEU:O	A:319:LEU:HD12	0.69	1	1
A:71:ILE:HD12	A:219:ILE:CD1	0.69	1	1
H:89:VAL:HG13	H:125:LEU:HD22	0.69	1	1
B:81:LEU:N	B:84:GLU:OE1	0.69	1	1
A:387:PRO:O	A:391:MET:HG3	0.69	1	1
A:207:LYS:NZ	K:1:PLP:O3	0.68	1	1
A:221:ARG:HH22	J:36:VAL:C	0.68	1	1
A:209:TYR:OH	A:361:ARG:N	0.68	1	1
D:130:LEU:O	D:130:LEU:HD13	0.68	1	1
B:39:ALA:HB1	L:1:8Q1:H22	0.68	1	1

Atom 1	Atom 2	Clash(Å)	Model ID (Worst)	Models (Total)
E:84:ILE:HD11	E:108:VAL:HG13	0.68	1	1
A:221:ARG:NH1	J:35:ASP:HA	0.68	1	1
A:266:TYR:OH	B:38:ASP:OD2	0.68	1	1
A:71:ILE:CD1	A:219:ILE:HD12	0.67	1	1
D:108:PRO:HB2	I:57:ASN:OD1	0.67	1	1
A:275:SER:OG	A:303:ILE:HD11	0.67	1	1
D:27:LEU:N	D:51:GLN:OE1	0.67	1	1
A:341:LEU:HB3	A:346:THR:HG21	0.67	1	1
B:18:ARG:HG2	C:44:MET:HE3	0.66	1	1
D:108:PRO:HB3	I:55:VAL:HG11	0.65	1	1
E:398:LEU:H	E:398:LEU:HD22	0.65	1	1
D:43:ALA:HB2	I:61:PRO:HG2	0.65	1	1
E:270:ARG:HH21	E:274:LEU:HD11	0.65	1	1
E:43:ALA:O	E:47:GLU:HG2	0.65	1	1
H:36:THR:HG22	H:127:ASP:OD2	0.64	1	1
A:222:ARG:CB	A:223:PRO:CD	0.64	1	1
E:69:GLU:OE1	E:220:ARG:HA	0.64	1	1
A:84:ILE:HD11	A:108:VAL:HG13	0.63	1	1
E:76:ALA:HB2	E:204:SER:HB2	0.63	1	1
E:222:ARG:CB	E:223:PRO:CD	0.62	1	1
H:65:PHE:HD1	H:67:THR:HG23	0.62	1	1
E:69:GLU:CG	E:221:ARG:HG2	0.62	1	1
E:97:HIS:C	E:98:LEU:HD12	0.62	1	1
A:222:ARG:O	J:25:ALA:HB3	0.62	1	1
A:221:ARG:HH12	J:36:VAL:H	0.62	1	1
E:275:SER:OG	E:303:ILE:HD11	0.62	1	1
A:311:GLU:OE1	A:313:GLU:N	0.62	1	1
D:112:HIS:CB	I:66:TRP:HZ3	0.62	1	1
A:390:GLU:OE1	D:49:LYS:NZ	0.62	1	1
A:214:VAL:HB	A:249:LEU:HB3	0.62	1	1

Torsion angles: Protein backbone

In the following table, Ramachandran outliers are listed. The Analysed column shows the number of residues for which the backbone conformation was analysed.

Model ID	Analysed	Favored	Allowed	Outliers
1	1575	1503	54	18

Model ID	Analysed	Favored	Allowed	Outliers
----------	----------	---------	---------	----------

There are 18 unique backbone outliers. Detailed list of outliers are tabulated below.

Chain	Res	Type	Models (Total)
A	222	ARG	1
A	224	ARG	1
A	330	CYS	1
A	396	ILE	1
C	72	ILE	1
D	7	SER	1
D	8	VAL	1
D	32	LYS	1
D	42	PRO	1
D	45	GLY	1
E	222	ARG	1
E	223	PRO	1
E	333	ALA	1
E	335	LEU	1
H	18	TYR	1
H	20	ASN	1
H	42	PRO	1
H	85	LYS	1

Torsion angles : Protein sidechains

In the following table, sidechain rotameric outliers are listed. The Analysed column shows the number of residues for which the sidechain conformation was analysed.

Model ID	Analysed	Favored	Allowed	Outliers
1	1124	1010	84	30

There are 30 unique sidechain outliers. Detailed list of outliers are tabulated below.

Chain	Res	Type	Models (Total)
A	121	GLN	1
A	221	ARG	1
A	226	ARG	1
B	65	VAL	1
C	10	ILE	1

Chain	Res	Type	Models (Total)
C	36	SER	1
C	52	THR	1
E	92	ARG	1
E	121	GLN	1
F	61	ARG	1
G	20	GLU	1
G	36	SER	1
H	13	GLN	1
H	60	ILE	1
H	77	SER	1
H	133	GLU	1
I	2	ASP	1
I	4	THR	1
I	24	LEU	1
I	30	THR	1
I	44	THR	1
I	50	ASP	1
I	55	VAL	1
J	2	ASP	1
J	4	THR	1
J	24	LEU	1
J	30	THR	1
J	44	THR	1
J	50	ASP	1
J	55	VAL	1

5. Fit to Data Used for Modeling Assessment ?

5.2. Crosslinking-MS ?

5.2.1. Restraint types ?


This table summarizes information about crosslinker(s) used for data generation, and how crosslinking information was translated into actual modeling restraints. Restraints assigned "by-residue" are interpreted as between CA atoms. Restraints between coarse-grained beads are indicated as "coarse-grained". Restraint group represents a set of crosslinking restraints applied collectively in the modeling.

There are 16 crosslinking restraints combined in 8 restraint groups.

Linker	Residue 1	Atom 1	Residue 2	Atom 2	Restraint type	Distance, Å	Count
sulfo-SMCC	CYS	CA	LYS	CA	upper bound	22.00	16

Distograms of individual restraints

Distograms (i.e., histogram plots of distances) provide an overview of distributions of distances between residues for which chemical crosslinks were identified. The shift of the distogram relative to the threshold value may indicate a poor model. Restraints with identical thresholds are grouped into one plot. Only the best distance per restraint per model group/ensemble is plotted. Inter- and intramolecular (including self-links) restraints are also grouped into one plot. Distance for a restraint between coarse-grained beads is calculated as a minimal distance between shells; if beads intersect, the distance will be reported as 0.0. A bead with the highest available resolution for a given residue is used for the assessment.




5.2.2. Satisfaction of restraints ?

Satisfaction of restraints is calculated on a *restraint group* (a set of crosslinking restraints applied collectively in the modeling) level. Satisfaction of a restraint group depends on satisfaction of individual restraints in the group and the conditionality (all/any). A restraint group is considered satisfied, if the condition was met in at least one model of the model group/ensemble. The number of measured restraints can be smaller than the total number of restraint groups if crosslinks involve non-modeled residues. Only deposited models are used for validation right now.

State group	State	Model group	# of Deposited models/Total	Restraint group type	Satisfied (%)	Violated (%)	Count (Total=8)
1	1	1	1/1	All	75.00	25.00	8
				Heteromeric links/ Intermolecular	75.00	25.00	8

Per-model satisfaction rates in ensembles

Every point represents one model in a model group/ensemble. Where possible, boxplots with quartile marks are also plotted.



5.4. NMR ?

Validation for this section is under development.

6. Fit to Data Used for Validation Assessment

Validation for this section is under development.

Acknowledgments

The development of integrative model validation metrics, implementation of a model validation pipeline, and creation of a validation report for integrative structures are funded by NSF awards to the [PDB-IHM team](#) (DBI-1756248, DBI-2112966, DBI-2112967, DBI-2112968, and DBI-1756250) and awards from NSF, NIH, and DOE to the [RCSB PDB](#) (DBI-2321666, R01GM157729, and DE-SC0019749). The PDB-IHM team and members of the [Sali lab](#) contributed model validation metrics and software packages.

Dr. Jill Trewhella, Dr. Dina Schneidman, and members of the [SASBDB](#) repository are acknowledged for their advice and support in implementing SAS validation methods. Team members from the labs of Dr. Juri Rappsilber, Dr. Alexander Leitner, Dr. Andrea Graziadei, and members of [PRIDE](#) database are acknowledged for their advice and support in implementing crosslinking-MS validation methods. We are grateful to Dr. Shruthi Viswanath for discussions about uncertainty assessment of integrative structural models.

Members of the [wwPDB Integrative/Hybrid Methods Task Force](#) provided recommendations and community support for the project.