

Integrative Structure Validation Report

October 09, 2025 - 04:42 PM PDT

The following software was used in the production of this report:

IHMValidation Version 3.0

Python-IHM Version 2.5

MolProbity Version 4.5.2

pyHMMER Version 0.11.1

PDB ID	9A35 pdb_00009a35
PDB-Dev ID	PDBDEV_00000190
Structure Title	Model of E. coli GlpD by in-cell photo-crosslinking MS and deep learning
Structure Authors	Stahl, K.; Graziadei, A.; Dau, T.; Brock, O.; Rappsilber, J.
Deposited on	2023-02-03

This is a PDB-IHM Structure Validation Report.

We welcome your comments at helpdesk@pdb-ihm.org

A user guide is available at https://pdb-ihm.org/validation_help.html with specific help available everywhere you see the  symbol.

List of references used to build this report is available [here](#).

1. Overview

1.1. Summary


This entry consists of 10 model(s). A total of 1 dataset(s) were used to build this entry.



Name	Type	Count
Crosslinking-MS data	Experimental data	1

1.2. Overall quality


This validation report contains model quality assessments for all structures, data quality and fit to model assessments for SAS and crosslinking-MS datasets. Data quality and fit to model assessments for other datasets and model uncertainty are under development. Number of plots is limited to 256.

Model Quality: MolProbity Analysis






Data Quality ?



Fit to Data Used for Modeling ?



2. Model Details ?

2.1. Ensemble information ?

This entry consists of 0 distinct ensemble(s).

2.2. Representation ?

This entry has 1 representation(s).

ID	Model(s)	Entity ID	Molecule name	Chain(s) [auth]	Total residues	Rigid segments	Flexible segments	Model coverage/ Starting model coverage (%)	Scale
1	1-10	1	P13035	A	501	-	1-501	100.00 / 0.00	Atomic

2.3. Datasets used for modeling ?

There is 1 unique dataset used to build the models in this entry.

ID	Dataset type	Database name	Data access code
1	Crosslinking-MS data	jPOSTrepo	JPST001851

2.4. Methodology and software

This entry is a result of 1 distinct protocol(s).

Step number	Protocol ID	Method name	Method type	Method description	Number of computed models	Multi state modeling	Multi scale modeling
1	1	AlphaLink	AlphaLink with 10 msa subsamples	Not available	10	False	False

There is 1 software package reported in this entry.

ID	Software name	Software version	Software classification	Software location
1	AlphaLink	1.00	model building	https://github.com/lhatsk/AlphaLink

3. Data quality

3.2. Crosslinking-MS

At the moment, data validation is only available for crosslinking-MS data deposited as a fully *compliant* dataset in the *PRIDE Crosslinking* database. Correspondence between crosslinking-MS and entry entities is established using *pyHMMER*. Only residue pairs that passed the reported threshold are used for the analysis. The values in the report have to be interpreted in the context of the experiment (i.e. only a minor fraction of in-situ or in-vivo dataset can be used for modeling).

PXD036833

Number of entities in the crosslinking-MS dataset: 1102

Number of entities in the entry: 1

Matching entities:

Entity ID	Molecule name	Crosslinking-MS Entity ID	E-value	Exact match
1	P13035	dbseq_P13035_target	0.00	True

Residue pairs stats:

Source	Total	In matched entities	Total matched
9A35	4	4 (100.00%)	4 (100.00%)
PXD036833	611	4 (0.65%)	4 (0.65%)

4. Model quality

For models with atomic structures, MolProbity analysis is performed. For models with coarse-grained or multi-scale structures, excluded volume analysis is performed.

4.1b. MolProbity Analysis

Excluded volume satisfaction for the models in the entry are listed below. The Analysed column shows the number of particle-particle or particle-atom pairs for which excluded volume was analysed.

Standard geometry: bond outliers

There are 1 bond length outliers in this entry (0.00% of 41020 assessed bonds). A summary is provided below.

Chain	Res	Type	Atoms	Z	Observed (Å)	Ideal (Å)	Model ID (Worst)	Models (Total)
A	54	ARG	CZ-NH2	4.45	1.27	1.33	7	1

Standard geometry: angle outliers

There are 194 bond angle outliers in this entry (0.35% of 55550 assessed bonds). A summary is provided below.

Chain	Res	Type	Atoms	Z	Observed (Å)	Ideal (Å)	Model ID (Worst)	Models (Total)
A	473	GLN	OE1-CD-NE2	8.66	113.94	122.60	2	5
A	465	ASP	CA-CB-CG	6.82	119.42	112.60	9	3
A	67	ALA	C-CA-CB	6.57	120.36	110.50	4	1
A	45	SER	C-N-CA	6.48	133.36	121.70	6	1
A	148	ASP	CA-CB-CG	6.44	119.04	112.60	4	4
A	474	GLY	C-N-CA	6.02	132.54	121.70	2	1
A	96	ARG	CD-NE-CZ	5.95	132.73	124.40	4	1
A	242	GLN	OE1-CD-NE2	5.71	116.89	122.60	8	8
A	470	ARG	NE-CZ-NH2	5.69	124.32	119.20	8	1
A	469	ARG	NE-CZ-NH2	5.63	124.26	119.20	5	4
A	249	GLN	OE1-CD-NE2	5.63	116.97	122.60	6	6
A	150	ARG	NE-CZ-NH2	5.57	124.21	119.20	7	2
A	50	HIS	CB-CG-CD2	5.37	124.22	131.20	4	2
A	212	GLN	OE1-CD-NE2	5.35	117.25	122.60	9	4
A	473	GLN	CA-CB-CG	5.34	124.78	114.10	2	2
A	71	ARG	NE-CZ-NH2	5.33	124.00	119.20	8	2
A	328	GLN	OE1-CD-NE2	5.31	117.29	122.60	1	4
A	424	ASN	CA-CB-CG	5.30	117.90	112.60	2	10
A	244	GLN	OE1-CD-NE2	5.11	117.49	122.60	6	4
A	219	HIS	CB-CG-CD2	5.09	124.58	131.20	3	1
A	396	ASP	CA-CB-CG	5.05	117.65	112.60	6	5

Chain	Res	Type	Atoms	Z	Observed (Å)	Ideal (Å)	Model ID (Worst)	Models (Total)
A	482	GLN	OE1-CD-NE2	5.00	117.60	122.60	4	10
A	416	HIS	CB-CG-CD2	4.96	124.76	131.20	10	10
A	45	SER	N-CA-CB	4.91	118.85	110.50	5	1
A	35	GLN	OE1-CD-NE2	4.86	117.74	122.60	9	8
A	216	ASP	CA-CB-CG	4.75	117.35	112.60	4	6
A	87	PHE	CA-CB-CG	4.69	109.11	113.80	5	2
A	332	ARG	NE-CZ-NH1	4.67	126.17	121.50	8	1
A	114	ARG	NE-CZ-NH1	4.60	126.10	121.50	1	1
A	80	HIS	CB-CG-CD2	4.59	125.23	131.20	2	10
A	481	GLN	OE1-CD-NE2	4.59	118.01	122.60	8	9
A	91	HIS	CB-CG-CD2	4.57	125.26	131.20	6	6
A	394	ASP	CA-CB-CG	4.51	117.11	112.60	4	4
A	469	ARG	CD-NE-CZ	4.47	130.66	124.40	3	1
A	494	GLN	OE1-CD-NE2	4.46	118.14	122.60	7	10
A	469	ARG	NH1-CZ-NH2	4.42	113.55	119.30	4	2
A	233	HIS	CB-CG-CD2	4.42	125.46	131.20	6	1
A	339	HIS	CB-CG-CD2	4.41	125.47	131.20	8	4
A	44	ALA	N-CA-CB	4.40	103.79	110.40	8	1
A	215	ASP	CA-CB-CG	4.36	116.96	112.60	4	2
A	303	GLN	OE1-CD-NE2	4.35	118.25	122.60	8	1
A	240	HIS	CB-CG-CD2	4.35	125.55	131.20	7	6
A	484	ARG	NH1-CZ-NH2	4.32	113.69	119.30	2	3
A	219	HIS	CA-CB-CG	4.31	109.49	113.80	3	1
A	143	ASP	CA-CB-CG	4.31	116.91	112.60	4	1
A	62	ARG	NE-CZ-NH1	4.24	125.74	121.50	9	2
A	269	GLY	C-N-CA	4.21	129.28	121.70	10	1
A	416	HIS	CA-CB-CG	4.16	109.64	113.80	2	1
A	357	THR	CA-CB-CG2	4.16	117.57	110.50	1	1
A	58	HIS	CD2-NE2-CE1	4.14	104.86	109.00	2	1
A	58	HIS	CB-CG-CD2	4.13	125.83	131.20	9	2
A	374	GLN	OE1-CD-NE2	4.12	118.48	122.60	6	7
A	272	ASP	CA-CB-CG	4.07	116.67	112.60	7	1
A	147	ASP	CA-CB-CG	4.06	108.54	112.60	9	1
A	271	THR	CA-C-O	4.06	113.89	120.80	2	1
A	444	HIS	CB-CG-CD2	4.05	125.93	131.20	7	1

Chain	Res	Type	Atoms	Z	Observed (Å)	Ideal (Å)	Model ID (Worst)	Models (Total)
A	472	LYS	C-N-CA	4.05	128.98	121.70	10	1
A	299	HIS	CB-CG-CD2	4.03	125.97	131.20	9	1
A	190	ASP	CA-CB-CG	4.02	116.62	112.60	8	1

Too-close contacts

The following all-atom clashscore is based on a MolProbity analysis. All-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The table below contains clashscores for all atomic models in this entry.

Model ID	Clash score	Number of clashes
1	3.89	31
2	4.77	38
3	2.89	23
4	5.52	44
5	3.26	26
6	4.02	32
7	5.15	41
8	3.89	31
9	3.89	31
10	3.77	30

There are 327 clashes. The table below contains the detailed list of all clashes based on a MolProbity analysis. Bad clashes are ≥ 0.4 Angstrom. The output is limited to 100 rows.

Atom 1	Atom 2	Clash(Å)	Model ID (Worst)	Models (Total)
A:49:ILE:HG23	A:356:THR:HG22	0.91	5	3
A:210:VAL:CG1	A:226:ILE:HD11	0.78	7	2
A:63:LEU:HD21	A:354:LYS:NZ	0.78	2	3
A:210:VAL:HG12	A:226:ILE:HD11	0.78	7	3
A:218:MET:HE1	A:347:LEU:HD22	0.77	1	3
A:71:ARG:HH22	A:356:THR:HG22	0.77	4	1
A:49:ILE:HD12	A:146:VAL:HG21	0.74	6	2
A:61:PHE:CD1	A:107:MET:HE1	0.73	7	4
A:49:ILE:HD12	A:141:TYR:CG	0.72	2	1
A:235:VAL:HG11	A:311:TRP:CZ2	0.72	2	2
A:227:ARG:NH2	A:330:ILE:HD12	0.71	8	1
A:262:MET:HE1	A:472:LYS:CB	0.70	5	1
A:83:PHE:CE2	A:145:TRP:CE3	0.69	1	6
A:52:GLY:HA3	A:108:TYR:CE1	0.69	10	1

Atom 1	Atom 2	Clash(Å)	Model ID (Worst)	Models (Total)
A:151:LEU:HD23	A:355:LEU:HD11	0.69	6	2
A:153:LEU:HD21	A:470:ARG:CZ	0.67	5	1
A:227:ARG:HH22	A:330:ILE:HD12	0.67	8	1
A:467:LEU:HD21	A:477:LEU:HD12	0.66	9	2
A:262:MET:HE1	A:472:LYS:HB2	0.66	5	1
A:468:TRP:CZ2	A:472:LYS:HE3	0.65	4	1
A:83:PHE:CD2	A:145:TRP:CE3	0.65	9	1
A:92:ARG:HH22	A:298:THR:HG22	0.65	7	1
A:317:ARG:HH22	A:354:LYS:HE3	0.65	9	1
A:6:LEU:HD11	A:203:VAL:HG23	0.65	8	6
A:49:ILE:HG12	A:141:TYR:CE1	0.64	4	1
A:45:SER:HA	A:233:HIS:CE1	0.64	6	1
A:60:GLU:CD	A:332:ARG:HH22	0.63	8	1
A:71:ARG:HH12	A:356:THR:HB	0.63	4	1
A:48:LEU:HD13	A:87:PHE:CE1	0.63	5	2
A:158:MET:HE2	A:387:PRO:HD3	0.63	4	9
A:210:VAL:HG12	A:226:ILE:CD1	0.63	7	2
A:63:LEU:HD21	A:354:LYS:HZ2	0.62	2	2
A:83:PHE:CE2	A:145:TRP:CZ3	0.62	9	1
A:317:ARG:HE	A:319:LEU:HD21	0.62	9	3
A:145:TRP:HZ3	A:259:ILE:HG21	0.62	10	1
A:63:LEU:HD21	A:354:LYS:HZ1	0.61	2	1
A:145:TRP:CZ2	A:261:TRP:CZ3	0.60	4	1
A:261:TRP:CZ3	A:262:MET:HE2	0.60	7	1
A:48:LEU:HD23	A:108:TYR:CE1	0.59	4	1
A:332:ARG:HB3	A:354:LYS:HE3	0.59	10	1
A:330:ILE:HG23	A:354:LYS:HE3	0.59	1	1
A:227:ARG:NH1	A:330:ILE:HD11	0.59	6	1
A:150:ARG:HH21	A:420:THR:CG2	0.59	6	1
A:223:PRO:HG2	A:224:TYR:CE2	0.57	1	1
A:49:ILE:HD12	A:141:TYR:CD2	0.57	2	1
A:317:ARG:NH1	A:319:LEU:HD21	0.57	1	2
A:49:ILE:HG13	A:141:TYR:CE1	0.56	2	1
A:348:LEU:HD21	A:365:ALA:HB1	0.56	1	1
A:56:LEU:HD13	A:104:GLY:CA	0.56	7	3

Atom 1	Atom 2	Clash(Å)	Model ID (Worst)	Models (Total)
A:56:LEU:HD13	A:104:GLY:HA3	0.56	9	2
A:169:ARG:HD2	A:189:ILE:HD11	0.56	5	1
A:107:MET:HE2	A:111:LEU:HD11	0.56	2	3
A:332:ARG:O	A:354:LYS:HE3	0.56	2	3
A:68:LEU:HD21	A:108:TYR:CZ	0.56	6	3
A:61:PHE:CE1	A:107:MET:HE1	0.56	7	4
A:322:ASP:CG	A:331:THR:HG21	0.55	1	1
A:332:ARG:CB	A:354:LYS:HE3	0.55	10	1
A:54:ARG:HH22	A:328:GLN:HA	0.55	7	1
A:77:MET:HE3	A:384:SER:O	0.54	4	2
A:470:ARG:CB	A:475:MET:HE2	0.54	4	1
A:177:ARG:HH12	A:339:HIS:CE1	0.54	10	4
A:317:ARG:NH2	A:354:LYS:HE3	0.54	9	1
A:53:LEU:CD2	A:255:ILE:HG21	0.54	8	1
A:48:LEU:HD11	A:259:ILE:HG12	0.54	10	1
A:68:LEU:HD21	A:108:TYR:CE2	0.53	7	1
A:68:LEU:HG	A:108:TYR:CE1	0.53	8	1
A:145:TRP:CZ3	A:259:ILE:HG21	0.53	10	1
A:114:ARG:HH21	A:117:LEU:HB3	0.53	4	1
A:48:LEU:HD22	A:87:PHE:CZ	0.53	7	1
A:51:GLY:HA3	A:71:ARG:HH22	0.53	10	1
A:103:ILE:HG22	A:107:MET:HE2	0.52	3	1
A:360:LYS:HE2	A:364:HIS:CE1	0.52	1	1
A:240:HIS:NE2	A:258:VAL:HG12	0.52	6	1
A:106:PHE:CE2	A:110:HIS:CE1	0.52	9	1
A:227:ARG:CZ	A:330:ILE:HD11	0.52	9	4
A:162:LYS:HE3	A:380:TRP:CE2	0.52	2	2
A:210:VAL:HG11	A:226:ILE:HD11	0.52	7	2
A:48:LEU:HD13	A:87:PHE:CZ	0.51	5	1
A:380:TRP:CH2	A:384:SER:HB3	0.51	1	1
A:46:SER:HB3	A:145:TRP:CZ2	0.51	7	2
A:470:ARG:HB3	A:475:MET:HE2	0.51	4	1
A:43:SER:C	A:45:SER:H	0.51	9	1
A:50:HIS:CD2	A:257:PHE:CZ	0.51	10	1
A:93:PRO:HG3	A:137:ARG:HH21	0.51	1	1

Atom 1	Atom 2	Clash(Å)	Model ID (Worst)	Models (Total)
A:46:SER:HB3	A:145:TRP:CE2	0.51	7	1
A:468:TRP:CE2	A:472:LYS:HE3	0.51	4	1
A:48:LEU:CD2	A:67:ALA:HB1	0.50	2	1
A:54:ARG:NH2	A:328:GLN:HA	0.50	7	1
A:460:VAL:HG23	A:469:ARG:NH1	0.50	9	2
A:44:ALA:HB1	A:145:TRP:HE1	0.50	4	1
A:162:LYS:HE3	A:380:TRP:CZ2	0.50	1	2
A:68:LEU:HD22	A:114:ARG:HD2	0.50	4	1
A:49:ILE:HD11	A:74:LEU:HD13	0.50	8	1
A:96:ARG:NH1	A:249:GLN:HE21	0.50	9	1
A:48:LEU:HD21	A:68:LEU:HG	0.50	4	1
A:48:LEU:HD13	A:87:PHE:HE2	0.49	10	1
A:471:THR:HG22	A:476:TRP:CE3	0.49	10	1
A:68:LEU:HD21	A:108:TYR:CE1	0.49	9	2
A:83:PHE:CD1	A:395:ARG:NH1	0.49	9	1
A:68:LEU:HD21	A:108:TYR:CD1	0.49	2	1

Torsion angles: Protein backbone ?

In the following table, Ramachandran outliers are listed. The Analysed column shows the number of residues for which the backbone conformation was analysed.

Model ID	Analysed	Favored	Allowed	Outliers
1	499	479	16	4
2	499	484	13	2
3	499	478	17	4
4	499	492	6	1
5	499	486	10	3
6	499	477	16	6
7	499	485	13	1
8	499	478	16	5
9	499	481	11	7
10	499	488	9	2

There are 14 unique backbone outliers. Detailed list of outliers are tabulated below.

Chain	Res	Type	Models (Total)
A	272	ASP	8
A	263	ASP	5

Chain	Res	Type	Models (Total)
A	49	ILE	4
A	44	ALA	3
A	473	GLN	3
A	46	SER	2
A	113	LYS	2
A	472	LYS	2
A	42	SER	1
A	51	GLY	1
A	52	GLY	1
A	210	VAL	1
A	325	ASP	1
A	474	GLY	1

Torsion angles : Protein sidechains ?

In the following table, sidechain rotameric outliers are listed. The Analysed column shows the number of residues for which the sidechain conformation was analysed.

Model ID	Analysed	Favored	Allowed	Outliers
1	419	408	9	2
2	419	410	7	2
3	419	413	5	1
4	419	407	8	4
5	419	412	6	1
6	419	411	6	2
7	419	412	4	3
8	419	405	11	3
9	419	407	8	4
10	419	413	5	1

There are 16 unique sidechain outliers. Detailed list of outliers are tabulated below.

Chain	Res	Type	Models (Total)
A	45	SER	2
A	50	HIS	2
A	89	LEU	2
A	210	VAL	2
A	324	SER	2
A	355	LEU	2

Chain	Res	Type	Models (Total)
A	501	SER	2
A	43	SER	1
A	49	ILE	1
A	116	SER	1
A	142	SER	1
A	226	ILE	1
A	260	PRO	1
A	366	LEU	1
A	473	GLN	1
A	476	TRP	1

5. Fit to Data Used for Modeling Assessment ?

5.2. Crosslinking-MS ?

5.2.1. Restraint types ?


This table summarizes information about crosslinker(s) used for data generation, and how crosslinking information was translated into actual modeling restraints. Restraints assigned "by-residue" are interpreted as between CA atoms. Restraints between coarse-grained beads are indicated as "coarse-grained". *Restraint group* represents a set of crosslinking restraints applied collectively in the modeling.

There are 4 crosslinking restraints combined in 4 restraint groups.

Linker	Residue 1	Atom 1	Residue 2	Atom 2	Restraint type	Distance, Å	Count
L-Photo-Leucine	LEU	CA	TYR	CA	upper bound	10.00	1
L-Photo-Leucine	LEU	CA	VAL	CA	upper bound	10.00	1
L-Photo-Leucine	LEU	CA	MET	CA	upper bound	10.00	1
L-Photo-Leucine	LEU	CA	LEU	CA	upper bound	10.00	1

Distograms of individual restraints

Distograms (i.e., histogram plots of distances) provide an overview of distributions of distances between residues for which chemical crosslinks were identified. The shift of the distogram relative to the threshold value may indicate a poor model. Restraints with identical thresholds are grouped into one plot. Only the best distance per restraint per model group/ensemble is plotted. Inter- and intramolecular (including self-links) restraints are also grouped into one plot. Distance for a restraint between coarse-grained beads is calculated as a minimal distance between shells; if beads intersect, the distance will be reported as 0.0. A bead with the highest available resolution for a given residue is used for the assessment.




5.2.2. Satisfaction of restraints ?

Satisfaction of restraints is calculated on a *restraint group* (a set of crosslinking restraints applied collectively in the modeling) level. Satisfaction of a restraint group depends on satisfaction of individual restraints in the group and the conditionality (all/any). A restraint group is considered satisfied, if the condition was met in at least one model of the model group/ensemble. The number of measured restraints can be smaller than the total number of restraint groups if crosslinks involve non-modeled residues. Only deposited models are used for validation right now.

State group	State	Model group	# of Deposited models/Total	Restraint group type	Satisfied (%)	Violated (%)	Count (Total=4)
1	1	1	10/10	All	50.00	50.00	4
				Self-links/ Intramolecular	50.00	50.00	4

Per-model satisfaction rates in ensembles

Every point represents one model in a model group/ensemble. Where possible, boxplots with quartile marks are also plotted.



6. Fit to Data Used for Validation Assessment ?

Validation for this section is under development.

Acknowledgments

The development of integrative model validation metrics, implementation of a model validation pipeline, and creation of a validation report for integrative structures are funded by NSF awards to the *PDB-IHM team* (DBI-1756248, DBI-2112966, DBI-2112967, DBI-2112968, and DBI-1756250) and awards from NSF, NIH, and DOE to the *RCSB PDB* (DBI-2321666, R01GM157729, and DE-SC0019749). The PDB-IHM team and members of the *Sali lab* contributed model validation metrics

and software packages.

Dr. Jill Trehella, Dr. Dina Schneidman, and members of the [SASBDB](#) repository are acknowledged for their advice and support in implementing SAS validation methods. Team members from the labs of Dr. Juri Rappsilber, Dr. Alexander Leitner, Dr. Andrea Graziadei, and members of [PRIDE](#) database are acknowledged for their advice and support in implementing crosslinking-MS validation methods. We are grateful to Dr. Shruthi Viswanath for discussions about uncertainty assessment of integrative structural models.

Members of the [wwPDB Integrative/Hybrid Methods Task Force](#) provided recommendations and community support for the project.