

Integrative Structure Validation Report

October 09, 2025 - 04:49 PM PDT

The following software was used in the production of this report:

IHMValidation Version 3.0

Python-IHM Version 2.5

EMDB validation analysis Version 0.0.1.dev127

ChimeraX Version 1.9

Chimera Version 1.19

MapQ Version 1.8.1

PDB ID	9A8T pdb_00009a8t
Structure Title	Integrative spatiotemporal modeling of biomolecular processes: application to the assembly of the Nuclear Pore Complex
Structure Authors	Latham, A.P.; Tempkin, J.O.B.; Otsuka, S.; Zhang, W.; Ellenberg, J.; Sali, A.
Deposited on	2024-08-09

This is a PDB-IHM Structure Validation Report.

We welcome your comments at helpdesk@pdb-ihm.org

A user guide is available at https://pdb-ihm.org/validation_help.html with specific help available everywhere you see the  symbol.

List of references used to build this report is available [here](#).

1. Overview

1.1. Summary

This entry consists of 6 model(s). A total of 11 dataset(s) were used to build this entry.


Name	Type	Count
3DEM volume	Experimental data	7

Name	Type	Count
Other	Experimental data	2
Experimental model	Starting model	2

1.2. Overall quality ?

This validation report contains model quality assessments for all structures, data quality and fit to model assessments for SAS and crosslinking-MS datasets. Data quality and fit to model assessments for other datasets and model uncertainty are under development. Number of plots is limited to 256.

Model Quality: Excluded Volume Analysis ?



2. Model Details ?

2.1. Ensemble information ?

This entry consists of 6 distinct ensemble(s).

2.2. Representation ?

This entry has 1 representation(s).

ID	Model(s)	Entity ID	Molecule name	Chain(s) [auth]	Total residues	Rigid segments	Flexible segments	Model coverage/ Starting model coverage (%)	Scale
1	1-6	1	Nup133_spoke_1_yc_inner_cr	A	639	1-639	-	100.00 / 100.00	Multiscale: Coarse-grained: 1 - 10 residue(s) per bead
				J					
				S					
				AB					
				BK					
				BT					
				CC					
				CL					
				DU					
				ED					
				EM					
				EV					
				GE					
				GN					
				GW					
				HF					
				IO					
				IX					
				JG					
				JP					
				KY					
				LH					
				LQ					
				LZ					
NI									
NR									
OA									
OJ									
PS									
QB									
QK									
QT									

ID	Model(s)	Entity ID	Molecule name	Chain(s) [auth]	Total residues	Rigid segments	Flexible segments	Model coverage/ Starting model coverage (%)	Scale
		2	Nup107_spoke_1_yc_inner_cr	B	775	1-775	-	100.00 / 100.00	Multiscale: Coarse-grained: 1 - 10 residue(s) per bead
				K					
				T					
				AC					
				BL					
				BU					
				CD					
				CM					
				DV					
				EE					
				EN					
				EW					
				GF					
				GO					
				GX					
				HG					
				IP					
				IY					
				JH					
				JQ					
				KZ					
				LI					
				LR					
				MA					
				NJ					
				NS					
				OB					
				OK					
				PT					
				QC					
				QL					
				QU					

ID	Model(s)	Entity ID	Molecule name	Chain(s) [auth]	Total residues	Rigid segments	Flexible segments	Model coverage/ Starting model coverage (%)	Scale
		3	Nup96_spoke_1_yc_inner_cr	C	475	1-475	-	100.00 / 100.00	Multiscale: Coarse-grained: 1 - 10 residue(s) per bead
			L						
			U						
			AD						
			BM						
			BV						
			CE						
			CN						
			DW						
			EF						
			EO						
			EX						
			GG						
			GP						
			GY						
			HH						
			IQ						
			IZ						
			JI						
			JR						
			LA						
			LJ						
			LS						
			MB						
			NK						
			NT						
			OC						
			OL						
			PU						
			QD						
			QM						
			QV						

ID	Model(s)	Entity ID	Molecule name	Chain(s) [auth]	Total residues	Rigid segments	Flexible segments	Model coverage/ Starting model coverage (%)	Scale
		4	SEC13_spoke_1_yc_inner_cr	D	291	1-291	-	100.00 / 100.00	Multiscale: Coarse-grained: 1 - 10 residue(s) per bead
			M						
			V						
			AE						
			BN						
			BW						
			CF						
			CO						
			DX						
			EG						
			EP						
			EY						
			GH						
			GQ						
			GZ						
			HI						
			IR						
			JA						
			JJ						
			JS						
			LB						
			LK						
			LT						
			MC						
			NL						
			NU						
			OD						
			OM						
			PV						
			QE						
			QN						
			QW						

ID	Model(s)	Entity ID	Molecule name	Chain(s) [auth]	Total residues	Rigid segments	Flexible segments	Model coverage/ Starting model coverage (%)	Scale
		5	SEH1_spoke_1_yc_inner_cr	E	322	1-322	-	100.00 / 100.00	Multiscale: Coarse-grained: 2 - 10 residue(s) per bead
				N					
				W					
				AF					
				BO					
				BX					
				CG					
				CP					
				DY					
				EH					
				EQ					
				EZ					
				GI					
				GR					
				HA					
				HJ					
				IS					
				JB					
				JK					
				JT					
				LC					
				LL					
				LU					
				MD					
				NM					
				NV					
				OE					
				ON					
				PW					
				QF					
				QO					
				QX					

ID	Model(s)	Entity ID	Molecule name	Chain(s) [auth]	Total residues	Rigid segments	Flexible segments	Model coverage/ Starting model coverage (%)	Scale
		6	Nup85_spoke_1_yc_inner_cr	F	467	1-467	-	100.00 / 100.00	Multiscale: Coarse-grained: 3 - 10 residue(s) per bead
				O					
				X					
				AG					
				BP					
				BY					
				CH					
				CQ					
				DZ					
				EI					
				ER					
				FA					
				GJ					
				GS					
				HB					
				HK					
				IT					
				JC					
				JL					
				JU					
				LD					
				LM					
				LV					
				ME					
				NN					
				NW					
				OF					
				OO					
				PX					
				QG					
				QP					
				QY					

ID	Model(s)	Entity ID	Molecule name	Chain(s) [auth]	Total residues	Rigid segments	Flexible segments	Model coverage/ Starting model coverage (%)	Scale
		7	Nup43_spoke_1_yc_inner_cr	G	377	1-377	-	100.00 / 100.00	Multiscale: Coarse-grained: 1 - 10 residue(s) per bead
				P					
				Y					
				AH					
				BQ					
				BZ					
				CI					
				CR					
				EA					
				EJ					
				ES					
				FB					
				GK					
				GT					
				HC					
				HL					
				IU					
				JD					
				JM					
				JV					
				LE					
				LN					
				LW					
				MF					
				NO					
				NX					
				OG					
				OP					
				PY					
				QH					
				QQ					
				QZ					

ID	Model(s)	Entity ID	Molecule name	Chain(s) [auth]	Total residues	Rigid segments	Flexible segments	Model coverage/ Starting model coverage (%)	Scale
		8	Nup160_spoke_1_yc_inner_cr	H	1161	1-1161	-	100.00 / 100.00	Multiscale: Coarse-grained: 1 - 10 residue(s) per bead
				Q					
				Z					
				AI					
				BR					
				CA					
				CJ					
				CS					
				EB					
				EK					
				ET					
				FC					
				GL					
				GU					
				HD					
				HM					
				IV					
				JE					
				JN					
				JW					
				LF					
				LO					
				LX					
				MG					
				NP					
				NY					
				OH					
				OQ					
				PZ					
				QI					
				QR					
				RA					

ID	Model(s)	Entity ID	Molecule name	Chain(s) [auth]	Total residues	Rigid segments	Flexible segments	Model coverage/ Starting model coverage (%)	Scale
		9	Nup37_spoke_1_yc_inner_cr	I	318	1-318	-	100.00 / 100.00	Multiscale: Coarse-grained: 8 - 10 residue(s) per bead
				R					
				AA					
				AJ					
				BS					
				CB					
				CK					
				CT					
				EC					
				EL					
				EU					
				FD					
				GM					
				GV					
				HE					
				HN					
				IW					
				JF					
				JO					
				JX					
				LG					
				LP					
				LY					
				MH					
				NQ					
				NZ					
				OI					
				OR					
				QA					
				QJ					
				QS					
				RB					

ID	Model(s)	Entity ID	Molecule name	Chain(s) [auth]	Total residues	Rigid segments	Flexible segments	Model coverage/ Starting model coverage (%)	Scale
		10	Nup93_spoke_1_ir_core_1	AK	815	1-815	-	100.00 / 100.00	Multiscale: Coarse-grained: 1 - 10 residue(s) per bead
				AN					
				AQ					
				AT					
				CU					
				CX					
				DA					
				DD					
				FE					
				FH					
				FK					
				FN					
				HO					
				HR					
				HU					
				HX					
				JY					
				KB					
				KE					
				KH					
				MI					
				ML					
				MO					
				MR					
				OS					
				OV					
				OY					
				PB					
				RC					
				RF					
				RI					
				RL					

ID	Model(s)	Entity ID	Molecule name	Chain(s) [auth]	Total residues	Rigid segments	Flexible segments	Model coverage/ Starting model coverage (%)	Scale
		11	Nup205_spoke_1_ir_core_1	AL	1684	1-1684	-	100.00 / 100.00	Multiscale: Coarse-grained: 1 - 10 residue(s) per bead
			AR						
			CV						
			DB						
			FF						
			FL						
			HP						
			HV						
			JZ						
			KF						
			MJ						
			MP						
			OT						
			OZ						
			RD						
			RJ						
		12	Nup155_spoke_1_ir_core_1	AM	1356	1-1356	-	100.00 / 100.00	Multiscale: Coarse-grained: 1 - 10 residue(s) per bead
			AP						
			AS						
			AV						
			BI						
			BJ						
			CW						
			CZ						
			DC						
			DF						
			DS						
			DT						
			FG						
			FJ						
			FM						
			FP						

ID	Model(s)	Entity ID	Molecule name	Chain(s) [auth]	Total residues	Rigid segments	Flexible segments	Model coverage/ Starting model coverage (%)	Scale
				GC					
				GD					
				HQ					
				HT					
				HW					
				HZ					
				IM					
				IN					
				KA					
				KD					
				KG					
				KJ					
				KW					
				KX					
				MK					
				MN					
				MQ					
				MT					
				NG					
				NH					
				OU					
				OX					
				PA					
				PD					
				PQ					
				PR					
				RE					
				RH					
				RK					
				RN					
				SA					
				SB					

ID	Model(s)	Entity ID	Molecule name	Chain(s) [auth]	Total residues	Rigid segments	Flexible segments	Model coverage/ Starting model coverage (%)	Scale
		13	Nup188_spoke_1_ir_core_2	AO	1564	1-1564	-	100.00 / 100.00	Multiscale: Coarse-grained: 1 - 10 residue(s) per bead
			AU						
			CY						
			DE						
			FI						
			FO						
			HS						
			HY						
			KC						
			KI						
			MM						
			MS						
			OW						
			PC						
			RG						
			RM						
		14	p54_spoke_1_ir_chan_1	AW	366	1-366	-	100.00 / 100.00	Multiscale: Coarse-grained: 1 - 10 residue(s) per bead
			AZ						
			BC						
			BF						
			DG						
			DJ						
			DM						
			DP						
			FQ						
			FT						
			FW						
			FZ						
			IA						
			ID						
			IG						
			IJ						

ID	Model(s)	Entity ID	Molecule name	Chain(s) [auth]	Total residues	Rigid segments	Flexible segments	Model coverage/ Starting model coverage (%)	Scale
				KK					
				KN					
				KQ					
				KT					
				MU					
				MX					
				NA					
				ND					
				PE					
				PH					
				PK					
				PN					
				RO					
				RR					
				RU					
				RX					
		15	p58_spoke_1_ir_chan_1	AX	171	1-171	-	100.00 / 100.00	Multiscale: Coarse-grained: 1 - 10 residue(s) per bead
				BA					
				BD					
				BG					
				DH					
				DK					
				DN					
				DQ					
				FR					
				FU					
				FX					
				GA					
				IB					
				IE					
				IH					
				IK					

ID	Model(s)	Entity ID	Molecule name	Chain(s) [auth]	Total residues	Rigid segments	Flexible segments	Model coverage/ Starting model coverage (%)	Scale
				KL					
				KO					
				KR					
				KU					
				MV					
				MY					
				NB					
				NE					
				PF					
				PI					
				PL					
				PO					
				RP					
				RS					
				RV					
				RY					
		16	p62_spoke_1_ir_chan_1	AY	169	1-169	-	100.00 / 100.00	Multiscale: Coarse-grained: 9 - 10 residue(s) per bead
				BB					
				BE					
				BH					
				DI					
				DL					
				DO					
				DR					
				FS					
				FV					
				FY					
				GB					
				IC					
				IF					
				II					
				IL					

ID	Model(s)	Entity ID	Molecule name	Chain(s) [auth]	Total residues	Rigid segments	Flexible segments	Model coverage/ Starting model coverage (%)	Scale
				KM					
				KP					
				KS					
				KV					
				MW					
				MZ					
				NC					
				NF					
				PG					
				PJ					
				PM					
				PP					
				RQ					
				RT					
				RW					
				RZ					

2.3. Datasets used for modeling

There are 11 unique datasets used to build the models in this entry.

ID	Dataset type	Database name	Data access code
1	3DEM volume	EMDB	EMD-3820
2	Other	Other	idr0115
3	Other	Zenodo	10.5281/zenodo.11129725
4	Experimental model	PDB	pdb_00005a9q
5	Experimental model	PDB	pdb_00005ijo
6	3DEM volume	Zenodo	10.5281/zenodo.11129725
7	3DEM volume	Zenodo	10.5281/zenodo.11129725
8	3DEM volume	Zenodo	10.5281/zenodo.11129725
9	3DEM volume	Zenodo	10.5281/zenodo.11129725
10	3DEM volume	Zenodo	10.5281/zenodo.11129725
11	3DEM volume	Zenodo	10.5281/zenodo.11129725

2.4. Methodology and software

This entry is a result of 6 distinct protocol(s).

Step number	Protocol ID	Method name	Method type	Method description	Number of computed models	Multi state modeling	Multi scale modeling
1	1	Monte Carlo sampling step 1. Repeated for each snapshot model.	MC sampling	Not available	1600000	False	False
2	1	Choose the lowest scoring structure from each simulation.	Filtering	Not available	200	False	False
3	1	Monte Carlo sampling step 2. Repeated for each snapshot model.	MC sampling	Not available	320000	False	False
4	1	Choose the lowest scoring structure from each simulation.	Filtering	Not available	200	False	False
5	1	Monte Carlo sampling step 3. Repeated for each snapshot model.	MC sampling	Not available	320000	False	False
6	1	Choose the lowest scoring structure from each replica, and further filter by the median score.	Filtering	Not available	801	False	False
7	1	Score trajectories based on the scores of snapshot models and the transitions between them.	Trajectory construction	Not available	Not available	True	False
1	2	Monte Carlo sampling step 1. Repeated for each snapshot model.	MC sampling	Not available	1600000	False	False
2	2	Choose the lowest scoring structure from each simulation.	Filtering	Not available	200	False	False
3	2	Monte Carlo sampling step 2. Repeated for each snapshot model.	MC sampling	Not available	320000	False	False
4	2	Choose the lowest scoring structure from each simulation.	Filtering	Not available	200	False	False
5	2	Monte Carlo sampling step 3. Repeated for each snapshot model.	MC sampling	Not available	320000	False	False
6	2	Choose the lowest scoring structure from each replica, and further filter by the median score.	Filtering	Not available	801	False	False
7	2	Score trajectories based on the scores of snapshot models and the transitions between them.	Trajectory construction	Not available	Not available	True	False
1	3	Monte Carlo sampling step 1. Repeated for each snapshot model.	MC sampling	Not available	1600000	False	False
2	3	Choose the lowest scoring structure from each simulation.	Filtering	Not available	200	False	False
3	3	Monte Carlo sampling step 2. Repeated for each snapshot model.	MC sampling	Not available	320000	False	False

Step number	Protocol ID	Method name	Method type	Method description	Number of computed models	Multi state modeling	Multi scale modeling
4	3	Choose the lowest scoring structure from each simulation.	Filtering	Not available	200	False	False
5	3	Monte Carlo sampling step 3. Repeated for each snapshot model.	MC sampling	Not available	320000	False	False
6	3	Choose the lowest scoring structure from each replica, and further filter by the median score.	Filtering	Not available	801	False	False
7	3	Score trajectories based on the scores of snapshot models and the transitions between them.	Trajectory construction	Not available	Not available	True	False
1	4	Monte Carlo sampling step 1. Repeated for each snapshot model.	MC sampling	Not available	1600000	False	False
2	4	Choose the lowest scoring structure from each simulation.	Filtering	Not available	200	False	False
3	4	Monte Carlo sampling step 2. Repeated for each snapshot model.	MC sampling	Not available	320000	False	False
4	4	Choose the lowest scoring structure from each simulation.	Filtering	Not available	200	False	False
5	4	Monte Carlo sampling step 3. Repeated for each snapshot model.	MC sampling	Not available	320000	False	False
6	4	Choose the lowest scoring structure from each replica, and further filter by the median score.	Filtering	Not available	801	False	False
7	4	Score trajectories based on the scores of snapshot models and the transitions between them.	Trajectory construction	Not available	Not available	True	False
1	5	Monte Carlo sampling step 1. Repeated for each snapshot model.	MC sampling	Not available	1600000	False	False
2	5	Choose the lowest scoring structure from each simulation.	Filtering	Not available	200	False	False
3	5	Monte Carlo sampling step 2. Repeated for each snapshot model.	MC sampling	Not available	320000	False	False
4	5	Choose the lowest scoring structure from each simulation.	Filtering	Not available	200	False	False
5	5	Monte Carlo sampling step 3. Repeated for each snapshot model.	MC sampling	Not available	320000	False	False
6	5	Choose the lowest scoring structure from each replica, and further filter by the median score.	Filtering	Not available	801	False	False
7	5	Score trajectories based on the scores of snapshot models and the transitions between them.	Trajectory construction	Not available	Not available	True	False

Step number	Protocol ID	Method name	Method type	Method description	Number of computed models	Multi state modeling	Multi scale modeling
1	6	Monte Carlo sampling step 1. Repeated for each snapshot model.	MC sampling	Not available	1600000	False	False
2	6	Choose the lowest scoring structure from each simulation.	Filtering	Not available	200	False	False
3	6	Monte Carlo sampling step 2. Repeated for each snapshot model.	MC sampling	Not available	320000	False	False
4	6	Choose the lowest scoring structure from each simulation.	Filtering	Not available	200	False	False
5	6	Monte Carlo sampling step 3. Repeated for each snapshot model.	MC sampling	Not available	320000	False	False
6	6	Choose the lowest scoring structure from each replica, and further filter by the median score.	Filtering	Not available	801	False	False
7	6	Score trajectories based on the scores of snapshot models and the transitions between them.	Trajectory construction	Not available	Not available	True	False

There are 2 software packages reported in this entry.

ID	Software name	Software version	Software classification	Software location
2	gmconvert	2022/05/09	data processing	https://pdj.org/gmfit/doc_gmconvert/README_gmconvert.html
1	Integrative Modeling Platform (IMP)	2.20	model building	https://integrativemodeling.org

3. Data quality

3.3. 3DEM

This section describes quality of the 3DEM datasets

[EMD-3820](#)

3.3.1. Experimental information

EM reconstruction method: TOMOGRAPHY

Resolution: Not available

Recommended level: Not available

Estimated volume: Not available


Specimen preparation: Preparation ID 1 Staining: NEGATIVE; Material: uranyl acetate and lead citrate

Map-only validation report: [wwPDB validation report](#)

3.3.2. Map visualisation ?

This section contains visualisations of the EMDB entry EMD-3820. These allow visual inspection of the internal detail of the map and identification of artifacts. Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

3.3.2.1. Orthogonal projections ?



The images above show the map projected in three orthogonal directions.

3.3.3. Map analysis ?

This section contains the results of statistical analysis of the map.

Statistical analysis of the map is not available.

4. Model quality ?

For models with atomic structures, MolProbity analysis is performed. For models with coarse-grained or multi-scale structures, excluded volume analysis is performed.

4.1a. Excluded Volume Analysis ?

Excluded volume satisfaction for the models in the entry are listed below. The Analysed column shows the number of particle-particle or particle-atom pairs for which excluded volume was analysed.

Model ID	Analysed	Number of violations	Excluded Volume Satisfaction (%)
1	12417636	7624	99.94
2	55582696	15809	99.97
3	158268736	26373	99.98
4	307110936	37257	99.99
5	385961436	41753	99.99
6	520208640	48260	99.99

5. Fit to Data Used for Modeling Assessment

5.3. 3DEM

This section describes fit of models to the 3DEM data. Only results for the representative model, selected as a first model with the largest number of asymmetric units.

3DEM validation for coarse-grained structures is under development.

6. Fit to Data Used for Validation Assessment

Validation for this section is under development.

Acknowledgments

The development of integrative model validation metrics, implementation of a model validation pipeline, and creation of a validation report for integrative structures are funded by NSF awards to the [PDB-IHM team](#) (DBI-1756248, DBI-2112966, DBI-2112967, DBI-2112968, and DBI-1756250) and awards from NSF, NIH, and DOE to the [RCSB PDB](#) (DBI-2321666, R01GM157729, and DE-SC0019749). The PDB-IHM team and members of the [Sali lab](#) contributed model validation metrics and software packages.

Dr. Jill Trehwella, Dr. Dina Schneidman, and members of the [SASBDB](#) repository are acknowledged for their advice and support in implementing SAS validation methods. Team members from the labs of Dr. Juri Rappsilber, Dr. Alexander Leitner, Dr. Andrea Graziadei, and members of [PRIDE](#) database are acknowledged for their advice and support in implementing crosslinking-MS validation methods. We are grateful to Dr. Shruthi Viswanath for discussions about uncertainty assessment of integrative structural models.

Members of the [wwPDB Integrative/Hybrid Methods Task Force](#) provided recommendations and community support for the project.