

Integrative Structure Validation Report

March 12, 2026 - 12:58 PM PDT

The following software was used in the production of this report:

IHMValidation Version 3.1


Python-IHM Version 2.9

MolProbity Version 4.5.2

PDB ID	9A9K pdb_00009a9k
Structure Title	Complex of the partially open conformation of P. furiosus Mre11-Rad50
Structure Authors	Canny, M.D.; Latham, M.P.
Deposited on	2025-03-10

This is a PDB-IHM Structure Validation Report.

We welcome your comments at helpdesk@pdb-ihm.org

A user guide is available at https://pdb-ihm.org/validation_help.html with specific help available everywhere you see the  symbol.

List of references used to build this report is available [here](#).

1. Overview

1.1. Summary


This entry consists of 1 model(s). A total of 7 dataset(s) were used to build this entry.

Name	Type	Count
Ensemble FRET data	Experimental data	1
Predicted contacts	Experimental data	1
Experimental model	Starting model	5

1.2. Overall quality ?

This validation report contains model quality assessments for all structures, data quality and fit to model assessments for SAS and crosslinking-MS datasets. Data quality and fit to model assessments for other datasets and model uncertainty are under development. Number of plots is limited to 256.

Model Quality: MolProbity Analysis ?



2. Model Details ?

2.1. Ensemble information ?

This entry consists of 0 distinct ensemble(s).

2.2. Representation ?

This entry has 1 representation(s).

ID	Model(s)	Entity ID	Molecule name	Chain(s) [auth]	Total residues	Rigid segments	Flexible segments	Model coverage/ Starting model coverage (%)	Scale
1	1	1	DNA double-strand break repair Rad50 ATPase	A	192	-	1-192	100.00 / 100.00	Atomic
				D					
		2	DNA double-strand break repair Rad50 ATPase	B	167	-	1-167	100.00 / 100.00	Atomic
				E					
		3	DNA double-strand break repair protein Mre11	C	32	-	1-32	100.00 / 100.00	Atomic
				F					
		4	DNA double-strand break repair protein Mre11	G	333	-	1-333	100.00 / 100.00	Atomic
				H					

2.3. Datasets used for modeling ?

There are 7 unique datasets used to build the models in this entry.

ID	Dataset type	Database name	Data access code
1	Ensemble FRET data	Zenodo	10.5281/zenodo.14990529
2	Experimental model	PDB	pdb_00003qku
3	Experimental model	PDB	pdb_00003dsc
4	Predicted contacts	Not available	Not available
5	Experimental model	PDB	pdb_00003av0

ID	Dataset type	Database name	Data access code
6	Experimental model	PDB	pdb_00006s6v
7	Experimental model	PDB	pdb_00003qg5

2.4. Methodology and software ?

This entry is a result of 1 distinct protocol(s).

Step number	Protocol ID	Method name	Method type	Method description	Number of computed models	Multi state modeling	Multi scale modeling
1	1	Not available	Not available	<p>Molecular docking of the MRNBD complex was done in the GURU interface on the HADDOCK 2.4 Webserver using experimental luminescence resonance energy transfer (LRET) data as distance restraints. The PDB inputs were 3DSC (Pf Mre11 dimer) and two monomers of 3QKU (Pf Rad50NBD). Except for increasing the number of structures for rigid body docking (it0) to 3000, all settings used were default. The three linkers attaching the Pf Mre11 capping domain to the nuclease domain were allowed to be fully flexible. C2 symmetry was enforced between the two Rad50NBD monomers and between the two monomers of the Mre11 dimer.</p> <p>HADDOCK Mre11 to Rad50 active ambiguous interaction restraints (AIRs) were based on <i>M. jannaschii</i> (3AV0) and <i>E. coli</i> (6S6V) ATP-gamma-S- bound MR structures. Passive AIRs were automatically defined by HADDOCK based on these active AIRs. Two extra passive AIRs were included on the 'back side' of the Mre11 capping domain to allow for the extended structure seen in ATP- free <i>T. maritima</i> MR (PDB: 3QG5).</p> <p>HADDOCK runs had 50% random exclusion of AIRs in each structure calculation. The experimentally measured LRET distances were input as unambiguous restraints and defined as the Cbeta-Cbeta distance between the LRET-labeled residues, +/- 5 A, or, for distance restraints greater than 75 A, +/-7 A.</p>	Not available	False	False

There is 1 software package reported in this entry.

ID	Software name	Software version	Software classification	Software location
1	HADDOCK	2.40	model building	https://rascar.science.uu.nl/haddock2.4/

3. Data quality ?

3.4. Predicted contacts ?

Validation for this section is under development.

3.4. Ensemble FRET ?

Validation for this section is under development.

4. Model quality ?

For models with atomic structures, MolProbity analysis is performed. For models with coarse-grained or multi-scale structures, excluded volume analysis is performed.

4.1b. MolProbity Analysis ?

Excluded volume satisfaction for the models in the entry are listed below. The Analysed column shows the number of particle-particle or particle-atom pairs for which excluded volume was analysed.

Standard geometry: bond outliers ?

There are no bond length outliers.

Standard geometry: angle outliers ?

There are 2 bond angle outliers in this entry (0.01% of 16238 assessed bonds). A summary is provided below.

Chain	Res	Type	Atoms	Z	Observed (Å)	Ideal (Å)	Model ID (Worst)	Models (Total)
A	162	ASN	CA-CB-CG	4.30	116.90	112.60	1	1
D	162	ASN	CA-CB-CG	4.22	116.82	112.60	1	1

Too-close contacts ?

The following all-atom clashscore is based on a MolProbity analysis. All-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The table below contains clashscores for all atomic models in this entry.

Model ID	Clash score	Number of clashes
1	11.52	275

There are 275 clashes. The table below contains the detailed list of all clashes based on a MolProbity analysis. Bad clashes are ≥ 0.4 Angstrom. The output is limited to 100 rows.

Atom 1	Atom 2	Clash(Å)	Model ID (Worst)	Models (Total)
G:235:GLU:HG3	G:272:PRO:HA	0.87	1	1
A:165:LYS:HD3	C:16:GLY:HA3	0.79	1	1
E:154:ILE:HD11	E:161:SER:HB3	0.79	1	1
A:7:THR:HB	A:72:ASP:HB3	0.75	1	1
H:277:LYS:HA	H:305:ASN:HB2	0.74	1	1
G:277:LYS:HA	G:305:ASN:HB2	0.74	1	1
G:7:ALA:HB2	G:47:ALA:HB3	0.72	1	1
D:53:ILE:HG22	D:54:LYS:H	0.72	1	1
D:153:ARG:HB3	E:61:VAL:HB	0.71	1	1
A:53:ILE:HG22	A:54:LYS:H	0.70	1	1

Atom 1	Atom 2	Clash(Å)	Model ID (Worst)	Models (Total)
E:125:MET:HA	E:129:LEU:HD13	0.70	1	1
B:114:ASP:HB2	E:114:ASP:HA	0.69	1	1
B:154:ILE:HD11	B:161:SER:HB3	0.69	1	1
D:2:LYS:HZ2	D:4:GLU:HG2	0.69	1	1
E:26:ARG:HB3	E:26:ARG:HH11	0.67	1	1
H:7:ALA:HB2	H:47:ALA:HB3	0.67	1	1
A:2:LYS:NZ	A:4:GLU:HG2	0.67	1	1
G:306:ILE:HB	G:330:THR:HG22	0.67	1	1
B:26:ARG:HB3	B:26:ARG:HH11	0.66	1	1
A:84:ILE:HG12	A:100:MET:HG3	0.66	1	1
G:2:LYS:HE2	G:39:GLU:HG3	0.66	1	1
D:2:LYS:NZ	D:4:GLU:HG2	0.65	1	1
A:71:ILE:HD12	A:88:PHE:HE2	0.65	1	1
A:140:GLN:HG3	B:108:GLU:HB2	0.65	1	1
D:7:THR:HB	D:72:ASP:HB3	0.64	1	1
E:109:PRO:C	E:111:PRO:HD3	0.64	1	1
G:63:LYS:O	G:67:LEU:HG	0.64	1	1
B:125:MET:HA	B:129:LEU:HD13	0.64	1	1
A:153:ARG:HB3	B:61:VAL:HB	0.62	1	1
H:63:LYS:O	H:67:LEU:HG	0.62	1	1
H:2:LYS:HE2	H:39:GLU:HG3	0.62	1	1
F:6:GLU:O	F:10:LYS:HE3	0.61	1	1
B:30:LEU:H	B:30:LEU:HD13	0.61	1	1
G:15:GLN:OE1	G:21:ARG:HD2	0.61	1	1
A:51:LEU:HB2	A:53:ILE:HG12	0.60	1	1
B:109:PRO:C	B:111:PRO:HD3	0.60	1	1
D:150:ASP:OD2	E:62:ARG:HA	0.60	1	1
D:140:GLN:HG3	E:108:GLU:HB2	0.60	1	1
G:84:ASN:HA	G:87:ARG:HG2	0.60	1	1
E:45:THR:HB	E:48:LYS:HB3	0.60	1	1
H:315:THR:HA	H:318:LYS:NZ	0.59	1	1
A:2:LYS:HZ2	A:4:GLU:HG2	0.59	1	1
B:51:GLU:HG3	H:330:THR:HB	0.59	1	1
B:110:THR:N	B:111:PRO:HD3	0.59	1	1
A:25:ILE:HD12	B:130:LYS:HE3	0.58	1	1

Atom 1	Atom 2	Clash(Å)	Model ID (Worst)	Models (Total)
E:102:SER:HB3	E:133:PRO:HG2	0.58	1	1
C:6:GLU:O	C:10:LYS:HE3	0.58	1	1
D:71:ILE:HD12	D:88:PHE:HE1	0.58	1	1
H:48:GLY:HA2	H:81:ILE:O	0.58	1	1
A:131:ILE:HG13	A:160:VAL:HA	0.58	1	1
G:207:ILE:HG22	G:209:LYS:H	0.58	1	1
G:48:GLY:HA2	G:81:ILE:O	0.57	1	1
E:30:LEU:H	E:30:LEU:HD13	0.57	1	1
D:51:LEU:HB2	D:53:ILE:HG12	0.57	1	1
G:176:VAL:HA	G:190:ILE:O	0.57	1	1
H:45:LEU:HD23	H:79:PHE:HB2	0.56	1	1
D:62:THR:HB	D:90:LYS:HE3	0.56	1	1
G:235:GLU:CG	G:272:PRO:HA	0.56	1	1
H:207:ILE:HG22	H:209:LYS:H	0.56	1	1
D:84:ILE:HG12	D:100:MET:HG3	0.56	1	1
E:19:LYS:HA	E:22:LYS:HD3	0.56	1	1
H:227:GLU:HA	H:270:VAL:HG11	0.56	1	1
H:84:ASN:HA	H:87:ARG:HG2	0.56	1	1
E:86:GLY:O	E:90:ARG:HG2	0.56	1	1
H:176:VAL:HA	H:190:ILE:O	0.55	1	1
H:202:TYR:HB2	H:220:VAL:HA	0.55	1	1
A:86:ARG:HD3	A:98:HIS:ND1	0.55	1	1
H:306:ILE:HB	H:330:THR:HG23	0.55	1	1
A:45:VAL:O	A:49:TRP:HB2	0.55	1	1
E:110:THR:N	E:111:PRO:HD3	0.55	1	1
D:25:ILE:HD12	E:130:LYS:HE3	0.55	1	1
H:2:LYS:HG2	H:41:VAL:HG12	0.55	1	1
D:162:ASN:ND2	D:165:LYS:HB2	0.55	1	1
D:165:LYS:HD3	F:16:GLY:HA3	0.55	1	1
B:86:GLY:O	B:90:ARG:HG2	0.54	1	1
D:101:LYS:HD3	D:108:TRP:HB3	0.54	1	1
E:65:VAL:HG11	E:77:LEU:HD11	0.54	1	1
H:237:ARG:HB3	H:248:ARG:HB3	0.54	1	1
H:43:PHE:HB3	H:77:PRO:HG2	0.54	1	1
B:68:GLU:HB2	B:72:ARG:NH2	0.54	1	1

Atom 1	Atom 2	Clash(Å)	Model ID (Worst)	Models (Total)
G:45:LEU:HD23	G:79:PHE:HB2	0.54	1	1
H:269:LYS:HA	H:269:LYS:HE2	0.53	1	1
A:36:LYS:HB3	B:138:VAL:HG11	0.53	1	1
B:51:GLU:CG	H:330:THR:HB	0.53	1	1
H:277:LYS:HD2	H:305:ASN:HB3	0.53	1	1
D:150:ASP:OD2	E:62:ARG:HD2	0.53	1	1
D:151:GLU:OE2	E:60:LYS:HE3	0.53	1	1
F:17:GLU:C	F:19:ASP:H	0.53	1	1
G:209:LYS:HE3	G:233:ASP:HA	0.53	1	1
D:131:ILE:HG13	D:160:VAL:HA	0.52	1	1
E:114:ASP:OD1	E:117:ARG:HG2	0.52	1	1
A:36:LYS:HB3	B:138:VAL:CG1	0.52	1	1
A:128:PRO:HB2	A:131:ILE:HD13	0.52	1	1
E:114:ASP:O	E:118:ARG:HB2	0.52	1	1
G:110:ARG:HE	G:131:VAL:HG21	0.52	1	1
H:110:ARG:HE	H:131:VAL:HG21	0.52	1	1
B:126:GLU:OE1	B:130:LYS:HG3	0.52	1	1
A:150:ASP:OD2	B:62:ARG:HA	0.52	1	1
H:154:ASN:HB3	H:157:ILE:HB	0.52	1	1
D:45:VAL:O	D:49:TRP:HB2	0.52	1	1

Torsion angles: Protein backbone ?

In the following table, Ramachandran outliers are listed. The Analysed column shows the number of residues for which the backbone conformation was analysed.

Model ID	Analysed	Favored	Allowed	Outliers
1	1432	1316	108	8

There are 8 unique backbone outliers. Detailed list of outliers are tabulated below.

Chain	Res	Type	Models (Total)
A	12	ARG	1
D	12	ARG	1
G	136	LYS	1
G	206	HIS	1
G	270	VAL	1
H	136	LYS	1
H	206	HIS	1

Chain	Res	Type	Models (Total)
H	268	ILE	1

Torsion angles : Protein sidechains ?

In the following table, sidechain rotameric outliers are listed. The Analysed column shows the number of residues for which the sidechain conformation was analysed.

Model ID	Analysed	Favored	Allowed	Outliers
1	1270	980	164	126

There are 126 unique sidechain outliers. Detailed list of outliers are tabulated below. The output is limited to 100 rows.

Chain	Res	Type	Models (Total)
A	15	SER	1
A	19	VAL	1
A	20	GLU	1
A	27	LEU	1
A	37	SER	1
A	51	LEU	1
A	58	LYS	1
A	61	PHE	1
A	68	ASP	1
A	76	GLU	1
A	93	SER	1
A	116	SER	1
A	120	SER	1
A	125	LYS	1
A	162	ASN	1
A	163	LEU	1
A	168	THR	1
A	178	LYS	1
B	26	ARG	1
B	27	GLU	1
B	30	LEU	1
B	51	GLU	1
B	60	LYS	1
B	75	THR	1
B	110	THR	1
B	114	ASP	1

Chain	Res	Type	Models (Total)
B	116	GLU	1
B	117	ARG	1
B	122	ILE	1
B	135	VAL	1
B	155	SER	1
C	12	ILE	1
C	14	ILE	1
C	15	LEU	1
C	18	LYS	1
C	21	ASP	1
C	24	ASP	1
C	29	LEU	1
D	15	SER	1
D	19	VAL	1
D	27	LEU	1
D	37	SER	1
D	51	LEU	1
D	58	LYS	1
D	61	PHE	1
D	68	ASP	1
D	76	GLU	1
D	93	SER	1
D	116	SER	1
D	120	SER	1
D	125	LYS	1
D	162	ASN	1
D	164	ASP	1
D	168	THR	1
D	178	LYS	1
E	26	ARG	1
E	27	GLU	1
E	30	LEU	1
E	54	VAL	1
E	60	LYS	1
E	75	THR	1

Chain	Res	Type	Models (Total)
E	110	THR	1
E	115	GLU	1
E	120	LYS	1
E	122	ILE	1
E	135	VAL	1
E	149	ASP	1
E	154	ILE	1
E	163	VAL	1
F	1	SER	1
F	12	ILE	1
F	14	ILE	1
F	15	LEU	1
F	21	ASP	1
F	24	ASP	1
F	29	LEU	1
G	6	LEU	1
G	21	ARG	1
G	54	SER	1
G	87	ARG	1
G	147	SER	1
G	165	THR	1
G	174	GLN	1
G	190	ILE	1
G	216	SER	1
G	225	SER	1
G	228	ARG	1
G	248	ARG	1
G	267	GLU	1
G	268	ILE	1
G	269	LYS	1
G	271	ARG	1
G	282	GLU	1
G	283	GLU	1
G	284	GLU	1
G	287	LYS	1

Chain	Res	Type	Models (Total)
G	291	ARG	1
G	298	LYS	1
G	326	LEU	1
G	330	THR	1

5. Fit to Data Used for Modeling Assessment ?

5.4. Predicted contacts ?

Validation for this section is under development.

5.4. Ensemble FRET ?

Validation for this section is under development.

6. Fit to Data Used for Validation Assessment ?

Validation for this section is under development.

Acknowledgments

The development of integrative model validation metrics, implementation of a model validation pipeline, and creation of a validation report for integrative structures are funded by NSF awards to the [PDB-IHM team](#) (DBI-1756248, DBI-2112966, DBI-2112967, DBI-2112968, and DBI-1756250) and awards from NSF, NIH, and DOE to the [RCSB PDB](#) (DBI-2321666, R01GM157729, and DE-SC0019749). The PDB-IHM team and members of the [Sali lab](#) contributed model validation metrics and software packages.

Dr. Jill Trewhella, Dr. Dina Schneidman, and members of the [SASBDB](#) repository are acknowledged for their advice and support in implementing SAS validation methods. Team members from the labs of Dr. Juri Rappsilber, Dr. Alexander Leitner, Dr. Andrea Graziadei, and members of [PRIDE](#) database are acknowledged for their advice and support in implementing crosslinking-MS validation methods. We are grateful to Dr. Shruthi Viswanath for discussions about uncertainty assessment of integrative structural models.

Members of the [wwPDB Integrative/Hybrid Methods Task Force](#) provided recommendations and community support for the project.