



Full wwPDB X-ray Structure Validation Report ⓘ

Nov 24, 2025 – 12:18 pm GMT

PDB ID : 9HGZ / pdb_00009hgz
Title : Crystal structure of recombinant swine butyrylcholinesterase
Authors : Brazzolotto, X.; Nachon, F.
Deposited on : 2024-11-20
Resolution : 2.46 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	1.8.4, CSD as541be (2020)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.46


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.46 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	1096 (2.46-2.46)
Clashscore	180529	1178 (2.46-2.46)
Ramachandran outliers	177936	1170 (2.46-2.46)
Sidechain outliers	177891	1170 (2.46-2.46)
RSRZ outliers	164620	1096 (2.46-2.46)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	529	2% 88% 10% .
1	B	529	% 89% 8% .
1	C	529	6% 88% 9% .
1	D	529	20% 79% 17% 5%
2	E	5	20% 80%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	I	5	 100%
3	F	2	 50%50%
3	J	2	 100%
4	G	2	 50%50%
5	H	3	 100%

2 Entry composition [i](#)


There are 12 unique types of molecules in this entry. The entry contains 17356 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Carboxylic ester hydrolase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	516	Total	C	N	O	S	0	1	0
			4133	2667	699	750	17			
1	B	516	Total	C	N	O	S	0	0	0
			4124	2661	695	751	17			
1	C	514	Total	C	N	O	S	0	1	0
			4117	2659	695	746	17			
1	D	505	Total	C	N	O	S	0	0	0
			4035	2602	682	735	16			

- Molecule 2 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-beta-D-mannopyranos e-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acet amido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	E	5	Total	C	N	O	0	0	0
			60	34	2	24			
2	I	5	Total	C	N	O	0	0	0
			60	34	2	24			

- Molecule 3 is an oligosaccharide called alpha-L-fucopyranose-(1-6)-2-acetamido-2-deoxy-beta a-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	F	2	Total	C	N	O	0	0	0
			24	14	1	9			
3	J	2	Total	C	N	O	0	0	0
			24	14	1	9			

- Molecule 4 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
4	G	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 5 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
5	H	3	Total	C	N	O	0	0	0
			38	22	2	14			

- Molecule 6 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	A	1	Total	C	N	O	0	0
			14	8	1	5		
6	A	1	Total	C	N	O	0	0
			14	8	1	5		
6	A	1	Total	C	N	O	0	0
			14	8	1	5		
6	B	1	Total	C	N	O	0	0
			14	8	1	5		
6	B	1	Total	C	N	O	0	0
			14	8	1	5		
6	C	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 7 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	C	O	0	0
			6	3	3		
7	A	1	Total	C	O	0	0
			6	3	3		
7	B	1	Total	C	O	0	0
			6	3	3		
7	C	1	Total	C	O	0	0
			6	3	3		
7	C	1	Total	C	O	0	0
			6	3	3		
7	D	1	Total	C	O	0	0
			6	3	3		

- Molecule 8 is TETRAETHYLENE GLYCOL (CCD ID: PG4) (formula: C₈H₁₈O₅).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	A	1	Total C O 10 6 4	0	0
8	A	1	Total C O 13 8 5	0	0

- Molecule 9 is SULFATE ION (CCD ID: SO4) (formula: O_4S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	A	1	Total 5	O 4	S 1	0	0
9	A	1	Total 5	O 4	S 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	A	1	Total	O	S	0	0
			5	4	1		
9	A	1	Total	O	S	0	0
			5	4	1		
9	A	1	Total	O	S	0	0
			5	4	1		
9	B	1	Total	O	S	0	0
			5	4	1		
9	C	1	Total	O	S	0	0
			5	4	1		
9	C	1	Total	O	S	0	0
			5	4	1		
9	C	1	Total	O	S	0	0
			5	4	1		

- Molecule 10 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: $C_4H_{10}O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
10	B	1	Total	C	O	0	0
			7	4	3		
10	B	1	Total	C	O	0	0
			7	4	3		
10	C	1	Total	C	O	0	0
			7	4	3		

- Molecule 11 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: $C_2H_6O_2$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
11	B	1	Total C O 4 2 2	0	0
11	B	1	Total C O 4 2 2	0	0
11	B	1	Total C O 4 2 2	0	0
11	B	1	Total C O 4 2 2	0	0
11	B	1	Total C O 4 2 2	0	0
11	B	1	Total C O 4 2 2	0	0
11	B	1	Total C O 4 2 2	0	0
11	C	1	Total C O 4 2 2	0	0
11	C	1	Total C O 4 2 2	0	0
11	D	1	Total C O 4 2 2	0	0

- Molecule 12 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
12	A	160	Total O 160 160	0	0
12	B	159	Total O 159 159	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
12	C	101	Total 101	O 101	0	0
12	D	44	Total 44	O 44	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Carboxylic ester hydrolase




- Molecule 1: Carboxylic ester hydrolase



- Molecule 1: Carboxylic ester hydrolase




- Molecule 1: Carboxylic ester hydrolase



- Molecule 2: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: alpha-L-fucopyranose-(1-6)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: alpha-L-fucopyranose-(1-6)-2-acetamido-2-deoxy-beta-D-glucopyranose



MAG1
FUC2

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G:  50% 50%

MAG1
MAG2

- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain H:  100%

MAG1
MAG2
FUC3

4 Data and refinement statistics

Property	Value	Source
Space group	P 41	Depositor
Cell constants a, b, c, α , β , γ	124.55Å 124.55Å 175.71Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	124.55 – 2.46 124.55 – 2.46	Depositor EDS
% Data completeness (in resolution range)	99.9 (124.55-2.46) 99.9 (124.55-2.46)	Depositor EDS
R_{merge}	0.31	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.54 (at 2.45Å)	Xtriage
Refinement program	PHENIX 1.21.2_5419	Depositor
R, R_{free}	0.203 , 0.235 0.204 , 0.235	Depositor DCC
R_{free} test set	4837 reflections (4.98%)	wwPDB-VP
Wilson B-factor (Å ²)	34.2	Xtriage
Anisotropy	0.021	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 58.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.033 for h,-k,-l	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	17356	wwPDB-VP
Average B, all atoms (Å ²)	48.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.06% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: FUC, EDO, BMA, SO4, GOL, PG4, NAG, PEG, MAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.13	0/4251	0.32	0/5766
1	B	0.13	0/4238	0.32	0/5748
1	C	0.12	0/4235	0.30	0/5744
1	D	0.12	0/4145	0.33	0/5617
All	All	0.13	0/16869	0.32	0/22875

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4133	0	4048	29	0
1	B	4124	0	4038	23	0
1	C	4117	0	4037	27	0
1	D	4035	0	3944	49	0
2	E	60	0	52	0	0
2	I	60	0	52	0	0
3	F	24	0	22	0	0
3	J	24	0	22	0	0
4	G	28	0	25	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	H	38	0	34	0	0
6	A	42	0	39	1	0
6	B	28	0	26	0	0
6	C	14	0	13	0	0
7	A	12	0	16	1	0
7	B	6	0	8	0	0
7	C	12	0	16	1	0
7	D	6	0	8	0	0
8	A	23	0	31	1	0
9	A	25	0	0	0	0
9	B	5	0	0	0	0
9	C	15	0	0	0	0
10	B	14	0	20	1	0
10	C	7	0	10	0	0
11	B	28	0	42	1	0
11	C	8	0	12	0	0
11	D	4	0	6	0	0
12	A	160	0	0	0	0
12	B	159	0	0	0	0
12	C	101	0	0	0	0
12	D	44	0	0	0	0
All	All	17356	0	16521	128	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (128) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:116:GLY:HA2	8:A:605:PG4:H21	1.66	0.78
1:C:453:ARG:H	1:C:453:ARG:HD2	1.57	0.69
1:C:209:LEU:HD23	1:C:312:PHE:HB3	1.82	0.62
1:D:161:GLU:HG3	1:D:261:ILE:HD13	1.82	0.62
1:D:458:LYS:HD3	1:D:458:LYS:H	1.66	0.61
1:D:371:PHE:HA	1:D:375:ASP:HB2	1.82	0.61
1:B:450:LEU:HD11	1:B:468:MET:HE1	1.84	0.59
1:D:13:VAL:HG23	1:D:55:ILE:HG23	1.85	0.59
1:D:164:GLY:H	1:D:166:MET:HE3	1.68	0.58
1:C:254:ARG:H	1:C:260:ILE:HD13	1.69	0.58
1:D:26:THR:HG23	1:D:99:ILE:HB	1.88	0.56
1:B:514:LEU:HG	1:B:515:ARG:HG2	1.87	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:361:VAL:HG23	1:D:366:LYS:HE3	1.87	0.55
1:D:133:LEU:HG	1:D:141:VAL:HG21	1.89	0.55
1:C:319:VAL:O	1:C:418:PHE:HA	2.07	0.55
1:D:254:ARG:H	1:D:260:ILE:HG12	1.72	0.55
1:D:40:ARG:HA	1:D:265:ARG:HH21	1.73	0.54
1:D:256:ASN:HB2	1:D:259:GLU:HG2	1.90	0.53
1:D:162:ALA:HB2	1:D:261:ILE:HD12	1.91	0.53
1:B:239:ALA:HB2	1:B:293:THR:HG21	1.92	0.52
1:D:133:LEU:H	1:D:133:LEU:HD23	1.75	0.52
1:A:111:ILE:HG12	1:A:142:VAL:HB	1.91	0.52
1:A:319:VAL:O	1:A:418:PHE:HA	2.10	0.52
1:C:205:SER:HA	1:C:208:LEU:HD12	1.91	0.52
1:D:157:PRO:HD2	1:D:240:ARG:HH11	1.75	0.51
1:B:458:LYS:O	1:B:462:ILE:HG12	2.10	0.51
1:C:239:ALA:HB2	1:C:293:THR:HG21	1.92	0.51
1:C:13:VAL:HG11	1:C:31:ILE:HG23	1.93	0.51
1:C:304:ASP:O	1:C:308:GLN:HG2	2.10	0.51
1:D:261:ILE:O	1:D:265:ARG:HG3	2.10	0.51
1:B:520:ARG:HH21	11:B:612:EDO:H12	1.76	0.51
1:B:319:VAL:O	1:B:418:PHE:HA	2.11	0.50
1:A:241:ASN:O	1:A:242:ARG:HB2	2.11	0.50
1:D:457:THR:HG22	1:D:459:ALA:H	1.76	0.50
1:A:408:LYS:O	1:A:412:MET:HG2	2.12	0.50
1:C:7:THR:HG22	1:C:12:LYS:HG2	1.92	0.50
1:C:429:PRO:HD3	7:C:602:GOL:H2	1.94	0.49
1:D:192:VAL:HB	1:D:217:PHE:HA	1.94	0.49
1:D:119:GLN:HE22	1:D:288:VAL:HG13	1.76	0.49
1:D:319:VAL:O	1:D:418:PHE:HA	2.12	0.49
1:D:44:LYS:HE3	1:D:161:GLU:HA	1.93	0.49
1:A:18:LEU:HD13	7:A:604:GOL:H11	1.94	0.49
1:B:279:VAL:HG23	1:B:280:VAL:HG23	1.95	0.49
1:A:374:MET:HE1	1:A:384:ASN:HB2	1.95	0.48
1:A:83:ASN:HB2	10:B:601:PEG:H42	1.94	0.48
1:A:370:LEU:HD23	1:A:374:MET:HB2	1.96	0.48
1:C:513:LYS:HB3	1:C:516:ALA:HB2	1.94	0.48
1:D:263:CYS:O	1:D:267:LYS:HE3	2.14	0.48
1:C:18:LEU:O	1:C:24:THR:HA	2.14	0.48
1:C:13:VAL:HG12	1:C:56:TRP:HB3	1.96	0.48
1:A:105:LYS:HE3	6:A:602:NAG:H81	1.97	0.47
1:C:254:ARG:H	1:C:260:ILE:CD1	2.28	0.47
1:D:500:TYR:CZ	1:D:511:TYR:HB2	2.49	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:428:LEU:HD12	1:B:429:PRO:HD2	1.97	0.47
1:C:16:MET:SD	1:C:59:THR:HA	2.55	0.47
1:C:451:GLU:HG2	1:C:453:ARG:HH11	1.80	0.46
1:D:175:LEU:HD11	1:D:194:LEU:HD21	1.97	0.46
1:D:132:PHE:O	1:D:136:VAL:HG23	2.15	0.46
1:C:526:PHE:O	1:C:529:VAL:HG12	2.15	0.46
1:D:44:LYS:HG2	1:D:161:GLU:HA	1.98	0.46
1:B:526:PHE:O	1:B:529:VAL:HG22	2.15	0.46
1:D:46:PRO:HG3	1:D:170:ASP:HA	1.98	0.46
1:A:254:ARG:HB2	1:A:260:ILE:HG12	1.98	0.45
1:D:453:ARG:H	1:D:453:ARG:HG2	1.50	0.45
1:C:140:ILE:HG21	1:C:182:ILE:HD11	1.98	0.45
1:A:182:ILE:HD12	1:A:182:ILE:HA	1.88	0.45
1:A:320:GLY:HA3	1:A:419:TYR:CE2	2.51	0.45
1:B:133:LEU:HD13	1:B:468:MET:HG2	1.98	0.45
1:B:156:LEU:HD12	1:B:261:ILE:HD11	1.99	0.44
1:A:450:LEU:HA	1:A:461:GLU:HG3	1.98	0.44
1:B:424:ARG:NH1	1:B:428:LEU:HD23	2.33	0.44
1:B:450:LEU:HD23	1:B:461:GLU:HG2	2.00	0.44
1:D:122:THR:HG22	1:D:124:SER:H	1.82	0.44
1:D:489:ARG:HE	1:D:490:TRP:H	1.66	0.44
1:A:496:ASN:ND2	1:A:497:GLU:HG2	2.33	0.44
1:D:28:PHE:HB3	1:D:31:ILE:HD11	2.00	0.44
1:D:62:ALA:HB2	1:D:94:TYR:HB2	2.00	0.44
1:D:205:SER:HB3	1:D:222:LEU:HD21	2.00	0.44
1:C:500:TYR:CZ	1:C:511:TYR:HB2	2.53	0.44
1:A:526:PHE:O	1:A:529:VAL:HG22	2.18	0.43
1:D:29:LEU:HB2	1:D:59:THR:O	2.18	0.43
1:C:236:LEU:HG	1:C:294:VAL:O	2.18	0.43
1:A:180:LYS:HB3	1:A:180:LYS:HE2	1.75	0.43
1:A:374:MET:HE2	1:A:385:TYR:CE1	2.54	0.43
1:D:114:TYR:HE2	1:D:145:ASN:HA	1.84	0.43
1:A:138:ARG:N	1:A:138:ARG:HD2	2.34	0.43
1:D:93:LEU:HD13	1:D:93:LEU:HA	1.89	0.43
1:B:44:LYS:HE3	1:B:44:LYS:HB3	1.92	0.43
1:C:428:LEU:HD23	1:C:430:TRP:H	1.83	0.43
1:D:104:PRO:HB3	1:D:138:ARG:HH21	1.83	0.42
1:D:133:LEU:HD22	1:D:446:PHE:HA	1.99	0.42
1:A:205:SER:O	1:A:209:LEU:HG	2.18	0.42
1:A:312:PHE:HZ	1:A:412:MET:HG3	1.83	0.42
1:B:499:LYS:HG2	1:B:512:THR:HG22	2.01	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:97:VAL:HG13	1:D:142:VAL:HG22	2.00	0.42
1:D:154:LEU:O	1:D:166:MET:HE1	2.19	0.42
1:A:453:ARG:H	1:A:453:ARG:HG2	1.57	0.42
1:A:155:ALA:HB3	1:A:239:ALA:HB1	2.00	0.42
1:D:159:ASN:OD1	1:D:161:GLU:HG2	2.19	0.42
1:D:250:ILE:HD12	1:D:272:ILE:HD13	2.02	0.42
1:A:424:ARG:NH1	1:A:428:LEU:HD23	2.34	0.42
1:A:449:PRO:HA	1:A:456:TYR:CD1	2.55	0.42
1:B:500:TYR:CZ	1:B:511:TYR:HB2	2.55	0.42
1:A:514:LEU:HG	1:A:515:ARG:HG2	2.01	0.42
1:B:254:ARG:HB2	1:B:260:ILE:HG13	2.02	0.42
1:D:14:ARG:HD2	1:D:14:ARG:HA	1.77	0.42
1:B:234:THR:O	1:B:293:THR:HG22	2.19	0.42
1:C:419:TYR:HB3	1:C:490:TRP:CZ2	2.54	0.42
1:A:270:GLN:O	1:A:274:GLN:HG3	2.19	0.41
1:B:103:LYS:HA	1:B:104:PRO:HD3	1.95	0.41
1:D:112:TRP:HA	1:D:195:PHE:O	2.21	0.41
1:B:489:ARG:HD2	1:B:489:ARG:HA	1.82	0.41
1:D:214:HIS:CD2	1:D:313:LYS:HB2	2.56	0.41
1:D:262:LYS:HA	1:D:265:ARG:CD	2.50	0.41
1:A:513:LYS:HB3	1:A:516:ALA:HB2	2.02	0.41
1:C:176:GLN:HE21	1:C:176:GLN:HB2	1.61	0.41
1:D:13:VAL:HG22	1:D:14:ARG:H	1.86	0.41
1:B:320:GLY:HA3	1:B:419:TYR:CE2	2.56	0.41
1:C:41:LEU:HD23	1:C:41:LEU:HA	1.89	0.41
1:D:33:TYR:CZ	1:D:174:ALA:HB2	2.56	0.41
1:B:109:VAL:HB	1:B:192:VAL:HG22	2.03	0.41
1:C:423:HIS:NE2	1:C:460:GLU:HG2	2.37	0.40
1:D:19:PRO:HA	1:D:24:THR:HA	2.04	0.40
1:B:43:PHE:HA	1:B:166:MET:HE3	2.02	0.40
1:D:175:LEU:HD11	1:D:194:LEU:CD2	2.50	0.40
1:A:69:THR:HG22	1:A:84:PRO:HD2	2.04	0.40
1:C:154:LEU:HD23	1:C:162:ALA:HB1	2.03	0.40
1:C:447:GLY:HA2	1:C:464:SER:OG	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	511/529 (97%)	494 (97%)	16 (3%)	1 (0%)	44	54
1	B	510/529 (96%)	493 (97%)	17 (3%)	0	100	100
1	C	509/529 (96%)	489 (96%)	19 (4%)	1 (0%)	44	54
1	D	495/529 (94%)	466 (94%)	24 (5%)	5 (1%)	13	14
All	All	2025/2116 (96%)	1942 (96%)	76 (4%)	7 (0%)	37	45

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	63	ASN
1	D	53	PRO
1	D	62	ALA
1	D	333	GLY
1	D	359	PRO
1	C	54	ASP
1	A	333	GLY

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	445/456 (98%)	442 (99%)	3 (1%)	81	89
1	B	444/456 (97%)	440 (99%)	4 (1%)	75	86
1	C	443/456 (97%)	441 (100%)	2 (0%)	86	92

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	D	433/456 (95%)	426 (98%)	7 (2%)	58	72
All	All	1765/1824 (97%)	1749 (99%)	16 (1%)	75	86

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	4	ILE
1	A	195	PHE
1	A	377	THR
1	B	195	PHE
1	B	253	SER
1	B	262	LYS
1	B	517	GLN
1	C	154	LEU
1	C	195	PHE
1	D	42	ARG
1	D	148	VAL
1	D	182	ILE
1	D	252	CYS
1	D	275	ASN
1	D	377	THR
1	D	510	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	126	HIS
1	A	172	GLN
1	A	179	GLN
1	A	380	GLN
1	B	71	GLN
1	B	172	GLN
1	B	380	GLN
1	B	498	GLN
1	C	17	ASN
1	C	71	GLN
1	C	96	ASN
1	D	275	ASN
1	D	380	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

19 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAG	E	1	1,2	14,14,15	0.73	0	17,19,21	1.09	1 (5%)
2	NAG	E	2	2	14,14,15	0.72	0	17,19,21	0.99	1 (5%)
2	BMA	E	3	2	11,11,12	0.89	0	15,15,17	2.53	5 (33%)
2	MAN	E	4	2	11,11,12	0.65	0	15,15,17	1.39	1 (6%)
2	FUC	E	5	2	10,10,11	0.76	0	14,14,16	1.02	0
3	NAG	F	1	1,3	14,14,15	0.70	0	17,19,21	0.92	1 (5%)
3	FUC	F	2	3	10,10,11	0.79	0	14,14,16	0.97	0
4	NAG	G	1	1,4	14,14,15	0.69	0	17,19,21	1.04	1 (5%)
4	NAG	G	2	4	14,14,15	0.68	0	17,19,21	0.92	0
5	NAG	H	1	5,1	14,14,15	0.80	1 (7%)	17,19,21	1.87	2 (11%)
5	NAG	H	2	5	14,14,15	1.03	1 (7%)	17,19,21	2.27	5 (29%)
5	FUC	H	3	5	10,10,11	0.62	0	14,14,16	1.12	1 (7%)
2	NAG	I	1	1,2	14,14,15	0.75	0	17,19,21	1.06	1 (5%)
2	NAG	I	2	2	14,14,15	0.70	0	17,19,21	0.92	1 (5%)
2	BMA	I	3	2	11,11,12	0.87	0	15,15,17	2.46	5 (33%)
2	MAN	I	4	2	11,11,12	0.61	0	15,15,17	1.64	1 (6%)
2	FUC	I	5	2	10,10,11	0.76	0	14,14,16	1.08	1 (7%)
3	NAG	J	1	1,3	14,14,15	0.69	0	17,19,21	0.99	1 (5%)
3	FUC	J	2	3	10,10,11	0.73	0	14,14,16	1.10	1 (7%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	E	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	E	2	2	-	0/6/23/26	0/1/1/1
2	BMA	E	3	2	-	2/2/19/22	0/1/1/1
2	MAN	E	4	2	-	2/2/19/22	0/1/1/1
2	FUC	E	5	2	-	-	0/1/1/1
3	NAG	F	1	1,3	-	0/6/23/26	0/1/1/1
3	FUC	F	2	3	-	-	0/1/1/1
4	NAG	G	1	1,4	-	0/6/23/26	0/1/1/1
4	NAG	G	2	4	-	2/6/23/26	0/1/1/1
5	NAG	H	1	5,1	-	2/6/23/26	0/1/1/1
5	NAG	H	2	5	-	1/6/23/26	0/1/1/1
5	FUC	H	3	5	-	-	0/1/1/1
2	NAG	I	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	I	2	2	-	0/6/23/26	0/1/1/1
2	BMA	I	3	2	-	2/2/19/22	0/1/1/1
2	MAN	I	4	2	-	0/2/19/22	0/1/1/1
2	FUC	I	5	2	-	-	0/1/1/1
3	NAG	J	1	1,3	-	2/6/23/26	0/1/1/1
3	FUC	J	2	3	-	-	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	H	2	NAG	C1-C2	3.49	1.57	1.52
5	H	1	NAG	O5-C1	-2.06	1.40	1.43

All (29) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	3	BMA	C1-O5-C5	7.00	121.68	112.19
5	H	1	NAG	C1-O5-C5	6.50	121.00	112.19
2	I	3	BMA	C1-O5-C5	6.46	120.94	112.19
2	I	4	MAN	C1-O5-C5	5.24	119.30	112.19
5	H	2	NAG	C1-O5-C5	4.61	118.44	112.19
5	H	2	NAG	O7-C7-N2	4.46	130.16	121.95
2	E	4	MAN	C1-O5-C5	4.39	118.14	112.19
2	I	3	BMA	C3-C4-C5	3.96	117.30	110.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	H	2	NAG	C1-C2-N2	3.90	117.15	110.49
5	H	2	NAG	C8-C7-N2	-3.79	109.69	116.10
2	E	3	BMA	C3-C4-C5	3.59	116.64	110.24
2	E	3	BMA	C2-C3-C4	3.07	116.21	110.89
2	I	3	BMA	C2-C3-C4	2.92	115.94	110.89
2	E	3	BMA	O5-C5-C4	2.57	117.08	110.83
2	E	3	BMA	O4-C4-C3	-2.40	104.79	110.35
2	I	3	BMA	O4-C4-C3	-2.40	104.80	110.35
2	I	3	BMA	O5-C5-C4	2.40	116.66	110.83
3	J	1	NAG	C2-N2-C7	2.35	126.25	122.90
3	J	2	FUC	C1-O5-C5	2.32	118.04	112.78
5	H	3	FUC	C1-O5-C5	2.32	118.04	112.78
5	H	1	NAG	C2-N2-C7	2.28	126.15	122.90
2	E	1	NAG	O4-C4-C3	-2.25	105.15	110.35
2	E	2	NAG	O5-C1-C2	-2.23	107.76	111.29
4	G	1	NAG	O4-C4-C3	-2.14	105.39	110.35
2	I	1	NAG	C1-O5-C5	2.12	115.06	112.19
3	F	1	NAG	C1-O5-C5	2.09	115.03	112.19
2	I	5	FUC	C1-O5-C5	2.03	117.38	112.78
2	I	2	NAG	O4-C4-C3	-2.02	105.68	110.35
5	H	2	NAG	C4-C3-C2	-2.01	108.08	111.02

There are no chirality outliers.


All (13) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
5	H	1	NAG	O5-C5-C6-O6
2	I	3	BMA	O5-C5-C6-O6
2	E	3	BMA	C4-C5-C6-O6
3	J	1	NAG	C8-C7-N2-C2
3	J	1	NAG	O7-C7-N2-C2
4	G	2	NAG	C8-C7-N2-C2
4	G	2	NAG	O7-C7-N2-C2
5	H	1	NAG	C4-C5-C6-O6
2	E	3	BMA	O5-C5-C6-O6
2	I	3	BMA	C4-C5-C6-O6
2	E	4	MAN	C4-C5-C6-O6
5	H	2	NAG	C3-C2-N2-C7
2	E	4	MAN	O5-C5-C6-O6


There are no ring outliers.


No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.











5.6 Ligand geometry [i](#)

36 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
11	EDO	B	605	-	3,3,3	0.29	0	2,2,2	0.17	0
10	PEG	B	604	-	6,6,6	0.24	0	5,5,5	0.27	0
8	PG4	A	606	-	12,12,12	0.28	0	11,11,11	0.16	0
7	GOL	A	604	-	5,5,5	0.36	0	5,5,5	0.51	0
9	SO4	B	607	-	4,4,4	0.61	0	6,6,6	0.05	0
10	PEG	B	601	-	6,6,6	0.24	0	5,5,5	0.17	0
9	SO4	C	607	-	4,4,4	0.62	0	6,6,6	0.07	0
11	EDO	B	612	-	3,3,3	0.27	0	2,2,2	0.30	0
7	GOL	C	604	-	5,5,5	0.34	0	5,5,5	0.32	0
11	EDO	C	608	-	3,3,3	0.27	0	2,2,2	0.34	0
11	EDO	B	608	-	3,3,3	0.27	0	2,2,2	0.30	0
9	SO4	A	611	-	4,4,4	0.61	0	6,6,6	0.08	0
7	GOL	B	606	-	5,5,5	0.32	0	5,5,5	0.31	0
9	SO4	A	610	-	4,4,4	0.60	0	6,6,6	0.07	0
9	SO4	A	608	-	4,4,4	0.62	0	6,6,6	0.05	0
10	PEG	C	603	-	6,6,6	0.24	0	5,5,5	0.23	0
9	SO4	A	612	-	4,4,4	0.66	0	6,6,6	0.09	0
11	EDO	D	602	-	3,3,3	0.28	0	2,2,2	0.25	0
11	EDO	B	613	-	3,3,3	0.27	0	2,2,2	0.30	0
9	SO4	C	605	-	4,4,4	0.61	0	6,6,6	0.07	0
6	NAG	A	603	1	14,14,15	0.70	0	17,19,21	1.08	2 (11%)
11	EDO	B	610	-	3,3,3	0.27	0	2,2,2	0.28	0
9	SO4	C	606	-	4,4,4	0.61	0	6,6,6	0.06	0
11	EDO	B	611	-	3,3,3	0.28	0	2,2,2	0.24	0
6	NAG	A	601	1	14,14,15	0.76	0	17,19,21	0.87	0
8	PG4	A	605	-	9,9,12	0.28	0	8,8,11	0.20	0
6	NAG	C	601	1	14,14,15	0.70	0	17,19,21	0.94	0
7	GOL	A	607	-	5,5,5	0.30	0	5,5,5	0.46	0
7	GOL	D	601	-	5,5,5	0.36	0	5,5,5	0.46	0
9	SO4	A	609	-	4,4,4	0.62	0	6,6,6	0.06	0
7	GOL	C	602	-	5,5,5	0.32	0	5,5,5	0.44	0
6	NAG	A	602	1	14,14,15	0.73	0	17,19,21	0.97	0
6	NAG	B	603	1	14,14,15	0.72	0	17,19,21	0.96	0
11	EDO	B	609	-	3,3,3	0.28	0	2,2,2	0.25	0
6	NAG	B	602	1	14,14,15	0.72	0	17,19,21	0.90	1 (5%)
11	EDO	C	609	-	3,3,3	0.28	0	2,2,2	0.27	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
11	EDO	B	605	-	-	0/1/1/1	-
10	PEG	B	604	-	-	0/4/4/4	-
8	PG4	A	606	-	-	3/10/10/10	-
7	GOL	A	604	-	-	2/4/4/4	-
10	PEG	B	601	-	-	1/4/4/4	-
11	EDO	B	612	-	-	0/1/1/1	-
7	GOL	C	604	-	-	2/4/4/4	-
11	EDO	C	608	-	-	1/1/1/1	-
11	EDO	B	608	-	-	1/1/1/1	-
7	GOL	B	606	-	-	2/4/4/4	-
10	PEG	C	603	-	-	2/4/4/4	-
11	EDO	D	602	-	-	1/1/1/1	-
11	EDO	B	613	-	-	0/1/1/1	-
6	NAG	A	603	1	-	2/6/23/26	0/1/1/1
11	EDO	B	610	-	-	1/1/1/1	-
11	EDO	B	611	-	-	1/1/1/1	-
6	NAG	A	601	1	-	0/6/23/26	0/1/1/1
8	PG4	A	605	-	-	4/7/7/10	-
6	NAG	C	601	1	-	2/6/23/26	0/1/1/1
7	GOL	A	607	-	-	2/4/4/4	-
7	GOL	D	601	-	-	4/4/4/4	-
7	GOL	C	602	-	-	0/4/4/4	-
6	NAG	A	602	1	-	0/6/23/26	0/1/1/1
6	NAG	B	603	1	-	0/6/23/26	0/1/1/1
11	EDO	B	609	-	-	1/1/1/1	-
6	NAG	B	602	1	-	0/6/23/26	0/1/1/1
11	EDO	C	609	-	-	1/1/1/1	-

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	603	NAG	C1-O5-C5	2.64	115.76	112.19
6	A	603	NAG	C2-N2-C7	2.15	125.97	122.90
6	B	602	NAG	C1-O5-C5	2.04	114.96	112.19

There are no chirality outliers.

All (33) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	A	607	GOL	C1-C2-C3-O3
7	D	601	GOL	O1-C1-C2-C3
7	D	601	GOL	C1-C2-C3-O3
6	A	603	NAG	C8-C7-N2-C2
6	A	603	NAG	O7-C7-N2-C2
6	C	601	NAG	C8-C7-N2-C2
6	C	601	NAG	O7-C7-N2-C2
7	A	607	GOL	O2-C2-C3-O3
7	D	601	GOL	O2-C2-C3-O3
10	B	601	PEG	O1-C1-C2-O2
10	C	603	PEG	O2-C3-C4-O4
8	A	606	PG4	C4-C3-O2-C2
7	C	604	GOL	C1-C2-C3-O3
7	D	601	GOL	O1-C1-C2-O2
11	B	610	EDO	O1-C1-C2-O2
8	A	606	PG4	O2-C3-C4-O3
8	A	605	PG4	O1-C1-C2-O2
7	C	604	GOL	O2-C2-C3-O3
8	A	605	PG4	O2-C3-C4-O3
11	D	602	EDO	O1-C1-C2-O2
10	C	603	PEG	C1-C2-O2-C3
7	B	606	GOL	O1-C1-C2-C3
8	A	605	PG4	O3-C5-C6-O4
8	A	605	PG4	C4-C3-O2-C2
7	A	604	GOL	C1-C2-C3-O3
11	B	608	EDO	O1-C1-C2-O2
11	B	611	EDO	O1-C1-C2-O2
11	B	609	EDO	O1-C1-C2-O2
11	C	608	EDO	O1-C1-C2-O2
7	A	604	GOL	O2-C2-C3-O3
11	C	609	EDO	O1-C1-C2-O2
7	B	606	GOL	O1-C1-C2-O2
8	A	606	PG4	O3-C5-C6-O4

There are no ring outliers.

6 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	A	604	GOL	1	0
10	B	601	PEG	1	0
11	B	612	EDO	1	0
8	A	605	PG4	1	0
7	C	602	GOL	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	A	602	NAG	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	516/529 (97%)	-0.12	12 (2%) 61 63	16, 33, 69, 109	1 (0%)
1	B	516/529 (97%)	-0.25	5 (0%) 79 80	15, 33, 62, 93	0
1	C	514/529 (97%)	0.33	34 (6%) 26 26	18, 43, 86, 139	1 (0%)
1	D	505/529 (95%)	1.11	106 (20%) 3 3	29, 67, 112, 142	0
All	All	2051/2116 (96%)	0.26	157 (7%) 21 21	15, 42, 96, 142	2 (0%)

All (157) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	477	TYR	5.7
1	D	21	LEU	5.6
1	D	13	VAL	4.7
1	D	37	PRO	4.7
1	D	41	LEU	4.6
1	D	66	TYR	4.5
1	D	58	ALA	4.4
1	C	53	PRO	4.3
1	D	272	ILE	4.2
1	D	53	PRO	4.2
1	C	4	ILE	4.2
1	D	62	ALA	4.1
1	C	15	GLY	3.9
1	D	11	GLY	3.9
1	C	107	ALA	3.8
1	D	177	TRP	3.7
1	D	55	ILE	3.7
1	C	377	THR	3.6
1	D	183	ALA	3.5
1	C	280	VAL	3.5
1	D	59	THR	3.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	93	LEU	3.5
1	C	7	THR	3.4
1	D	277	VAL	3.4
1	D	52	TRP	3.4
1	C	333	GLY	3.4
1	D	124	SER	3.4
1	D	101	ALA	3.4
1	D	133	LEU	3.4
1	C	378	ASP	3.3
1	C	13	VAL	3.3
1	C	54	ASP	3.3
1	D	462	ILE	3.2
1	C	56	TRP	3.2
1	C	55	ILE	3.2
1	A	57	ASN	3.2
1	D	275	ASN	3.2
1	D	98	TRP	3.2
1	D	30	GLY	3.1
1	D	10	ASN	3.1
1	C	382	ALA	3.1
1	C	278	PHE	3.1
1	C	57	ASN	3.1
1	D	458	LYS	3.1
1	D	450	LEU	3.0
1	A	378	ASP	3.0
1	D	97	VAL	3.0
1	D	63	ASN	3.0
1	D	184	ALA	3.0
1	D	130	GLY	3.0
1	A	376	TRP	3.0
1	C	106	ASN	2.9
1	D	33	TYR	2.9
1	D	60	LYS	2.9
1	D	64	SER	2.9
1	A	280	VAL	2.9
1	D	92	CYS	2.9
1	D	269	PRO	2.9
1	D	123	SER	2.8
1	D	50	THR	2.8
1	D	61	TYR	2.8
1	D	109	VAL	2.8
1	D	163	PRO	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	278	PHE	2.7
1	C	5	ILE	2.7
1	D	107	ALA	2.7
1	D	151	LEU	2.7
1	B	360	GLY	2.7
1	D	182	ILE	2.6
1	D	39	GLY	2.6
1	D	250	ILE	2.6
1	C	379	ASP	2.5
1	D	65	CYS	2.5
1	C	487	SER	2.5
1	C	28	PHE	2.5
1	D	505	ALA	2.5
1	D	186	GLY	2.5
1	D	51	LYS	2.4
1	A	4	ILE	2.4
1	C	138	ARG	2.4
1	D	262	LYS	2.4
1	D	488	THR	2.4
1	D	38	LEU	2.4
1	D	94	TYR	2.4
1	D	15	GLY	2.4
1	D	447	GLY	2.4
1	D	16	MET	2.4
1	C	58	ALA	2.4
1	C	11	GLY	2.4
1	D	122	THR	2.4
1	D	36	PRO	2.3
1	A	361	VAL	2.3
1	C	6	VAL	2.3
1	D	147	ARG	2.3
1	D	18	LEU	2.3
1	D	35	GLN	2.3
1	D	174	ALA	2.3
1	B	504	ASN	2.3
1	D	85	ASN	2.3
1	D	14	ARG	2.3
1	D	104	PRO	2.3
1	D	31	ILE	2.3
1	D	105	LYS	2.3
1	D	91	ASP	2.3
1	D	42	ARG	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	173	LEU	2.2
1	D	89	SER	2.2
1	D	43	PHE	2.2
1	D	102	PRO	2.2
1	C	250	ILE	2.2
1	D	264	LEU	2.2
1	D	26	THR	2.2
1	C	376	TRP	2.2
1	A	270	GLN	2.2
1	D	12	LYS	2.2
1	D	86	THR	2.2
1	D	138	ARG	2.2
1	D	17	ASN	2.2
1	D	164	GLY	2.2
1	D	474	PHE	2.2
1	C	14	ARG	2.1
1	D	266	ASN	2.1
1	C	22	GLY	2.1
1	D	465	ARG	2.1
1	B	287	SER	2.1
1	B	507	SER	2.1
1	D	48	SER	2.1
1	D	257	GLU	2.1
1	D	188	ASN	2.1
1	A	261	ILE	2.1
1	D	139	VAL	2.1
1	D	27	ALA	2.1
1	D	29	LEU	2.1
1	D	154	LEU	2.1
1	C	40	ARG	2.1
1	D	258	THR	2.1
1	D	46	PRO	2.1
1	A	487	SER	2.1
1	A	40	ARG	2.1
1	B	50	THR	2.1
1	D	189	PRO	2.1
1	D	140	ILE	2.1
1	D	473	ASN	2.1
1	D	25	VAL	2.0
1	D	265	ARG	2.0
1	C	101	ALA	2.0
1	A	377	THR	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	190	LYS	2.0
1	D	260	ILE	2.0
1	A	54	ASP	2.0
1	C	10	ASN	2.0
1	D	342	ASN	2.0
1	D	529	VAL	2.0
1	C	24	THR	2.0
1	C	260	ILE	2.0
1	D	40	ARG	2.0
1	D	240	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	NAG	H	2	14/15	0.51	0.21	94,101,109,111	0
2	BMA	I	3	11/12	0.52	0.16	93,97,101,103	0
2	FUC	E	5	10/11	0.66	0.15	61,70,73,76	0
2	MAN	I	4	11/12	0.67	0.16	81,90,94,94	0
3	FUC	J	2	10/11	0.70	0.18	93,104,107,107	0
4	NAG	G	2	14/15	0.72	0.14	67,77,92,95	0
5	FUC	H	3	10/11	0.73	0.23	125,135,138,142	0
2	BMA	E	3	11/12	0.74	0.14	56,65,69,72	0
5	NAG	H	1	14/15	0.74	0.16	88,100,110,115	0
3	NAG	J	1	14/15	0.76	0.15	67,70,81,96	0
2	NAG	I	2	14/15	0.82	0.12	52,70,79,90	0
2	FUC	I	5	10/11	0.82	0.14	80,86,87,90	0
3	NAG	F	1	14/15	0.82	0.11	67,74,81,81	0
3	FUC	F	2	10/11	0.83	0.13	74,84,86,88	0
2	MAN	E	4	11/12	0.85	0.11	50,58,62,67	0
2	NAG	E	2	14/15	0.89	0.10	46,55,61,66	0
4	NAG	G	1	14/15	0.89	0.10	44,49,59,61	0
2	NAG	I	1	14/15	0.90	0.11	47,54,67,77	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	NAG	E	1	14/15	0.92	0.09	40,46,54,62	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around Chain I:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain F:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around Chain J:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around Chain G:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	NAG	B	602	14/15	0.61	0.18	83,91,104,105	0
6	NAG	C	601	14/15	0.62	0.16	75,82,86,90	0
6	NAG	A	603	14/15	0.64	0.18	70,88,94,95	0
6	NAG	B	603	14/15	0.66	0.18	88,112,121,123	0
6	NAG	A	601	14/15	0.70	0.16	86,98,100,100	0
9	SO4	C	607	5/5	0.74	0.12	74,82,92,100	0
9	SO4	B	607	5/5	0.77	0.14	71,74,86,87	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
11	EDO	B	610	4/4	0.77	0.16	41,43,48,58	0
11	EDO	C	609	4/4	0.78	0.17	40,48,48,52	0
11	EDO	B	612	4/4	0.79	0.15	49,52,56,58	0
7	GOL	D	601	6/6	0.79	0.19	64,67,70,73	0
8	PG4	A	606	13/13	0.81	0.16	43,47,53,53	0
11	EDO	C	608	4/4	0.81	0.15	43,43,45,51	0
6	NAG	A	602	14/15	0.81	0.12	49,62,69,70	0
11	EDO	D	602	4/4	0.83	0.17	56,61,63,65	0
7	GOL	C	604	6/6	0.84	0.17	50,58,60,64	0
9	SO4	C	606	5/5	0.84	0.17	63,66,73,77	0
11	EDO	B	611	4/4	0.85	0.12	43,44,47,50	0
9	SO4	A	612	5/5	0.86	0.26	49,54,61,70	0
9	SO4	A	610	5/5	0.86	0.07	72,76,91,93	0
11	EDO	B	608	4/4	0.87	0.14	41,45,45,52	0
11	EDO	B	609	4/4	0.87	0.17	35,39,39,41	0
10	PEG	C	603	7/7	0.88	0.12	33,37,41,45	0
11	EDO	B	605	4/4	0.88	0.14	36,39,41,48	0
10	PEG	B	601	7/7	0.89	0.15	41,45,51,51	0
10	PEG	B	604	7/7	0.89	0.15	37,39,46,49	0
8	PG4	A	605	10/13	0.89	0.12	35,38,42,43	0
7	GOL	C	602	6/6	0.90	0.13	60,66,68,70	0
9	SO4	A	611	5/5	0.90	0.21	60,62,65,71	0
9	SO4	C	605	5/5	0.91	0.11	56,58,67,68	0
7	GOL	A	607	6/6	0.91	0.11	43,50,54,60	0
9	SO4	A	608	5/5	0.91	0.10	48,49,62,69	0
11	EDO	B	613	4/4	0.92	0.10	44,48,48,51	0
7	GOL	A	604	6/6	0.92	0.11	34,37,39,42	0
7	GOL	B	606	6/6	0.93	0.12	31,39,43,45	0
9	SO4	A	609	5/5	0.96	0.12	44,44,48,49	0

6.5 Other polymers ⓘ

There are no such residues in this entry.