



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 5, 2026 – 04:20 pm GMT

PDB ID : 9HU3 / pdb_00009hu3
Title : PR1 phage heterodimeric DNA ligase in complex with 21-mer nicked DNA containing phage nick sequence
Authors : Zhang, L.; Richardson, J.M.; MacNeill, S.
Deposited on : 2024-12-20
Resolution : 3.16 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : ?? (??), CSD ??CSD?? (????)
Xtriage (Phenix) : 2.0
EDS : 3.0
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.47


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.16 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	2168 (3.20-3.12)
Clashscore	180529	2333 (3.20-3.12)
Ramachandran outliers	177936	2266 (3.20-3.12)
Sidechain outliers	177891	2265 (3.20-3.12)
RSRZ outliers	164620	2169 (3.20-3.12)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	339	
1	E	339	
2	B	248	
2	F	248	
3	C	21	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	H	21	 57% 43%
4	D	21	 86% 14%
4	G	21	 81% 19%

2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 10149 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DNA ligase (NAD(+)).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	336	Total	C	N	O	S	0	0	0
			2624	1654	437	521	12			
1	E	335	Total	C	N	O	S	0	0	0
			2620	1651	436	521	12			

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-5	GLY	-	expression tag	UNP A0A1S6KUY4
A	-4	ASN	-	expression tag	UNP A0A1S6KUY4
A	-3	SER	-	expression tag	UNP A0A1S6KUY4
A	-2	GLY	-	expression tag	UNP A0A1S6KUY4
A	-1	ASP	-	expression tag	UNP A0A1S6KUY4
A	0	PRO	-	expression tag	UNP A0A1S6KUY4
E	-5	GLY	-	expression tag	UNP A0A1S6KUY4
E	-4	ASN	-	expression tag	UNP A0A1S6KUY4
E	-3	SER	-	expression tag	UNP A0A1S6KUY4
E	-2	GLY	-	expression tag	UNP A0A1S6KUY4
E	-1	ASP	-	expression tag	UNP A0A1S6KUY4
E	0	PRO	-	expression tag	UNP A0A1S6KUY4

- Molecule 2 is a protein called DNA ligase subunit B.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	247	Total	C	N	O	S	0	0	0
			1868	1179	309	369	11			
2	F	161	Total	C	N	O	S	0	0	0
			1230	778	204	238	10			


- Molecule 3 is a DNA chain called DNA nicked strand.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	21	Total	C	N	O	P	0	0	0
			435	205	92	119	19			
3	H	21	Total	C	N	O	P	0	0	0
			435	205	92	119	19			

- Molecule 4 is a DNA chain called DNA intact strand.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	D	21	Total	C	N	O	P	0	0	0
			417	199	71	127	20			
4	G	21	Total	C	N	O	P	0	0	0
			417	199	71	127	20			

- Molecule 5 is BETA-NICOTINAMIDE RIBOSE MONOPHOSPHATE (CCD ID: NMN) (formula: $C_{11}H_{16}N_2O_8P$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total	C	N	O	P	0	0
			22	11	2	8	1		
5	E	1	Total	C	N	O	P	0	0
			22	11	2	8	1		

- Molecule 6 is ADENOSINE MONOPHOSPHATE (CCD ID: AMP) (formula: $C_{10}H_{14}N_5O_7P$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	A	1	Total	C	N	O	P	0	0
			23	10	5	7	1		
6	E	1	Total	C	N	O	P	0	0
			23	10	5	7	1		

- Molecule 7 is ZINC ION (CCD ID: ZN) (formula: Zn) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	B	1	Total	Zn	0	0
			1	1		
7	F	1	Total	Zn	0	0
			1	1		


- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	3	Total	O	0	0
			3	3		
8	D	2	Total	O	0	0
			2	2		
8	E	2	Total	O	0	0
			2	2		
8	F	1	Total	O	0	0
			1	1		
8	H	3	Total	O	0	0
			3	3		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: DNA ligase (NAD(+))




• Molecule 1: DNA ligase (NAD(+))



• Molecule 2: DNA ligase subunit B





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	70.15Å 111.49Å 117.22Å 90.00° 96.35° 90.00°	Depositor
Resolution (Å)	69.72 – 3.16 69.72 – 3.16	Depositor EDS
% Data completeness (in resolution range)	97.6 (69.72-3.16) 97.6 (69.72-3.16)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.33 (at 3.19Å)	Xtriage
Refinement program	PHENIX (1.21.1.5286)	Depositor
R, R_{free}	0.238 , 0.298 0.237 , 0.295	Depositor DCC
R_{free} test set	1450 reflections (4.69%)	wwPDB-VP
Wilson B-factor (Å ²)	97.1	Xtriage
Anisotropy	0.855	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 62.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	10149	wwPDB-VP
Average B, all atoms (Å ²)	125.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.80% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, AMP, NMN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.12	0/2672	0.34	0/3614
1	E	0.12	0/2668	0.36	0/3610
2	B	0.11	0/1890	0.34	0/2541
2	F	0.12	0/1247	0.36	0/1674
3	C	0.17	0/490	0.34	0/755
3	H	0.18	0/490	0.32	0/755
4	D	0.20	0/464	0.38	0/712
4	G	0.20	0/464	0.38	0/712
All	All	0.14	0/10385	0.35	0/14373

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2624	0	2577	60	0
1	E	2620	0	2569	65	0
2	B	1868	0	1920	33	0
2	F	1230	0	1271	38	0
3	C	435	0	236	4	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	H	435	0	236	9	0
4	D	417	0	237	3	0
4	G	417	0	237	5	0
5	A	22	0	13	1	0
5	E	22	0	13	0	0
6	A	23	0	12	0	0
6	E	23	0	12	0	0
7	B	1	0	0	0	0
7	F	1	0	0	0	0
8	A	3	0	0	0	0
8	D	2	0	0	0	0
8	E	2	0	0	0	0
8	F	1	0	0	0	0
8	H	3	0	0	0	0
All	All	10149	0	9333	192	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (192) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:318:ILE:HG22	1:A:320:SER:H	1.48	0.79
1:E:263:THR:HG22	1:E:314:GLN:HG2	1.64	0.78
2:B:173:GLY:HA3	2:B:199:PHE:HA	1.67	0.76
1:E:120:ILE:HD11	1:E:203:PHE:HB3	1.68	0.75
1:E:96:SER:H	1:E:109:THR:HG22	1.50	0.75
4:G:7:DT:H2"	4:G:8:DG:H5"	1.73	0.69
1:E:86:HIS:CD2	1:E:116:VAL:HG11	2.28	0.68
1:E:84:VAL:HG12	1:E:98:THR:HA	1.74	0.68
2:B:147:ASP:HA	2:B:150:LYS:HD2	1.75	0.67
2:F:24:PHE:HB3	2:F:26:ARG:NH1	2.09	0.67
1:E:88:TYR:HB2	1:E:132:ILE:HG23	1.76	0.66
1:E:311:ILE:HB	2:F:1:MET:HB2	1.77	0.66
1:E:307:MET:HE3	1:E:309:LEU:HD11	1.78	0.66
1:A:114:MET:HE1	1:A:166:ALA:HA	1.78	0.65
1:E:315:ILE:HG21	1:E:327:ILE:HG23	1.80	0.64
1:A:25:ASP:OD1	5:A:401:NMN:N7	2.30	0.64
1:A:187:GLU:OE1	1:A:230:ARG:NH2	2.31	0.64
1:A:55:TYR:HB3	1:A:247:PRO:HD3	1.81	0.62
1:A:319:ARG:HH21	1:A:323:VAL:HB	1.64	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:300:ASN:ND2	2:F:21:SER:O	2.31	0.61
2:B:212:LEU:HD13	2:B:228:ALA:HB2	1.82	0.61
2:B:82:LYS:HG2	4:D:19:DG:H5"	1.83	0.61
2:B:81:GLU:O	2:B:85:ASN:ND2	2.34	0.60
2:B:98:VAL:HG11	2:B:103:LEU:HG	1.83	0.60
2:B:186:THR:N	2:B:189:SER:OG	2.33	0.60
1:A:91:GLY:O	1:A:120:ILE:N	2.29	0.60
2:F:47:LYS:O	2:F:93:ARG:NH2	2.35	0.60
2:F:26:ARG:HG2	2:F:26:ARG:HH11	1.66	0.58
2:B:219:LYS:HD3	2:B:222:SER:HB3	1.85	0.58
1:E:271:VAL:HA	1:E:277:VAL:HA	1.84	0.58
2:B:219:LYS:HE3	2:F:58:LYS:HA	1.85	0.58
2:B:90:GLU:OE1	2:B:93:ARG:NH2	2.36	0.58
1:A:319:ARG:HE	1:A:323:VAL:HA	1.69	0.57
1:E:148:ASN:O	1:E:150:ARG:N	2.37	0.56
1:A:213:ILE:O	1:A:217:THR:OG1	2.22	0.56
2:F:31:CYS:HB2	2:F:34:GLN:HG3	1.87	0.56
1:E:53:ARG:NH2	1:E:244:ASP:O	2.38	0.55
1:A:307:MET:HE3	1:A:309:LEU:HD21	1.88	0.55
2:B:39:LEU:HD23	2:B:56:LEU:HD22	1.87	0.55
2:B:241:LEU:HD22	2:B:245:TYR:HD2	1.70	0.55
1:A:305:GLU:OE2	2:B:18:ARG:NH2	2.40	0.55
1:E:140:VAL:HG11	1:E:146:LEU:HD12	1.89	0.54
1:E:260:GLU:HG2	1:E:288:ILE:HD11	1.90	0.54
2:B:55:THR:HG23	2:B:79:LEU:HD11	1.89	0.54
2:B:188:THR:O	2:B:192:LYS:HG3	2.08	0.54
2:B:171:SER:HB3	2:B:198:GLY:HA3	1.90	0.53
1:A:124:ILE:HD12	1:A:203:PHE:CZ	2.44	0.53
2:B:185:HIS:HD2	2:B:190:ILE:HA	1.73	0.53
2:F:49:LYS:N	2:F:90:GLU:OE1	2.35	0.53
1:E:5:ILE:HD11	1:E:94:VAL:HG13	1.91	0.53
1:E:6:LYS:NZ	1:E:37:ASP:O	2.41	0.53
1:A:134:ILE:HG12	1:A:200:LEU:HD11	1.90	0.53
1:E:308:GLU:HB3	1:E:330:LYS:HD2	1.90	0.53
1:A:298:LEU:HD13	1:A:304:ILE:HG12	1.91	0.52
2:B:186:THR:O	2:B:190:ILE:N	2.40	0.52
3:C:14:DC:H42	4:D:8:DG:H1	1.58	0.52
1:E:8:TYR:CE1	1:E:130:ARG:HD3	2.44	0.52
3:H:1:DC:H2"	3:H:2:DG:C8	2.44	0.52
1:E:140:VAL:HB	1:E:149:VAL:HG13	1.89	0.52
4:G:21:DG:H1	3:H:1:DC:H42	1.55	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:106:LYS:HE3	3:C:8:DA:H5'	1.92	0.52
1:A:58:ARG:HD3	1:A:246:PHE:CE2	2.45	0.52
1:A:289:ASP:HB2	1:A:319:ARG:NH1	2.25	0.51
2:B:185:HIS:NE2	2:B:190:ILE:HG13	2.26	0.51
2:B:191:THR:HA	2:B:194:LEU:HB2	1.92	0.51
1:E:84:VAL:HG11	1:E:112:LEU:HD11	1.92	0.51
1:A:288:ILE:HD12	1:A:319:ARG:HG3	1.91	0.51
1:A:206:PHE:HB3	1:A:213:ILE:HD11	1.91	0.51
3:H:10:DA:H3'	3:H:11:DG:H5''	1.93	0.51
1:A:27:GLN:HA	1:A:30:LYS:HD2	1.92	0.50
1:A:139:VAL:HG11	1:A:222:ILE:HG23	1.94	0.50
1:A:52:PHE:N	1:A:133:GLN:OE1	2.35	0.50
1:E:124:ILE:HG12	1:E:203:PHE:CE1	2.46	0.50
2:F:26:ARG:HH21	2:F:28:LYS:HD2	1.76	0.49
2:F:42:PHE:O	2:F:46:MET:HB2	2.12	0.49
1:A:96:SER:H	1:A:109:THR:HG22	1.77	0.49
3:H:9:DG:H2'	3:H:10:DA:C8	2.47	0.49
1:E:257:GLU:OE1	1:E:257:GLU:N	2.45	0.49
3:H:16:DG:H2''	3:H:17:DG:C8	2.47	0.49
1:E:76:THR:HB	1:E:208:CYS:HB3	1.95	0.49
1:E:244:ASP:OD2	2:F:115:VAL:HG22	2.13	0.49
1:A:307:MET:SD	1:A:329:GLU:HA	2.53	0.48
1:E:240:LEU:O	1:E:248:ARG:HD2	2.13	0.48
1:E:316:ARG:HH12	1:E:318:ILE:HD11	1.78	0.48
1:E:276:LYS:HG2	2:F:24:PHE:HE1	1.79	0.48
1:A:287:ILE:HA	1:A:291:ALA:O	2.12	0.48
2:F:116:ALA:O	2:F:120:ALA:N	2.39	0.48
1:A:181:VAL:O	1:A:182:ASN:ND2	2.47	0.48
1:E:299:ASN:ND2	3:H:14:DC:H5''	2.28	0.48
1:A:95:SER:HA	1:A:109:THR:HG22	1.95	0.48
1:A:318:ILE:HG22	1:A:320:SER:N	2.24	0.48
1:A:129:PRO:HD2	1:A:132:ILE:HD11	1.94	0.47
1:E:150:ARG:HD3	3:H:10:DA:H2''	1.97	0.47
1:E:302:GLY:HA3	2:F:21:SER:HB2	1.96	0.47
2:B:18:ARG:HH11	2:B:21:SER:HA	1.79	0.47
2:F:113:GLY:HA3	4:G:8:DG:O5'	2.15	0.47
1:E:150:ARG:NH1	1:E:322:GLY:O	2.47	0.47
1:E:213:ILE:O	1:E:217:THR:HG23	2.14	0.47
1:A:262:THR:OG1	1:A:263:THR:N	2.47	0.47
2:F:135:LYS:HD2	3:H:17:DG:H5''	1.97	0.47
1:A:308:GLU:HG2	1:A:330:LYS:NZ	2.30	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:F:26:ARG:NH2	2:F:28:LYS:HD2	2.29	0.47
2:F:65:PRO:HB3	2:F:155:LEU:HD21	1.96	0.47
1:E:93:TYR:N	1:E:118:LYS:O	2.48	0.47
2:B:246:LYS:NZ	2:B:248:LYS:O	2.48	0.46
1:E:276:LYS:HG2	2:F:24:PHE:CE1	2.51	0.46
2:F:25:CYS:O	2:F:34:GLN:NE2	2.48	0.46
2:B:76:GLU:HG2	2:B:81:GLU:HA	1.96	0.46
3:C:21:DG:H1	4:D:1:DC:H5	1.62	0.46
2:F:116:ALA:HB1	2:F:132:LEU:HD11	1.98	0.46
2:B:99:GLU:HA	2:B:160:THR:HG22	1.97	0.46
4:G:6:DC:H2''	4:G:7:DT:H5''	1.96	0.46
1:A:272:GLY:HA2	2:B:37:LYS:NZ	2.31	0.46
2:F:107:LEU:HD13	2:F:143:TRP:CZ2	2.51	0.46
1:E:258:GLU:OE1	1:E:258:GLU:N	2.44	0.45
2:F:147:ASP:N	2:F:147:ASP:OD1	2.49	0.45
2:B:135:LYS:HB3	2:B:135:LYS:HE3	1.67	0.45
1:E:152:TYR:O	1:E:156:LYS:HG2	2.16	0.45
1:E:304:ILE:HG21	2:F:3:ILE:HG21	1.99	0.45
1:A:58:ARG:HB2	1:A:246:PHE:CE1	2.52	0.45
1:A:120:ILE:O	1:A:123:ILE:HG22	2.17	0.45
1:E:165:PHE:O	1:E:169:VAL:HG23	2.17	0.45
1:E:300:ASN:ND2	2:F:21:SER:OG	2.50	0.45
1:A:183:SER:O	1:A:186:HIS:ND1	2.50	0.45
1:E:179:TYR:HB3	1:E:208:CYS:SG	2.56	0.45
1:A:245:LYS:O	1:A:245:LYS:HG3	2.18	0.45
1:E:310:THR:HG23	1:E:313:CYS:HB3	1.99	0.44
2:F:26:ARG:CZ	2:F:26:ARG:HA	2.48	0.44
1:E:89:ILE:O	1:E:92:VAL:HG22	2.17	0.44
1:E:209:LEU:HA	1:E:214:LYS:HE3	1.98	0.44
1:E:243:THR:HB	4:G:7:DT:OP2	2.17	0.44
1:E:300:ASN:O	1:E:304:ILE:HG13	2.18	0.44
1:E:56:SER:O	1:E:247:PRO:HD3	2.18	0.44
1:A:85:GLU:O	1:A:86:HIS:ND1	2.50	0.44
1:A:35:TYR:OH	1:A:95:SER:HB2	2.18	0.44
1:A:269:TRP:HE3	1:A:277:VAL:HG12	1.82	0.44
1:A:58:ARG:HH21	1:A:60:TYR:HE1	1.63	0.44
1:A:31:LEU:HG	1:A:51:MET:HE1	1.98	0.43
2:B:211:TYR:CD1	2:B:241:LEU:HD23	2.53	0.43
1:E:267:VAL:HG13	1:E:298:LEU:HD12	2.00	0.43
1:A:264:LEU:HB2	1:A:315:ILE:HD12	2.00	0.43
2:F:61:LEU:HD22	2:F:66:GLU:HB3	2.00	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:F:103:LEU:HD12	2:F:159:PHE:HE1	1.83	0.43
1:A:190:THR:OG1	1:A:195:LYS:HB2	2.19	0.43
1:E:22:ILE:HD13	1:E:22:ILE:HA	1.86	0.43
1:A:320:SER:OG	3:C:12:DC:H4'	2.18	0.43
1:A:261:VAL:HG22	1:A:316:ARG:HG2	2.01	0.43
2:B:135:LYS:HA	2:B:138:GLU:HG2	2.00	0.43
1:E:319:ARG:HE	1:E:323:VAL:C	2.26	0.43
1:E:262:THR:HB	1:E:286:VAL:HG21	1.99	0.43
1:E:70:GLU:C	1:E:72:PHE:H	2.26	0.42
2:F:140:LEU:O	2:F:144:LYS:HG3	2.19	0.42
2:F:39:LEU:HD12	2:F:39:LEU:HA	1.78	0.42
1:E:193:TYR:N	1:E:232:ASN:O	2.42	0.42
1:E:82:CYS:HB2	1:E:154:SER:HA	2.01	0.42
1:E:160:LYS:HA	1:E:160:LYS:HD2	1.90	0.42
1:A:89:ILE:HA	1:A:130:ARG:O	2.20	0.42
1:A:129:PRO:HB3	1:A:184:ASN:OD1	2.20	0.42
1:A:10:ARG:HG2	2:F:156:PRO:HG2	2.01	0.42
1:A:235:SER:O	1:A:239:LYS:HG3	2.19	0.42
2:F:48:LEU:HD11	2:F:94:MET:SD	2.59	0.42
2:B:125:THR:OG1	2:B:126:SER:N	2.53	0.42
2:B:186:THR:N	2:B:189:SER:HG	2.18	0.42
1:E:129:PRO:HB3	1:E:184:ASN:OD1	2.19	0.42
1:A:55:TYR:CB	1:A:247:PRO:HD3	2.49	0.41
1:A:194:ASP:CG	1:A:232:ASN:HD21	2.28	0.41
2:B:185:HIS:CD2	2:B:190:ILE:HA	2.54	0.41
2:F:22:GLN:OE1	3:H:15:DA:H4'	2.20	0.41
1:A:161:ASP:HB3	1:A:164:GLU:CD	2.45	0.41
2:B:69:TYR:HE1	2:B:155:LEU:HD22	1.85	0.41
1:E:58:ARG:HD2	1:E:251:TYR:HB3	2.02	0.41
1:E:225:ASP:OD1	1:E:225:ASP:N	2.45	0.41
1:A:207:THR:O	1:A:213:ILE:HD12	2.19	0.41
1:E:49:PRO:HA	1:E:104:LEU:HD23	2.01	0.41
2:F:18:ARG:HA	2:F:22:GLN:O	2.20	0.41
1:A:10:ARG:HE	2:F:156:PRO:HG2	1.85	0.41
1:A:86:HIS:CD2	1:A:116:VAL:HG11	2.55	0.41
1:E:140:VAL:HG23	1:E:153:ALA:HB2	2.03	0.41
1:E:236:GLU:CD	1:E:239:LYS:HD3	2.46	0.41
1:A:28:TYR:CZ	1:A:32:ILE:HD11	2.56	0.41
1:A:77:PRO:HA	1:A:227:LEU:HD23	2.03	0.41
1:E:86:HIS:NE2	1:E:116:VAL:HG11	2.35	0.41
2:F:64:VAL:N	2:F:65:PRO:HD2	2.36	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:-1:ASP:HB3	1:A:2:VAL:HB	2.03	0.40
1:E:58:ARG:HB2	1:E:251:TYR:CB	2.51	0.40
2:F:134:GLY:O	2:F:138:GLU:HG3	2.21	0.40
2:B:86:LYS:HB2	2:B:86:LYS:HE2	1.71	0.40
1:E:23:ILE:HD12	1:E:23:ILE:HA	1.89	0.40
1:E:187:GLU:HG2	1:E:237:TYR:CD2	2.57	0.40
2:F:129:ASP:OD1	2:F:129:ASP:N	2.54	0.40
1:A:9:ILE:HG22	1:A:13:GLN:OE1	2.21	0.40
1:A:318:ILE:HD12	1:A:328:VAL:HG21	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	334/339 (98%)	321 (96%)	13 (4%)	0	100	100
1	E	333/339 (98%)	318 (96%)	14 (4%)	1 (0%)	37	66
2	B	245/248 (99%)	240 (98%)	5 (2%)	0	100	100
2	F	159/248 (64%)	152 (96%)	7 (4%)	0	100	100
All	All	1071/1174 (91%)	1031 (96%)	39 (4%)	1 (0%)	48	77

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	E	123	ILE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar

resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	287/290 (99%)	287 (100%)	0	100	100
1	E	287/290 (99%)	287 (100%)	0	100	100
2	B	212/219 (97%)	212 (100%)	0	100	100
2	F	140/219 (64%)	140 (100%)	0	100	100
All	All	926/1018 (91%)	926 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
2	B	27	ASN
2	B	34	GLN
2	B	185	HIS
1	E	148	ASN
2	F	85	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 6 ligands modelled in this entry, 2 are monoatomic - leaving 4 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.


There are no chirality outliers.



There are no torsion outliers.


There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	336/339 (99%)	-0.32	1 (0%) 90 83	70, 109, 149, 205	0
1	E	335/339 (98%)	-0.31	3 (0%) 81 67	95, 126, 170, 219	0
2	B	247/248 (99%)	-0.36	0 100 100	95, 140, 202, 232	0
2	F	161/248 (64%)	-0.27	2 (1%) 76 60	85, 124, 166, 200	0
3	C	21/21 (100%)	-0.91	0 100 100	88, 105, 125, 144	0
3	H	21/21 (100%)	-0.90	0 100 100	102, 121, 139, 170	0
4	D	21/21 (100%)	-0.84	0 100 100	92, 101, 130, 142	0
4	G	21/21 (100%)	-0.89	0 100 100	103, 114, 138, 144	0
All	All	1163/1258 (92%)	-0.36	6 (0%) 87 77	70, 122, 181, 232	0

All (6) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	E	82	CYS	3.0
2	F	51	PHE	2.5
2	F	104	LEU	2.5
1	A	47	ASP	2.1
1	E	245	LYS	2.0
1	E	87	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	NMN	E	401	22/22	0.65	0.07	177,189,196,200	0
6	AMP	E	402	23/23	0.71	0.15	122,135,143,151	0
5	NMN	A	401	22/22	0.78	0.08	104,121,171,186	0
7	ZN	F	301	1/1	0.88	0.07	239,239,239,239	0
6	AMP	A	402	23/23	0.91	0.09	95,101,110,115	0
7	ZN	B	301	1/1	0.95	0.09	133,133,133,133	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around AMP E 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NMN A 401:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZN F 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




Electron density around AMP A 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around ZN B 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**6.5 Other polymers** [i](#)

There are no such residues in this entry.