



Full wwPDB X-ray Structure Validation Report ⓘ

Jul 13, 2026 – 01:59 pm BST

PDB ID : 9HYL / pdb_00009hyl
Title : Crystal structure of Trypanosoma brucei trypanothione reductase (TbTR)
bound to PROTAC-3
Authors : Exertier, C.; Ilari, C.; Fiorillo, A.; Antonelli, C.
Deposited on : 2025-01-10
Resolution : 2.08 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	1.8.4, CSD as541be (2020)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.015 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.50


1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.08 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	8172 (2.10-2.06)
Clashscore	190562	8714 (2.10-2.06)
Ramachandran outliers	187476	8641 (2.10-2.06)
Sidechain outliers	187428	8642 (2.10-2.06)
RSRZ outliers	180081	8177 (2.10-2.06)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	495	87% 11% ..
1	B	495	88% 10% .
1	C	495	2% 89% 9% ..
1	D	495	86% 12% ..

2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 16162 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Trypanothione reductase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	489	Total	C	N	O	S	0	6	0
			3761	2396	642	703	20			
1	B	487	Total	C	N	O	S	0	8	0
			3747	2385	639	704	19			
1	C	490	Total	C	N	O	S	0	2	0
			3733	2374	634	705	20			
1	D	490	Total	C	N	O	S	0	5	0
			3748	2384	637	707	20			

There are 12 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	GLY	-	expression tag	UNP Q389T8
A	-1	SER	-	expression tag	UNP Q389T8
A	0	HIS	-	expression tag	UNP Q389T8
B	-2	GLY	-	expression tag	UNP Q389T8
B	-1	SER	-	expression tag	UNP Q389T8
B	0	HIS	-	expression tag	UNP Q389T8
C	-2	GLY	-	expression tag	UNP Q389T8
C	-1	SER	-	expression tag	UNP Q389T8
C	0	HIS	-	expression tag	UNP Q389T8
D	-2	GLY	-	expression tag	UNP Q389T8
D	-1	SER	-	expression tag	UNP Q389T8
D	0	HIS	-	expression tag	UNP Q389T8

- Molecule 2 is FLAVIN-ADENINE DINUCLEOTIDE (CCD ID: FAD) (formula: $C_{27}H_{33}N_9O_{15}P_2$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	B	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	C	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	D	1	Total	C	N	O	P	0	0
			53	27	9	15	2		

- Molecule 3 is N-(2-(2-(2-((S)-6-chloro-2-methyl-4-phenylquinazolin-3(4H)-yl)ethoxy)ethoxy)ethyl)-2-(2-(2-((2-((3 {R})-(2,6-dioxopiperidin-3-yl)-1,3-dioxoisindolin-4-yl)amino)ethoxy)ethoxy)acetamide (CCD ID: A1IYD) (formula: C₄₀H₄₅ClN₆O₉) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total 56	C 40	Cl 1	N 6	O 9	0	0
3	B	1	Total 56	C 40	Cl 1	N 6	O 9	0	0
3	C	1	Total 56	C 40	Cl 1	N 6	O 9	0	0
3	D	1	Total 56	C 40	Cl 1	N 6	O 9	0	0

- Molecule 4 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: $C_4H_{10}O_3$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 7 4 3	0	0
4	A	1	Total C O 7 4 3	0	0
4	A	1	Total C O 7 4 3	0	0
4	A	1	Total C O 7 4 3	0	0
4	A	1	Total C O 7 4 3	0	0
4	C	1	Total C O 7 4 3	0	0
4	D	1	Total C O 7 4 3	0	0
4	D	1	Total C O 7 4 3	0	0

- Molecule 5 is IMIDAZOLE (CCD ID: IMD) (formula: $C_3H_5N_2$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C N 5 3 2	0	0
5	C	1	Total C N 5 3 2	0	0

- Molecule 6 is DIMETHYL SULFOXIDE (CCD ID: DMS) (formula: C_2H_6OS).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	A	1	Total	C	O	S	0	0
			4	2	1	1		

- Molecule 7 is SODIUM ION (CCD ID: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	2	Total	Na	0	0
			2	2		
7	B	3	Total	Na	0	0
			3	3		
7	C	1	Total	Na	0	0
			1	1		


- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	186	Total	O	0	0
			186	186		
8	B	143	Total	O	0	0
			143	143		
8	C	157	Total	O	0	0
			157	157		
8	D	175	Total	O	0	0
			175	175		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Trypanothione reductase




• Molecule 1: Trypanothione reductase



• Molecule 1: Trypanothione reductase



• Molecule 1: Trypanothione reductase





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	101.32Å 63.61Å 169.27Å 90.00° 98.23° 90.00°	Depositor
Resolution (Å)	46.29 – 2.08 46.29 – 2.08	Depositor EDS
% Data completeness (in resolution range)	98.0 (46.29-2.08) 98.2 (46.29-2.08)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.14 (at 2.08Å)	Xtriage
Refinement program	REFMAC 5.8.0267	Depositor
R, R_{free}	0.178 , 0.224 0.189 , 0.229	Depositor DCC
R_{free} test set	6307 reflections (4.89%)	wwPDB-VP
Wilson B-factor (Å ²)	35.4	Xtriage
Anisotropy	0.072	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 26.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	16162	wwPDB-VP
Average B, all atoms (Å ²)	37.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 9.36% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: FAD, PEG, IMD, A1IYD, NA, DMS

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.02	0/3859	1.35	4/5231 (0.1%)
1	B	1.02	0/3849	1.36	8/5219 (0.2%)
1	C	1.03	1/3818 (0.0%)	1.33	1/5180 (0.0%)
1	D	1.05	0/3838	1.36	5/5204 (0.1%)
All	All	1.03	1/15364 (0.0%)	1.35	18/20834 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	423	THR	C-O	6.28	1.31	1.23

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	458	ILE	CA-C-N	6.70	126.46	120.10
1	A	458	ILE	C-N-CA	6.70	126.46	120.10
1	B	263	ASP	CA-CB-CG	6.24	118.84	112.60
1	D	485	GLU	N-CA-C	-6.01	106.20	112.93
1	D	42	PRO	O-C-N	-5.75	118.67	121.31
1	D	140	THR	CA-C-N	5.64	128.62	120.38
1	D	140	THR	C-N-CA	5.64	128.62	120.38
1	C	402	ASN	CB-CA-C	5.58	120.34	110.85

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	84	ASP	CA-C-N	5.43	126.12	120.03
1	A	84	ASP	C-N-CA	5.43	126.12	120.03
1	B	111	GLU	CA-C-N	5.40	126.09	119.99
1	B	111	GLU	C-N-CA	5.40	126.09	119.99
1	B	42	PRO	O-C-N	-5.37	118.84	121.31
1	B	259	SER	CA-C-N	5.14	128.84	121.50
1	B	259	SER	C-N-CA	5.14	128.84	121.50
1	D	352	ASN	CB-CA-C	5.13	119.95	111.23
1	B	347	ASP	CA-C-N	5.12	127.40	120.44
1	B	347	ASP	C-N-CA	5.12	127.40	120.44

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	228	ARG	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3761	0	3794	38	0
1	B	3747	0	3779	33	0
1	C	3733	0	3744	26	0
1	D	3748	0	3767	38	0
2	A	53	0	31	1	0
2	B	53	0	31	0	0
2	C	53	0	31	0	0
2	D	53	0	31	0	0
3	A	56	0	0	0	0
3	B	56	0	0	0	0
3	C	56	0	0	0	0
3	D	56	0	0	0	0
4	A	35	0	50	3	0
4	C	7	0	10	1	0
4	D	14	0	20	4	0
5	A	5	0	5	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	C	5	0	5	0	0
6	A	4	0	6	1	0
7	A	2	0	0	0	0
7	B	3	0	0	0	0
7	C	1	0	0	0	0
8	A	186	0	0	1	0
8	B	143	0	0	1	0
8	C	157	0	0	0	0
8	D	175	0	0	2	0
All	All	16162	0	15304	131	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (131) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:82:GLU:OE1	1:B:89:LYS:HE3	1.45	1.13
1:B:320:PRO:O	1:B:321[B]:ASN:ND2	1.97	0.96
1:B:331:ARG:NH1	1:B:359:HIS:HB2	1.87	0.89
1:A:82:GLU:OE1	1:B:89:LYS:CE	2.29	0.78
1:B:130:GLU:HB2	1:B:136:VAL:HG23	1.64	0.78
1:D:318:ASN:H	1:D:318:ASN:HD22	1.33	0.75
1:B:228[A]:ARG:HH11	1:B:228[A]:ARG:HG3	1.52	0.74
1:D:188:PRO:HA	4:D:503:PEG:H31	1.70	0.72
1:D:477:TYR:CG	1:D:487:LEU:HD13	2.27	0.70
1:B:331:ARG:CZ	1:B:359:HIS:HB2	2.22	0.69
1:A:129:LEU:HD23	1:A:299:VAL:HG21	1.74	0.69
1:A:331[A]:ARG:NH2	8:A:601:HOH:O	2.25	0.68
1:B:341:GLU:OE2	1:B:359:HIS:HE1	1.78	0.66
1:B:299:VAL:HG23	1:B:301:VAL:HG23	1.78	0.66
1:C:189:ARG:NH2	1:C:190:ARG:NE	2.44	0.66
1:A:318:ASN:HD22	1:A:318:ASN:H	1.44	0.66
1:D:477:TYR:CD2	1:D:487:LEU:HD13	2.30	0.65
1:C:241:GLN:OE1	1:C:370:PRO:HG3	1.95	0.65
1:B:130:GLU:OE1	1:B:150:ARG:NH1	2.29	0.65
1:D:419:HIS:CD2	1:D:487:LEU:HD21	2.33	0.64
1:B:228[A]:ARG:NH1	8:B:602:HOH:O	2.26	0.64
1:C:301:VAL:HA	1:C:318:ASN:HD21	1.66	0.61
1:B:331:ARG:CZ	1:B:359:HIS:CB	2.77	0.61
1:B:224:ASN:HD22	1:B:252:ASN:HD21	1.47	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:331:ARG:NH2	1:B:359:HIS:CD2	2.69	0.60
1:D:341:GLU:OE2	1:D:359:HIS:HE1	1.84	0.60
1:B:93:LYS:NZ	1:B:186:GLU:OE1	2.36	0.58
1:B:331:ARG:CZ	1:B:359:HIS:CG	2.87	0.57
1:C:189:ARG:NH2	1:C:190:ARG:CZ	2.68	0.57
1:A:440:ALA:HB3	1:B:440:ALA:HB3	1.86	0.56
1:A:146:ALA:HB2	4:A:509:PEG:C4	2.35	0.56
1:A:146:ALA:HB2	4:A:509:PEG:H42	1.88	0.56
1:A:455[A]:TYR:CZ	1:A:472:ARG:HD3	2.40	0.56
1:C:130:GLU:HB2	1:C:136:VAL:HG22	1.88	0.56
1:D:238:VAL:HG21	1:D:372:ILE:HD11	1.88	0.55
1:D:250:MET:HE2	1:D:253:GLU:HG3	1.87	0.55
1:C:157:LEU:HD11	1:C:325:ILE:HG12	1.88	0.55
1:A:130:GLU:HB2	1:A:136:VAL:HG23	1.88	0.55
1:C:130:GLU:HB2	1:C:136:VAL:CG2	2.37	0.55
1:D:400:MET:HE2	1:D:401:HIS:CE1	2.42	0.55
1:D:320:PRO:O	1:D:321[B]:ASN:CG	2.50	0.54
1:D:221:TYR:CE2	1:D:223:ASN:HB2	2.43	0.54
1:A:60:LYS:HD2	1:A:60:LYS:C	2.33	0.54
1:C:320:PRO:O	1:C:321[B]:ASN:ND2	2.39	0.53
1:D:129:LEU:HD23	1:D:299:VAL:HG21	1.90	0.53
1:B:250:MET:HE2	1:B:253:GLU:HG3	1.90	0.53
1:A:302:LYS:H	1:A:318:ASN:ND2	2.06	0.53
1:D:318:ASN:H	1:D:318:ASN:ND2	2.04	0.53
1:D:419:HIS:HD2	1:D:487:LEU:HD21	1.74	0.51
1:C:318:ASN:H	1:C:318:ASN:HD22	1.58	0.51
1:D:95:LEU:HD22	1:D:210:TYR:CZ	2.45	0.51
1:D:331:ARG:HB2	4:D:504:PEG:H11	1.92	0.51
1:D:136[A]:VAL:HG13	1:D:147:VAL:HG13	1.91	0.51
1:C:176:ILE:HB	1:C:180:GLU:HB2	1.92	0.50
1:B:219:LEU:C	1:B:219:LEU:HD23	2.37	0.50
1:A:171:GLY:HA3	1:A:258:VAL:O	2.12	0.50
1:A:221:TYR:CE2	1:A:223:ASN:HB2	2.46	0.50
1:B:176:ILE:HB	1:B:180:GLU:HB2	1.93	0.50
1:D:171:GLY:HA3	1:D:258:VAL:O	2.13	0.49
1:D:331:ARG:HE	4:D:504:PEG:H31	1.77	0.49
1:B:331:ARG:HG2	1:B:332:LEU:H	1.78	0.49
1:A:189:ARG:HA	1:A:212:PRO:HD2	1.95	0.49
1:D:114:PHE:O	8:D:601:HOH:O	2.20	0.49
1:D:400:MET:HE2	1:D:401:HIS:ND1	2.28	0.48
1:B:130:GLU:HB2	1:B:136:VAL:CG2	2.37	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:70:MET:HE3	1:C:245:ASN:HD21	1.78	0.48
1:A:161:GLY:HA2	1:A:327:ASP:HB2	1.95	0.48
1:C:352:ASN:C	1:C:352:ASN:HD22	2.22	0.48
1:A:318:ASN:H	1:A:318:ASN:ND2	2.11	0.48
1:C:318:ASN:HD22	1:C:318:ASN:N	2.12	0.48
1:C:197:GLY:N	4:C:504:PEG:H21	2.29	0.47
1:C:453:ASP:CG	1:D:447:LEU:HD21	2.39	0.47
1:A:8:VAL:HG23	1:A:153:ALA:HB2	1.97	0.47
1:A:301:VAL:HA	1:A:318:ASN:HD21	1.79	0.46
1:B:331:ARG:HG2	1:B:332:LEU:N	2.30	0.46
1:C:268:VAL:O	1:C:275:THR:HA	2.15	0.46
1:A:369:ILE:HA	1:A:370:PRO:HA	1.85	0.46
1:D:485:GLU:H	1:D:485:GLU:HG2	1.51	0.46
1:C:227:LEU:HD12	1:C:238:VAL:HG11	1.96	0.46
1:B:447:LEU:C	1:B:448[B]:ASN:OD1	2.59	0.46
1:A:83:PHE:O	6:A:507:DMS:H12	2.16	0.45
1:B:268:VAL:O	1:B:275:THR:HA	2.16	0.45
1:D:228:ARG:NH1	8:D:612:HOH:O	2.48	0.45
1:D:347:ASP:OD2	1:D:355:ARG:NH1	2.49	0.45
1:B:132:LYS:HG2	1:B:321[B]:ASN:HD21	1.80	0.45
1:A:247:ILE:HG22	1:A:249:ILE:HD12	1.98	0.45
1:D:299:VAL:HG23	1:D:301:VAL:HG23	1.97	0.45
1:B:241:GLN:OE1	1:B:370:PRO:HG3	2.17	0.44
1:B:228[A]:ARG:HG3	1:B:228[A]:ARG:NH1	2.27	0.44
1:A:8:VAL:CG2	1:A:153:ALA:HB2	2.47	0.44
1:A:129:LEU:HD22	1:A:296:LEU:HD23	1.99	0.44
1:C:171:GLY:HA3	1:C:258:VAL:O	2.17	0.44
1:C:289:PRO:HG3	1:C:330:ASP:HB2	2.00	0.44
1:C:440:ALA:HB3	1:D:440:ALA:HB3	1.99	0.44
1:A:34:VAL:HA	1:A:123:PHE:O	2.18	0.43
1:D:395:SER:HA	1:D:411:PHE:O	2.17	0.43
1:A:148:LYS:C	1:A:149:GLU:HG2	2.42	0.43
1:A:302:LYS:H	1:A:318:ASN:HD21	1.66	0.43
1:A:192:LEU:HA	1:A:218:THR:O	2.18	0.43
1:A:99:LYS:HD2	1:A:99:LYS:C	2.44	0.43
1:A:461:HIS:HA	1:A:462:PRO:HA	1.86	0.43
1:B:162:SER:HB3	1:B:327:ASP:HB3	2.01	0.43
1:D:487:LEU:HA	1:D:487:LEU:HD12	1.77	0.43
1:D:302:LYS:H	1:D:318:ASN:HD21	1.66	0.43
1:D:94[A]:LYS:O	1:D:94[A]:LYS:NZ	2.47	0.42
1:B:299:VAL:CG2	1:B:301:VAL:HG23	2.47	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:75:GLU:HG2	1:A:404:SER:HB2	2.01	0.42
1:A:95:LEU:HD22	1:A:210:TYR:CZ	2.55	0.42
1:B:266:LYS:HD2	1:B:266:LYS:N	2.35	0.42
1:A:176:ILE:HB	1:A:180:GLU:HB2	2.02	0.42
1:B:150:ARG:NH1	1:B:150:ARG:HG2	2.35	0.42
1:B:34:VAL:HA	1:B:123:PHE:O	2.20	0.42
1:A:299:VAL:HG23	1:A:301:VAL:HG23	2.00	0.41
1:C:99:LYS:C	1:C:99:LYS:HD2	2.45	0.41
1:D:318:ASN:HD22	1:D:318:ASN:N	2.09	0.41
1:A:22:ASN:O	1:A:26:LEU:HB2	2.20	0.41
1:D:162:SER:HB3	1:D:327:ASP:HB3	2.03	0.41
1:A:296:LEU:HB2	4:A:505:PEG:H42	2.02	0.41
1:C:400:MET:HE2	1:C:401:HIS:CE1	2.56	0.41
2:A:501:FAD:H9	2:A:501:FAD:H1'1	1.87	0.41
1:C:95:LEU:HD22	1:C:210:TYR:CZ	2.56	0.41
1:C:250:MET:HE2	1:C:253:GLU:HG3	2.02	0.41
1:A:160:THR:HG21	1:A:294:LEU:HD21	2.03	0.41
1:C:353:LYS:HD2	1:C:353:LYS:HA	1.71	0.41
1:D:40:HIS:H	1:D:107:ASN:HD21	1.68	0.41
1:D:188:PRO:HA	4:D:503:PEG:C3	2.45	0.41
1:D:390:ALA:HB3	1:D:417:THR:OG1	2.21	0.41
1:A:19:ALA:O	1:A:346:VAL:HG21	2.21	0.40
1:D:60:LYS:C	1:D:60:LYS:HD2	2.46	0.40
1:C:189:ARG:HH22	1:C:190:ARG:CZ	2.33	0.40
1:D:318:ASN:ND2	1:D:318:ASN:N	2.68	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	493/495 (100%)	482 (98%)	11 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	493/495 (100%)	473 (96%)	20 (4%)	0	100	100
1	C	490/495 (99%)	474 (97%)	16 (3%)	0	100	100
1	D	493/495 (100%)	481 (98%)	12 (2%)	0	100	100
All	All	1969/1980 (99%)	1910 (97%)	59 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	408/407 (100%)	399 (98%)	9 (2%)	45	51
1	B	408/407 (100%)	394 (97%)	14 (3%)	32	34
1	C	405/407 (100%)	390 (96%)	15 (4%)	30	31
1	D	407/407 (100%)	384 (94%)	23 (6%)	18	16
All	All	1628/1628 (100%)	1567 (96%)	61 (4%)	32	31

All (61) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	0	HIS
1	A	57	CYS
1	A	60	LYS
1	A	318	ASN
1	A	331[A]	ARG
1	A	331[B]	ARG
1	A	335	THR
1	A	400	MET
1	A	446	ARG
1	B	37	GLN
1	B	53	VAL
1	B	55	VAL
1	B	57	CYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	60	LYS
1	B	94	LYS
1	B	129	LEU
1	B	150	ARG
1	B	228[A]	ARG
1	B	228[B]	ARG
1	B	260	LEU
1	B	288	ILE
1	B	335	THR
1	B	400	MET
1	C	57	CYS
1	C	60	LYS
1	C	136	VAL
1	C	139	GLU
1	C	260	LEU
1	C	262	THR
1	C	302	LYS
1	C	318	ASN
1	C	331	ARG
1	C	335	THR
1	C	352	ASN
1	C	353	LYS
1	C	384	LYS
1	C	385	GLU
1	C	472	ARG
1	D	30	ARG
1	D	37	GLN
1	D	57	CYS
1	D	60	LYS
1	D	94[A]	LYS
1	D	94[B]	LYS
1	D	113	MET
1	D	186	GLU
1	D	224[A]	ASN
1	D	224[B]	ASN
1	D	274	LYS
1	D	292	ASN
1	D	306	LYS
1	D	318	ASN
1	D	328	ILE
1	D	331	ARG
1	D	335	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	353	LYS
1	D	467	GLU
1	D	480	LYS
1	D	482	GLU
1	D	485	GLU
1	D	487	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (24) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	152	GLN
1	A	174	HIS
1	A	223	ASN
1	A	318	ASN
1	B	107	ASN
1	B	174	HIS
1	B	223	ASN
1	B	252	ASN
1	B	359	HIS
1	B	402	ASN
1	C	107	ASN
1	C	133	ASN
1	C	174	HIS
1	C	223	ASN
1	C	245	ASN
1	C	252	ASN
1	C	267	HIS
1	C	292	ASN
1	C	318	ASN
1	C	352	ASN
1	C	359	HIS
1	D	107	ASN
1	D	318	ASN
1	D	359	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 25 ligands modelled in this entry, 6 are monoatomic - leaving 19 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	A1IYD	B	502	-	61,61,61	0.70	1 (1%)	78,83,83	0.78	3 (3%)
4	PEG	A	505	-	6,6,6	0.37	0	5,5,5	0.43	0
4	PEG	C	504	-	6,6,6	0.35	0	5,5,5	0.20	0
2	FAD	D	501	-	56,58,58	0.61	0	81,89,89	0.87	3 (3%)
3	A1IYD	A	502	-	61,61,61	0.94	2 (3%)	78,83,83	1.11	4 (5%)
2	FAD	C	501	-	56,58,58	0.54	0	81,89,89	0.73	2 (2%)
2	FAD	B	501	-	56,58,58	0.53	0	81,89,89	0.78	1 (1%)
4	PEG	D	503	-	6,6,6	0.38	0	5,5,5	0.49	0
4	PEG	A	503	-	6,6,6	0.22	0	5,5,5	0.17	0
5	IMD	C	503	-	5,5,5	0.16	0	5,5,5	0.49	0
4	PEG	A	508	-	6,6,6	0.26	0	5,5,5	0.26	0
3	A1IYD	C	502	-	61,61,61	0.69	1 (1%)	78,83,83	0.79	4 (5%)
4	PEG	A	509	-	6,6,6	0.25	0	5,5,5	0.24	0
6	DMS	A	507	-	3,3,3	0.38	0	3,3,3	0.34	0
4	PEG	A	506	-	6,6,6	0.12	0	5,5,5	0.13	0
2	FAD	A	501	-	56,58,58	0.69	1 (1%)	81,89,89	0.79	3 (3%)
4	PEG	D	504	-	6,6,6	0.33	0	5,5,5	0.30	0
3	A1IYD	D	502	-	61,61,61	0.63	1 (1%)	78,83,83	0.84	4 (5%)
5	IMD	A	504	-	5,5,5	0.23	0	5,5,5	0.51	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	A1IYD	B	502	-	-	16/31/76/76	0/6/6/6
4	PEG	A	506	-	-	3/4/4/4	-
4	PEG	A	505	-	-	0/4/4/4	-
4	PEG	D	503	-	-	3/4/4/4	-
4	PEG	C	504	-	-	4/4/4/4	-
4	PEG	A	503	-	-	0/4/4/4	-
4	PEG	A	508	-	-	2/4/4/4	-
5	IMD	C	503	-	-	-	0/1/1/1
2	FAD	D	501	-	-	4/34/50/50	0/6/6/6
2	FAD	A	501	-	-	5/34/50/50	0/6/6/6
3	A1IYD	C	502	-	-	19/31/76/76	0/6/6/6
3	A1IYD	A	502	-	-	16/31/76/76	0/6/6/6
4	PEG	A	509	-	-	4/4/4/4	-
4	PEG	D	504	-	-	3/4/4/4	-
3	A1IYD	D	502	-	-	14/31/76/76	0/6/6/6
5	IMD	A	504	-	-	-	0/1/1/1
2	FAD	C	501	-	-	5/34/50/50	0/6/6/6
2	FAD	B	501	-	-	3/34/50/50	0/6/6/6

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	502	A1IYD	C26-N6	4.69	1.35	1.29
3	B	502	A1IYD	C26-N6	4.52	1.35	1.29
3	A	502	A1IYD	O9-C23	4.50	1.61	1.42
3	C	502	A1IYD	C26-N6	4.33	1.35	1.29
3	D	502	A1IYD	C26-N6	3.90	1.34	1.29
2	A	501	FAD	C9-C8	-2.82	1.35	1.39

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	502	A1IYD	C14-C13-N2	6.28	114.81	109.08
3	D	502	A1IYD	C14-C13-N2	3.72	112.47	109.08
3	B	502	A1IYD	C11-C18-C7	-3.58	119.44	121.91

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	502	A1IYD	C27-C26-N6	-3.46	114.87	119.34
3	D	502	A1IYD	C11-C18-C7	-3.45	119.53	121.91
3	A	502	A1IYD	C11-C18-C7	-3.21	119.70	121.91
3	C	502	A1IYD	C11-C18-C7	-3.14	119.75	121.91
2	D	501	FAD	O2A-PA-O1A	2.99	127.03	112.24
3	C	502	A1IYD	C14-C13-N2	2.96	111.78	109.08
3	C	502	A1IYD	C27-C26-N6	-2.89	115.61	119.34
3	B	502	A1IYD	C27-C26-N6	-2.88	115.63	119.34
2	D	501	FAD	O2P-P-O1P	2.74	125.81	112.24
3	D	502	A1IYD	C27-C26-N6	-2.65	115.93	119.34
3	B	502	A1IYD	C7-C18-C19	2.52	132.76	129.21
2	C	501	FAD	P-O3P-PA	2.27	140.61	132.83
2	D	501	FAD	C2B-C1B-N9A	2.22	118.93	113.30
3	D	502	A1IYD	C7-C18-C19	2.20	132.31	129.21
3	A	502	A1IYD	C7-C18-C19	2.14	132.22	129.21
2	B	501	FAD	O2P-P-O1P	2.10	122.64	112.24
2	A	501	FAD	O2P-P-O1P	2.08	122.51	112.24
2	A	501	FAD	C2B-C1B-N9A	2.07	118.56	113.30
2	C	501	FAD	O2P-P-O1P	2.05	122.36	112.24
2	A	501	FAD	O2A-PA-O1A	2.02	122.25	112.24
3	C	502	A1IYD	C7-C18-C19	2.01	132.04	129.21

There are no chirality outliers.

All (101) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	501	FAD	PA-O3P-P-O5'
3	A	502	A1IYD	C2-C1-N4-C20
3	A	502	A1IYD	C5-C6-N1-C7
3	A	502	A1IYD	C8-C7-N1-C6
3	A	502	A1IYD	C18-C7-N1-C6
3	B	502	A1IYD	O1-C1-N4-C20
3	B	502	A1IYD	C2-C1-N4-C20
3	B	502	A1IYD	C18-C7-N1-C6
3	C	502	A1IYD	O1-C1-N4-C20
3	C	502	A1IYD	C2-C1-N4-C20
3	D	502	A1IYD	O1-C1-N4-C20
3	D	502	A1IYD	C2-C1-N4-C20
3	B	502	A1IYD	C8-C7-N1-C6
3	A	502	A1IYD	N4-C20-C21-O8
3	C	502	A1IYD	C4-C3-O2-C2
3	A	502	A1IYD	O1-C1-N4-C20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	D	502	A1IYD	N4-C20-C21-O8
3	C	502	A1IYD	C6-C5-O3-C4
3	A	502	A1IYD	O2-C3-C4-O3
3	C	502	A1IYD	O3-C5-C6-N1
4	A	506	PEG	C1-C2-O2-C3
3	C	502	A1IYD	C8-C7-N1-C6
3	D	502	A1IYD	C8-C7-N1-C6
3	D	502	A1IYD	C18-C7-N1-C6
3	B	502	A1IYD	O2-C3-C4-O3
3	B	502	A1IYD	O9-C24-C25-N5
3	C	502	A1IYD	O9-C24-C25-N5
3	D	502	A1IYD	O9-C24-C25-N5
3	C	502	A1IYD	O8-C22-C23-O9
4	C	504	PEG	O2-C3-C4-O4
3	A	502	A1IYD	O9-C24-C25-N5
3	B	502	A1IYD	C25-C24-O9-C23
3	C	502	A1IYD	C25-C24-O9-C23
3	B	502	A1IYD	O8-C22-C23-O9
3	C	502	A1IYD	N4-C20-C21-O8
3	C	502	A1IYD	C18-C7-N1-C6
4	D	503	PEG	O1-C1-C2-O2
4	D	504	PEG	O1-C1-C2-O2
3	D	502	A1IYD	O3-C5-C6-N1
3	C	502	A1IYD	N4-C1-C2-O2
4	D	503	PEG	O2-C3-C4-O4
4	D	504	PEG	O2-C3-C4-O4
3	D	502	A1IYD	N4-C1-C2-O2
3	B	502	A1IYD	O1-C1-C2-O2
3	D	502	A1IYD	O1-C1-C2-O2
4	A	509	PEG	O2-C3-C4-O4
3	B	502	A1IYD	N4-C1-C2-O2
3	C	502	A1IYD	O1-C1-C2-O2
4	A	508	PEG	O2-C3-C4-O4
4	C	504	PEG	O1-C1-C2-O2
4	A	508	PEG	C1-C2-O2-C3
3	B	502	A1IYD	C17-C13-N2-C19
2	A	501	FAD	O4B-C4B-C5B-O5B
3	B	502	A1IYD	C5-C6-N1-C7
3	C	502	A1IYD	C5-C6-N1-C7
3	B	502	A1IYD	C4-C3-O2-C2
4	A	509	PEG	O1-C1-C2-O2
2	B	501	FAD	PA-O3P-P-O5'

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	C	501	FAD	PA-O3P-P-O5'
2	D	501	FAD	PA-O3P-P-O5'
3	D	502	A1IYD	C6-C5-O3-C4
3	B	502	A1IYD	C3-C4-O3-C5
3	C	502	A1IYD	C23-C22-O8-C21
3	A	502	A1IYD	C23-C22-O8-C21
2	A	501	FAD	P-O3P-PA-O2A
2	D	501	FAD	P-O3P-PA-O2A
3	B	502	A1IYD	C23-C22-O8-C21
3	D	502	A1IYD	C22-C23-O9-C24
3	B	502	A1IYD	C20-C21-O8-C22
3	D	502	A1IYD	C3-C4-O3-C5
4	C	504	PEG	C4-C3-O2-C2
4	D	503	PEG	C1-C2-O2-C3
3	A	502	A1IYD	O8-C22-C23-O9
3	A	502	A1IYD	C4-C3-O2-C2
2	A	501	FAD	P-O3P-PA-O1A
3	D	502	A1IYD	C25-C24-O9-C23
3	A	502	A1IYD	C1-C2-O2-C3
3	C	502	A1IYD	C1-C2-O2-C3
4	A	506	PEG	O1-C1-C2-O2
3	D	502	A1IYD	C4-C3-O2-C2
2	B	501	FAD	O4B-C4B-C5B-O5B
2	C	501	FAD	O4B-C4B-C5B-O5B
2	D	501	FAD	O4B-C4B-C5B-O5B
4	C	504	PEG	C1-C2-O2-C3
4	A	509	PEG	C1-C2-O2-C3
2	B	501	FAD	P-O3P-PA-O2A
2	C	501	FAD	P-O3P-PA-O2A
2	D	501	FAD	P-O3P-PA-O1A
3	C	502	A1IYD	C3-C4-O3-C5
3	A	502	A1IYD	C3-C4-O3-C5
4	D	504	PEG	C4-C3-O2-C2
4	A	506	PEG	O2-C3-C4-O4
2	A	501	FAD	C3B-C4B-C5B-O5B
2	C	501	FAD	P-O3P-PA-O1A
2	C	501	FAD	PA-O3P-P-O2P
3	A	502	A1IYD	C6-C5-O3-C4
3	A	502	A1IYD	O1-C1-C2-O2
4	A	509	PEG	C4-C3-O2-C2
3	C	502	A1IYD	C20-C21-O8-C22
3	C	502	A1IYD	O2-C3-C4-O3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	A	502	A1IYD	N4-C1-C2-O2


There are no ring outliers.

7 monomers are involved in 10 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	505	PEG	1	0
4	C	504	PEG	1	0
4	D	503	PEG	2	0
4	A	509	PEG	2	0
6	A	507	DMS	1	0
2	A	501	FAD	1	0
4	D	504	PEG	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand A1IYD B 502




Ligand FAD D 501




Ligand A1IYD A 502




Ligand FAD C 501




Ligand FAD B 501



Ligand A1IYD C 502





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	489/495 (98%)	-0.13	3 (0%) 85 87	17, 33, 50, 78	6 (1%)
1	B	487/495 (98%)	-0.02	6 (1%) 76 78	17, 35, 54, 82	8 (1%)
1	C	490/495 (98%)	-0.00	12 (2%) 59 62	23, 35, 57, 99	2 (0%)
1	D	490/495 (98%)	-0.14	3 (0%) 85 87	16, 33, 52, 91	5 (1%)
All	All	1956/1980 (98%)	-0.08	24 (1%) 76 78	16, 34, 54, 99	21 (1%)

All (24) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	489	ASP	4.8
1	B	331	ARG	4.5
1	D	487	LEU	4.1
1	D	486	LYS	3.8
1	C	352	ASN	3.2
1	C	228	ARG	3.1
1	C	488	PRO	2.9
1	C	353	LYS	2.9
1	C	189	ARG	2.7
1	C	132	LYS	2.7
1	C	-1	SER	2.6
1	C	396	PHE	2.6
1	B	54	ASN	2.5
1	C	354	PRO	2.4
1	C	351	GLY	2.3
1	A	472	ARG	2.3
1	A	488	PRO	2.3
1	B	396	PHE	2.2
1	A	396	PHE	2.1
1	B	305	PRO	2.1
1	B	53	VAL	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	213	PRO	2.1
1	C	124	LEU	2.0
1	C	370	PRO	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	DMS	A	507	4/4	0.62	0.39	43,48,49,54	4
4	PEG	D	504	7/7	0.66	0.23	63,68,73,76	0
4	PEG	A	508	7/7	0.66	0.19	71,78,79,82	0
4	PEG	A	505	7/7	0.75	0.16	60,67,72,74	0
4	PEG	D	503	7/7	0.76	0.20	65,68,71,74	0
5	IMD	A	504	5/5	0.78	0.23	73,73,77,80	0
5	IMD	C	503	5/5	0.81	0.20	75,75,76,81	0
3	A1IYD	C	502	56/56	0.81	0.29	41,141,175,178	35
3	A1IYD	A	502	56/56	0.82	0.30	33,121,168,178	35
4	PEG	A	509	7/7	0.82	0.17	53,60,66,67	0
4	PEG	C	504	7/7	0.82	0.17	58,61,64,67	0
4	PEG	A	506	7/7	0.82	0.26	42,42,43,44	7
3	A1IYD	D	502	56/56	0.83	0.28	30,132,185,189	35
3	A1IYD	B	502	56/56	0.84	0.29	34,130,177,182	35
4	PEG	A	503	7/7	0.84	0.19	51,65,81,83	0
7	NA	A	511	1/1	0.87	0.19	49,49,49,49	0
7	NA	B	503	1/1	0.93	0.30	51,51,51,51	0
2	FAD	C	501	53/53	0.97	0.05	25,30,34,36	0
2	FAD	B	501	53/53	0.97	0.06	25,29,33,34	0
7	NA	B	504	1/1	0.97	0.08	31,31,31,31	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
7	NA	C	505	1/1	0.97	0.12	31,31,31,31	0
2	FAD	A	501	53/53	0.98	0.05	22,26,31,32	0
7	NA	A	510	1/1	0.98	0.04	24,24,24,24	0
7	NA	B	505	1/1	0.98	0.05	34,34,34,34	0
2	FAD	D	501	53/53	0.98	0.04	20,25,28,29	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around A1IYD A 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around A1IYD D 502:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around A1IYD B 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



**Electron density around FAD C 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around FAD B 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around FAD A 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.