



Full wwPDB X-ray Structure Validation Report ⓘ

Jul 21, 2026 – 01:54 pm BST

PDB ID : 9I2J / pdb_00009i2j
Title : Branching Sucrase BRS-B in complex with Sucrose
Authors : Cioci, G.; Benkoulouche, M.; Claverie, M.; Remaud-Simeon, M.; Moulis, C.;
Guieysse, D.
Deposited on : 2025-01-20
Resolution : 3.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.015 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.50


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1456 (3.10-3.10)
Clashscore	190562	1539 (3.10-3.10)
Ramachandran outliers	187476	1467 (3.10-3.10)
Sidechain outliers	187428	1467 (3.10-3.10)
RSRZ outliers	180081	1456 (3.10-3.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1183	% 85% 11% ..
1	B	1183	86% 10% ..
2	C	9	33% 67%
2	E	9	44% 56%
3	D	2	50% 50%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	F	3	 67% 33%

2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 18647 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called dextransucrase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	1153	Total	C	N	O	S	0	0	0
			9062	5690	1533	1815	24			
1	B	1155	Total	C	N	O	S	0	0	0
			9099	5709	1545	1821	24			

There are 52 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MET	-	initiating methionine	UNP A0A5A5U0V5
A	2	ALA	-	expression tag	UNP A0A5A5U0V5
A	3	SER	-	expression tag	UNP A0A5A5U0V5
A	559	GLN	GLU	conflict	UNP A0A5A5U0V5
A	618	SER	PHE	conflict	UNP A0A5A5U0V5
A	953	THR	ALA	conflict	UNP A0A5A5U0V5
A	1164	LYS	-	expression tag	UNP A0A5A5U0V5
A	1165	GLY	-	expression tag	UNP A0A5A5U0V5
A	1166	GLY	-	expression tag	UNP A0A5A5U0V5
A	1167	ARG	-	expression tag	UNP A0A5A5U0V5
A	1168	ALA	-	expression tag	UNP A0A5A5U0V5
A	1169	ASP	-	expression tag	UNP A0A5A5U0V5
A	1170	PRO	-	expression tag	UNP A0A5A5U0V5
A	1171	ALA	-	expression tag	UNP A0A5A5U0V5
A	1172	PHE	-	expression tag	UNP A0A5A5U0V5
A	1173	LEU	-	expression tag	UNP A0A5A5U0V5
A	1174	TYR	-	expression tag	UNP A0A5A5U0V5
A	1175	LYS	-	expression tag	UNP A0A5A5U0V5
A	1176	VAL	-	expression tag	UNP A0A5A5U0V5
A	1177	VAL	-	expression tag	UNP A0A5A5U0V5
A	1178	HIS	-	expression tag	UNP A0A5A5U0V5
A	1179	HIS	-	expression tag	UNP A0A5A5U0V5
A	1180	HIS	-	expression tag	UNP A0A5A5U0V5
A	1181	HIS	-	expression tag	UNP A0A5A5U0V5
A	1182	HIS	-	expression tag	UNP A0A5A5U0V5

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	1183	HIS	-	expression tag	UNP A0A5A5U0V5
B	1	MET	-	initiating methionine	UNP A0A5A5U0V5
B	2	ALA	-	expression tag	UNP A0A5A5U0V5
B	3	SER	-	expression tag	UNP A0A5A5U0V5
B	559	GLN	GLU	conflict	UNP A0A5A5U0V5
B	618	SER	PHE	conflict	UNP A0A5A5U0V5
B	953	THR	ALA	conflict	UNP A0A5A5U0V5
B	1164	LYS	-	expression tag	UNP A0A5A5U0V5
B	1165	GLY	-	expression tag	UNP A0A5A5U0V5
B	1166	GLY	-	expression tag	UNP A0A5A5U0V5
B	1167	ARG	-	expression tag	UNP A0A5A5U0V5
B	1168	ALA	-	expression tag	UNP A0A5A5U0V5
B	1169	ASP	-	expression tag	UNP A0A5A5U0V5
B	1170	PRO	-	expression tag	UNP A0A5A5U0V5
B	1171	ALA	-	expression tag	UNP A0A5A5U0V5
B	1172	PHE	-	expression tag	UNP A0A5A5U0V5
B	1173	LEU	-	expression tag	UNP A0A5A5U0V5
B	1174	TYR	-	expression tag	UNP A0A5A5U0V5
B	1175	LYS	-	expression tag	UNP A0A5A5U0V5
B	1176	VAL	-	expression tag	UNP A0A5A5U0V5
B	1177	VAL	-	expression tag	UNP A0A5A5U0V5
B	1178	HIS	-	expression tag	UNP A0A5A5U0V5
B	1179	HIS	-	expression tag	UNP A0A5A5U0V5
B	1180	HIS	-	expression tag	UNP A0A5A5U0V5
B	1181	HIS	-	expression tag	UNP A0A5A5U0V5
B	1182	HIS	-	expression tag	UNP A0A5A5U0V5
B	1183	HIS	-	expression tag	UNP A0A5A5U0V5

- Molecule 2 is an oligosaccharide called alpha-D-glucopyranose-(1-6)-alpha-D-glucopyranose-(1-6)-alpha-D-glucopyranose-(1-6)-alpha-D-glucopyranose-(1-6)-alpha-D-glucopyranose-(1-6)-alpha-D-glucopyranose-(1-6)-alpha-D-glucopyranose.



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	Trace
2	C	9	Total C O 99 54 45	0	0	0
2	E	9	Total C O 99 54 45	0	0	0

- Molecule 3 is an oligosaccharide called alpha-D-glucopyranose-(1-6)-alpha-D-glucopyranose.



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
3	D	2	Total	C	O	0	0	0
			22	12	10			

- Molecule 4 is an oligosaccharide called alpha-D-glucopyranose-(1-6)-alpha-D-glucopyranose-(1-6)-alpha-D-glucopyranose.




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
4	F	3	Total	C	O	0	0	0
			33	18	15			

- Molecule 5 is CALCIUM ION (CCD ID: CA) (formula: Ca).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	Ca	0	0
			1	1		
5	B	1	Total	Ca	0	0
			1	1		

- Molecule 6 is alpha-D-glucopyranose (CCD ID: GLC) (formula: C₆H₁₂O₆) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			11	6	5		
6	B	1	Total	C	O	0	0
			11	6	5		

- Molecule 7 is beta-D-fructofuranose (CCD ID: FRU) (formula: $C_6H_{12}O_6$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	C	O	0	0
			12	6	6		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	B	1	Total	C	O	0	0
			12	6	6		


- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	67	Total	O	0	0
			67	67		
8	B	118	Total	O	0	0
			118	118		


3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: dextranucrase



• Molecule 1: dextranucrase





- Molecule 2: alpha-D-glucopyranose-(1-6)-alpha-D-glucopyranose-(1-6)-alpha-D-glucopyranose-(1-6)-alpha-D-glucopyranose-(1-6)-alpha-D-glucopyranose-(1-6)-alpha-D-glucopyranose-(1-6)-alpha-D-glucopyranose

Chain C: 33% 67%



- Molecule 2: alpha-D-glucopyranose-(1-6)-alpha-D-glucopyranose-(1-6)-alpha-D-glucopyranose-(1-6)-alpha-D-glucopyranose-(1-6)-alpha-D-glucopyranose-(1-6)-alpha-D-glucopyranose-(1-6)-alpha-D-glucopyranose

Chain E: 44% 56%



- Molecule 3: alpha-D-glucopyranose-(1-6)-alpha-D-glucopyranose

Chain D: 50% 50%



- Molecule 4: alpha-D-glucopyranose-(1-6)-alpha-D-glucopyranose-(1-6)-alpha-D-glucopyranose

Chain F: 67% 33%



4 Data and refinement statistics

Property	Value	Source
Space group	H 3 2	Depositor
Cell constants a, b, c, α , β , γ	255.13Å 255.13Å 344.92Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	48.26 – 3.10 48.26 – 3.10	Depositor EDS
% Data completeness (in resolution range)	98.5 (48.26-3.10) 98.5 (48.26-3.10)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.87 (at 3.12Å)	Xtriage
Refinement program	REFMAC 5.8.0425	Depositor
R, R_{free}	0.193 , 0.225 0.196 , 0.227	Depositor DCC
R_{free} test set	3803 reflections (4.87%)	wwPDB-VP
Wilson B-factor (Å ²)	61.8	Xtriage
Anisotropy	0.014	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 36.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	18647	wwPDB-VP
Average B, all atoms (Å ²)	66.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.87% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CA, FRU, GLC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.49	0/9249	0.97	11/12551 (0.1%)
1	B	0.48	0/9289	0.96	11/12604 (0.1%)
All	All	0.48	0/18538	0.96	22/25155 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	2
All	All	0	3

There are no bond length outliers.

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	383	THR	CA-CB-OG1	-7.08	98.97	109.60
1	B	383	THR	CA-CB-OG1	-6.95	99.18	109.60
1	A	982	THR	CA-CB-OG1	-6.48	99.88	109.60
1	A	237	ASP	CA-CB-CG	6.46	119.06	112.60
1	A	348	PHE	CA-CB-CG	5.89	119.69	113.80
1	A	298	ASP	CA-CB-CG	5.86	118.46	112.60
1	A	353	THR	CA-CB-OG1	-5.83	100.86	109.60
1	A	862	ASP	CA-CB-CG	5.81	118.41	112.60
1	B	862	ASP	CA-CB-CG	5.77	118.37	112.60
1	B	634	VAL	N-CA-C	-5.61	107.35	112.96
1	A	407	GLU	CB-CG-CD	5.60	122.13	112.60
1	B	982	THR	CA-CB-OG1	-5.56	101.25	109.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	866	THR	CA-CB-OG1	-5.51	101.33	109.60
1	A	817	ASP	CA-CB-CG	5.47	118.07	112.60
1	A	640	ASP	CA-CB-CG	5.43	118.03	112.60
1	B	89	ASP	CA-CB-CG	5.34	117.94	112.60
1	B	817	ASP	CA-CB-CG	5.31	117.91	112.60
1	B	353	THR	CA-CB-OG1	-5.23	101.75	109.60
1	B	21	GLN	CB-CA-C	-5.12	102.80	110.16
1	B	793	THR	CA-CB-OG1	-5.12	101.93	109.60
1	A	634	VAL	N-CA-C	-5.11	107.41	111.81
1	B	576	VAL	N-CA-CB	-5.01	102.29	111.91

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	444	GLY	Peptide
1	B	444	GLY	Peptide
1	B	581	ARG	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	9062	0	8637	83	0
1	B	9099	0	8683	77	0
2	C	99	0	82	0	0
2	E	99	0	82	0	0
3	D	22	0	19	1	0
4	F	33	0	28	1	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
6	A	11	0	10	1	0
6	B	11	0	10	0	0
7	A	12	0	11	1	0
7	B	12	0	11	0	0
8	A	67	0	0	2	0
8	B	118	0	0	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	18647	0	17573	160	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (160) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:407:GLU:HG3	1:B:407:GLU:CB	1.99	0.93
1:A:700:THR:O	1:A:780:ARG:HD2	1.72	0.87
1:A:720:ASP:OD1	1:A:721:LEU:N	2.25	0.70
1:B:596:LYS:C	1:B:597:LEU:HD12	2.17	0.69
1:B:471:HIS:HA	1:B:475:GLU:HG3	1.75	0.69
1:A:109:SER:HB2	1:A:388:LEU:HD11	1.76	0.68
1:B:593:THR:HG23	1:B:769:THR:HG23	1.76	0.67
1:A:471:HIS:HA	1:A:475:GLU:HG3	1.78	0.66
1:B:3:SER:N	8:B:1302:HOH:O	2.29	0.65
1:B:823:MET:HA	1:B:823:MET:HE2	1.79	0.65
1:A:823:MET:HA	1:A:823:MET:HE2	1.79	0.65
1:B:740:MET:SD	1:B:836:MET:HE1	2.38	0.64
1:A:295:VAL:HG12	1:A:296:VAL:H	1.62	0.64
1:B:593:THR:CG2	1:B:769:THR:HG23	2.28	0.64
1:B:3:SER:HA	1:B:15:ILE:O	1.97	0.63
1:B:854:ILE:O	1:B:870:ILE:HD11	2.00	0.62
1:B:491:ALA:HB1	1:B:1092:LEU:HD11	1.82	0.61
1:B:257:ASP:HB3	1:B:260:THR:O	2.01	0.60
1:B:740:MET:HG2	1:B:836:MET:HE1	1.83	0.60
1:A:314:PHE:HB2	1:A:317:LEU:HD11	1.84	0.59
1:A:833:ARG:HD2	1:A:849:ASP:HA	1.83	0.59
1:A:740:MET:SD	1:A:836:MET:HE1	2.44	0.58
1:A:23:SER:HB2	1:A:37:PRO:HA	1.84	0.57
6:A:1202:GLC:H5	7:A:1203:FRU:H62	1.87	0.57
1:A:740:MET:HG2	1:A:836:MET:HE1	1.87	0.56
1:A:1078:VAL:HA	1:A:1120:TRP:O	2.06	0.56
1:B:1078:VAL:HA	1:B:1120:TRP:O	2.06	0.55
1:A:408:THR:HB	1:A:410:ASN:ND2	2.22	0.55
1:A:237:ASP:O	1:A:238:ASN:HB3	2.07	0.55
1:B:323:THR:H	1:B:326:THR:HG23	1.71	0.55
1:B:464:THR:HG21	1:B:1123:LYS:O	2.05	0.55
1:B:744:ARG:NH2	1:B:926:ASP:O	2.40	0.55
1:A:237:ASP:O	1:A:238:ASN:CB	2.54	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:407:GLU:CG	1:B:407:GLU:CB	2.81	0.54
1:A:700:THR:O	1:A:780:ARG:CD	2.49	0.54
1:A:744:ARG:NH2	1:A:926:ASP:O	2.40	0.54
1:B:740:MET:CG	1:B:836:MET:HE1	2.38	0.54
1:A:323:THR:H	1:A:326:THR:HG23	1.73	0.53
1:A:257:ASP:HB3	1:A:260:THR:OG1	2.08	0.53
1:A:702:LYS:HB2	1:A:780:ARG:HH12	1.73	0.53
1:B:472:ASN:H	1:B:475:GLU:HG2	1.73	0.53
1:A:1085:ALA:O	1:A:1118:LYS:HD2	2.08	0.53
1:A:472:ASN:H	1:A:475:GLU:HG2	1.73	0.53
1:A:523:ILE:HG21	1:A:558:VAL:HG13	1.89	0.53
1:A:1086:LYS:HD2	1:A:1087:TYR:CE2	2.43	0.53
1:B:523:ILE:HD13	1:B:565:THR:HG21	1.91	0.52
1:A:912:LYS:HD2	1:A:912:LYS:N	2.24	0.52
1:A:305:ALA:O	1:A:331:ALA:N	2.42	0.52
1:B:1085:ALA:O	1:B:1118:LYS:HD2	2.09	0.52
1:B:99:VAL:O	1:B:99:VAL:CG2	2.58	0.51
1:B:295:VAL:HG12	1:B:296:VAL:H	1.75	0.51
1:A:1086:LYS:HD2	1:A:1087:TYR:CZ	2.45	0.51
1:A:702:LYS:HB2	1:A:780:ARG:NH1	2.26	0.51
1:A:740:MET:CG	1:A:836:MET:HE1	2.40	0.51
1:A:372:ILE:HD11	1:A:417:LEU:CD1	2.41	0.51
1:B:822:HIS:HA	1:B:862:ASP:HB3	1.93	0.51
1:A:166:ASP:HB3	1:A:168:GLN:H	1.76	0.50
1:B:464:THR:CG2	1:B:1123:LYS:O	2.59	0.50
1:B:150:THR:HG22	1:B:160:SER:CB	2.41	0.50
1:A:372:ILE:CG2	1:A:374:ILE:HD13	2.42	0.50
1:A:780:ARG:HG2	1:A:780:ARG:HH11	1.77	0.50
1:A:822:HIS:HA	1:A:862:ASP:HB3	1.92	0.50
1:B:459:THR:O	1:B:459:THR:HG23	2.11	0.50
1:B:750:GLY:HA2	1:B:786:MET:HE1	1.94	0.50
1:A:304:ASN:O	1:A:1162:GLN:O	2.30	0.49
1:A:750:GLY:HA2	1:A:786:MET:HE1	1.94	0.49
1:B:237:ASP:OD1	1:B:237:ASP:N	2.42	0.49
1:B:110:THR:CG2	1:B:112:ASN:CG	2.86	0.48
1:A:459:THR:HG23	1:A:459:THR:O	2.13	0.48
1:B:270:ASN:C	1:B:271:ILE:HG13	2.38	0.48
1:A:105:TYR:OH	1:A:108:LEU:CD1	2.61	0.48
1:B:99:VAL:O	1:B:99:VAL:HG23	2.13	0.48
1:A:960:LYS:HD3	1:A:1026:ALA:HB1	1.96	0.48
1:B:258:LEU:O	1:B:259:ALA:HB3	2.14	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:330:PRO:HG2	1:B:333:ILE:HG22	1.97	0.47
1:A:260:THR:OG1	1:A:262:ILE:HG12	2.15	0.47
1:B:945:ASN:OD1	1:B:945:ASN:C	2.57	0.47
1:A:264(A):LEU:HD11	1:A:267:GLN:HG3	1.97	0.46
1:A:1071:GLN:NE2	1:A:1135:MET:HE3	2.31	0.46
1:B:334:LEU:HD13	1:B:340:TRP:CE2	2.50	0.46
1:B:361:ILE:CD1	1:B:432:GLN:HB3	2.46	0.46
1:A:270:ASN:C	1:A:271:ILE:HG13	2.40	0.46
1:A:327:TRP:HZ2	1:A:415:ASN:HD22	1.64	0.46
1:A:748:VAL:HG13	1:A:780:ARG:HE	1.80	0.46
1:A:1073:THR:HG22	1:A:1074:VAL:N	2.31	0.46
1:A:766:LYS:HA	1:A:766:LYS:HD3	1.75	0.46
1:A:945:ASN:OD1	1:A:945:ASN:C	2.58	0.46
1:B:741:MET:HE2	1:B:962:TRP:HB3	1.98	0.46
1:A:297:LYS:HG2	1:A:298:ASP:N	2.30	0.45
1:A:414:LEU:O	1:A:417:LEU:HB3	2.16	0.45
1:B:518:MET:C	1:B:1031:MET:HE2	2.42	0.45
1:A:995:GLY:HA2	1:A:1040:TYR:CE1	2.51	0.45
1:B:478:LEU:HD13	1:B:1040:TYR:OH	2.16	0.45
1:A:361:ILE:CD1	1:A:432:GLN:HB3	2.46	0.45
1:B:1073:THR:HG22	1:B:1074:VAL:N	2.31	0.45
1:B:316:ASN:O	1:B:326:THR:HG22	2.16	0.45
1:A:109:SER:HB2	1:A:388:LEU:CD1	2.44	0.45
1:B:387:GLN:HG3	1:B:391:ASN:HD21	1.82	0.45
1:B:1089:GLY:HA2	1:B:1092:LEU:HD23	1.99	0.45
1:A:316:ASN:O	1:A:326:THR:HG22	2.17	0.44
1:B:295:VAL:HG12	1:B:296:VAL:N	2.31	0.44
1:A:518:MET:C	1:A:1031:MET:HE2	2.43	0.44
1:B:995:GLY:HA2	1:B:1040:TYR:CE1	2.52	0.44
1:A:308:ASN:N	1:A:308:ASN:OD1	2.50	0.44
1:A:478:LEU:HD13	1:A:1040:TYR:OH	2.17	0.44
1:B:150:THR:HG22	1:B:160:SER:HB3	2.00	0.43
1:A:75:TYR:CE1	3:D:2:GLC:H4	2.54	0.43
1:A:290:SER:O	1:A:358:ASN:HB2	2.19	0.43
1:B:70:ILE:HD11	1:B:93:VAL:HG21	2.01	0.43
1:B:722:ASP:O	1:B:723:GLY:C	2.61	0.43
1:B:753:ILE:HG13	1:B:779:VAL:HG13	2.00	0.43
1:A:709:PHE:CE2	1:A:711:GLY:HA3	2.53	0.43
1:A:753:ILE:HG13	1:A:779:VAL:HG13	2.01	0.43
1:B:472:ASN:N	1:B:475:GLU:HG2	2.33	0.43
8:B:1417:HOH:O	4:F:1:GLC:C1	2.65	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:303:HIS:HB3	1:B:340:TRP:CZ3	2.53	0.43
1:A:472:ASN:N	1:A:475:GLU:HG2	2.33	0.43
1:A:722:ASP:O	1:A:723:GLY:C	2.62	0.43
1:B:750:GLY:O	1:B:780:ARG:NH1	2.52	0.43
1:A:142:THR:HG22	8:A:1339:HOH:O	2.18	0.43
1:A:1150:ILE:O	1:A:1157:TYR:HA	2.19	0.43
1:B:387:GLN:HG3	1:B:391:ASN:ND2	2.34	0.42
1:B:709:PHE:CE2	1:B:711:GLY:HA3	2.55	0.42
1:A:866:THR:C	1:A:868:GLN:H	2.28	0.42
1:A:741:MET:HE2	1:A:962:TRP:HB3	2.00	0.42
1:B:290:SER:O	1:B:358:ASN:HB2	2.19	0.42
1:B:328:TYR:CE2	1:B:1163:LEU:HD22	2.55	0.42
1:B:635:HIS:NE2	1:B:688:GLN:OE1	2.51	0.42
1:B:866:THR:C	1:B:868:GLN:H	2.28	0.42
1:A:469:ARG:NH2	1:A:1122:ALA:O	2.52	0.42
1:A:883:ASN:HB2	1:A:884:PRO:CD	2.50	0.42
1:A:764:ILE:HG22	1:A:765:ASN:O	2.20	0.42
1:A:821:LEU:HB3	1:A:823:MET:HE3	2.02	0.42
1:A:943:ARG:HG3	1:A:946:GLN:HG2	2.01	0.42
1:B:883:ASN:HB2	1:B:884:PRO:CD	2.50	0.41
1:A:125:THR:HB	1:A:182:ILE:CD1	2.50	0.41
1:A:305:ALA:O	1:A:330:PRO:HA	2.19	0.41
1:A:323:THR:H	1:A:326:THR:CG2	2.32	0.41
1:A:375:LEU:HD23	1:A:375:LEU:HA	1.95	0.41
1:B:597:LEU:HD12	1:B:597:LEU:N	2.35	0.41
1:B:309:LEU:HD12	1:B:309:LEU:N	2.35	0.41
1:A:295:VAL:HG12	1:A:296:VAL:N	2.33	0.41
1:B:372:ILE:HD13	1:B:372:ILE:HA	1.86	0.41
1:A:635:HIS:NE2	1:A:688:GLN:OE1	2.51	0.41
1:B:986:LEU:C	1:B:986:LEU:HD23	2.46	0.41
1:B:783:LYS:HB2	1:B:799:GLN:OE1	2.20	0.41
1:B:943:ARG:HG3	1:B:946:GLN:HG2	2.02	0.41
1:A:145:ARG:HG2	1:A:145:ARG:HH11	1.86	0.41
1:B:323:THR:H	1:B:326:THR:CG2	2.33	0.41
1:B:523:ILE:HG21	1:B:558:VAL:CG1	2.51	0.41
1:B:743:ALA:HB2	1:B:835:LEU:HD21	2.02	0.41
1:A:27:ASN:HB2	8:A:1352:HOH:O	2.20	0.41
1:B:300:TYR:CE2	1:B:395:GLU:HB2	2.56	0.41
1:B:821:LEU:HB3	1:B:823:MET:HE3	2.03	0.40
1:B:358:ASN:OD1	1:B:361:ILE:HG12	2.22	0.40
1:B:412:ASP:O	1:B:416:GLU:HG2	2.21	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:495:ASN:HB2	1:B:1092:LEU:HD21	2.03	0.40
1:B:6:VAL:HG22	1:B:13:VAL:HG22	2.04	0.40
1:B:1082:ASP:O	1:B:1085:ALA:HB3	2.22	0.40
1:A:986:LEU:C	1:A:986:LEU:HD23	2.47	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1147/1183 (97%)	1090 (95%)	56 (5%)	1 (0%)	48	78
1	B	1151/1183 (97%)	1094 (95%)	56 (5%)	1 (0%)	48	78
All	All	2298/2366 (97%)	2184 (95%)	112 (5%)	2 (0%)	48	78

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	1150	ILE
1	B	442	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	975/1007 (97%)	948 (97%)	27 (3%)	38	66
1	B	982/1007 (98%)	947 (96%)	35 (4%)	31	62
All	All	1957/2014 (97%)	1895 (97%)	62 (3%)	34	64

All (62) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	109	SER
1	A	166	ASP
1	A	167	ASN
1	A	182	ILE
1	A	217	VAL
1	A	223	THR
1	A	333	ILE
1	A	383	THR
1	A	424	ASN
1	A	478	LEU
1	A	482	VAL
1	A	509	ASN
1	A	536	ASP
1	A	634	VAL
1	A	643	ASP
1	A	757	THR
1	A	766	LYS
1	A	779	VAL
1	A	817	ASP
1	A	857	THR
1	A	899	ASN
1	A	1054	VAL
1	A	1059	ASP
1	A	1070	THR
1	A	1078	VAL
1	A	1133	VAL
1	A	1161	THR
1	B	6	VAL
1	B	18	SER
1	B	38	LYS
1	B	99	VAL
1	B	110	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	217	VAL
1	B	260	THR
1	B	280	GLN
1	B	308	ASN
1	B	333	ILE
1	B	383	THR
1	B	388	LEU
1	B	411	THR
1	B	464	THR
1	B	478	LEU
1	B	482	VAL
1	B	509	ASN
1	B	565	THR
1	B	576	VAL
1	B	634	VAL
1	B	643	ASP
1	B	757	THR
1	B	770	ASN
1	B	779	VAL
1	B	817	ASP
1	B	857	THR
1	B	870	ILE
1	B	899	ASN
1	B	901	ASN
1	B	930	MET
1	B	951	VAL
1	B	1054	VAL
1	B	1070	THR
1	B	1078	VAL
1	B	1133	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (40) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	31	HIS
1	A	33	GLN
1	A	143	ASN
1	A	167	ASN
1	A	250	ASN
1	A	304	ASN
1	A	384	ASN
1	A	385	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	415	ASN
1	A	454	GLN
1	A	502	ASN
1	A	509	ASN
1	A	547	ASN
1	A	572	GLN
1	A	647	HIS
1	A	715	GLN
1	A	789	GLN
1	A	822	HIS
1	A	829	ASN
1	A	899	ASN
1	A	901	ASN
1	A	920	HIS
1	A	1052	GLN
1	A	1071	GLN
1	A	1149	HIS
1	B	33	GLN
1	B	149	GLN
1	B	250	ASN
1	B	280	GLN
1	B	410	ASN
1	B	424	ASN
1	B	454	GLN
1	B	472	ASN
1	B	647	HIS
1	B	715	GLN
1	B	789	GLN
1	B	829	ASN
1	B	920	HIS
1	B	1052	GLN
1	B	1143	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

23 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	GLC	C	1	2	11,11,12	0.88	1 (9%)	15,15,17	1.98	2 (13%)
2	GLC	C	2	2	11,11,12	0.46	0	15,15,17	1.14	2 (13%)
2	GLC	C	3	2	11,11,12	0.43	0	15,15,17	0.63	0
2	GLC	C	4	2	11,11,12	0.37	0	15,15,17	1.03	1 (6%)
2	GLC	C	5	2	11,11,12	0.52	0	15,15,17	0.84	0
2	GLC	C	6	2	11,11,12	0.49	0	15,15,17	0.94	1 (6%)
2	GLC	C	7	2	11,11,12	0.39	0	15,15,17	1.05	1 (6%)
2	GLC	C	8	2	11,11,12	0.34	0	15,15,17	0.74	0
2	GLC	C	9	2	11,11,12	0.41	0	15,15,17	1.31	2 (13%)
3	GLC	D	1	3	11,11,12	0.42	0	15,15,17	0.84	1 (6%)
3	GLC	D	2	3	11,11,12	0.37	0	15,15,17	1.03	1 (6%)
2	GLC	E	1	2	11,11,12	0.65	0	15,15,17	1.72	2 (13%)
2	GLC	E	2	2	11,11,12	0.47	0	15,15,17	1.04	1 (6%)
2	GLC	E	3	2	11,11,12	0.33	0	15,15,17	0.75	1 (6%)
2	GLC	E	4	2	11,11,12	0.27	0	15,15,17	0.54	0
2	GLC	E	5	2	11,11,12	0.48	0	15,15,17	0.71	0
2	GLC	E	6	2	11,11,12	0.49	0	15,15,17	0.55	0
2	GLC	E	7	2	11,11,12	0.44	0	15,15,17	0.90	1 (6%)
2	GLC	E	8	2	11,11,12	0.36	0	15,15,17	0.96	0
2	GLC	E	9	2	11,11,12	0.70	0	15,15,17	1.14	1 (6%)
4	GLC	F	1	4	11,11,12	0.60	0	15,15,17	0.95	1 (6%)
4	GLC	F	2	4	11,11,12	0.80	0	15,15,17	1.08	2 (13%)
4	GLC	F	3	4	11,11,12	0.87	1 (9%)	15,15,17	1.67	2 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GLC	C	1	2	-	2/2/19/22	0/1/1/1
2	GLC	C	2	2	-	0/2/19/22	0/1/1/1
2	GLC	C	3	2	-	0/2/19/22	0/1/1/1
2	GLC	C	4	2	-	0/2/19/22	0/1/1/1
2	GLC	C	5	2	-	0/2/19/22	0/1/1/1
2	GLC	C	6	2	-	0/2/19/22	0/1/1/1
2	GLC	C	7	2	-	0/2/19/22	0/1/1/1
2	GLC	C	8	2	-	0/2/19/22	0/1/1/1
2	GLC	C	9	2	-	0/2/19/22	0/1/1/1
3	GLC	D	1	3	-	0/2/19/22	0/1/1/1
3	GLC	D	2	3	-	0/2/19/22	0/1/1/1
2	GLC	E	1	2	-	0/2/19/22	0/1/1/1
2	GLC	E	2	2	-	0/2/19/22	0/1/1/1
2	GLC	E	3	2	-	0/2/19/22	0/1/1/1
2	GLC	E	4	2	-	0/2/19/22	0/1/1/1
2	GLC	E	5	2	-	0/2/19/22	0/1/1/1
2	GLC	E	6	2	-	0/2/19/22	0/1/1/1
2	GLC	E	7	2	-	0/2/19/22	0/1/1/1
2	GLC	E	8	2	-	0/2/19/22	0/1/1/1
2	GLC	E	9	2	-	0/2/19/22	0/1/1/1
4	GLC	F	1	4	-	0/2/19/22	0/1/1/1
4	GLC	F	2	4	-	1/2/19/22	0/1/1/1
4	GLC	F	3	4	-	2/2/19/22	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	F	3	GLC	O5-C5	2.40	1.48	1.43
2	C	1	GLC	C2-C3	2.37	1.56	1.52

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	1	GLC	C1-C2-C3	6.51	117.66	109.67
2	E	1	GLC	C1-C2-C3	5.50	116.42	109.67
4	F	3	GLC	C1-O5-C5	4.58	118.39	112.19
2	C	7	GLC	C1-C2-C3	3.11	113.49	109.67
4	F	3	GLC	C3-C4-C5	2.90	115.42	110.24
2	C	4	GLC	C1-C2-C3	2.86	113.18	109.67
2	C	1	GLC	O5-C1-C2	2.81	115.10	110.77
2	C	2	GLC	C1-O5-C5	2.77	115.94	112.19
3	D	2	GLC	C1-O5-C5	2.72	115.88	112.19
2	E	7	GLC	C1-C2-C3	2.68	112.96	109.67

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	2	GLC	C1-O5-C5	2.63	115.75	112.19
2	C	2	GLC	O2-C2-C3	2.58	115.30	110.14
2	C	9	GLC	C3-C4-C5	2.48	114.67	110.24
2	E	9	GLC	C1-O5-C5	2.47	115.53	112.19
2	C	6	GLC	C1-O5-C5	2.44	115.50	112.19
4	F	2	GLC	C1-O5-C5	2.44	115.49	112.19
4	F	1	GLC	C1-O5-C5	2.39	115.43	112.19
4	F	2	GLC	C1-C2-C3	2.16	112.33	109.67
2	E	1	GLC	C2-C3-C4	2.09	114.51	110.89
2	C	9	GLC	C1-C2-C3	2.05	112.19	109.67
2	E	3	GLC	C1-O5-C5	2.05	114.97	112.19
3	D	1	GLC	C1-C2-C3	2.00	112.13	109.67

There are no chirality outliers.

All (5) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	C	1	GLC	O5-C5-C6-O6
4	F	3	GLC	C4-C5-C6-O6
2	C	1	GLC	C4-C5-C6-O6
4	F	3	GLC	O5-C5-C6-O6
4	F	2	GLC	O5-C5-C6-O6


There are no ring outliers.


2 monomers are involved in 2 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	F	1	GLC	1	0
3	D	2	GLC	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.









5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 2 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
7	FRU	A	1203	-	11,12,12	0.57	0	10,18,18	0.52	0
6	GLC	A	1202	-	11,11,12	0.86	1 (9%)	15,15,17	1.28	1 (6%)
7	FRU	B	1203	-	11,12,12	0.51	0	10,18,18	0.51	0
6	GLC	B	1202	-	11,11,12	0.65	0	15,15,17	1.16	2 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	FRU	A	1203	-	-	5/5/24/24	0/1/1/1
6	GLC	A	1202	-	-	0/2/19/22	0/1/1/1
7	FRU	B	1203	-	-	2/5/24/24	0/1/1/1
6	GLC	B	1202	-	-	2/2/19/22	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	A	1202	GLC	C2-C3	-2.30	1.49	1.52

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	1202	GLC	C1-O5-C5	3.55	117.00	112.19
6	B	1202	GLC	C1-O5-C5	2.81	116.00	112.19
6	B	1202	GLC	C3-C4-C5	2.21	114.18	110.24

There are no chirality outliers.

All (9) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	A	1203	FRU	O1-C1-C2-C3
7	A	1203	FRU	O1-C1-C2-O2
7	A	1203	FRU	O1-C1-C2-O5
7	A	1203	FRU	O5-C5-C6-O6
7	A	1203	FRU	C4-C5-C6-O6
6	B	1202	GLC	C4-C5-C6-O6
7	B	1203	FRU	O1-C1-C2-C3
6	B	1202	GLC	O5-C5-C6-O6
7	B	1203	FRU	O1-C1-C2-O5

There are no ring outliers.

2 monomers are involved in 1 short contact:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	A	1203	FRU	1	0


Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	A	1202	GLC	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	1153/1183 (97%)	-0.10	14 (1%) 76 58	43, 66, 116, 184	0
1	B	1155/1183 (97%)	-0.30	2 (0%) 91 83	32, 59, 92, 139	0
All	All	2308/2366 (97%)	-0.20	16 (0%) 84 68	32, 63, 107, 184	0

All (16) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	1156	GLN	3.3
1	A	299	VAL	3.0
1	A	296	VAL	3.0
1	A	411	THR	2.7
1	A	300	TYR	2.5
1	A	309	LEU	2.5
1	B	295	VAL	2.5
1	A	314	PHE	2.4
1	A	334	LEU	2.4
1	A	348	PHE	2.3
1	A	151	THR	2.3
1	B	299	VAL	2.1
1	A	1094	THR	2.1
1	A	337	GLY	2.1
1	A	330	PRO	2.1
1	A	413	TRP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	GLC	F	3	11/12	0.57	0.17	112,137,151,156	0
3	GLC	D	1	11/12	0.69	0.13	110,125,133,137	0
3	GLC	D	2	11/12	0.72	0.15	101,119,133,133	0
2	GLC	E	1	11/12	0.79	0.13	58,86,91,97	0
2	GLC	C	1	11/12	0.86	0.13	63,89,93,98	0
2	GLC	C	9	11/12	0.86	0.09	66,74,79,82	0
4	GLC	F	1	11/12	0.87	0.12	80,99,109,115	0
4	GLC	F	2	11/12	0.89	0.12	66,76,100,123	0
2	GLC	E	9	11/12	0.90	0.14	68,77,84,86	0
2	GLC	E	5	11/12	0.92	0.08	51,64,66,69	0
2	GLC	C	4	11/12	0.94	0.07	45,47,49,51	0
2	GLC	C	7	11/12	0.95	0.07	48,50,53,54	0
2	GLC	E	2	11/12	0.95	0.07	45,46,50,51	0
2	GLC	C	5	11/12	0.95	0.07	51,56,58,62	0
2	GLC	C	2	11/12	0.96	0.06	47,49,52,54	0
2	GLC	E	7	11/12	0.96	0.06	42,47,51,57	0
2	GLC	C	8	11/12	0.97	0.06	47,53,59,65	0
2	GLC	E	3	11/12	0.97	0.06	41,46,50,51	0
2	GLC	E	4	11/12	0.97	0.06	42,46,52,58	0
2	GLC	C	6	11/12	0.97	0.06	47,48,51,51	0
2	GLC	C	3	11/12	0.97	0.06	43,47,51,52	0
2	GLC	E	8	11/12	0.97	0.06	42,46,57,64	0
2	GLC	E	6	11/12	0.98	0.05	46,49,50,52	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around Chain C:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around Chain E:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around Chain D:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
7	FRU	A	1203	12/12	0.92	0.11	56,63,70,72	0
6	GLC	B	1202	11/12	0.93	0.09	46,58,62,62	0
7	FRU	B	1203	12/12	0.95	0.10	48,55,59,64	0
6	GLC	A	1202	11/12	0.96	0.08	53,58,61,63	0
5	CA	B	1201	1/1	0.98	0.04	46,46,46,46	0
5	CA	A	1201	1/1	0.99	0.02	48,48,48,48	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around FRU A 1203:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around GLC B 1202:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around FRU B 1203:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.