

Full wwPDB EM Validation Report (i)

Oct 11, 2025 – 07:26 am BST

PDB ID : 9IH8 / pdb 00009ih8

EMDB ID : EMD-52863

Title : HSV-2 postfusion glycoprotein B

Authors: Vollmer, B.; Mulvaney, T.; Ebel, H.; Nentwig, J.; Gruenewald, K.

Deposited on : 2025-02-20

Resolution : 2.21 Å(reported)

Based on initial model : .

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org A user guide is available at $\frac{\text{https://www.wwpdb.org/validation/2017/EMValidationReportHelp}}{\text{with specific help available everywhere you see the (i) symbol.}$

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev129

Mogul : 1.8.4, CSD as541be (2020) MolProbity : 4-5-2 with Phenix2.0

Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023) EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)

 $MapQ \quad : \quad 1.9.13$

Ideal geometry (proteins) : Engh & Huber (2001) Ideal geometry (DNA, RNA) : Parkinson et al. (1996)


Validation Pipeline (wwPDB-VP) : 2.46

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $ELECTRON\ MICROSCOPY$

The reported resolution of this entry is 2.21 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive	EM structures	Similar EM resolution
Wietric	$(\# \mathbf{Entries})$	$(\# ext{Entries})$	$(\# ext{Entries}, ext{ resolution range}(ext{Å}))$
Clashscore	210492	15764	-
Ramachandran outliers	207382	16835	-
Sidechain outliers	206894	16415	-
Q-score	-	25397	3231 (1.71 - 2.71)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion <40%). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain			
1	A	948	62%	38%		
1	В	948	62%	38%		
1	С	948	62%	38%		
2	D	2	100%			



 $Continued\ from\ previous\ page...$

Mol		Length	Quality of chain
2	Е	2	100%
2	F	2	100%
2	G	2	100%
2	Н	2	100%
2	I	2	100%
2	J	2	100%
2	K	2	100%
2	L	2	100%



2 Entry composition (i)

There are 2 unique types of molecules in this entry. The entry contains 14487 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Envelope glycoprotein B.

Mol	Chain	Residues	Atoms				AltConf	Trace	
1	٨	588	Total	С	N	О	S	0	0
1	А	300	4745	2995	833	894	23	0	0
1	В	588	Total	С	N	О	S	0	0
1	Б	900	4745	2995	833	894	23	0	U
1	C	500	Total	С	N	О	S	0	0
1		588	4745	2995	833	894	23	0	U

There are 132 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	905	GLY	-	expression tag	UNP P06763
A	906	THR	-	expression tag	UNP P06763
A	907	LEU	_	expression tag	UNP P06763
A	908	GLU	-	expression tag	UNP P06763
A	909	VAL	-	expression tag	UNP P06763
A	910	LEU	-	expression tag	UNP P06763
A	911	PHE	-	expression tag	UNP P06763
A	912	GLN	-	expression tag	UNP P06763
A	913	GLY	-	expression tag	UNP P06763
A	914	PRO	-	expression tag	UNP P06763
A	915	GLY	-	expression tag	UNP P06763
A	916	GLY	-	expression tag	UNP P06763
A	917	SER	-	expression tag	UNP P06763
A	918	GLY	-	expression tag	UNP P06763
A	919	SER	-	expression tag	UNP P06763
A	920	ALA	-	expression tag	UNP P06763
A	921	TRP	-	expression tag	UNP P06763
A	922	SER	-	expression tag	UNP P06763
A	923	HIS		expression tag	UNP P06763
A	924	PRO	-	expression tag	UNP P06763
A	925	GLN	-	expression tag	UNP P06763
A	926	PHE	-	expression tag	UNP P06763
A	927	GLU	-	expression tag	UNP P06763
A	928	LYS	-	expression tag	UNP P06763



Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	929	GLY	-	expression tag	UNP P06763
A	930	GLY	_	expression tag	UNP P06763
A	931	GLY	_	expression tag	UNP P06763
A	932	SER	_	expression tag	UNP P06763
A	933	GLY	_	expression tag	UNP P06763
A	934	GLY	-	expression tag	UNP P06763
A	935	GLY	_	expression tag	UNP P06763
A	936	SER	-	expression tag	UNP P06763
A	937	GLY	_	expression tag	UNP P06763
A	938	GLY	-	expression tag	UNP P06763
A	939	SER	-	expression tag	UNP P06763
A	940	ALA	-	expression tag	UNP P06763
A	941	TRP	-	expression tag	UNP P06763
A	942	SER	_	expression tag	UNP P06763
A	943	HIS	-	expression tag	UNP P06763
A	944	PRO	_	expression tag	UNP P06763
A	945	GLN	-	expression tag	UNP P06763
A	946	PHE	_	expression tag	UNP P06763
A	947	GLU	_	expression tag	UNP P06763
A	948	LYS	-	expression tag	UNP P06763
В	905	GLY	-	expression tag	UNP P06763
В	906	THR	-	expression tag	UNP P06763
В	907	LEU	-	expression tag	UNP P06763
В	908	GLU	-	expression tag	UNP P06763
В	909	VAL	-	expression tag	UNP P06763
В	910	LEU	-	expression tag	UNP P06763
В	911	PHE	-	expression tag	UNP P06763
В	912	GLN	-	expression tag	UNP P06763
В	913	GLY	-	expression tag	UNP P06763
В	914	PRO	-	expression tag	UNP P06763
В	915	GLY	-	expression tag	UNP P06763
В	916	GLY	-	expression tag	UNP P06763
В	917	SER	-	expression tag	UNP P06763
В	918	GLY	-	expression tag	UNP P06763
В	919	SER	-	expression tag	UNP P06763
В	920	ALA	-	expression tag	UNP P06763
В	921	TRP	-	expression tag	UNP P06763
В	922	SER	-	expression tag	UNP P06763
В	923	HIS	-	expression tag	UNP P06763
В	924	PRO	-	expression tag	UNP P06763
В	925	GLN	-	expression tag	UNP P06763
В	926	PHE	-	expression tag	UNP P06763



 $Continued\ from\ previous\ page...$

Chain	Residue	Modelled	Actual	Comment	Reference
В	927	GLU	-	expression tag	UNP P06763
В	928	LYS	-	expression tag	UNP P06763
В	929	GLY	-	expression tag	UNP P06763
В	930	GLY	-	expression tag	UNP P06763
В	931	GLY	-	expression tag	UNP P06763
В	932	SER	-	expression tag	UNP P06763
В	933	GLY	-	expression tag	UNP P06763
В	934	GLY	-	expression tag	UNP P06763
В	935	GLY	-	expression tag	UNP P06763
В	936	SER	-	expression tag	UNP P06763
В	937	GLY	-	expression tag	UNP P06763
В	938	GLY	-	expression tag	UNP P06763
В	939	SER	-	expression tag	UNP P06763
В	940	ALA	-	expression tag	UNP P06763
В	941	TRP	-	expression tag	UNP P06763
В	942	SER	-	expression tag	UNP P06763
В	943	HIS	-	expression tag	UNP P06763
В	944	PRO	-	expression tag	UNP P06763
В	945	GLN	-	expression tag	UNP P06763
В	946	PHE	-	expression tag	UNP P06763
В	947	GLU	_	expression tag	UNP P06763
В	948	LYS	-	expression tag	UNP P06763
С	905	GLY	_	expression tag	UNP P06763
С	906	THR	-	expression tag	UNP P06763
С	907	LEU	-	expression tag	UNP P06763
С	908	GLU	_	expression tag	UNP P06763
С	909	VAL	-	expression tag	UNP P06763
С	910	LEU	-	expression tag	UNP P06763
С	911	PHE	-	expression tag	UNP P06763
С	912	GLN	-	expression tag	UNP P06763
С	913	GLY	-	expression tag	UNP P06763
С	914	PRO	-	expression tag	UNP P06763
С	915	GLY	-	expression tag	UNP P06763
С	916	GLY	-	expression tag	UNP P06763
С	917	SER	-	expression tag	UNP P06763
С	918	GLY	-	expression tag	UNP P06763
С	919	SER	-	expression tag	UNP P06763
С	920	ALA	-	expression tag	UNP P06763
С	921	TRP	-	expression tag	UNP P06763
С	922	SER	-	expression tag	UNP P06763
С	923	HIS	-	expression tag	UNP P06763
С	924	PRO	-	expression tag	UNP P06763



 $Continued\ from\ previous\ page...$

Chain	Residue	Modelled	Actual	Comment	Reference
С	925	GLN	-	expression tag	UNP P06763
С	926	PHE	-	expression tag	UNP P06763
С	927	GLU	-	expression tag	UNP P06763
С	928	LYS	-	expression tag	UNP P06763
С	929	GLY	-	expression tag	UNP P06763
С	930	GLY	-	expression tag	UNP P06763
С	931	GLY	-	expression tag	UNP P06763
С	932	SER	-	expression tag	UNP P06763
С	933	GLY	-	expression tag	UNP P06763
С	934	GLY	-	expression tag	UNP P06763
С	935	GLY	-	expression tag	UNP P06763
С	936	SER	-	expression tag	UNP P06763
С	937	GLY	-	expression tag	UNP P06763
С	938	GLY	-	expression tag	UNP P06763
С	939	SER	-	expression tag	UNP P06763
С	940	ALA	-	expression tag	UNP P06763
С	941	TRP	-	expression tag	UNP P06763
С	942	SER	-	expression tag	UNP P06763
С	943	HIS	-	expression tag	UNP P06763
С	944	PRO	-	expression tag	UNP P06763
С	945	GLN	-	expression tag	UNP P06763
С	946	PHE	-	expression tag	UNP P06763
С	947	GLU	-	expression tag	UNP P06763
С	948	LYS	-	expression tag	UNP P06763

 \bullet Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-a cetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms	AltConf	Trace
2	D	9	Total C N O	0	0
2	D	2	28 16 2 10	U	U
2	Е	2	Total C N O	0	0
2		2	28 16 2 10		U
2	F	9	Total C N O	0	0
2	Г	2	28 16 2 10	0	U
2	С	9	Total C N O	0	0
	G		28 16 2 10		U



Continued from previous page...


Mol	Chain	Residues	Atoms	AltConf	Trace
2	Н	2	Total C N O	0	0
2	11	2	28 16 2 10	0	0
2	Ţ	2	Total C N O	0	0
	1	Z	28 16 2 10	U	0
2	J	2	Total C N O	0	0
	J	2	28 16 2 10	U	U
2	K	2	Total C N O	0	0
	11	2	28 16 2 10	U	U
2	T,	2	Total C N O	0	0
	П	2	28 16 2 10		




3 Residue-property plots (i)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Envelope glycoprotein B











₩	C
5	2
¥	٧
Z	2

 \bullet Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G:

100%



• Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain H:

100%



 \bullet Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I:

100%



Chain J:

100%



 \bullet Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain K: 100%



 $\bullet \ \, \text{Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2$

Chain L:







4 Experimental information (i)

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C3	Depositor
Number of particles used	323536	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE	Depositor
	CORRECTION	
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose $(e^-/\text{Å}^2)$	45	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	3000	Depositor
Magnification	105000	Depositor
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	0.825	Depositor
Minimum map value	-0.294	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.016	Depositor
Recommended contour level	0.102	Depositor
Map size (Å)	348.6, 348.6, 348.6	wwPDB
Map dimensions	420, 420, 420	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.83000004, 0.83000004, 0.83000004	Depositor



5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond	lengths	Bond angles		
MIOI	Chain	RMSZ	# Z > 5	RMSZ	# Z > 5	
1	A	0.56	0/4862	1.21	1/6605 (0.0%)	
1	В	0.56	0/4862	1.21	0/6605	
1	С	0.56	0/4862	1.22	2/6605 (0.0%)	
All	All	0.56	0/14586	1.22	3/19815 (0.0%)	

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a maintain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	С	0	1

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	\mathbf{Z}	$\mathbf{Observed}(^{o})$	$\operatorname{Ideal}({}^{o})$
1	С	290	VAL	CA-CB-CG2	-6.83	98.79	110.40
1	С	290	VAL	N-CA-CB	6.16	119.66	111.90
1	A	581	GLN	OE1-CD-NE2	-5.05	117.55	122.60

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	С	274	ARG	Sidechain



5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4745	0	4569	0	0
1	В	4745	0	4569	1	0
1	С	4745	0	4569	0	0
2	D	28	0	25	0	0
2	Е	28	0	25	0	0
2	F	28	0	25	0	0
2	G	28	0	25	0	0
2	Н	28	0	25	0	0
2	I	28	0	25	0	0
2	J	28	0	25	0	0
2	K	28	0	25	0	0
2	L	28	0	25	0	0
All	All	14487	0	13932	1	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 0.

All (1) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1 Atom-2		$\begin{array}{c} {\rm Interatomic} \\ {\rm distance} \ ({\rm \AA}) \end{array}$	$\begin{array}{c} \text{Clash} \\ \text{overlap } (\text{\AA}) \end{array}$
1:B:111:CYS:HB3	1:B:557:SER:HB3	2.03	0.41

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.



Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	$_{ m ntiles}$
1	A	584/948 (62%)	575 (98%)	9 (2%)	0	100	100
1	В	584/948 (62%)	576 (99%)	8 (1%)	0	100	100
1	С	584/948 (62%)	577 (99%)	7 (1%)	0	100	100
All	All	1752/2844 (62%)	1728 (99%)	24 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles		
1	A	512/769 (67%)	511 (100%)	1 (0%)	92	96	
1	В	512/769 (67%)	512 (100%)	0	100	100	
1	С	512/769 (67%)	510 (100%)	2 (0%)	89	94	
All	All	1536/2307 (67%)	1533 (100%)	3 (0%)	91	96	

All (3) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	496	SER
1	С	214	GLU
1	С	578	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	107	GLN
1	A	655	GLN
1	A	703	GLN
1	С	258	HIS
1	С	634	HIS
1	С	703	GLN



5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

18 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Trino	Chain	Dag	Link	Во	ond leng	ths	В	ond ang	gles
IVIOI	Type	Chain	Res	LIIIK	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	D	1	2,1	14,14,15	1.68	3 (21%)	17,19,21	0.54	0
2	NAG	D	2	2	14,14,15	1.70	4 (28%)	17,19,21	1.13	1 (5%)
2	NAG	Е	1	2,1	14,14,15	1.71	3 (21%)	17,19,21	0.64	0
2	NAG	Е	2	2	14,14,15	1.76	4 (28%)	17,19,21	1.18	1 (5%)
2	NAG	F	1	2,1	14,14,15	1.68	3 (21%)	17,19,21	0.57	0
2	NAG	F	2	2	14,14,15	1.73	3 (21%)	17,19,21	1.02	1 (5%)
2	NAG	G	1	2,1	14,14,15	1.72	4 (28%)	17,19,21	0.81	0
2	NAG	G	2	2	14,14,15	1.74	3 (21%)	17,19,21	0.95	1 (5%)
2	NAG	Н	1	2,1	14,14,15	1.73	3 (21%)	17,19,21	0.72	0
2	NAG	Н	2	2	14,14,15	1.73	4 (28%)	17,19,21	1.06	1 (5%)
2	NAG	I	1	2,1	14,14,15	1.75	5 (35%)	17,19,21	0.85	0
2	NAG	I	2	2	14,14,15	1.76	4 (28%)	17,19,21	0.98	1 (5%)
2	NAG	J	1	2,1	14,14,15	1.76	3 (21%)	17,19,21	0.79	0
2	NAG	J	2	2	14,14,15	1.76	4 (28%)	17,19,21	1.14	1 (5%)
2	NAG	K	1	2,1	14,14,15	1.76	4 (28%)	17,19,21	1.10	2 (11%)
2	NAG	K	2	2	14,14,15	1.74	3 (21%)	17,19,21	0.93	1 (5%)
2	NAG	L	1	2,1	14,14,15	1.74	4 (28%)	17,19,21	0.90	0
2	NAG	L	2	2	14,14,15	1.75	4 (28%)	17,19,21	1.05	1 (5%)



In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	D	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	D	2	2	-	0/6/23/26	0/1/1/1
2	NAG	Е	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	Е	2	2	-	0/6/23/26	0/1/1/1
2	NAG	F	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	F	2	2	-	0/6/23/26	0/1/1/1
2	NAG	G	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	G	2	2	-	0/6/23/26	0/1/1/1
2	NAG	Н	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	Н	2	2	-	0/6/23/26	0/1/1/1
2	NAG	I	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	I	2	2	-	0/6/23/26	0/1/1/1
2	NAG	J	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	J	2	2	-	0/6/23/26	0/1/1/1
2	NAG	K	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	K	2	2	-	0/6/23/26	0/1/1/1
2	NAG	L	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	L	2	2	-	0/6/23/26	0/1/1/1

All (65) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$\operatorname{Observed}(\operatorname{\AA})$	Ideal(A)
2	G	2	NAG	O5-C5	3.27	1.50	1.43
2	I	2	NAG	O5-C5	3.27	1.50	1.43
2	J	2	NAG	O5-C5	3.09	1.49	1.43
2	F	2	NAG	O5-C5	3.08	1.49	1.43
2	Е	2	NAG	O5-C5	3.08	1.49	1.43
2	Н	1	NAG	O5-C5	3.08	1.49	1.43
2	Н	2	NAG	O5-C5	3.06	1.49	1.43
2	L	2	NAG	O5-C5	3.05	1.49	1.43
2	I	1	NAG	O5-C5	3.01	1.49	1.43
2	D	2	NAG	O5-C5	3.01	1.49	1.43
2	G	1	NAG	O5-C5	3.00	1.49	1.43
2	K	2	NAG	O5-C5	2.97	1.49	1.43
2	F	1	NAG	O5-C5	2.95	1.49	1.43
2	J	1	NAG	O4-C4	2.95	1.49	1.43
2	D	1	NAG	O5-C5	2.94	1.49	1.43
2	J	2	NAG	C1-C2	2.93	1.56	1.52
2	L	1	NAG	O5-C5	2.92	1.49	1.43



 $Continued\ from\ previous\ page...$

Mol	Chain	m Res	Type	Atoms	\mathbf{Z}	Observed(A)	Ideal(A)
2	K	1	NAG	O4-C4	2.91	1.49	1.43
2	D	1	NAG	O4-C4	2.89	1.49	1.43
2	J	1	NAG	O5-C5	2.87	1.49	1.43
2	K	2	NAG	C1-C2	2.86	1.56	1.52
2	Е	1	NAG	O4-C4	2.85	1.49	1.43
2	L	2	NAG	C1-C2	2.84	1.56	1.52
2	I	1	NAG	C1-C2	2.84	1.56	1.52
2	L	1	NAG	C1-C2	2.83	1.56	1.52
2	Е	1	NAG	O5-C5	2.82	1.49	1.43
2	Н	2	NAG	O5-C1	2.81	1.48	1.43
2	G	2	NAG	O5-C1	2.81	1.48	1.43
2	Н	1	NAG	O4-C4	2.80	1.49	1.43
2	F	1	NAG	O4-C4	2.79	1.49	1.43
2	Е	2	NAG	C1-C2	2.78	1.56	1.52
2	F	2	NAG	O5-C1	2.77	1.48	1.43
2	Н	2	NAG	C1-C2	2.77	1.56	1.52
2	K	2	NAG	O5-C1	2.76	1.48	1.43
2	J	1	NAG	C1-C2	2.76	1.56	1.52
2	I	1	NAG	O4-C4	2.76	1.49	1.43
2	F	2	NAG	C1-C2	2.75	1.56	1.52
2	K	1	NAG	O5-C5	2.75	1.49	1.43
2	I	2	NAG	O5-C1	2.75	1.48	1.43
2	G	1	NAG	O4-C4	2.74	1.49	1.43
2	J	2	NAG	O5-C1	2.72	1.48	1.43
2	G	2	NAG	C1-C2	2.71	1.56	1.52
2	I	2	NAG	C1-C2	2.70	1.56	1.52
2	L	2	NAG	O5-C1	2.70	1.48	1.43
2	Е	2	NAG	O5-C1	2.70	1.48	1.43
2	G	1	NAG	C1-C2	2.69	1.56	1.52
2	L	1	NAG	O4-C4	2.68	1.49	1.43
2	D	2	NAG	C1-C2	2.68	1.56	1.52
2	D	2	NAG	O5-C1	2.60	1.47	1.43
2	Н	1	NAG	C1-C2	2.59	1.56	1.52
2	K	1	NAG	C1-C2	2.57	1.56	1.52
2	Е	1	NAG	C1-C2	2.55	1.56	1.52
2	F	1	NAG	C1-C2	2.54	1.56	1.52
2	D	1	NAG	C1-C2	2.40	1.55	1.52
2	I	1	NAG	O5-C1	2.10	1.47	1.43
2	J	2	NAG	C8-C7	2.07	1.54	1.50
2	Е	2	NAG	C8-C7	2.07	1.54	1.50
2	G	1	NAG	C8-C7	2.05	1.54	1.50
2	Н	2	NAG	C8-C7	2.05	1.54	1.50



Continued from previous page...

Mol	Chain	Res	Type	Atoms	\mathbf{Z}	$\operatorname{Observed}(\text{\AA})$	$Ideal(\AA)$
2	L	2	NAG	C8-C7	2.04	1.54	1.50
2	K	1	NAG	C8-C7	2.02	1.54	1.50
2	I	1	NAG	C8-C7	2.01	1.54	1.50
2	L	1	NAG	O5-C1	2.01	1.46	1.43
2	D	2	NAG	C8-C7	2.01	1.54	1.50
2	I	2	NAG	C8-C7	2.00	1.54	1.50

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	\mathbf{Z}	$Observed(^o)$	$\mathrm{Ideal}(^{o})$
2	D	2	NAG	C1-O5-C5	4.06	117.69	112.19
2	Е	2	NAG	C1-O5-C5	4.05	117.67	112.19
2	Н	2	NAG	C1-O5-C5	3.68	117.18	112.19
2	J	2	NAG	C1-O5-C5	3.61	117.08	112.19
2	F	2	NAG	C1-O5-C5	3.46	116.88	112.19
2	L	2	NAG	C1-O5-C5	3.09	116.38	112.19
2	K	1	NAG	C4-C3-C2	2.77	115.08	111.02
2	G	2	NAG	C1-O5-C5	2.77	115.94	112.19
2	I	2	NAG	C1-O5-C5	2.51	115.59	112.19
2	K	2	NAG	C1-O5-C5	2.46	115.53	112.19
2	K	1	NAG	C3-C4-C5	2.28	114.31	110.24

There are no chirality outliers.


There are no torsion outliers.

There are no ring outliers.


No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.












































5.6 Ligand geometry (i)

There are no ligands in this entry.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.




6 Map visualisation (i)

This section contains visualisations of the EMDB entry EMD-52863. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections (i)

6.1.1 Primary map



6.1.2 Raw map




The images above show the map projected in three orthogonal directions.




6.2 Central slices (i)

6.2.1 Primary map







X Index: 210


Y Index: 210

Z Index: 210

6.2.2 Raw map







X Index: 210

Y Index: 210

Z Index: 210

The images above show central slices of the map in three orthogonal directions.



6.3 Largest variance slices (i)

6.3.1 Primary map







X Index: 219

Y Index: 204

Z Index: 177

6.3.2 Raw map







X Index: 219

Y Index: 204


Z Index: 177

The images above show the largest variance slices of the map in three orthogonal directions.




6.4 Orthogonal standard-deviation projections (False-color) (i)

6.4.1 Primary map



6.4.2 Raw map




The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.




6.5 Orthogonal surface views (i)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.102. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.

6.6 Mask visualisation (i)


This section was not generated. No masks/segmentation were deposited.



7 Map analysis (i)

This section contains the results of statistical analysis of the map.


7.1 Map-value distribution (i)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.



7.2 Volume estimate (i)




The volume at the recommended contour level is $108~\mathrm{nm}^3$; this corresponds to an approximate mass of $98~\mathrm{kDa}$.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.



7.3 Rotationally averaged power spectrum (i)




^{*}Reported resolution corresponds to spatial frequency of 0.452 $\rm \mathring{A}^{-1}$



8 Fourier-Shell correlation (i)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC (i)



*Reported resolution corresponds to spatial frequency of 0.452 $\rm \mathring{A}^{-1}$



8.2 Resolution estimates (i)

Resolution estimate (Å)	Estimation criterion (FSC cut-off)			
rtesolution estimate (A)	0.143	0.5	Half-bit	
Reported by author	2.21	-	-	
Author-provided FSC curve	2.26	2.56	2.33	
Unmasked-calculated*	2.74	3.11	2.77	


^{*}Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 2.74 differs from the reported value 2.21 by more than 10 %



9 Map-model fit (i)

This section contains information regarding the fit between EMDB map EMD-52863 and PDB model 9IH8. Per-residue inclusion information can be found in section 3 on page 9.


9.1 Map-model overlay (i)



The images above show the 3D surface view of the map at the recommended contour level 0.102 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.




9.2 Q-score mapped to coordinate model (i)



The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.


9.3 Atom inclusion mapped to coordinate model (i)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.102).



9.4 Atom inclusion (i)



At the recommended contour level, 100% of all backbone atoms, 96% of all non-hydrogen atoms, are inside the map.



9.5 Map-model fit summary (i)

The table lists the average atom inclusion at the recommended contour level (0.102) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.9560	0.6390
A	0.9630	0.6430
В	0.9620	0.6430
С	0.9630	0.6420
D	0.7500	0.5050
E	0.6430	0.4570
F	0.7860	0.4850
G	0.7500	0.4220
Н	0.7500	0.4290
I	0.7140	0.4230
J	0.2860	0.3670
K	0.2860	0.2620
L	0.2860	0.3280



