



Full wwPDB EM Validation Report ⓘ

Oct 14, 2025 – 02:21 AM JST

PDB ID : 9IZC / pdb_00009izc
EMDB ID : EMD-61028
Title : Cryo-EM structure of human HCAR2-Gi complex with MK1903
Authors : Xin, P.; Fang, Y.
Deposited on : 2024-08-01
Resolution : 2.68 Å (reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : **FAILED**
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
EM percentile statistics : **NOT EXECUTED**
MapQ : **FAILED**
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.46


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.68 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Mol	Chain	Length	Quality of chain
1	A	294	64% (green), 35% (yellow), 1% (orange), 0% (red), 0% (grey)
2	B	337	75% (green), 24% (yellow), 1% (orange), 0% (red), 0% (grey)
3	C	351	48% (green), 13% (yellow), 38% (grey)
4	G	56	70% (green), 27% (yellow), 1% (orange), 0% (red), 0% (grey)
5	S	248	69% (green), 24% (yellow), 6% (grey)

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 8986 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Hydroxycarboxylic acid receptor 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	294	2413	1609	402	381	21	0	0

- Molecule 2 is a protein called Guanine nucleotide-binding protein G(I)/G(S)/G(T) subunit beta-1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	B	337	2592	1599	466	506	21	0	0

- Molecule 3 is a protein called Guanine nucleotide-binding protein G(i) subunit alpha-1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	C	216	1743	1109	290	332	12	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	203	ALA	GLY	engineered mutation	UNP P63096
C	326	SER	ALA	engineered mutation	UNP P63096


- Molecule 4 is a protein called Guanine nucleotide-binding protein G(I)/G(S)/G(O) subunit gamma-2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	G	56	434	271	76	84	3	0	0

- Molecule 5 is a protein called scFv16.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	S	233	1792	1135	296	351	10	0	0

- Molecule 6 is (4aR,5aR)-4,4a,5,5a-tetrahydro-1H-cyclopropa[4,5]cyclopenta[1,2-c]pyrazole-3-carboxylic acid (CCD ID: XOT) (formula: C₈H₈N₂O₂).




Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
6	A	1	12	8	2	2	0



- Molecule 4: Guanine nucleotide-binding protein G(I)/G(S)/G(O) subunit gamma-2



- Molecule 5: scFv16



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	439381	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	56	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	1400	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: XOT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.20	0/2484	0.53	3/3366 (0.1%)
2	B	0.21	0/2639	0.31	0/3577
3	C	0.17	0/1772	0.26	0/2376
4	G	0.16	0/440	0.35	0/592
5	S	0.20	0/1836	0.35	0/2488
All	All	0.19	0/9171	0.38	3/12399 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	182	ILE	N-CA-C	10.49	122.08	112.43
1	A	182	ILE	N-CA-CB	-7.96	101.81	112.16
1	A	185	THR	N-CA-C	6.00	119.52	110.64

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2413	0	2471	73	0
2	B	2592	0	2499	46	0
3	C	1743	0	1733	32	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	G	434	0	442	11	0
5	S	1792	0	1724	38	0
6	A	12	0	0	3	0
All	All	8986	0	8869	190	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (190) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:182:ILE:O	1:A:182:ILE:HG22	1.87	0.73
2:B:16:ASN:OD1	2:B:19:ARG:NH2	2.22	0.72
5:S:234:GLU:N	5:S:234:GLU:OE2	2.22	0.72
2:B:245:SER:OG	2:B:247:ASP:OD1	2.07	0.72
1:A:220:MET:SD	3:C:345:LYS:NZ	2.60	0.71
1:A:104:LEU:HD13	1:A:179:SER:HB3	1.74	0.69
3:C:304:GLN:HG3	3:C:321:THR:HG21	1.75	0.68
5:S:67:ARG:NH2	5:S:90:ASP:OD2	2.27	0.68
3:C:325:CYS:SG	3:C:326:SER:N	2.67	0.68
1:A:93:TRP:HB3	1:A:175:ASN:HB3	1.74	0.67
1:A:111:ARG:NH2	6:A:401:XOT:O1	2.28	0.66
1:A:184:HIS:HA	1:A:258:LEU:HD21	1.77	0.66
2:B:11:ALA:O	2:B:15:LYS:HG2	1.96	0.65
1:A:234:MET:HE3	1:A:234:MET:HA	1.79	0.65
5:S:20:LEU:HD13	5:S:83:MET:HE2	1.78	0.65
1:A:228:ARG:NH2	1:A:297:SER:O	2.31	0.64
5:S:43:LYS:HE2	5:S:43:LYS:N	2.12	0.64
3:C:251:ASP:OD1	3:C:255:ASN:ND2	2.31	0.64
3:C:52:GLN:N	3:C:52:GLN:OE1	2.30	0.63
1:A:218:ARG:NH1	3:C:341:ASP:OD1	2.32	0.62
1:A:154:ILE:O	1:A:158:LEU:HD23	1.99	0.62
1:A:274:LEU:O	1:A:278:ILE:HG12	2.00	0.62
1:A:26:ILE:O	1:A:30:LEU:HB2	2.00	0.61
1:A:84:MET:HE3	1:A:84:MET:HA	1.84	0.60
1:A:182:ILE:HD11	1:A:273:ASP:OD1	2.02	0.59
1:A:142:ARG:O	1:A:146:ILE:HG13	2.02	0.58
2:B:95:LEU:HD13	2:B:100:VAL:HG11	1.85	0.58
1:A:256:TRP:O	1:A:260:THR:HB	2.02	0.58
1:A:22:ARG:HD2	1:A:91:TRP:HB2	1.84	0.58
1:A:280:LEU:O	1:A:283:THR:OG1	2.22	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:S:154:LEU:HG	5:S:160:THR:HG22	1.86	0.56
1:A:11:LEU:HD13	1:A:12:GLU:N	2.20	0.56
1:A:93:TRP:NE1	1:A:100:CYS:HB2	2.20	0.56
1:A:101:ARG:HG2	1:A:163:LEU:HD12	1.88	0.56
1:A:237:ALA:O	1:A:241:VAL:HG23	2.05	0.56
5:S:149:SER:OG	5:S:151:LYS:O	2.21	0.56
1:A:128:ARG:HB3	3:C:347:ASN:HB3	1.88	0.56
1:A:156:ILE:O	1:A:160:VAL:HG13	2.05	0.56
1:A:190:GLU:OE2	1:A:251:ARG:NH2	2.34	0.56
2:B:58:ILE:O	2:B:316:SER:OG	2.18	0.55
1:A:179:SER:OG	6:A:401:XOT:N2	2.39	0.55
1:A:181:SER:O	1:A:251:ARG:NH2	2.28	0.55
1:A:184:HIS:HB2	1:A:259:HIS:CE1	2.41	0.55
2:B:250:CYS:HB2	2:B:264:TYR:HB2	1.88	0.55
2:B:38:ASP:OD1	2:B:38:ASP:N	2.40	0.55
5:S:12:VAL:HG11	5:S:86:LEU:HD12	1.89	0.55
2:B:225:HIS:CE1	2:B:251:ARG:HG3	2.41	0.55
2:B:271:CYS:HB2	2:B:290:ASP:HB2	1.88	0.55
1:A:111:ARG:HH22	6:A:401:XOT:C6	2.20	0.54
2:B:54:HIS:NE2	2:B:72:SER:OG	2.36	0.54
1:A:228:ARG:HH21	1:A:232:PHE:HE2	1.54	0.54
2:B:155:ASN:ND2	2:B:170:ASP:OD1	2.41	0.54
2:B:279:SER:HB3	2:B:284:LEU:HB2	1.88	0.54
4:G:8:SER:OG	4:G:9:ILE:N	2.40	0.54
2:B:271:CYS:SG	2:B:289:TYR:HB3	2.48	0.54
4:G:17:GLU:OE2	4:G:20:LYS:NZ	2.38	0.53
1:A:182:ILE:O	1:A:182:ILE:CG2	2.56	0.53
4:G:18:GLN:NE2	4:G:22:GLU:OE2	2.35	0.53
1:A:155:THR:O	1:A:159:THR:OG1	2.15	0.53
2:B:22:ARG:HG2	2:B:259:GLN:HG3	1.91	0.53
3:C:309:ASP:OD1	3:C:309:ASP:N	2.37	0.53
1:A:17:ASN:ND2	1:A:263:THR:O	2.42	0.53
5:S:68:PHE:CE1	5:S:83:MET:HB3	2.43	0.53
1:A:93:TRP:CE2	1:A:100:CYS:HB2	2.43	0.53
5:S:188:PRO:HB2	5:S:190:ARG:HG3	1.91	0.53
1:A:167:MET:HA	1:A:167:MET:HE2	1.90	0.52
1:A:66:LEU:HB3	1:A:295:TYR:HE1	1.74	0.52
1:A:67:PHE:O	1:A:71:VAL:HG13	2.08	0.52
1:A:86:ASN:O	1:A:90:ARG:O	2.28	0.52
2:B:68:ARG:O	2:B:84:SER:OG	2.28	0.52
5:S:29:PHE:O	5:S:72:ARG:NH2	2.43	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:57:LYS:HD3	2:B:332:TRP:CD2	2.45	0.52
3:C:8:GLU:OE2	5:S:163:TYR:OH	2.19	0.51
5:S:140:GLY:HA2	5:S:206:ARG:HD3	1.92	0.51
5:S:180:MET:HG2	5:S:180:MET:O	2.10	0.51
5:S:140:GLY:N	5:S:207:LEU:O	2.27	0.51
1:A:196:GLU:O	1:A:200:PRO:HG2	2.10	0.51
1:A:38:PHE:O	1:A:42:LEU:HB2	2.11	0.51
2:B:331:SER:OG	2:B:333:ASP:OD1	2.29	0.51
1:A:49:LEU:HD21	1:A:71:VAL:HG12	1.93	0.51
5:S:6:GLU:OE2	5:S:114:GLY:N	2.40	0.51
1:A:270:ARG:HD2	1:A:270:ARG:H	1.75	0.50
2:B:49:ARG:NH1	4:G:63:GLU:O	2.44	0.50
1:A:143:THR:O	1:A:147:ILE:HG13	2.12	0.50
5:S:218:MET:HE2	5:S:225:LEU:HB3	1.93	0.50
5:S:42:GLU:C	5:S:43:LYS:HE2	2.37	0.50
5:S:69:THR:HB	5:S:82:GLN:HB3	1.93	0.49
1:A:86:ASN:HB2	1:A:93:TRP:CE3	2.48	0.49
2:B:251:ARG:HD3	2:B:260:GLU:OE1	2.12	0.49
1:A:31:PRO:HA	1:A:84:MET:SD	2.53	0.49
2:B:30:LEU:HA	2:B:33:ILE:HB	1.95	0.49
1:A:208:SER:O	1:A:212:ILE:HG12	2.13	0.48
5:S:108:PHE:CZ	5:S:218:MET:HE1	2.48	0.48
3:C:261:ASP:OD1	3:C:261:ASP:N	2.45	0.48
5:S:219:GLN:HG2	5:S:221:LEU:H	1.77	0.48
3:C:205:ARG:HA	3:C:205:ARG:HD3	1.65	0.48
3:C:300:ALA:HB1	3:C:323:PHE:CE2	2.49	0.48
2:B:15:LYS:HD2	4:G:19:LEU:HD11	1.95	0.48
1:A:220:MET:HE1	3:C:344:ILE:HD12	1.95	0.47
5:S:69:THR:N	5:S:82:GLN:O	2.46	0.47
1:A:197:PHE:CD2	1:A:248:VAL:HG21	2.49	0.47
1:A:256:TRP:O	1:A:260:THR:CB	2.62	0.47
3:C:243:MET:O	3:C:247:MET:HG3	2.14	0.47
3:C:254:CYS:O	3:C:317:LYS:NZ	2.44	0.47
3:C:341:ASP:O	3:C:345:LYS:HG2	2.15	0.47
1:A:89:ARG:HH12	1:A:94:LYS:HD3	1.79	0.47
5:S:219:GLN:HE21	5:S:222:GLU:H	1.63	0.47
2:B:274:THR:OG1	2:B:315:VAL:O	2.18	0.46
1:A:27:VAL:HG23	1:A:31:PRO:HG3	1.96	0.46
3:C:208:ARG:HH11	3:C:208:ARG:HG3	1.80	0.46
1:A:184:HIS:CG	1:A:185:THR:N	2.83	0.46
4:G:16:VAL:O	4:G:20:LYS:HG3	2.16	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:G:57:SER:OG	4:G:58:GLU:OE1	2.33	0.46
1:A:15:LYS:HG3	1:A:16:LYS:H	1.81	0.46
1:A:42:LEU:HD23	1:A:42:LEU:HA	1.79	0.46
1:A:101:ARG:HD2	1:A:163:LEU:O	2.16	0.46
2:B:96:ARG:NH1	2:B:138:GLU:OE2	2.44	0.46
5:S:134:SER:OG	5:S:234:GLU:OE1	2.34	0.45
4:G:54:VAL:HG22	4:G:55:PRO:HD2	1.98	0.45
2:B:266:HIS:HB3	2:B:269:ILE:HD12	1.98	0.45
3:C:229:ASP:HB3	3:C:242:ARG:HB3	1.99	0.45
2:B:23:LYS:HB2	2:B:23:LYS:HE2	1.61	0.45
2:B:74:SER:OG	2:B:76:ASP:OD1	2.34	0.45
1:A:101:ARG:NH1	1:A:163:LEU:O	2.50	0.44
3:C:282:PRO:HB3	3:C:294:ASN:HD21	1.82	0.44
1:A:95:PHE:HB3	1:A:99:PRO:HB2	1.99	0.44
2:B:29:THR:O	2:B:32:GLN:HG2	2.17	0.44
2:B:162:GLY:HA2	2:B:186:ASP:HB3	1.99	0.44
3:C:39:LEU:HD13	3:C:253:ILE:HG13	2.00	0.44
5:S:105:SER:O	5:S:179:ARG:NH2	2.46	0.44
5:S:99:SER:HB2	5:S:107:PRO:HB3	2.00	0.44
2:B:128:THR:OG1	2:B:132:ASN:O	2.35	0.44
3:C:210:LYS:HD3	3:C:210:LYS:HA	1.78	0.44
2:B:37:ILE:HD11	4:G:38:MET:SD	2.58	0.44
3:C:208:ARG:O	3:C:212:ILE:HB	2.16	0.44
2:B:123:ILE:O	2:B:136:SER:N	2.40	0.44
3:C:232:LEU:HD12	3:C:232:LEU:HA	1.92	0.44
5:S:97:VAL:HG11	5:S:108:PHE:CD2	2.53	0.44
3:C:35:LYS:HB3	3:C:199:PHE:HE2	1.81	0.43
2:B:182:GLY:O	2:B:209:LYS:HE3	2.18	0.43
1:A:109:MET:HA	1:A:159:THR:HG21	1.99	0.43
3:C:230:TYR:HB2	3:C:286:CYS:HB2	2.01	0.43
2:B:197:ARG:HA	2:B:197:ARG:HD2	1.87	0.43
2:B:324:GLY:O	4:G:49:PRO:HG2	2.18	0.43
3:C:230:TYR:HB3	3:C:243:MET:CE	2.48	0.43
1:A:103:MET:HE2	1:A:104:LEU:HD23	2.01	0.43
1:A:184:HIS:HA	1:A:258:LEU:CD2	2.48	0.43
2:B:26:ALA:HB2	2:B:259:GLN:OE1	2.19	0.43
5:S:162:LEU:HD13	5:S:200:PHE:CD1	2.53	0.43
5:S:219:GLN:NE2	5:S:222:GLU:O	2.47	0.43
1:A:30:LEU:N	1:A:31:PRO:HD2	2.34	0.42
1:A:227:LYS:HD3	1:A:227:LYS:HA	1.85	0.42
5:S:153:LEU:HA	5:S:221:LEU:HD22	2.01	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:198:PHE:HD1	1:A:198:PHE:HA	1.73	0.42
3:C:52:GLN:HE21	3:C:331:ASN:HD22	1.67	0.42
5:S:74:ASP:N	5:S:75:PRO:HD2	2.34	0.42
2:B:279:SER:OG	4:G:48:ASP:OD2	2.32	0.42
1:A:93:TRP:CZ2	1:A:95:PHE:HB2	2.54	0.42
1:A:253:ARG:HD3	1:A:253:ARG:HA	1.72	0.42
2:B:191:SER:HB2	2:B:232:ILE:HG23	2.01	0.42
5:S:4:LEU:HD12	5:S:110:PHE:HD2	1.85	0.42
2:B:42:ARG:HA	2:B:42:ARG:HD2	1.85	0.42
5:S:208:GLU:N	5:S:208:GLU:OE1	2.52	0.42
1:A:89:ARG:HH22	1:A:94:LYS:HE2	1.85	0.41
1:A:14:ASP:O	1:A:15:LYS:HE2	2.20	0.41
2:B:101:MET:HG3	2:B:116:GLY:HA2	2.01	0.41
2:B:295:ASN:OD1	2:B:304:ARG:NE	2.54	0.41
3:C:253:ILE:HD13	3:C:253:ILE:HA	1.94	0.41
5:S:160:THR:OG1	5:S:180:MET:SD	2.70	0.41
1:A:246:PRO:O	1:A:250:VAL:HG23	2.21	0.41
2:B:79:LEU:HG	2:B:95:LEU:HD21	2.02	0.41
5:S:18:ARG:HG3	5:S:19:LYS:N	2.35	0.41
1:A:13:ILE:HB	1:A:18:CYS:SG	2.61	0.41
3:C:243:MET:HE2	3:C:243:MET:HB2	1.94	0.41
2:B:289:TYR:CE1	2:B:295:ASN:HB2	2.56	0.41
5:S:222:GLU:N	5:S:222:GLU:OE1	2.53	0.41
2:B:254:ASP:HB2	2:B:261:LEU:HG	2.03	0.41
5:S:6:GLU:HB3	5:S:115:THR:HB	2.03	0.41
2:B:79:LEU:HB2	2:B:93:ILE:HB	2.03	0.41
2:B:225:HIS:NE2	2:B:251:ARG:HG3	2.36	0.41
3:C:247:MET:HB3	3:C:310:LEU:HD11	2.03	0.41
1:A:22:ARG:HB3	1:A:90:ARG:HG2	2.02	0.40
1:A:80:LEU:N	1:A:81:PRO:HD2	2.36	0.40
3:C:51:LYS:HG2	3:C:52:GLN:OE1	2.21	0.40
5:S:83:MET:HE1	5:S:117:LEU:HD13	2.03	0.40
1:A:115:ILE:HD11	1:A:244:PHE:CE1	2.57	0.40
3:C:18:MET:HE2	3:C:18:MET:HB3	1.83	0.40
1:A:194:LEU:HD23	1:A:194:LEU:HA	1.93	0.40
2:B:164:THR:HG22	2:B:185:GLY:C	2.46	0.40
5:S:166:LEU:HD13	5:S:215:TYR:CZ	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	292/294 (99%)	268 (92%)	24 (8%)	0	100	100
2	B	335/337 (99%)	320 (96%)	15 (4%)	0	100	100
3	C	210/351 (60%)	198 (94%)	12 (6%)	0	100	100
4	G	54/56 (96%)	54 (100%)	0	0	100	100
5	S	229/248 (92%)	218 (95%)	11 (5%)	0	100	100
All	All	1120/1286 (87%)	1058 (94%)	62 (6%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	267/267 (100%)	250 (94%)	17 (6%)	14	32
2	B	280/280 (100%)	264 (94%)	16 (6%)	17	37
3	C	193/304 (64%)	186 (96%)	7 (4%)	30	55
4	G	46/46 (100%)	43 (94%)	3 (6%)	14	31
5	S	198/201 (98%)	188 (95%)	10 (5%)	20	42
All	All	984/1098 (90%)	931 (95%)	53 (5%)	21	39

All (53) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	20	VAL
1	A	29	VAL
1	A	118	LEU
1	A	121	VAL
1	A	136	LEU
1	A	181	SER
1	A	183	CYS
1	A	186	PHE
1	A	187	GLN
1	A	195	LEU
1	A	205	LEU
1	A	221	ASP
1	A	235	VAL
1	A	236	VAL
1	A	263	THR
1	A	288	MET
1	A	298	SER
2	B	14	LEU
2	B	33	ILE
2	B	74	SER
2	B	114	CYS
2	B	128	THR
2	B	146	LEU
2	B	161	SER
2	B	234	PHE
2	B	263	THR
2	B	266	HIS
2	B	270	ILE
2	B	277	SER
2	B	294	CYS
2	B	296	VAL
2	B	303	ASP
2	B	327	VAL
3	C	4	THR
3	C	49	ILE
3	C	201	VAL
3	C	225	VAL
3	C	262	THR
3	C	273	LEU
3	C	332	VAL
4	G	9	ILE
4	G	28	ILE
4	G	54	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
5	S	22	CYS
5	S	30	SER
5	S	67	ARG
5	S	117	LEU
5	S	133	SER
5	S	138	THR
5	S	172	SER
5	S	174	GLN
5	S	182	ASN
5	S	185	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	17	ASN
1	A	131	HIS
1	A	259	HIS
2	B	9	GLN
2	B	110	ASN
2	B	175	GLN
3	C	304	GLN
3	C	306	GLN
3	C	311	ASN
4	G	44	HIS
5	S	174	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	XOT	A	401	-	14,14,14	1.84	3 (21%)	12,22,22	1.81	3 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	XOT	A	401	-	-	0/4/17/17	0/3/3/3

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	A	401	XOT	C4-C7	4.24	1.57	1.51
6	A	401	XOT	C2-C3	3.28	1.55	1.51
6	A	401	XOT	C2-C1	-2.43	1.49	1.54

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	401	XOT	C3-C4-C7	-3.47	108.47	111.35
6	A	401	XOT	C6-C5-N2	3.09	126.19	120.39
6	A	401	XOT	C2-C3-C4	-2.72	109.09	110.88

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	A	401	XOT	3	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.