



Full wwPDB EM Validation Report ⓘ

Jul 7, 2025 – 07:22 PM JST

PDB ID : 9K0X / pdb_00009k0x
EMDB ID : EMD-61958
Title : Cryo-EM structure of ATP-bound P2Y purinoceptor 2-miniGq-Nb35 complex
Authors : Lan, B.; Zhang, S.; Liu, X.; Lin, B.
Deposited on : 2024-10-16
Resolution : 2.83 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : **FAILED**
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4-5-2 with Phenix2.0rc1
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : **FAILED**
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.44


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.83 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Mol	Chain	Length	Quality of chain
1	A	243	
2	B	358	
3	G	71	
4	I	420	
5	N	134	

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 7300 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Guanine nucleotide-binding protein G(s) subunit alpha isoforms short.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	209	Total	C	N	O	S	0	0
			1631	1047	286	290	8		

There are 47 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	11	THR	-	expression tag	UNP P63092
A	12	LEU	-	expression tag	UNP P63092
A	13	SER	-	expression tag	UNP P63092
A	14	ALA	-	expression tag	UNP P63092
A	15	GLU	-	expression tag	UNP P63092
A	16	ASP	-	expression tag	UNP P63092
A	17	LYS	-	expression tag	UNP P63092
A	18	ALA	-	expression tag	UNP P63092
A	19	ALA	-	expression tag	UNP P63092
A	20	VAL	-	expression tag	UNP P63092
A	21	GLU	-	expression tag	UNP P63092
A	22	ARG	-	expression tag	UNP P63092
A	23	SER	-	expression tag	UNP P63092
A	24	LYS	-	expression tag	UNP P63092
A	25	MET	-	expression tag	UNP P63092
A	49	ASP	GLY	conflict	UNP P63092
A	50	ASN	GLU	conflict	UNP P63092
A	196	GLY	-	linker	UNP P63092
A	197	GLY	-	linker	UNP P63092
A	198	SER	-	linker	UNP P63092
A	199	GLY	-	linker	UNP P63092
A	200	GLY	-	linker	UNP P63092
A	201	SER	-	linker	UNP P63092
A	202	GLY	-	linker	UNP P63092
A	203	GLY	-	linker	UNP P63092
A	249	ASP	ALA	conflict	UNP P63092
A	252	ASP	SER	conflict	UNP P63092

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	?	-	ASN	deletion	UNP P63092
A	?	-	MET	deletion	UNP P63092
A	?	-	VAL	deletion	UNP P63092
A	?	-	ILE	deletion	UNP P63092
A	?	-	ARG	deletion	UNP P63092
A	?	-	GLU	deletion	UNP P63092
A	?	-	ASP	deletion	UNP P63092
A	?	-	ASN	deletion	UNP P63092
A	?	-	GLN	deletion	UNP P63092
A	?	-	THR	deletion	UNP P63092
A	272	ASP	LEU	conflict	UNP P63092
A	372	ALA	ILE	conflict	UNP P63092
A	375	ILE	VAL	conflict	UNP P63092
A	380	LYS	ARG	conflict	UNP P63092
A	384	LEU	GLN	conflict	UNP P63092
A	385	GLN	ARG	conflict	UNP P63092
A	387	ASN	HIS	conflict	UNP P63092
A	390	GLU	GLN	conflict	UNP P63092
A	392	ASN	GLU	conflict	UNP P63092
A	394	VAL	LEU	conflict	UNP P63092

- Molecule 2 is a protein called Guanine nucleotide-binding protein G(I)/G(S)/G(T) subunit beta-1.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	327	Total	C	N	O	S	0	0
			2339	1465	415	441	18		

There are 19 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	-17	MET	-	initiating methionine	UNP P62873
B	-16	HIS	-	expression tag	UNP P62873
B	-15	HIS	-	expression tag	UNP P62873
B	-14	HIS	-	expression tag	UNP P62873
B	-13	HIS	-	expression tag	UNP P62873
B	-12	HIS	-	expression tag	UNP P62873
B	-11	HIS	-	expression tag	UNP P62873
B	-10	LEU	-	expression tag	UNP P62873
B	-9	GLU	-	expression tag	UNP P62873
B	-8	VAL	-	expression tag	UNP P62873
B	-7	LEU	-	expression tag	UNP P62873

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-6	PHE	-	expression tag	UNP P62873
B	-5	GLN	-	expression tag	UNP P62873
B	-4	GLY	-	expression tag	UNP P62873
B	-3	PRO	-	expression tag	UNP P62873
B	-2	GLY	-	expression tag	UNP P62873
B	-1	SER	-	expression tag	UNP P62873
B	0	SER	-	expression tag	UNP P62873
B	1	GLY	-	expression tag	UNP P62873

- Molecule 3 is a protein called Guanine nucleotide-binding protein G(I)/G(S)/G(O) subunit gamma-2.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	G	37	Total	C	N	O	S	0	0
			231	145	39	45	2		

- Molecule 4 is a protein called P2Y purinoceptor 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	I	280	Total	C	N	O	S	0	0
			2166	1441	357	350	18		

There are 46 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
I	-23	MET	-	initiating methionine	UNP P41231
I	-22	LYS	-	expression tag	UNP P41231
I	-21	THR	-	expression tag	UNP P41231
I	-20	ILE	-	expression tag	UNP P41231
I	-19	ILE	-	expression tag	UNP P41231
I	-18	ALA	-	expression tag	UNP P41231
I	-17	LEU	-	expression tag	UNP P41231
I	-16	SER	-	expression tag	UNP P41231
I	-15	TYR	-	expression tag	UNP P41231
I	-14	ILE	-	expression tag	UNP P41231
I	-13	PHE	-	expression tag	UNP P41231
I	-12	CYS	-	expression tag	UNP P41231
I	-11	LEU	-	expression tag	UNP P41231
I	-10	VAL	-	expression tag	UNP P41231
I	-9	PHE	-	expression tag	UNP P41231
I	-8	ALA	-	expression tag	UNP P41231
I	-7	ASP	-	expression tag	UNP P41231

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
I	-6	TYR	-	expression tag	UNP P41231
I	-5	LYS	-	expression tag	UNP P41231
I	-4	ASP	-	expression tag	UNP P41231
I	-3	ASP	-	expression tag	UNP P41231
I	-2	ASP	-	expression tag	UNP P41231
I	-1	ASP	-	expression tag	UNP P41231
I	0	ALA	-	expression tag	UNP P41231
I	46	LEU	PRO	variant	UNP P41231
I	302	ASN	ASP	engineered mutation	UNP P41231
I	312	SER	ARG	variant	UNP P41231
I	378	HIS	-	expression tag	UNP P41231
I	379	HIS	-	expression tag	UNP P41231
I	380	HIS	-	expression tag	UNP P41231
I	381	HIS	-	expression tag	UNP P41231
I	382	HIS	-	expression tag	UNP P41231
I	383	HIS	-	expression tag	UNP P41231
I	384	GLY	-	expression tag	UNP P41231
I	385	GLY	-	expression tag	UNP P41231
I	386	SER	-	expression tag	UNP P41231
I	387	GLY	-	expression tag	UNP P41231
I	388	GLY	-	expression tag	UNP P41231
I	389	LEU	-	expression tag	UNP P41231
I	390	GLU	-	expression tag	UNP P41231
I	391	VAL	-	expression tag	UNP P41231
I	392	LEU	-	expression tag	UNP P41231
I	393	PHE	-	expression tag	UNP P41231
I	394	GLN	-	expression tag	UNP P41231
I	395	GLY	-	expression tag	UNP P41231
I	396	PRO	-	expression tag	UNP P41231

- Molecule 5 is a protein called Nanobody 35.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	N	126	Total	C	N	O	S	0	0
			902	567	157	172	6		

- Molecule 6 is ADENOSINE-5'-TRIPHOSPHATE (CCD ID: ATP) (formula: $C_{10}H_{16}N_5O_{13}P_3$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					AltConf
6	I	1	Total	C	N	O	P	0
			31	10	5	13	3	

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Guanine nucleotide-binding protein G(s) subunit alpha isoforms short

Chain A: 




- Molecule 2: Guanine nucleotide-binding protein G(I)/G(S)/G(T) subunit beta-1

Chain B: 




- Molecule 3: Guanine nucleotide-binding protein G(I)/G(S)/G(O) subunit gamma-2


Chain G: 




- Molecule 4: P2Y purinoceptor 2

Chain I: 





● Molecule 5: Nanobody 35



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	853086	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	1200	Depositor
Maximum defocus (nm)	1600	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ATP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.15	0/1663	0.31	0/2252
2	B	0.15	0/2385	0.35	0/3255
3	G	0.12	0/233	0.29	0/321
4	I	0.28	0/2226	0.49	0/3043
5	N	0.17	0/923	0.36	0/1260
All	All	0.20	0/7430	0.39	0/10131

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1631	0	1543	24	0
2	B	2339	0	2148	22	0
3	G	231	0	184	0	0
4	I	2166	0	2195	44	0
5	N	902	0	814	13	0
6	I	31	0	12	2	0
All	All	7300	0	6896	96	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including

hydrogen atoms). The all-atom clashscore for this structure is 7.

All (96) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:I:203:LEU:CD1	4:I:266:THR:OG1	2.31	0.77
4:I:203:LEU:HD13	4:I:266:THR:OG1	1.86	0.76
4:I:226:LEU:O	4:I:228:PRO:HD3	1.89	0.73
1:A:365:CYS:SG	1:A:366:ALA:N	2.66	0.68
1:A:239:ASN:HD22	2:B:57:LYS:HZ3	1.41	0.67
1:A:253:TYR:HA	1:A:266:LEU:HD23	1.78	0.66
4:I:186:THR:HG22	4:I:269:TYR:CZ	2.33	0.63
4:I:226:LEU:HD11	4:I:244:VAL:HG11	1.82	0.62
1:A:266:LEU:O	1:A:270:LEU:HG	2.00	0.61
4:I:43:VAL:HG11	4:I:296:SER:HB2	1.82	0.60
5:N:104:THR:HG22	5:N:106:PHE:H	1.67	0.60
2:B:119:ASN:ND2	2:B:143:THR:O	2.36	0.59
4:I:137:ARG:HG3	4:I:140:ARG:HB2	1.85	0.58
2:B:149:CYS:O	2:B:150:ARG:NH1	2.36	0.58
4:I:237:PRO:HB2	4:I:240:LYS:HB2	1.86	0.58
1:A:371:ASN:OD1	1:A:374:ARG:NH1	2.38	0.57
5:N:102:PRO:C	5:N:104:THR:N	2.62	0.57
1:A:217:VAL:HA	4:I:143:ARG:NH1	2.19	0.56
4:I:139:LEU:HB2	4:I:140:ARG:HH11	1.69	0.56
5:N:6:GLU:HG3	5:N:22:CYS:HB3	1.88	0.56
1:A:233:LYS:NZ	2:B:230:ASN:OD1	2.38	0.56
1:A:43:LEU:HB2	1:A:221:MET:HG3	1.88	0.56
4:I:268:TYR:HA	4:I:284:ILE:HD12	1.87	0.56
1:A:251:SER:OG	1:A:293:LYS:O	2.23	0.55
1:A:267:GLN:HG2	5:N:61:THR:HG23	1.88	0.55
1:A:289:LEU:HB3	1:A:361:PRO:HA	1.88	0.55
4:I:184:HIS:ND1	4:I:187:SER:O	2.40	0.55
4:I:135:VAL:HG21	4:I:221:MET:HE3	1.89	0.54
4:I:186:THR:CG2	4:I:269:TYR:CE1	2.90	0.54
5:N:49:SER:OG	5:N:50:ASP:N	2.37	0.54
4:I:186:THR:HG22	4:I:269:TYR:CE1	2.42	0.54
4:I:38:VAL:O	4:I:42:VAL:HG12	2.08	0.54
4:I:297:ALA:O	4:I:301:LEU:HG	2.08	0.54
1:A:239:ASN:HD22	2:B:57:LYS:NZ	2.06	0.53
4:I:257:CYS:HB3	4:I:298:ASN:HB2	1.90	0.53
5:N:106:PHE:O	5:N:107:CYS:C	2.52	0.53
1:A:215:ASP:OD2	1:A:373:ARG:NH1	2.42	0.53
1:A:216:LYS:O	4:I:143:ARG:CZ	2.57	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:N:102:PRO:C	5:N:104:THR:H	2.15	0.52
1:A:16:ASP:O	1:A:20:VAL:HG23	2.09	0.52
2:B:51:LEU:HB2	2:B:336:LEU:HB2	1.91	0.52
1:A:282:LEU:HA	1:A:285:ILE:HD12	1.92	0.51
4:I:221:MET:HE2	4:I:247:ILE:HD11	1.92	0.51
2:B:189:SER:HB3	2:B:232:ILE:HG22	1.94	0.50
6:I:401:ATP:O3G	6:I:401:ATP:H5'2	2.12	0.50
4:I:268:TYR:CZ	4:I:272:ARG:HD2	2.47	0.49
1:A:25:MET:HA	1:A:25:MET:HE2	1.95	0.49
1:A:232:ARG:NH2	2:B:228:ASP:OD1	2.37	0.49
1:A:45:LEU:HD21	1:A:53:LYS:HB2	1.94	0.48
4:I:186:THR:HG22	4:I:269:TYR:OH	2.14	0.48
4:I:87:PRO:HA	4:I:90:VAL:HG12	1.96	0.48
2:B:220:GLN:NE2	2:B:255:LEU:O	2.39	0.47
2:B:75:GLN:O	2:B:98:SER:OG	2.31	0.47
4:I:110:ARG:NH1	4:I:185:ASP:OD2	2.47	0.47
1:A:234:TRP:HB2	2:B:117:LEU:HD21	1.97	0.47
4:I:301:LEU:HD12	4:I:302:ASN:N	2.30	0.47
2:B:178:THR:HG22	2:B:179:THR:N	2.29	0.47
2:B:245:SER:OG	2:B:246:ASP:N	2.47	0.47
4:I:27:PHE:HE1	4:I:281:LEU:HB3	1.80	0.46
4:I:139:LEU:HB2	4:I:140:ARG:NH1	2.31	0.46
4:I:219:VAL:O	4:I:223:ARG:HG3	2.15	0.46
5:N:93:VAL:HG22	5:N:123:GLN:HG2	1.96	0.46
4:I:286:MET:HE3	4:I:286:MET:HB3	1.79	0.46
5:N:33:LYS:HE2	5:N:105:PRO:O	2.16	0.46
4:I:185:ASP:HB2	6:I:401:ATP:O1G	2.15	0.45
1:A:277:TRP:NE1	1:A:349:SER:O	2.50	0.45
2:B:79:LEU:HB2	2:B:95:LEU:HD21	1.99	0.45
2:B:50:THR:HG22	2:B:52:ARG:HG3	1.99	0.45
4:I:164:CYS:HB3	4:I:202:MET:SD	2.58	0.44
2:B:53:GLY:HA3	2:B:89:LYS:HE3	2.00	0.44
2:B:286:LEU:HD22	2:B:327:VAL:HG21	1.98	0.44
4:I:27:PHE:CE1	4:I:281:LEU:HB3	2.52	0.44
4:I:176:ALA:HA	4:I:181:VAL:HA	1.99	0.44
2:B:294:CYS:SG	2:B:295:ASN:N	2.91	0.44
4:I:203:LEU:HD11	4:I:266:THR:OG1	2.15	0.44
1:A:224:VAL:HG11	1:A:234:TRP:CZ3	2.53	0.43
1:A:342:ARG:NH2	1:A:343:ASP:OD1	2.51	0.43
4:I:215:LEU:HD12	4:I:251:LEU:HD21	2.00	0.43
5:N:106:PHE:C	5:N:108:PHE:N	2.74	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:I:268:TYR:CE1	4:I:272:ARG:HD2	2.54	0.43
2:B:141:GLY:H	2:B:169:TRP:HH2	1.68	0.42
4:I:24:ARG:HH21	4:I:25:CYS:HB2	1.85	0.42
4:I:72:MET:HB3	4:I:307:PHE:HE1	1.83	0.42
4:I:301:LEU:O	4:I:302:ASN:C	2.62	0.42
4:I:53:VAL:O	4:I:57:ILE:HD12	2.20	0.41
5:N:36:TRP:NE1	5:N:81:LEU:HB2	2.36	0.41
5:N:21:SER:OG	5:N:80:TYR:HD1	2.03	0.41
5:N:70:ILE:HG22	5:N:81:LEU:HD12	2.02	0.41
1:A:224:VAL:HG13	1:A:224:VAL:O	2.21	0.41
2:B:79:LEU:HB3	2:B:93:ILE:HB	2.02	0.41
4:I:301:LEU:O	4:I:304:VAL:HG22	2.21	0.41
4:I:108:LEU:HD23	4:I:108:LEU:HA	1.85	0.41
2:B:123:ILE:O	2:B:136:SER:N	2.53	0.40
4:I:122:LEU:HD23	4:I:122:LEU:HA	1.88	0.40
4:I:74:HIS:HD2	4:I:158:TRP:HE1	1.67	0.40
2:B:276:VAL:HG13	2:B:285:LEU:HD11	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	201/243 (83%)	198 (98%)	3 (2%)	0	100	100
2	B	325/358 (91%)	315 (97%)	10 (3%)	0	100	100
3	G	35/71 (49%)	34 (97%)	1 (3%)	0	100	100
4	I	276/420 (66%)	269 (98%)	7 (2%)	0	100	100
5	N	124/134 (92%)	118 (95%)	6 (5%)	0	100	100
All	All	961/1226 (78%)	934 (97%)	27 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	163/213 (76%)	163 (100%)	0	100	100
2	B	223/298 (75%)	223 (100%)	0	100	100
3	G	15/58 (26%)	15 (100%)	0	100	100
4	I	228/354 (64%)	228 (100%)	0	100	100
5	N	86/112 (77%)	86 (100%)	0	100	100
All	All	715/1035 (69%)	715 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	239	ASN
2	B	295	ASN
4	I	302	ASN
5	N	77	ASN
5	N	123	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates

There are no oligosaccharides in this entry.

5.6 Ligand geometry

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	ATP	I	401	-	26,33,33	1.26	1 (3%)	31,52,52	2.02	5 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	ATP	I	401	-	-	7/18/38/38	0/3/3/3

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	I	401	ATP	C6-N6	2.17	1.42	1.34

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	I	401	ATP	PB-O3B-PG	-6.31	111.17	132.83
6	I	401	ATP	PA-O3A-PB	-5.27	114.75	132.83
6	I	401	ATP	N3-C2-N1	-4.69	121.35	128.68
6	I	401	ATP	C3'-C2'-C1'	2.48	104.71	100.98
6	I	401	ATP	PA-O5'-C5'	-2.16	109.03	121.68

There are no chirality outliers.

All (7) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
6	I	401	ATP	C5'-O5'-PA-O2A
6	I	401	ATP	C5'-O5'-PA-O3A
6	I	401	ATP	O4'-C4'-C5'-O5'
6	I	401	ATP	C3'-C4'-C5'-O5'
6	I	401	ATP	PG-O3B-PB-O3A
6	I	401	ATP	C5'-O5'-PA-O1A
6	I	401	ATP	PB-O3A-PA-O2A

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	I	401	ATP	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.