



Full wwPDB X-ray Structure Validation Report ⓘ

Dec 30, 2025 – 10:43 AM JST

PDB ID : 9L62 / pdb_00009l62
Title : A novel allosteric covalent inhibitory site of fucosyltransferase 8 revealed by crystal structures
Authors : Fang, P.; Jiang, J.
Deposited on : 2024-12-23
Resolution : 3.04 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 2.0
EDS : 3.0
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.47


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.04 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	3418 (3.08-3.00)
Clashscore	180529	3811 (3.08-3.00)
Ramachandran outliers	177936	3656 (3.08-3.00)
Sidechain outliers	177891	3658 (3.08-3.00)
RSRZ outliers	164620	3430 (3.08-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	499	8% 73% 15% 11%
1	B	499	5% 71% 21% 8%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 7366 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Alpha-(1,6)-fucosyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	443	Total	C	N	O	S	0	0	0
			3600	2294	632	660	14			
1	B	460	Total	C	N	O	S	0	0	0
			3728	2372	655	687	14			

There are 56 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	77	ASP	-	expression tag	UNP Q9BYC5
A	78	ALA	-	expression tag	UNP Q9BYC5
A	79	ALA	-	expression tag	UNP Q9BYC5
A	80	GLN	-	expression tag	UNP Q9BYC5
A	81	PRO	-	expression tag	UNP Q9BYC5
A	82	ALA	-	expression tag	UNP Q9BYC5
A	83	ASP	-	expression tag	UNP Q9BYC5
A	84	TYR	-	expression tag	UNP Q9BYC5
A	85	LYS	-	expression tag	UNP Q9BYC5
A	86	ASP	-	expression tag	UNP Q9BYC5
A	87	HIS	-	expression tag	UNP Q9BYC5
A	88	ASP	-	expression tag	UNP Q9BYC5
A	89	GLY	-	expression tag	UNP Q9BYC5
A	90	ASP	-	expression tag	UNP Q9BYC5
A	91	TYR	-	expression tag	UNP Q9BYC5
A	92	LYS	-	expression tag	UNP Q9BYC5
A	93	ASP	-	expression tag	UNP Q9BYC5
A	94	HIS	-	expression tag	UNP Q9BYC5
A	95	ASP	-	expression tag	UNP Q9BYC5
A	96	ILE	-	expression tag	UNP Q9BYC5
A	97	ASP	-	expression tag	UNP Q9BYC5
A	98	TYR	-	expression tag	UNP Q9BYC5
A	99	LYS	-	expression tag	UNP Q9BYC5
A	100	ASP	-	expression tag	UNP Q9BYC5
A	101	ASP	-	expression tag	UNP Q9BYC5

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	102	ASP	-	expression tag	UNP Q9BYC5
A	103	ASP	-	expression tag	UNP Q9BYC5
A	104	LYS	-	expression tag	UNP Q9BYC5
B	77	ASP	-	expression tag	UNP Q9BYC5
B	78	ALA	-	expression tag	UNP Q9BYC5
B	79	ALA	-	expression tag	UNP Q9BYC5
B	80	GLN	-	expression tag	UNP Q9BYC5
B	81	PRO	-	expression tag	UNP Q9BYC5
B	82	ALA	-	expression tag	UNP Q9BYC5
B	83	ASP	-	expression tag	UNP Q9BYC5
B	84	TYR	-	expression tag	UNP Q9BYC5
B	85	LYS	-	expression tag	UNP Q9BYC5
B	86	ASP	-	expression tag	UNP Q9BYC5
B	87	HIS	-	expression tag	UNP Q9BYC5
B	88	ASP	-	expression tag	UNP Q9BYC5
B	89	GLY	-	expression tag	UNP Q9BYC5
B	90	ASP	-	expression tag	UNP Q9BYC5
B	91	TYR	-	expression tag	UNP Q9BYC5
B	92	LYS	-	expression tag	UNP Q9BYC5
B	93	ASP	-	expression tag	UNP Q9BYC5
B	94	HIS	-	expression tag	UNP Q9BYC5
B	95	ASP	-	expression tag	UNP Q9BYC5
B	96	ILE	-	expression tag	UNP Q9BYC5
B	97	ASP	-	expression tag	UNP Q9BYC5
B	98	TYR	-	expression tag	UNP Q9BYC5
B	99	LYS	-	expression tag	UNP Q9BYC5
B	100	ASP	-	expression tag	UNP Q9BYC5
B	101	ASP	-	expression tag	UNP Q9BYC5
B	102	ASP	-	expression tag	UNP Q9BYC5
B	103	ASP	-	expression tag	UNP Q9BYC5
B	104	LYS	-	expression tag	UNP Q9BYC5

- Molecule 2 is 1-[6-[azanylidene-[[azanylidene-[[[(4-chlorophenyl)amino]methyl]-\$1^{\{4\}}\$-azanyl[methyl]-\$1^{\{4\}}\$-azanyl]hexyl]-3-[{N}-(4-chlorophenyl)carbamimidoyl]guanidine (CCD ID: XC9) (formula: C₂₂H₃₀Cl₂N₁₀) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	B	1	Total	C	Cl	N	0	0
			34	22	2	10		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	2	Total O 2 2	0	0
3	B	2	Total O 2 2	0	0

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Chain A: 
- 
- ASP
ALA
ALA
GLN
PRO
ALA
ASP
TYR
LYS
ASP
HIS
ASP
GLY
ASP
TYR
LYS
ASP
HIS
ASP
ASP
ASP
ASP
LYS
ARG
ASN
GLY
L108
R118
I119
E120
L130
Q131
L134
K135
L145
F152
D166
L167
D178
W179
R180
E181
K182
K185
K208
K209
- C212
N213
T214
N215
K216
G217
C218
G219
Q223
H226
V227
V228
Y229
C230
F231
P232
I233
A234
Y235
R239
E244
S245
Q246
ASN
TRP
ARG
TYR
A251
T252
W255
V258
D268
R269
S270
G271
T274
G275
S278
V281
K284
Q287
V288
V289
E290
T293
V294
- H298
P299
L306
E310
D311
V317
R318
TRP
V319
H320
G321
D322
P323
A324
S329
W341
T342
L346
E345
E347
E348
L360
G361
V362
R366
T367
ASP
LYS
VAL
GLY
THR
GLU
ALA
A375
F376
H377
P378
L379
H385
V386
E387
E388
L393
D400
T408
D409
D410
K570
E574
K575
- L413
E416
K420
D429
H430
S431
ILE
SER
TRP
SER
ALA
GLY
LEU
HIS
ASN
ARG
TYR
THR
GLU
ASN
S446
G449
L452
F462
C465
T466
E477
H483
A486
H491
I496
F499
Q502
N503
A504
H505
N506
Q507
I508
A518
R549
K561

- Chain B:
-
- 71% 21% 8%
- ASP
ALA
ALA
GLN
PRO
ASP
TYR
LYS
ASP
HIS
ASP
GLY
ASP
TYR
LYS
ASP
HIS
ILE
ASP
TYR
LYS
ASP
ASP
ASP
LYS
ARG
ASN
GLY
L108
H112
R117
E120
L126
L130
L134
L140
E141
G142
N143
E144
R147
H148
E151
H159
L167
L169
- Y189
L170
T173
W179
R180
Y197
L198
K209
L210
I214
N215
K216
G217
G218
Q223
V227
F231
M232
L241
I242
L243
R247
TRP
ARG
TYR
ALA
T252
G253
C266
T267
D268
R269
W277
S278
V281
K282
D283
K284
V289
E290
L291
P292
D295
K296
L297
- H298
P299
P302
Y303
L304
P305
E310
D311
D314
R318
V325
V332
K333
Y334
L335
I336
P340
W341
I346
L353
V362
K369
V370
G371
T372
E373
I379
Y382
V386
L393
D400
R403
A407
D410
P411
S412
L413
L414
K415
K416
E417
- K418
T419
K420
I432
S433
W434
S435
A436
Q437
L438
H439
ASN
ARG
TYR
THR
E444
M445
S446
L447
L457
C465
M479
Q480
T481
P484
D485
A486
L493
D494
D495
I496
Y497
Q507
Y511
P515
E520
I521
P522
M523
I529
M544
R545
K546
L547
K557
W558
P559

T564
T569
Y570
P571
E572
A573
E574
K575

4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	193.63Å 68.83Å 142.55Å 90.00° 132.67° 90.00°	Depositor
Resolution (Å)	52.41 – 3.04 52.41 – 3.04	Depositor EDS
% Data completeness (in resolution range)	96.8 (52.41-3.04) 97.2 (52.41-3.04)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.26 (at 3.01Å)	Xtriage
Refinement program	PHENIX (1.19.2_4158: ???)	Depositor
R, R_{free}	0.214 , 0.276 0.216 , 0.277	Depositor DCC
R_{free} test set	1999 reflections (7.40%)	wwPDB-VP
Wilson B-factor (Å ²)	58.3	Xtriage
Anisotropy	0.009	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 46.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.002 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.85	EDS
Total number of atoms	7366	wwPDB-VP
Average B, all atoms (Å ²)	51.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.90% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: XC9

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.48	0/3690	0.69	1/4995 (0.0%)
1	B	0.55	0/3822	0.76	0/5176
All	All	0.52	0/7512	0.73	1/10171 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	496	ILE	N-CA-C	-6.72	102.73	110.05

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	269	ARG	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3600	0	3534	51	1
1	B	3728	0	3647	70	1
2	B	34	0	0	2	0
3	A	2	0	0	0	0
3	B	2	0	0	0	0
All	All	7366	0	7181	117	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (117) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:317:VAL:O	1:B:117:ARG:NH2	2.17	0.78
1:B:569:THR:O	1:B:571:PRO:HD3	1.97	0.65
1:A:360:ILE:HG23	1:A:462:PHE:HB3	1.79	0.65
1:B:291:LEU:HD12	1:B:292:PRO:HD2	1.79	0.64
1:A:366:ARG:HH12	1:A:413:LEU:HD13	1.64	0.62
1:A:465:CYS:SG	1:A:466:THR:N	2.72	0.62
1:B:494:ASP:OD1	1:B:495:ASP:N	2.31	0.62
1:A:180:ARG:HG3	1:A:319:VAL:HG23	1.83	0.61
1:A:360:ILE:HD12	1:A:386:VAL:HG13	1.84	0.59
1:B:216:LYS:O	1:B:216:LYS:HG3	2.03	0.59
1:B:400:ASP:OD1	1:B:403:ARG:NH2	2.35	0.59
1:B:379:ILE:HD13	1:B:413:LEU:HD11	1.84	0.59
1:B:197:TYR:CZ	1:B:572:GLU:HG3	2.37	0.58
1:A:179:TRP:CE3	1:B:108:LEU:HD12	2.39	0.57
1:A:239:ARG:NH1	1:A:287:GLN:O	2.36	0.57
1:A:226:HIS:NE2	1:A:293:ILE:HA	2.19	0.57
1:B:269:ARG:HH22	1:B:290:GLU:CD	2.13	0.57
1:A:179:TRP:CH2	1:A:318:ARG:HD3	2.39	0.57
1:B:179:TRP:CH2	1:B:318:ARG:HD3	2.39	0.57
1:B:445:ASN:O	1:B:445:ASN:ND2	2.37	0.57
1:B:515:PRO:HB3	1:B:520:GLU:HB2	1.86	0.57
1:A:235:TYR:O	1:A:570:TYR:OH	2.22	0.57
1:A:429:ASP:OD2	1:A:449:GLY:HA2	2.04	0.57
1:A:416:GLU:O	1:A:420:LYS:HG3	2.05	0.57
1:B:410:ASP:OD1	1:B:411:PRO:HD2	2.06	0.56
1:A:258:VAL:HG12	1:A:342:LEU:HD22	1.87	0.55
1:B:507:GLN:HB3	1:B:559:ARG:O	2.07	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:400:ASP:N	1:A:400:ASP:OD1	2.40	0.55
1:A:329:SER:HB2	1:A:477:GLU:O	2.07	0.55
1:A:483:HIS:HB2	1:A:486:ALA:HB2	1.90	0.54
1:B:278:SER:OG	1:B:283:ASP:OD1	2.26	0.54
1:A:216:LYS:NZ	1:A:294:VAL:HG12	2.23	0.53
1:B:209:LYS:HE2	1:B:266:CYS:SG	2.48	0.53
1:B:523:MET:HG2	1:B:529:ILE:HD11	1.90	0.53
1:A:209:LYS:NZ	1:A:268:ASP:O	2.29	0.53
1:A:179:TRP:HH2	1:A:318:ARG:HD3	1.73	0.53
1:B:179:TRP:HH2	1:B:318:ARG:HD3	1.73	0.53
1:B:310:GLU:HB2	1:B:564:THR:HB	1.92	0.52
1:B:447:LEU:HD11	2:B:601:XC9:N9	2.25	0.52
1:A:499:PHE:N	1:A:502:GLN:OE1	2.43	0.51
1:B:140:LEU:O	1:B:141:GLU:HG3	2.11	0.51
1:B:479:MET:HE3	1:B:486:ALA:HB1	1.93	0.51
1:B:241:LEU:HG	1:B:242:ILE:N	2.25	0.51
1:A:306:LEU:HD22	1:A:324:ALA:HB1	1.93	0.51
1:A:346:ILE:HG12	1:A:452:LEU:HD21	1.92	0.50
1:A:341:TRP:CZ3	1:A:345:GLU:HG3	2.45	0.50
1:A:216:LYS:HG2	1:A:218:CYS:SG	2.52	0.50
1:B:277:TRP:NE1	1:B:299:PRO:HD2	2.27	0.50
1:B:382:TYR:CE1	1:B:493:LEU:HD11	2.47	0.50
1:B:281:VAL:O	1:B:284:LYS:HG3	2.12	0.49
1:B:546:LYS:HE3	1:B:547:LEU:HD21	1.95	0.49
1:A:549:ARG:CZ	1:A:549:ARG:HB3	2.43	0.49
1:B:414:LEU:O	1:B:418:LYS:HG3	2.12	0.48
1:A:120:GLU:HG3	1:B:167:LEU:HD13	1.95	0.48
1:B:227:VAL:HG13	1:B:243:LEU:HD21	1.94	0.48
1:B:277:TRP:HE1	1:B:299:PRO:HD2	1.79	0.48
1:A:208:LYS:HD2	1:A:239:ARG:CZ	2.44	0.48
1:B:232:MET:SD	1:B:305:PRO:HD3	2.54	0.48
1:B:325:VAL:HG22	1:B:497:TYR:CE2	2.48	0.48
1:B:340:PRO:HD2	1:B:341:TRP:CE3	2.50	0.47
1:A:310:GLU:HG3	1:A:311:ASP:N	2.28	0.47
1:A:216:LYS:HB3	1:A:223:GLN:HG2	1.96	0.47
1:B:302:PRO:HG2	1:B:303:TYR:CE2	2.50	0.47
1:A:227:VAL:O	1:A:231:PHE:HB2	2.15	0.46
1:A:284:LYS:HB2	1:A:284:LYS:HE2	1.69	0.46
1:A:130:LEU:HD23	1:A:152:PHE:HZ	1.81	0.46
1:A:408:THR:HG23	1:A:410:ASP:H	1.81	0.46
1:B:214:ILE:HD11	1:B:243:LEU:HD22	1.97	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:306:LEU:HD23	1:A:306:LEU:HA	1.59	0.46
1:A:185:LYS:HE3	1:A:185:LYS:HB2	1.75	0.46
1:B:437:GLY:HA3	1:B:446:SER:HB3	1.97	0.46
1:A:321:GLY:O	1:A:323:PRO:HD3	2.15	0.45
1:B:382:TYR:CD1	1:B:493:LEU:HD11	2.52	0.45
1:A:431:SER:O	1:A:431:SER:OG	2.34	0.45
1:B:574:GLU:H	1:B:574:GLU:HG2	1.55	0.45
1:A:278:SER:C	1:A:299:PRO:HD2	2.41	0.45
1:A:385:HIS:CE1	1:A:491:HIS:NE2	2.85	0.44
1:B:147:ARG:O	1:B:151:GLU:HG3	2.17	0.44
1:A:229:TYR:CE1	1:A:233:ILE:HD11	2.52	0.44
1:B:521:ILE:HD12	1:B:544:ASN:HB2	1.99	0.44
1:B:231:PHE:HE2	1:B:334:TYR:HD2	1.66	0.44
1:A:393:LEU:HA	1:A:393:LEU:HD23	1.68	0.44
1:A:178:ASP:O	1:A:182:LYS:HG2	2.18	0.44
1:A:219:GLY:O	1:A:223:GLN:HG3	2.18	0.44
1:B:353:LEU:HD21	1:B:432:ILE:HG12	1.99	0.44
1:B:318:ARG:HG2	1:B:318:ARG:O	2.18	0.43
1:B:393:LEU:HD23	1:B:393:LEU:HA	1.80	0.43
1:A:379:ILE:HD12	1:A:379:ILE:HA	1.82	0.43
1:A:506:ASN:O	1:A:561:LYS:HB3	2.18	0.43
1:B:416:GLU:HG3	1:B:420:LYS:HE3	2.01	0.43
1:A:134:LEU:HD23	1:A:134:LEU:HA	1.84	0.43
1:B:112:HIS:CD2	1:B:170:LEU:HD11	2.54	0.43
1:B:130:LEU:O	1:B:134:LEU:HB2	2.19	0.43
1:B:198:LEU:O	1:B:198:LEU:HG	2.19	0.43
1:B:410:ASP:HB3	1:B:413:LEU:HB2	2.00	0.43
1:B:515:PRO:HG3	1:B:522:PRO:N	2.34	0.42
1:B:511:TYR:HB2	1:B:557:LYS:HG2	2.00	0.42
1:A:223:GLN:O	1:A:227:VAL:HG23	2.19	0.42
1:B:362:VAL:HG21	1:B:386:VAL:HG21	2.01	0.42
1:A:508:ILE:HD11	1:A:561:LYS:HD2	2.01	0.42
1:B:169:TYR:O	1:B:173:THR:HB	2.20	0.41
1:B:332:VAL:O	1:B:336:ILE:HG12	2.19	0.41
1:A:118:ARG:NH1	1:A:166:ASP:OD1	2.53	0.41
1:B:346:ILE:HD13	1:B:346:ILE:HG21	1.82	0.41
1:A:167:LEU:HD13	1:B:120:GLU:HA	2.03	0.41
1:B:333:LYS:HB2	1:B:481:THR:HG21	2.01	0.41
1:B:180:ARG:HG2	1:B:484:PRO:HB3	2.02	0.41
1:B:126:LEU:HB2	1:B:159:HIS:CE1	2.55	0.41
1:B:197:TYR:CE2	1:B:572:GLU:HG3	2.56	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:242:ILE:HD13	1:B:268:ASP:O	2.20	0.41
1:B:437:GLY:HA3	1:B:446:SER:CB	2.51	0.41
1:B:311:ASP:OD1	1:B:569:THR:HG22	2.21	0.40
1:B:407:ALA:HB3	1:B:457:LEU:HD11	2.03	0.40
1:B:210:LEU:HD21	1:B:291:LEU:HD22	2.02	0.40
1:B:223:GLN:NE2	2:B:601:XC9:C19	2.85	0.40
1:B:295:ASP:N	1:B:295:ASP:OD1	2.55	0.40
1:B:515:PRO:HD3	1:B:522:PRO:HB3	2.03	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:269:ARG:NH2	1:B:290:GLU:OE1[3_546]	2.15	0.05

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	435/499 (87%)	410 (94%)	25 (6%)	0	100	100
1	B	454/499 (91%)	427 (94%)	27 (6%)	0	100	100
All	All	889/998 (89%)	837 (94%)	52 (6%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	390/437 (89%)	389 (100%)	1 (0%)	91	95
1	B	403/437 (92%)	399 (99%)	4 (1%)	73	87
All	All	793/874 (91%)	788 (99%)	5 (1%)	84	92

All (5) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	465	CYS
1	B	465	CYS
1	B	572	GLU
1	B	574	GLU
1	B	575	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	131	GLN
1	A	377	HIS
1	A	391	GLN
1	A	398	GLN
1	B	223	GLN
1	B	391	GLN
1	B	430	ASN
1	B	491	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	XC9	B	601	-	29,35,35	0.57	0	42,44,44	0.66	1 (2%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	XC9	B	601	-	-	14/27/27/27	0/2/2/2

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	601	XC9	N6-C13-N7	-2.86	114.91	120.26

There are no chirality outliers.

All (14) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	601	XC9	C11-C12-N6-C13
2	B	601	XC9	N7-C13-N6-C12
2	B	601	XC9	N8-C13-N6-C12
2	B	601	XC9	N3-C5-N2-C4
2	B	601	XC9	N5-C5-N2-C4
2	B	601	XC9	N2-C5-N3-C6
2	B	601	XC9	N5-C5-N3-C6
2	B	601	XC9	C1-C10-C11-C12
2	B	601	XC9	N4-C4-N1-C3

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	B	601	XC9	C22-C6-N3-C5
2	B	601	XC9	C20-C15-N10-C14
2	B	601	XC9	C16-C15-N10-C14
2	B	601	XC9	N2-C4-N1-C3
2	B	601	XC9	C7-C6-N3-C5

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	601	XC9	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	443/499 (88%)	0.84	38 (8%) 18 10	22, 56, 91, 120	0
1	B	460/499 (92%)	0.46	26 (5%) 30 17	16, 41, 90, 115	0
All	All	903/998 (90%)	0.65	64 (7%) 23 13	16, 49, 90, 120	0

All (64) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	244	GLU	4.5
1	B	252	THR	4.0
1	B	438	LEU	4.0
1	A	252	THR	4.0
1	B	369	LYS	3.9
1	A	290	GLU	3.8
1	B	439	HIS	3.7
1	A	135	LYS	3.4
1	B	370	VAL	3.1
1	A	216	LYS	3.1
1	B	437	GLY	3.0
1	A	218	CYS	3.0
1	B	372	THR	3.0
1	B	432	ILE	2.9
1	A	504	ALA	2.9
1	B	141	GLU	2.9
1	A	246	GLN	2.8
1	A	367	THR	2.8
1	A	108	LEU	2.8
1	A	388	GLU	2.8
1	A	212	CYS	2.7
1	B	314	ASP	2.6
1	A	245	SER	2.6
1	A	574	GLU	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	296	SER	2.6
1	A	131	GLN	2.5
1	B	143	ASN	2.5
1	A	251	ALA	2.5
1	A	518	ALA	2.5
1	A	271	GLY	2.4
1	B	142	GLY	2.4
1	A	288	VAL	2.4
1	B	434	TRP	2.4
1	A	217	GLY	2.4
1	A	215	ASN	2.3
1	A	377	HIS	2.3
1	B	148	HIS	2.3
1	A	348	GLU	2.3
1	B	144	GLU	2.3
1	A	274	THR	2.3
1	A	289	VAL	2.2
1	B	436	ALA	2.2
1	B	371	GLY	2.2
1	A	281	VAL	2.2
1	A	362	VAL	2.2
1	A	449	GLY	2.2
1	A	298	HIS	2.2
1	A	311	ASP	2.2
1	A	429	ASP	2.2
1	B	290	GLU	2.2
1	A	255	TRP	2.2
1	B	373	GLU	2.1
1	A	294	VAL	2.1
1	B	547	LEU	2.1
1	B	253	GLY	2.1
1	B	218	CYS	2.1
1	B	298	HIS	2.1
1	A	145	LEU	2.0
1	A	239	ARG	2.0
1	A	214	ILE	2.0
1	B	247	ASN	2.0
1	B	289	VAL	2.0
1	A	181	GLU	2.0
1	A	275	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	XC9	B	601	34/34	0.75	0.20	32,56,76,94	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around XC9 B 601:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.