



Full wwPDB X-ray Structure Validation Report ⓘ

Dec 30, 2025 – 12:45 PM JST

PDB ID : 9L7U / pdb_0000917u
Title : Crystal structure of P450 BM3 F87A/V78S/L75N mutant complex with (-)-Ambroxide
Authors : Dong, S.; Feng, Y.G.
Deposited on : 2024-12-27
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 2.0
EDS : 3.0
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.47


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	3333 (2.70-2.70)
Clashscore	180529	3684 (2.70-2.70)
Ramachandran outliers	177936	3633 (2.70-2.70)
Sidechain outliers	177891	3633 (2.70-2.70)
RSRZ outliers	164620	3333 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	456	8% 77% 23% .
1	B	456	7% 76% 23% .

i

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Bifunctional cytochrome P450/NADPH-P450 reductase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	455	Total 3619	C 2308	N 618	O 676	S 17	0	1	0
1	B	455	Total 3622	C 2311	N 618	O 676	S 17	0	0	0

There are 6 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	75	ASN	LEU	engineered mutation	UNP F2Q7T0
A	78	SER	VAL	engineered mutation	UNP F2Q7T0
A	87	ALA	PHE	engineered mutation	UNP F2Q7T0
B	75	ASN	LEU	engineered mutation	UNP F2Q7T0
B	78	SER	VAL	engineered mutation	UNP F2Q7T0
B	87	ALA	PHE	engineered mutation	UNP F2Q7T0

- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (CCD ID: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	B	1	Total 43	C 34	Fe 1	N 4	O 4	0	0

- Molecule 3 is (3 {a} {R},5 {a} {S},9 {a} {S},9 {b} {R})-3 {a},6,6,9 {a}-tetramethyl-2,4,5,5 {a},7,8,9,9 {b}-octahydro-1 {H}-benzo[e][1]benzofuran (CCD ID: A1EI5) (formula: C₁₆H₂₈O) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			17	16	1		
3	B	1	Total	C	O	0	0
			17	16	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	146	Total	O	0	0
			146	146		
4	B	148	Total	O	0	0
			148	148		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Bifunctional cytochrome P450/NADPH-P450 reductase



- Molecule 1: Bifunctional cytochrome P450/NADPH-P450 reductase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	57.17Å 158.22Å 58.72Å 90.00° 93.63° 90.00°	Depositor
Resolution (Å)	79.11 – 2.70 79.11 – 2.70	Depositor EDS
% Data completeness (in resolution range)	98.8 (79.11-2.70) 90.7 (79.11-2.70)	Depositor EDS
R_{merge}	0.33	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.06 (at 2.69Å)	Xtriage
Refinement program	PHENIX (1.20.1_4487: ???)	Depositor
R, R_{free}	0.228 , 0.274 0.247 , 0.291	Depositor DCC
R_{free} test set	2044 reflections (7.21%)	wwPDB-VP
Wilson B-factor (Å ²)	19.7	Xtriage
Anisotropy	0.341	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 43.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.42$, $\langle L^2 \rangle = 0.24$	Xtriage
Estimated twinning fraction	0.056 for l,-k,h	Xtriage
F_o, F_c correlation	0.84	EDS
Total number of atoms	7655	wwPDB-VP
Average B, all atoms (Å ²)	25.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.25% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: A1EI5, HEM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.17	0/3703	0.37	0/5007
1	B	0.15	0/3703	0.38	0/5006
All	All	0.16	0/7406	0.38	0/10013

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3619	0	3563	88	0
1	B	3622	0	3561	105	0
2	A	43	0	30	5	0
2	B	43	0	30	4	0
3	A	17	0	0	0	0
3	B	17	0	0	0	0
4	A	146	0	0	15	0
4	B	148	0	0	13	0
All	All	7655	0	7184	198	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (198) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:158:PHE:CE1	1:B:160:TYR:HB2	1.87	1.09
1:B:88:THR:HG23	4:B:654:HOH:O	1.54	1.05
1:B:158:PHE:CE1	1:B:160:TYR:CB	2.41	1.02
1:B:223:ARG:HE	1:B:234:LEU:HD23	1.27	1.00
1:B:223:ARG:HD2	1:B:238:LEU:CD1	1.96	0.96
1:B:223:ARG:HD2	1:B:238:LEU:HD11	1.53	0.91
1:A:158:PHE:CE1	1:A:160:TYR:CB	2.58	0.87
1:A:73:GLN:HE21	1:A:188:LEU:HD13	1.40	0.87
1:A:109:GLN:HG2	1:A:404:GLN:HG2	1.58	0.86
1:B:41:LYS:HD2	1:B:43:GLU:OE2	1.77	0.85
1:A:158:PHE:CE1	1:A:160:TYR:HB2	2.14	0.83
1:B:223:ARG:HE	1:B:234:LEU:CD2	1.92	0.82
1:A:73:GLN:HE21	1:A:188:LEU:CD1	1.93	0.81
2:B:501:HEM:HBC2	2:B:501:HEM:HMC2	1.63	0.78
1:A:158:PHE:CD1	1:A:160:TYR:HB2	2.18	0.77
1:B:96:TRP:CZ3	1:B:97:LYS:HD3	2.19	0.77
1:B:148:LEU:HD11	1:B:413:VAL:HG21	1.66	0.76
1:B:88:THR:O	1:B:88:THR:HG22	1.86	0.75
1:B:158:PHE:CD1	1:B:160:TYR:HB2	2.23	0.74
1:A:73:GLN:HG3	1:A:188:LEU:HD21	1.70	0.73
1:A:182:ASP:O	1:A:186:ASN:HB2	1.89	0.72
1:B:223:ARG:HD2	1:B:238:LEU:HD12	1.69	0.72
1:B:202:LYS:HA	1:B:205:PHE:HB3	1.71	0.71
1:B:88:THR:CG2	4:B:654:HOH:O	2.20	0.70
1:B:96:TRP:CE3	1:B:97:LYS:HD3	2.26	0.69
1:B:17:LEU:HD22	1:B:45:PRO:HD2	1.73	0.69
1:B:304:SER:H	1:B:307:GLN:NE2	1.91	0.69
1:B:223:ARG:CD	1:B:238:LEU:HD12	2.22	0.69
1:B:267:GLU:OE2	1:B:440:LYS:CE	2.41	0.68
1:A:189:GLN:N	4:A:611:HOH:O	2.27	0.68
1:B:98:LYS:HE2	1:B:247:GLU:HB2	1.76	0.68
1:B:223:ARG:CD	1:B:238:LEU:CD1	2.70	0.68
1:A:171:HIS:HB3	1:A:174:ILE:HD12	1.75	0.67
1:B:7:GLN:NE2	1:B:43:GLU:HG3	2.09	0.67
1:A:400:CYS:HB2	2:A:501:HEM:NA	2.09	0.66
1:B:158:PHE:CE1	1:B:160:TYR:HB3	2.29	0.66
1:B:375:ARG:NH2	4:B:615:HOH:O	2.27	0.66
1:B:303:PRO:HA	1:B:307:GLN:NE2	2.10	0.65
1:B:47:ARG:NH2	4:B:618:HOH:O	2.29	0.65
1:A:153:ILE:O	1:A:157:GLY:N	2.29	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:272:LEU:HD13	1:A:322:LEU:HG	1.78	0.65
1:A:66:ARG:NH1	4:A:615:HOH:O	2.28	0.64
1:A:98:LYS:HE3	1:A:247:GLU:HB2	1.79	0.64
1:A:297:VAL:O	1:A:307:GLN:HG2	1.98	0.64
1:A:73:GLN:HG3	1:A:188:LEU:HD11	1.80	0.63
1:B:267:GLU:OE2	1:B:440:LYS:HE3	1.98	0.63
1:B:153:ILE:O	1:B:157:GLY:N	2.31	0.63
1:B:59:LYS:NZ	4:B:624:HOH:O	2.32	0.63
1:A:158:PHE:CE1	1:A:160:TYR:HB3	2.33	0.63
1:A:56:ARG:NH1	4:A:613:HOH:O	2.28	0.62
1:A:362:ARG:NH1	4:A:606:HOH:O	2.29	0.62
1:A:322:LEU:HD12	4:A:639:HOH:O	2.00	0.62
1:B:171:HIS:HB3	1:B:174:ILE:HD12	1.81	0.61
1:B:267:GLU:OE2	1:B:440:LYS:HE2	2.00	0.61
1:A:73:GLN:CG	1:A:188:LEU:HD11	2.31	0.61
1:A:125:GLN:NE2	4:A:614:HOH:O	2.28	0.60
1:A:209:ILE:O	1:A:213:ASN:ND2	2.24	0.59
1:B:66:ARG:NH1	4:B:620:HOH:O	2.30	0.59
1:A:59:LYS:HG3	1:A:388:HIS:HD2	1.67	0.59
1:A:79:ARG:NH1	4:A:631:HOH:O	2.35	0.59
1:A:148:LEU:HD11	1:A:413:VAL:HG21	1.85	0.59
1:B:96:TRP:HZ3	1:B:97:LYS:HZ3	1.51	0.58
1:B:15:LYS:HB3	1:B:43:GLU:O	2.03	0.58
1:A:44:ALA:HB1	1:A:45:PRO:HD2	1.85	0.58
1:B:158:PHE:HE1	1:B:160:TYR:HB2	1.61	0.58
1:B:267:GLU:HG3	1:B:438:THR:OG1	2.04	0.57
2:A:501:HEM:HMC2	2:A:501:HEM:HBC2	1.85	0.57
1:B:5:MET:HE2	1:B:41:LYS:HB2	1.87	0.57
1:A:158:PHE:CD1	1:A:219:ILE:HD13	2.40	0.57
1:B:158:PHE:HE1	1:B:160:TYR:CB	2.11	0.56
1:A:340:VAL:HA	1:A:346:PRO:HA	1.87	0.56
1:B:34:ASP:OD1	1:B:359:GLN:NE2	2.38	0.56
1:B:96:TRP:HZ3	1:B:97:LYS:NZ	2.02	0.56
1:A:158:PHE:CE1	1:A:219:ILE:HD13	2.41	0.55
1:A:5:MET:HE1	1:A:50:ARG:HH11	1.71	0.55
2:A:501:HEM:HBB2	2:A:501:HEM:HMB2	1.89	0.55
1:B:282:LYS:NZ	1:B:425:ASP:OD2	2.35	0.55
1:B:199:ASP:C	1:B:201:ASN:H	2.15	0.54
1:B:88:THR:O	1:B:88:THR:CG2	2.55	0.54
1:B:272:LEU:HD13	1:B:322:LEU:HG	1.90	0.54
1:B:69:LYS:HB3	1:B:398:ARG:HG3	1.89	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:303:PRO:HA	1:B:307:GLN:HE22	1.72	0.53
1:B:366:ILE:N	4:B:635:HOH:O	2.38	0.53
1:A:17:LEU:HD22	1:A:45:PRO:HG2	1.90	0.53
1:B:158:PHE:CE1	1:B:160:TYR:CG	2.96	0.53
1:B:115:TYR:HB2	1:B:119:MET:HE3	1.90	0.52
1:B:363:ASP:HB3	4:B:693:HOH:O	2.09	0.52
1:B:60:GLU:HG2	1:B:66:ARG:HH12	1.73	0.52
1:B:158:PHE:HD1	1:B:219:ILE:HG21	1.74	0.52
1:B:9:LYS:HE3	1:B:19:LEU:HD11	1.92	0.52
1:B:397:GLN:NE2	4:B:641:HOH:O	2.41	0.52
1:B:9:LYS:O	1:B:16:ASN:ND2	2.43	0.52
1:B:158:PHE:HE1	1:B:160:TYR:CG	2.28	0.51
1:A:158:PHE:CD2	1:A:258:ILE:HD12	2.45	0.51
1:A:226:SER:OG	1:A:228:GLU:HG3	2.10	0.51
1:B:109:GLN:O	1:B:305:TYR:OH	2.29	0.51
1:B:158:PHE:CD1	1:B:219:ILE:HG21	2.44	0.51
1:B:366:ILE:HD12	1:B:386:PRO:HG3	1.93	0.51
1:A:110:GLN:HG2	1:A:113:LYS:HE3	1.92	0.51
1:A:298:LEU:HD22	1:A:303:PRO:HB3	1.91	0.51
1:B:268:THR:HB	2:B:501:HEM:C3B	2.46	0.51
1:A:44:ALA:HB1	1:A:45:PRO:CD	2.40	0.50
1:B:150:LEU:HD21	1:B:177:MET:HE1	1.94	0.50
1:B:366:ILE:HB	4:B:693:HOH:O	2.12	0.49
1:A:158:PHE:HE1	1:A:160:TYR:CB	2.22	0.49
1:A:83:GLY:HA3	1:A:256:TYR:CE2	2.48	0.48
1:A:293:GLU:O	1:A:296:ARG:HG2	2.13	0.48
1:A:159:ASN:ND2	4:A:634:HOH:O	2.37	0.48
1:B:217:ASP:OD2	1:B:255:ARG:NH1	2.46	0.48
1:B:181:LEU:HD21	1:B:263:ILE:HG23	1.94	0.48
1:A:158:PHE:HE1	1:A:160:TYR:CG	2.32	0.47
1:A:289:LYS:NZ	4:A:622:HOH:O	2.31	0.47
1:B:85:GLY:O	1:B:89:SER:OG	2.25	0.47
1:B:205:PHE:O	1:B:209:ILE:HG13	2.15	0.47
1:B:91:THR:O	1:B:97:LYS:HE2	2.14	0.47
1:A:73:GLN:HE21	1:A:188:LEU:HD11	1.77	0.47
1:B:96:TRP:HZ3	1:B:97:LYS:HD3	1.76	0.47
1:B:223:ARG:NH1	1:B:235:THR:OG1	2.48	0.47
1:A:309:LYS:HD3	1:A:309:LYS:HA	1.59	0.47
1:B:182:ASP:O	1:B:186:ASN:HB2	2.15	0.47
1:A:17:LEU:HD22	1:A:45:PRO:HD2	1.97	0.46
1:A:289:LYS:HE3	1:A:313:TYR:CZ	2.51	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:398:ARG:HD2	1:A:398:ARG:HA	1.68	0.46
1:A:236:HIS:CD2	1:A:236:HIS:N	2.83	0.46
1:A:171:HIS:O	1:A:175:THR:HG23	2.16	0.46
1:B:103:LEU:HD13	1:B:261:PHE:HZ	1.80	0.46
1:B:223:ARG:NE	1:B:234:LEU:HD23	2.11	0.46
1:B:178:VAL:HA	1:B:181:LEU:HB2	1.98	0.46
1:B:203:ARG:HH11	1:B:203:ARG:HG3	1.80	0.46
1:A:17:LEU:HD22	1:A:45:PRO:CD	2.45	0.46
1:B:5:MET:HE1	1:B:50:ARG:HG2	1.98	0.46
1:A:14:LEU:HB3	1:A:18:PRO:HD3	1.98	0.45
1:A:366:ILE:HG21	1:A:389:ALA:HB1	1.98	0.45
1:A:5:MET:HE1	1:A:50:ARG:HD3	1.98	0.45
1:A:5:MET:SD	1:A:50:ARG:HG2	2.56	0.45
1:A:69:LYS:HB3	1:A:398:ARG:HG3	1.97	0.45
1:B:8:PRO:HD2	1:B:41:LYS:O	2.17	0.45
1:A:217:ASP:OD1	4:A:602:HOH:O	2.21	0.45
1:A:381:ASN:OD1	4:A:601:HOH:O	2.20	0.45
1:B:114:GLY:N	4:B:656:HOH:O	2.49	0.45
1:B:223:ARG:HD2	1:B:234:LEU:HG	1.99	0.45
1:B:52:LEU:HD11	1:B:353:LEU:HD13	1.97	0.45
1:B:17:LEU:HD22	1:B:45:PRO:CD	2.45	0.44
1:A:66:ARG:HG3	4:A:646:HOH:O	2.18	0.44
1:B:69:LYS:CB	1:B:398:ARG:HG3	2.47	0.44
1:A:426:HIS:CD2	1:A:447:LYS:HE2	2.53	0.44
2:B:501:HEM:HMC2	2:B:501:HEM:CBC	2.40	0.44
1:B:181:LEU:HD11	1:B:263:ILE:HD13	2.00	0.44
1:A:238:LEU:HA	1:A:238:LEU:HD23	1.86	0.44
1:B:131:GLU:HG2	1:B:421:PHE:CZ	2.53	0.44
1:A:143:GLU:O	1:A:147:ARG:HG3	2.18	0.44
1:A:119:MET:SD	1:A:408:HIS:HD2	2.42	0.43
1:A:71:LEU:O	1:A:76:LYS:HE3	2.18	0.43
1:B:26:VAL:HG11	1:B:329:PRO:HB2	1.99	0.43
1:A:103:LEU:HD13	1:A:261:PHE:HZ	1.83	0.43
1:B:253:ASN:O	1:B:257:GLN:HG2	2.18	0.43
1:A:42:PHE:O	1:A:42:PHE:HD1	2.02	0.43
1:A:125:GLN:NE2	4:A:650:HOH:O	2.46	0.43
1:A:109:GLN:OE1	1:A:309:LYS:HE3	2.19	0.43
1:B:114:GLY:O	4:B:603:HOH:O	2.22	0.43
1:A:259:ILE:HG22	1:A:263:ILE:HD11	2.01	0.43
1:B:185:MET:HE1	1:B:436:THR:HA	2.01	0.43
1:A:19:LEU:HD12	1:A:19:LEU:HA	1.86	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:317:VAL:HG13	1:A:374:PHE:HZ	1.84	0.42
1:B:269:THR:HG23	1:B:406:ALA:HB1	2.01	0.42
1:A:173:PHE:CZ	1:A:212:MET:HG2	2.54	0.42
1:A:224:LYS:NZ	1:A:251:ASP:OD2	2.43	0.42
1:B:127:VAL:HG21	1:B:416:MET:HE2	2.01	0.42
1:B:286:VAL:HG11	1:B:374:PHE:HE2	1.84	0.42
1:A:73:GLN:HG3	1:A:188:LEU:CD2	2.43	0.42
1:A:134:ASN:O	1:A:137:GLU:HG3	2.20	0.42
2:B:501:HEM:HMB2	2:B:501:HEM:HBB2	2.00	0.42
1:A:70:ASN:HB2	1:A:334:TYR:HB3	2.01	0.42
1:B:17:LEU:HD12	1:B:17:LEU:HA	1.90	0.42
1:A:313:TYR:HA	1:A:316:MET:HB2	2.01	0.42
1:A:387:GLN:HG2	1:A:388:HIS:CD2	2.55	0.42
1:B:86:LEU:O	1:B:398:ARG:NH2	2.53	0.42
1:A:297:VAL:O	1:A:297:VAL:HG12	2.19	0.41
1:B:96:TRP:CZ3	1:B:97:LYS:CD	2.99	0.41
1:A:145:MET:SD	1:A:273:LEU:HB3	2.60	0.41
1:A:208:ASP:OD2	4:A:603:HOH:O	2.21	0.41
1:B:97:LYS:NZ	1:B:397:GLN:OE1	2.53	0.41
1:A:148:LEU:O	1:A:152:THR:OG1	2.35	0.41
1:A:250:ASP:O	1:A:253:ASN:N	2.53	0.41
1:B:398:ARG:HA	1:B:398:ARG:HD2	1.79	0.41
1:A:319:ASN:HA	4:A:639:HOH:O	2.20	0.41
1:B:212:MET:O	1:B:216:VAL:HG22	2.21	0.41
1:B:323:ARG:HG2	1:B:361:HIS:HB3	2.03	0.41
1:B:5:MET:HG2	4:B:659:HOH:O	2.20	0.41
1:B:79:ARG:HD2	1:B:83:GLY:O	2.21	0.41
1:B:158:PHE:CZ	1:B:160:TYR:HB3	2.56	0.41
1:A:328:ALA:O	1:A:357:ILE:HD12	2.21	0.41
1:B:385:ILE:H	1:B:385:ILE:HG12	1.72	0.40
1:A:400:CYS:HB2	2:A:501:HEM:C4A	2.55	0.40
1:B:289:LYS:HD3	1:B:313:TYR:CZ	2.57	0.40
1:A:400:CYS:HA	2:A:501:HEM:CHA	2.52	0.40
1:B:96:TRP:CZ2	1:B:398:ARG:HD2	2.57	0.40
1:B:317:VAL:HG13	1:B:374:PHE:HZ	1.86	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	454/456 (100%)	434 (96%)	16 (4%)	4 (1%)	14	35
1	B	453/456 (99%)	439 (97%)	14 (3%)	0	100	100
All	All	907/912 (100%)	873 (96%)	30 (3%)	4 (0%)	30	55

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	194	ASP
1	A	196	PRO
1	A	193	PRO
1	A	45	PRO

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	386/399 (97%)	381 (99%)	5 (1%)	65	85
1	B	385/399 (96%)	378 (98%)	7 (2%)	54	80
All	All	771/798 (97%)	759 (98%)	12 (2%)	58	82

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	108	SER
1	A	148	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	186	ASN
1	A	215	LEU
1	A	365	THR
1	B	43	GLU
1	B	89	SER
1	B	120	VAL
1	B	126	LEU
1	B	153	ILE
1	B	215	LEU
1	B	268	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	7	GLN
1	A	73	GLN
1	A	125	GLN
1	A	236	HIS
1	A	288	GLN
1	A	420	HIS
1	B	7	GLN
1	B	204	GLN
1	B	307	GLN
1	B	310	GLN
1	B	381	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	HEM	B	501	1	41,50,50	1.70	14 (34%)	45,82,82	2.18	15 (33%)
3	A1EI5	A	502	-	19,19,19	0.21	0	30,32,32	1.07	2 (6%)
3	A1EI5	B	502	-	19,19,19	0.22	0	30,32,32	1.04	2 (6%)
2	HEM	A	501	1	41,50,50	1.47	4 (9%)	45,82,82	1.39	7 (15%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HEM	B	501	1	-	0/12/54/54	-
3	A1EI5	A	502	-	-	-	0/3/3/3
3	A1EI5	B	502	-	-	-	0/3/3/3
2	HEM	A	501	1	-	0/12/54/54	-

All (18) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	501	HEM	O2D-CGD	-4.14	1.16	1.30
2	A	501	HEM	C3C-CAC	3.90	1.55	1.47
2	B	501	HEM	C1B-NB	-3.77	1.33	1.40
2	A	501	HEM	C3C-C2C	-3.74	1.35	1.40
2	A	501	HEM	CAB-C3B	3.07	1.55	1.47
2	B	501	HEM	FE-ND	-2.73	1.83	1.96
2	B	501	HEM	O2A-CGA	-2.68	1.21	1.30
2	B	501	HEM	C4D-ND	-2.62	1.35	1.40
2	B	501	HEM	C3D-C2D	-2.61	1.31	1.36
2	B	501	HEM	O1D-CGD	-2.53	1.13	1.22
2	B	501	HEM	C1A-CHA	-2.47	1.34	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	501	HEM	C2C-C1C	-2.38	1.37	1.42
2	B	501	HEM	CBD-CGD	-2.35	1.45	1.50
2	B	501	HEM	C3C-C2C	-2.35	1.37	1.40
2	B	501	HEM	CHB-C1B	2.34	1.41	1.35
2	B	501	HEM	C1A-NA	2.21	1.40	1.36
2	B	501	HEM	FE-NB	2.05	2.07	1.96
2	A	501	HEM	CMB-C2B	2.04	1.55	1.50

All (26) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	501	HEM	O2D-CGD-O1D	-5.32	110.04	123.30
2	B	501	HEM	C1B-NB-C4B	4.71	109.93	105.07
2	B	501	HEM	O2D-CGD-CBD	4.53	128.57	114.03
2	B	501	HEM	CHD-C1D-ND	3.99	128.76	124.43
3	A	502	A1EI5	O1-C12-C16	-3.98	95.57	101.78
2	B	501	HEM	C3B-C2B-C1B	3.95	109.42	106.49
3	B	502	A1EI5	O1-C12-C16	-3.89	95.71	101.78
2	B	501	HEM	CHA-C4D-ND	3.85	129.14	124.38
2	B	501	HEM	CHD-C1D-C2D	-3.52	119.48	124.98
2	B	501	HEM	CHC-C4B-NB	3.17	127.87	124.43
2	B	501	HEM	CHA-C4D-C3D	-3.00	119.69	125.33
2	A	501	HEM	C4D-ND-C1D	2.97	108.14	105.07
2	B	501	HEM	CAD-C3D-C4D	2.95	129.81	124.66
2	A	501	HEM	C1B-NB-C4B	2.93	108.10	105.07
2	B	501	HEM	CHB-C1B-NB	2.91	127.98	124.38
2	B	501	HEM	CMD-C2D-C1D	2.86	129.40	125.04
2	B	501	HEM	CAD-C3D-C2D	-2.66	122.93	127.88
2	A	501	HEM	C4B-CHC-C1C	2.55	125.92	122.56
2	B	501	HEM	O2A-CGA-O1A	-2.24	117.72	123.30
2	A	501	HEM	CAD-CBD-CGD	-2.21	108.84	113.60
2	A	501	HEM	CMC-C2C-C3C	2.17	128.73	124.68
2	A	501	HEM	C3B-C2B-C1B	2.15	108.08	106.49
2	A	501	HEM	C3D-C4D-ND	-2.10	107.82	110.17
2	B	501	HEM	O2A-CGA-CBA	2.10	120.79	114.03
3	A	502	A1EI5	C15-C16-C7	2.06	125.18	118.91
3	B	502	A1EI5	C15-C16-C7	2.01	125.01	118.91

There are no chirality outliers.


There are no torsion outliers.

There are no ring outliers.


2 monomers are involved in 9 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	501	HEM	4	0
2	A	501	HEM	5	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




Ligand A1EI5 A 502



Ligand A1EI5 B 502





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	455/456 (99%)	0.66	35 (7%) 21 19	13, 24, 48, 75	1 (0%)
1	B	455/456 (99%)	0.62	33 (7%) 22 20	14, 23, 43, 62	0
All	All	910/912 (99%)	0.64	68 (7%) 22 20	13, 24, 45, 75	1 (0%)

All (68) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	199	ASP	6.2
1	A	191	ALA	5.8
1	A	195	ASP	5.6
1	A	45	PRO	4.8
1	A	198	TYR	4.6
1	A	194	ASP	4.4
1	B	198	TYR	4.3
1	A	250	ASP	4.1
1	A	188	LEU	3.9
1	A	168	ASP	3.9
1	B	136	ASP	3.8
1	B	191	ALA	3.8
1	B	193	PRO	3.6
1	B	97	LYS	3.5
1	A	230	SER	3.5
1	A	1	THR	3.4
1	B	437	LEU	3.3
1	A	265	GLY	3.3
1	A	193	PRO	3.2
1	A	12	GLY	3.2
1	A	13	GLU	3.2
1	A	187	LYS	3.1
1	A	190	ARG	3.1
1	A	186	ASN	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	17	LEU	3.1
1	B	194	ASP	3.1
1	A	199	ASP	3.0
1	B	190	ARG	3.0
1	A	169	GLN	3.0
1	B	196	PRO	2.9
1	B	223	ARG	2.8
1	B	230	SER	2.8
1	A	136	ASP	2.8
1	B	267	GLU	2.8
1	A	296	ARG	2.7
1	A	200	GLU	2.7
1	B	168	ASP	2.7
1	B	195	ASP	2.6
1	B	78	SER	2.5
1	B	192	ASN	2.5
1	A	17	LEU	2.5
1	B	201	ASN	2.4
1	A	196	PRO	2.4
1	B	185	MET	2.4
1	B	239	ASN	2.4
1	B	262	LEU	2.4
1	B	110	GLN	2.4
1	A	297	VAL	2.4
1	A	251	ASP	2.4
1	A	201	ASN	2.3
1	B	264	ALA	2.3
1	A	171	HIS	2.2
1	B	39	ILE	2.2
1	A	225	ALA	2.2
1	A	73	GLN	2.2
1	B	436	THR	2.2
1	B	250	ASP	2.2
1	B	109	GLN	2.2
1	A	178	VAL	2.1
1	B	188	LEU	2.1
1	A	4	GLU	2.1
1	B	182	ASP	2.1
1	B	150	LEU	2.1
1	B	189	GLN	2.0
1	A	343	GLY	2.0
1	A	2	ILE	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	231	ASP	2.0
1	B	231	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	A1EI5	A	502	17/17	0.67	0.21	21,30,34,38	0
3	A1EI5	B	502	17/17	0.71	0.22	24,30,42,44	0
2	HEM	B	501	43/43	0.93	0.12	10,19,22,24	0
2	HEM	A	501	43/43	0.94	0.11	9,17,20,21	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around A1EI5 A 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around A1EI5 B 502:**


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HEM B 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.