



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 26, 2026 – 02:26 PM EST

PDB ID : 9MW3 / pdb_00009mw3
Title : Structure of SARM1 TIR domain bound to G2756
Authors : Wallweber, H.A.; Sudhamsu, J.
Deposited on : 2025-01-16
Resolution : 1.93 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.47


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.93 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	1306 (1.94-1.94)
Clashscore	180529	1400 (1.94-1.94)
Ramachandran outliers	177936	1387 (1.94-1.94)
Sidechain outliers	177891	1387 (1.94-1.94)
RSRZ outliers	164620	1306 (1.94-1.94)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	143	 3% 71% 27%
1	B	143	 3% 77% 20%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 2677 atoms, of which 76 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called NAD(+) hydrolase SARM1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	140	1171	754	190	221	6	0	8	0
1	B	139	1152	742	195	209	6	0	6	0

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	558	GLY	-	expression tag	UNP Q6SZW1
A	559	SER	-	expression tag	UNP Q6SZW1
B	558	GLY	-	expression tag	UNP Q6SZW1
B	559	SER	-	expression tag	UNP Q6SZW1

- Molecule 2 is [[(2 {R},3 {S},4 {R},5 {R})-5-(6-aminopurin-9-yl)-3,4-bis(oxidanyl)oxolan-2-yl]methoxy-oxidanyl-phosphoryl] [(2 {R},3 {S},4 {R},5 {R})-5-[4-[5-[(4 {S})-4-(4-fluorophenyl)-2-oxidanylidene-piperidin-1-yl]pyridin-2-yl]pyridin-1-yl]-3,4-bis(oxidanyl)oxolan-2-yl]methyl hydrogen phosphate (CCD ID: A1BTR) (formula: C₃₆H₄₀FN₈O₁₄P₂) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	
			Total	C	F	H	N	O			P
2	A	1	99	36	1	38	8	14	2	0	0
2	B	1	99	36	1	38	8	14	2	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	91	Total O 91 91	0	0
3	B	65	Total O 65 65	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: NAD(+) hydrolase SARM1



- Molecule 1: NAD(+) hydrolase SARM1



4 Data and refinement statistics

Property	Value	Source
Space group	P 2 21 21	Depositor
Cell constants a, b, c, α , β , γ	32.93Å 85.53Å 115.91Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	40.12 – 1.93 40.12 – 1.93	Depositor EDS
% Data completeness (in resolution range)	99.8 (40.12-1.93) 93.6 (40.12-1.93)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.22 (at 1.94Å)	Xtrriage
Refinement program	PHENIX (1.20rc3-4406-foss-2017a)	Depositor
R, R_{free}	0.176 , 0.200 0.176 , 0.199	Depositor DCC
R_{free} test set	2000 reflections (7.86%)	wwPDB-VP
Wilson B-factor (Å ²)	24.0	Xtrriage
Anisotropy	0.721	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.40 , 44.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	2677	wwPDB-VP
Average B, all atoms (Å ²)	30.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.66% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: A1BTR

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.46	0/1221	0.64	0/1650
1	B	0.47	0/1193	0.57	0/1609
All	All	0.47	0/2414	0.61	0/3259

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1171	0	1171	31	0
1	B	1152	0	1165	23	0
2	A	61	38	0	1	0
2	B	61	38	0	4	0
3	A	91	0	0	1	0
3	B	65	0	0	2	0
All	All	2601	76	2336	57	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (57) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:801:A1BTR:O28	2:B:801:A1BTR:C19	1.64	1.26
2:A:801:A1BTR:C25	2:A:801:A1BTR:O22	1.64	1.23
2:B:801:A1BTR:C25	2:B:801:A1BTR:O22	1.66	1.18
1:A:581:LYS:HE3	1:A:596[C]:GLU:OE1	1.53	1.06
1:A:581:LYS:HE3	1:A:596[B]:GLU:OE1	1.69	0.92
1:B:634:ASP:HB2	1:B:636:LYS:HE3	1.61	0.81
1:A:581:LYS:HE2	1:A:585:GLN:CD	2.11	0.75
1:A:615:ARG:HH11	1:A:700:GLN:HE22	1.39	0.69
1:A:581:LYS:HE2	1:A:585:GLN:OE1	1.97	0.64
1:A:635:CYS:O	1:A:641:LYS:HE3	1.98	0.63
2:B:801:A1BTR:O28	2:B:801:A1BTR:C21	2.45	0.59
1:A:634:ASP:HB3	1:A:636:LYS:HD3	1.85	0.56
1:A:615:ARG:HH11	1:A:700:GLN:NE2	2.03	0.56
1:A:604:GLU:HA	1:A:638:TRP:CH2	2.42	0.55
1:B:608:ILE:HG22	1:B:612:MET:HE3	1.88	0.55
1:A:581:LYS:HE3	1:A:596[B]:GLU:CD	2.33	0.54
1:A:575[B]:GLN:OE1	1:A:575[B]:GLN:HA	2.09	0.52
1:A:587:HIS:CG	1:A:696:ILE:HD11	2.45	0.51
1:A:581:LYS:HD3	3:A:962:HOH:O	2.11	0.51
1:B:615:ARG:O	1:B:615:ARG:NH1	2.45	0.50
1:B:608:ILE:O	1:B:612:MET:HG3	2.12	0.50
1:A:605:ASP:O	1:A:609:GLN:HG3	2.12	0.49
1:B:692:ILE:O	1:B:696:ILE:HG12	2.12	0.49
1:B:604:GLU:HA	1:B:638:TRP:CH2	2.48	0.49
1:A:608:ILE:O	1:A:612:MET:HG3	2.13	0.49
1:A:621:LEU:HD12	1:A:657:ILE:HD13	1.95	0.49
1:B:596:GLU:HG2	1:B:597:LYS:HG2	1.95	0.49
1:A:581:LYS:CE	1:A:596[B]:GLU:OE1	2.51	0.48
1:A:657:ILE:HG23	1:A:660:PHE:HB3	1.95	0.47
1:B:615:ARG:HH12	1:B:652:ASN:H	1.62	0.47
1:B:693:GLU:HG3	3:B:945:HOH:O	2.13	0.47
1:B:683:TRP:CE3	1:B:691:THR:HG21	2.51	0.46
1:A:591:VAL:O	1:A:597:LYS:HE2	2.16	0.46
1:A:683:TRP:CE3	1:A:691:THR:HG21	2.51	0.46
1:B:664:GLU:HB3	1:B:666:GLN:NE2	2.31	0.45
1:A:689[A]:GLU:H	1:A:689[A]:GLU:CD	2.24	0.45
1:A:570:ARG:HD3	1:A:574[B]:SER:OG	2.17	0.45
1:B:693:GLU:OE1	3:B:901:HOH:O	2.21	0.45
1:B:694:LYS:HG3	1:B:697[B]:ARG:NH2	2.33	0.44
1:B:615:ARG:HH12	1:B:651:LYS:HA	1.82	0.44
1:B:608:ILE:CG2	1:B:612:MET:HE3	2.48	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:562:PRO:O	1:B:614:ALA:HA	2.19	0.43
1:A:604:GLU:HA	1:A:638:TRP:CZ2	2.54	0.42
1:B:621:LEU:HD12	1:B:657:ILE:HD13	2.01	0.42
1:A:681:ILE:HD11	1:A:698:PHE:CG	2.54	0.42
1:A:621:LEU:HD12	1:A:657:ILE:CD1	2.50	0.41
1:B:615:ARG:HH12	1:B:652:ASN:N	2.17	0.41
1:A:683:TRP:CD1	1:B:575[B]:GLN:HE22	2.38	0.41
1:A:693:GLU:O	1:A:697:ARG:HG3	2.21	0.41
1:A:660:PHE:CE2	1:A:663:PRO:HD3	2.56	0.41
1:B:615:ARG:NH1	1:B:652:ASN:H	2.18	0.41
1:B:607:LEU:HD11	2:B:801:A1BTR:C59	2.51	0.40
1:A:660:PHE:CZ	1:A:663:PRO:HD3	2.57	0.40
1:B:628:LYS:HE2	1:B:637:ASP:OD1	2.20	0.40
1:A:630:MET:O	1:A:631:GLN:HB2	2.22	0.40
1:A:664:GLU:CD	1:A:666:GLN:HE22	2.30	0.40
1:B:634:ASP:CB	1:B:636:LYS:HE3	2.43	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	147/143 (103%)	144 (98%)	3 (2%)	0	100	100
1	B	143/143 (100%)	140 (98%)	3 (2%)	0	100	100
All	All	290/286 (101%)	284 (98%)	6 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	134/127 (106%)	131 (98%)	3 (2%)	47	35
1	B	130/127 (102%)	128 (98%)	2 (2%)	60	52
All	All	264/254 (104%)	259 (98%)	5 (2%)	67	41

All (5) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	561	THR
1	A	686[A]	GLU
1	A	686[B]	GLU
1	B	631[A]	GLN
1	B	631[B]	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	585	GLN
1	A	609	GLN
1	A	666	GLN
1	A	700	GLN
1	B	587	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	A1BTR	B	801	-	62,68,68	5.73	45 (72%)	79,102,102	2.73	32 (40%)
2	A1BTR	A	801	-	62,68,68	5.68	45 (72%)	79,102,102	2.73	28 (35%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	A1BTR	B	801	-	-	7/34/83/83	0/8/8/8
2	A1BTR	A	801	-	-	7/34/83/83	0/8/8/8

All (90) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	801	A1BTR	C32-N08	11.16	1.49	1.32
2	A	801	A1BTR	C32-N08	11.12	1.49	1.32
2	A	801	A1BTR	C37-C36	10.87	1.56	1.38
2	B	801	A1BTR	C54-C49	10.72	1.57	1.38
2	A	801	A1BTR	C54-C49	10.62	1.57	1.38
2	B	801	A1BTR	C37-C36	10.46	1.55	1.38
2	B	801	A1BTR	C46-N45	10.14	1.55	1.36
2	B	801	A1BTR	C44-N45	10.10	1.64	1.47
2	A	801	A1BTR	C46-N45	9.90	1.54	1.36
2	A	801	A1BTR	C36-C41	9.67	1.54	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	801	A1BTR	O22-C25	9.64	1.66	1.45
2	A	801	A1BTR	C27-C25	-9.58	1.28	1.53
2	A	801	A1BTR	C39-C38	9.56	1.55	1.37
2	A	801	A1BTR	C16-C19	-9.49	1.28	1.53
2	B	801	A1BTR	C16-C19	-9.39	1.29	1.53
2	A	801	A1BTR	C40-C41	9.34	1.53	1.39
2	B	801	A1BTR	C27-C25	-9.14	1.29	1.53
2	B	801	A1BTR	C39-C38	9.05	1.54	1.37
2	A	801	A1BTR	C44-N45	9.05	1.63	1.47
2	B	801	A1BTR	C36-C41	9.04	1.53	1.39
2	A	801	A1BTR	C40-C39	8.96	1.53	1.38
2	B	801	A1BTR	O28-C19	8.90	1.64	1.45
2	A	801	A1BTR	O22-C25	8.90	1.64	1.45
2	B	801	A1BTR	P02-O09	8.87	1.69	1.59
2	B	801	A1BTR	C40-C39	8.55	1.52	1.38
2	B	801	A1BTR	C40-C41	8.54	1.52	1.39
2	A	801	A1BTR	O28-C19	8.07	1.62	1.45
2	A	801	A1BTR	C51-C52	7.96	1.57	1.39
2	B	801	A1BTR	C51-C52	7.93	1.57	1.39
2	B	801	A1BTR	C31-N08	7.81	1.46	1.35
2	A	801	A1BTR	O28-C10	-7.74	1.30	1.40
2	A	801	A1BTR	C31-N08	7.61	1.45	1.35
2	B	801	A1BTR	O28-C10	-7.60	1.30	1.40
2	A	801	A1BTR	C57-N58	7.44	1.52	1.35
2	B	801	A1BTR	C41-C42	7.27	1.66	1.52
2	A	801	A1BTR	C41-C42	7.21	1.66	1.52
2	B	801	A1BTR	C57-N58	7.12	1.51	1.35
2	A	801	A1BTR	C57-C56	7.03	1.53	1.38
2	B	801	A1BTR	C57-C56	6.95	1.53	1.38
2	A	801	A1BTR	C37-C38	6.67	1.50	1.37
2	B	801	A1BTR	C59-C60	6.33	1.51	1.38
2	A	801	A1BTR	C59-C60	6.28	1.51	1.38
2	B	801	A1BTR	C37-C38	6.22	1.49	1.37
2	B	801	A1BTR	C60-C55	6.19	1.51	1.39
2	A	801	A1BTR	C60-C55	6.14	1.51	1.39
2	A	801	A1BTR	P02-O09	6.13	1.66	1.59
2	B	801	A1BTR	C32-N11	5.70	1.44	1.33
2	A	801	A1BTR	C32-N11	5.65	1.44	1.33
2	B	801	A1BTR	C59-N58	5.59	1.48	1.35
2	A	801	A1BTR	C59-N58	5.13	1.47	1.35
2	A	801	A1BTR	C54-N53	5.12	1.44	1.34
2	B	801	A1BTR	C54-N53	4.84	1.44	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	801	A1BTR	C33-N14	4.73	1.51	1.34
2	A	801	A1BTR	C33-N14	4.56	1.50	1.34
2	B	801	A1BTR	O22-C30	-4.53	1.34	1.40
2	A	801	A1BTR	O22-C30	-4.53	1.34	1.40
2	B	801	A1BTR	C52-N53	3.84	1.42	1.35
2	A	801	A1BTR	C51-C50	3.82	1.45	1.38
2	B	801	A1BTR	P01-O09	3.58	1.63	1.59
2	A	801	A1BTR	C52-N53	3.51	1.42	1.35
2	A	801	A1BTR	C48-C46	3.48	1.56	1.51
2	B	801	A1BTR	C48-C46	3.44	1.56	1.51
2	B	801	A1BTR	O03-C13	-3.34	1.34	1.43
2	B	801	A1BTR	C33-C34	3.20	1.55	1.43
2	B	801	A1BTR	C56-C55	3.20	1.45	1.39
2	B	801	A1BTR	C51-C50	3.15	1.43	1.38
2	A	801	A1BTR	O47-C46	-3.14	1.16	1.23
2	A	801	A1BTR	C33-C34	3.13	1.55	1.43
2	A	801	A1BTR	C55-C52	3.10	1.53	1.49
2	A	801	A1BTR	C56-C55	3.08	1.45	1.39
2	B	801	A1BTR	C50-C49	3.06	1.45	1.39
2	A	801	A1BTR	C50-C49	2.98	1.44	1.39
2	B	801	A1BTR	C49-N45	2.97	1.49	1.43
2	A	801	A1BTR	C49-N45	2.96	1.49	1.43
2	A	801	A1BTR	O03-C13	-2.90	1.35	1.43
2	B	801	A1BTR	O47-C46	-2.87	1.16	1.23
2	A	801	A1BTR	C29-C27	2.80	1.61	1.53
2	B	801	A1BTR	O20-C29	-2.80	1.36	1.43
2	B	801	A1BTR	C55-C52	2.67	1.53	1.49
2	B	801	A1BTR	C29-C27	2.61	1.60	1.53
2	A	801	A1BTR	O20-C29	-2.55	1.36	1.43
2	B	801	A1BTR	O18-C27	2.29	1.48	1.43
2	B	801	A1BTR	C23-C25	2.24	1.58	1.51
2	B	801	A1BTR	P01-O07	-2.24	1.45	1.55
2	A	801	A1BTR	O04-C16	2.23	1.48	1.43
2	A	801	A1BTR	O18-C27	2.18	1.48	1.43
2	A	801	A1BTR	P01-O07	-2.13	1.45	1.55
2	A	801	A1BTR	P02-O15	2.12	1.67	1.59
2	A	801	A1BTR	P01-O05	2.09	1.67	1.59
2	B	801	A1BTR	C43-C44	2.05	1.57	1.52

All (60) bond angle outliers are listed below:

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	801	A1BTR	C19-O28-C10	-10.08	100.69	109.92
2	A	801	A1BTR	C19-O28-C10	-8.64	102.01	109.92
2	A	801	A1BTR	C44-N45-C46	7.63	132.28	122.50
2	A	801	A1BTR	C49-N45-C46	-7.62	111.60	120.48
2	A	801	A1BTR	N08-C32-N11	-7.56	118.41	128.67
2	B	801	A1BTR	C49-N45-C46	-7.46	111.78	120.48
2	B	801	A1BTR	N08-C32-N11	-6.95	119.23	128.67
2	A	801	A1BTR	C44-C43-C42	6.77	118.92	111.00
2	B	801	A1BTR	C44-N45-C46	6.38	130.68	122.50
2	B	801	A1BTR	C43-C42-C48	5.03	118.45	108.75
2	A	801	A1BTR	C43-C42-C48	4.97	118.33	108.75
2	B	801	A1BTR	C60-C55-C56	4.94	126.52	117.68
2	A	801	A1BTR	C60-C55-C56	4.79	126.24	117.68
2	B	801	A1BTR	C44-C43-C42	4.70	116.50	111.00
2	B	801	A1BTR	C51-C52-N53	4.13	128.38	122.24
2	B	801	A1BTR	C50-C49-C54	4.04	126.30	118.33
2	B	801	A1BTR	O22-C25-C23	3.85	121.68	109.33
2	A	801	A1BTR	C43-C44-N45	-3.78	101.96	110.75
2	A	801	A1BTR	C50-C49-C54	3.76	125.76	118.33
2	B	801	A1BTR	O15-C23-C25	-3.72	96.32	108.99
2	A	801	A1BTR	C13-C16-C19	3.59	109.54	102.61
2	B	801	A1BTR	C49-C54-N53	-3.48	116.80	122.71
2	A	801	A1BTR	C49-C54-N53	-3.43	116.89	122.71
2	A	801	A1BTR	C43-C42-C41	-3.40	104.62	112.67
2	B	801	A1BTR	C43-C42-C41	-3.38	104.67	112.67
2	B	801	A1BTR	C48-C42-C41	-3.29	104.35	112.47
2	A	801	A1BTR	C23-C25-C27	-3.26	103.47	115.21
2	B	801	A1BTR	C56-C55-C52	-3.26	116.13	121.28
2	A	801	A1BTR	O28-C19-C21	-3.20	99.09	109.33
2	B	801	A1BTR	C23-C25-C27	-3.12	103.99	115.21
2	B	801	A1BTR	C59-N58-C57	3.11	124.30	120.34
2	A	801	A1BTR	C60-C55-C52	-3.11	116.36	121.28
2	B	801	A1BTR	C50-C51-C52	-3.09	115.47	119.35
2	B	801	A1BTR	C51-C52-C55	-3.08	116.25	121.97
2	A	801	A1BTR	O03-C13-C16	3.08	121.69	111.82
2	A	801	A1BTR	O15-C23-C25	-3.00	98.76	108.99
2	A	801	A1BTR	C51-C50-C49	-2.86	116.68	120.30
2	A	801	A1BTR	C48-C42-C41	-2.85	105.44	112.47
2	A	801	A1BTR	C59-N58-C57	2.80	123.91	120.34
2	B	801	A1BTR	C13-C16-C19	2.75	107.92	102.61
2	B	801	A1BTR	C43-C44-N45	-2.73	104.40	110.75

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	801	A1BTR	O22-C25-C23	2.73	118.07	109.33
2	A	801	A1BTR	C51-C52-N53	2.71	126.27	122.24
2	B	801	A1BTR	O03-C13-C16	2.67	120.37	111.82
2	B	801	A1BTR	C51-C50-C49	-2.59	117.02	120.30
2	B	801	A1BTR	C60-C55-C52	-2.57	117.21	121.28
2	B	801	A1BTR	C48-C46-N45	-2.54	111.14	116.58
2	B	801	A1BTR	O28-C19-C16	2.52	110.15	105.15
2	A	801	A1BTR	C56-C55-C52	-2.49	117.35	121.28
2	A	801	A1BTR	C57-C56-C55	-2.39	116.20	119.97
2	B	801	A1BTR	O07-P01-O09	2.26	113.39	107.27
2	B	801	A1BTR	C37-C36-C41	-2.26	118.93	121.18
2	A	801	A1BTR	C51-C52-C55	-2.24	117.83	121.97
2	A	801	A1BTR	O07-P01-O09	2.23	113.31	107.27
2	B	801	A1BTR	C59-C60-C55	-2.22	116.46	119.97
2	B	801	A1BTR	O28-C19-C21	-2.16	102.41	109.33
2	A	801	A1BTR	C40-C41-C42	-2.13	115.69	121.09
2	B	801	A1BTR	C57-C56-C55	-2.10	116.65	119.97
2	B	801	A1BTR	C40-C41-C42	-2.06	115.86	121.09
2	A	801	A1BTR	O28-C19-C16	2.02	109.16	105.15

There are no chirality outliers.

All (14) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	801	A1BTR	C13-C10-N58-C57
2	A	801	A1BTR	O15-C23-C25-O22
2	B	801	A1BTR	C13-C10-N58-C57
2	B	801	A1BTR	C13-C10-N58-C59
2	B	801	A1BTR	O15-C23-C25-O22
2	B	801	A1BTR	C23-O15-P02-O09
2	B	801	A1BTR	C23-O15-P02-O12
2	B	801	A1BTR	C23-O15-P02-O24
2	A	801	A1BTR	O15-C23-C25-C27
2	B	801	A1BTR	O15-C23-C25-C27
2	A	801	A1BTR	C23-O15-P02-O09
2	A	801	A1BTR	C23-O15-P02-O12
2	A	801	A1BTR	C23-O15-P02-O24
2	A	801	A1BTR	C13-C10-N58-C59

There are no ring outliers.

2 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	801	A1BTR	4	0
2	A	801	A1BTR	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	140/143 (97%)	-0.10	2 (1%) 73 77	11, 26, 45, 55	8 (5%)
1	B	139/143 (97%)	-0.06	4 (2%) 54 58	11, 27, 48, 58	6 (4%)
All	All	279/286 (97%)	-0.08	6 (2%) 62 68	11, 27, 45, 58	14 (5%)

All (6) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	561	THR	3.7
1	B	562	PRO	2.9
1	A	563[A]	ASP	2.2
1	B	615	ARG	2.1
1	B	633	HIS	2.1
1	B	667	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.


6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	A1BTR	A	801	61/61	0.94	0.10	21,30,60,71	0
2	A1BTR	B	801	61/61	0.94	0.10	19,31,68,71	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers [i](#)

There are no such residues in this entry.