



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 10, 2026 – 06:10 PM EST

PDB ID : 9N9T / pdb_00009n9t
Title : Crystal structure of Main protease of PEDV in complex with AVI8122
Authors : Chen, P.; Lu, J.; Lemieux, M.J.
Deposited on : 2025-02-11
Resolution : 1.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtrriage (Phenix) : 2.0
EDS : 3.0
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.48


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	3717 (1.50-1.50)
Clashscore	180529	4048 (1.50-1.50)
Ramachandran outliers	177936	3970 (1.50-1.50)
Sidechain outliers	177891	3967 (1.50-1.50)
RSRZ outliers	164620	3718 (1.50-1.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	302	 10% 85% 14%
1	B	302	 12% 83% 15%

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 9607 atoms, of which 4496 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Nsp5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
			Total	C	H	N	O				S
1	A	298	Total	C	H	N	O	S	0	0	0
			4492	1432	2222	392	430	16			
1	B	296	Total	C	H	N	O	S	0	0	0
			4472	1427	2212	389	428	16			

- Molecule 2 is N-[(2S)-3-cyclopropyl-1-((2S,3S)-3,4-dihydroxy-1-[(3S)-2-oxopiperidin-3-yl]butan-2-yl)amino)-1-oxopropan-2-yl]-7-fluoro-1H-indole-2-carboxamide (CCD ID: A1BWH) (formula: C₂₄H₃₁FN₄O₅) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
			Total	C	F	H	N			O
2	A	1	Total	C	F	H	N	O	0	0
			65	24	1	31	4	5		
2	B	1	Total	C	F	H	N	O	0	0
			65	24	1	31	4	5		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	263	Total 263	O 263	0	0
3	B	250	Total 250	O 250	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Nsp5



- Molecule 1: Nsp5



4 Data and refinement statistics i

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	58.17Å 87.06Å 59.37Å 90.00° 103.41° 90.00°	Depositor
Resolution (Å)	48.12 – 1.50 48.12 – 1.50	Depositor EDS
% Data completeness (in resolution range)	98.7 (48.12-1.50) 98.7 (48.12-1.50)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.04 (at 1.50Å)	Xtrriage
Refinement program	PHENIX (1.20.1_4487: ???)	Depositor
R, R_{free}	0.198 , 0.208 0.198 , 0.208	Depositor DCC
R_{free} test set	4434 reflections (4.82%)	wwPDB-VP
Wilson B-factor (Å ²)	20.1	Xtrriage
Anisotropy	0.391	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.41 , 28.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	0.024 for l,-k,h	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	9607	wwPDB-VP
Average B, all atoms (Å ²)	30.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.44% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: A1BWH

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.36	0/2316	0.59	0/3145
1	B	0.36	0/2305	0.59	0/3131
All	All	0.36	0/4621	0.59	0/6276

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2270	2222	2222	43	0
1	B	2260	2212	2211	67	1
2	A	34	31	0	1	0
2	B	34	31	0	0	0
3	A	263	0	0	32	2
3	B	250	0	0	50	3
All	All	5111	4496	4433	111	4

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (111) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:220:SER:C	3:B:501:HOH:O	1.83	1.21
1:A:37:MET:SD	3:A:724:HOH:O	1.98	1.21
2:A:401:A1BWH:C25	3:A:501:HOH:O	1.91	1.19
1:A:286:GLU:CD	3:A:504:HOH:O	1.91	1.12
1:B:213:ASN:ND2	3:B:502:HOH:O	1.83	1.10
1:A:48:THR:N	3:A:502:HOH:O	1.84	1.08
1:B:226:VAL:C	3:B:504:HOH:O	1.93	1.08
1:B:220:SER:CA	3:B:503:HOH:O	2.06	1.02
1:B:229:PHE:N	3:B:504:HOH:O	1.93	0.97
1:B:221:SER:N	3:B:501:HOH:O	1.90	0.97
1:A:47:THR:N	3:A:502:HOH:O	1.97	0.97
1:B:41:HIS:ND1	3:B:507:HOH:O	1.98	0.96
1:B:220:SER:O	3:B:503:HOH:O	1.83	0.95
1:B:213:ASN:CG	3:B:502:HOH:O	2.08	0.94
1:B:220:SER:C	3:B:503:HOH:O	2.11	0.94
1:B:220:SER:CB	3:B:503:HOH:O	2.14	0.92
1:B:136:ARG:NH1	3:B:508:HOH:O	2.00	0.92
1:B:228:ARG:N	3:B:504:HOH:O	2.03	0.91
1:B:220:SER:HB3	3:B:503:HOH:O	1.69	0.90
1:B:220:SER:O	3:B:501:HOH:O	1.82	0.89
1:B:226:VAL:O	3:B:504:HOH:O	1.88	0.88
1:A:286:GLU:OE2	3:A:504:HOH:O	1.88	0.87
1:B:280:TYR:HE1	3:B:518:HOH:O	1.58	0.87
1:B:280:TYR:CE1	3:B:518:HOH:O	2.29	0.85
1:A:46:SER:HB2	3:A:502:HOH:O	1.76	0.84
1:B:194:GLY:N	3:B:505:HOH:O	1.89	0.84
1:A:37:MET:CE	3:A:724:HOH:O	2.17	0.83
1:B:225:ALA:O	3:B:504:HOH:O	1.98	0.81
1:B:227:ASP:OD1	3:B:506:HOH:O	1.97	0.81
1:B:220:SER:N	3:B:503:HOH:O	2.12	0.80
1:B:221:SER:HA	3:B:501:HOH:O	1.80	0.80
1:A:294:ARG:NH2	3:A:512:HOH:O	2.15	0.80
1:A:48:THR:HG23	3:A:502:HOH:O	1.83	0.78
1:A:141:ASN:HA	3:A:501:HOH:O	1.83	0.77
1:B:224:ILE:HD13	1:B:266:GLN:OE1	1.85	0.77
1:A:283:LEU:O	3:A:506:HOH:O	2.02	0.76
1:A:49:SER:O	3:A:508:HOH:O	2.03	0.75
1:B:141:ASN:OD1	3:B:509:HOH:O	2.07	0.72
1:A:257:ASP:OD1	3:A:510:HOH:O	2.06	0.71
1:B:25:MET:HE3	3:B:630:HOH:O	1.90	0.70
1:B:231:GLU:OE2	3:B:510:HOH:O	2.08	0.70

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:221:SER:CA	3:B:501:HOH:O	2.25	0.70
1:A:139:PHE:CE1	3:A:507:HOH:O	2.46	0.69
1:A:260:ARG:NH2	3:A:511:HOH:O	2.08	0.68
1:A:47:THR:OG1	3:A:503:HOH:O	1.87	0.67
1:B:194:GLY:CA	3:B:505:HOH:O	2.34	0.67
1:B:227:ASP:C	3:B:504:HOH:O	2.34	0.67
1:A:228:ARG:NH1	3:A:513:HOH:O	2.29	0.66
1:A:46:SER:C	3:A:502:HOH:O	2.34	0.66
1:B:51:ILE:HD11	3:B:539:HOH:O	1.96	0.66
1:B:24:ASN:OD1	3:B:512:HOH:O	2.13	0.65
1:B:141:ASN:ND2	3:B:511:HOH:O	2.10	0.65
1:B:237:GLY:O	3:B:513:HOH:O	2.15	0.65
1:A:275:LYS:HE3	3:A:522:HOH:O	1.96	0.64
1:B:194:GLY:HA3	3:B:505:HOH:O	1.98	0.64
1:A:168:SER:OG	1:A:193:GLU:OE2	2.16	0.63
1:B:45:SER:O	3:B:512:HOH:O	2.15	0.62
1:A:191:GLN:N	3:A:505:HOH:O	1.92	0.61
1:B:212:ILE:HG22	3:B:502:HOH:O	2.01	0.60
1:B:281:THR:O	1:B:281:THR:HG22	2.02	0.60
1:A:141:ASN:ND2	3:A:501:HOH:O	1.79	0.59
3:A:627:HOH:O	1:B:281:THR:HG21	2.03	0.58
1:A:37:MET:HE1	1:A:82:ARG:NE	2.18	0.58
1:B:66:SER:HG	1:B:73:PHE:HE2	1.52	0.58
1:A:192:VAL:HG12	3:A:520:HOH:O	2.06	0.55
1:B:66:SER:OG	1:B:73:PHE:HE2	1.88	0.55
1:B:296:MET:HE2	3:B:609:HOH:O	2.07	0.55
1:B:25:MET:HE2	1:B:41:HIS:CE1	2.42	0.54
1:B:294:ARG:HG3	3:B:635:HOH:O	2.07	0.54
1:B:227:ASP:CG	3:B:506:HOH:O	2.48	0.52
1:B:164:LEU:C	1:B:164:LEU:HD12	2.34	0.52
1:B:260:ARG:NH1	3:B:514:HOH:O	2.17	0.51
1:B:112:ASN:O	1:B:148:GLY:HA2	2.10	0.51
1:A:46:SER:CB	3:A:502:HOH:O	2.47	0.51
1:B:1:ALA:HA	3:B:706:HOH:O	2.11	0.51
1:B:277:ILE:HA	3:B:519:HOH:O	2.11	0.51
1:A:125:TYR:OH	3:A:507:HOH:O	2.02	0.50
1:B:245:ASP:OD2	3:B:515:HOH:O	2.20	0.50
1:B:25:MET:CE	3:B:630:HOH:O	2.53	0.50
1:A:112:ASN:O	1:A:148:GLY:HA2	2.12	0.49
1:A:103:ARG:HE	1:A:157:GLU:CD	2.20	0.49
1:A:275:LYS:CE	3:A:522:HOH:O	2.59	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:41:HIS:CG	3:B:507:HOH:O	2.58	0.48
1:B:226:VAL:HG13	1:B:227:ASP:OD1	2.14	0.47
1:B:130:ARG:HD3	3:B:722:HOH:O	2.14	0.47
1:A:139:PHE:CD1	3:A:507:HOH:O	2.67	0.47
1:A:12:VAL:CG2	1:A:98:PRO:HB3	2.45	0.46
1:B:227:ASP:CB	3:B:517:HOH:O	2.63	0.46
1:B:48:THR:O	1:B:188:PRO:HG3	2.16	0.45
1:B:281:THR:O	1:B:281:THR:CG2	2.65	0.45
1:A:246:CYS:O	1:A:289:THR:HG21	2.17	0.45
1:A:34:ASP:OD2	1:A:89:LYS:HD2	2.18	0.44
1:A:89:LYS:HG3	1:A:90:VAL:N	2.31	0.44
1:B:226:VAL:HG13	3:B:506:HOH:O	2.17	0.44
1:B:249:ILE:H	1:B:249:ILE:HD12	1.83	0.43
1:B:227:ASP:OD1	1:B:227:ASP:N	2.51	0.43
1:A:242:VAL:HG13	3:A:650:HOH:O	2.18	0.43
1:A:164:LEU:HD12	1:A:164:LEU:C	2.43	0.43
1:A:199:PHE:HZ	3:A:698:HOH:O	2.02	0.42
1:B:227:ASP:N	3:B:504:HOH:O	2.35	0.42
1:B:200:THR:HG21	1:B:229:PHE:CE2	2.55	0.42
1:B:227:ASP:HB2	3:B:517:HOH:O	2.19	0.42
1:B:222:SER:O	1:B:260:ARG:HG3	2.20	0.42
1:A:15:LYS:HE3	1:A:96:HIS:ND1	2.35	0.41
1:B:130:ARG:NH2	1:B:170:CYS:HB2	2.36	0.41
1:A:170:CYS:SG	1:A:193:GLU:OE2	2.79	0.41
1:A:275:LYS:NZ	3:A:509:HOH:O	2.05	0.41
1:A:275:LYS:NZ	3:A:522:HOH:O	2.48	0.40
1:B:12:VAL:CG2	1:B:98:PRO:HB3	2.51	0.40
1:A:292:VAL:O	1:A:296:MET:HG2	2.21	0.40
1:A:136:ARG:HH21	1:A:286:GLU:CD	2.30	0.40

All (4) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:48:THR:O	1:B:222:SER:OG[2_746]	2.00	0.20
3:A:650:HOH:O	3:B:669:HOH:O[2_646]	2.03	0.17
3:A:527:HOH:O	3:B:676:HOH:O[1_455]	2.12	0.08
3:B:517:HOH:O	3:B:527:HOH:O[2_756]	2.19	0.01

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	296/302 (98%)	290 (98%)	6 (2%)	0	100	100
1	B	292/302 (97%)	284 (97%)	8 (3%)	0	100	100
All	All	588/604 (97%)	574 (98%)	14 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	245/249 (98%)	244 (100%)	1 (0%)	89	79
1	B	245/249 (98%)	244 (100%)	1 (0%)	89	79
All	All	490/498 (98%)	488 (100%)	2 (0%)	89	79

All (2) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	50	THR
1	B	284	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	87	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	276	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	A1BWH	A	401	1	35,37,37	2.72	12 (34%)	42,52,52	3.55	16 (38%)
2	A1BWH	B	401	1	35,37,37	2.61	12 (34%)	42,52,52	3.86	15 (35%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	A1BWH	A	401	1	-	1/27/43/43	0/4/4/4
2	A1BWH	B	401	1	-	1/27/43/43	0/4/4/4

All (24) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	401	A1BWH	C29-N28	7.36	1.46	1.33
2	B	401	A1BWH	C29-N28	6.46	1.44	1.33
2	A	401	A1BWH	C02-N21	5.82	1.46	1.34
2	B	401	A1BWH	C02-N21	5.65	1.46	1.34
2	A	401	A1BWH	C09-N08	5.02	1.45	1.34
2	B	401	A1BWH	C11-C10	4.90	1.48	1.39
2	A	401	A1BWH	C16-C18	-4.89	1.37	1.41
2	B	401	A1BWH	C09-N08	4.89	1.45	1.34
2	A	401	A1BWH	C11-C10	4.80	1.48	1.39
2	B	401	A1BWH	C16-C18	-4.62	1.37	1.41
2	A	401	A1BWH	C12-C18	-4.02	1.37	1.43
2	A	401	A1BWH	C15-C16	-4.02	1.30	1.36
2	B	401	A1BWH	C12-C18	-4.00	1.37	1.43
2	B	401	A1BWH	C15-C16	-3.84	1.30	1.36
2	A	401	A1BWH	C14-C15	-3.37	1.33	1.38
2	A	401	A1BWH	C13-C12	3.35	1.49	1.42
2	B	401	A1BWH	C14-C15	-3.26	1.33	1.38
2	B	401	A1BWH	C13-C12	3.16	1.48	1.42
2	B	401	A1BWH	C14-C13	3.13	1.43	1.36
2	A	401	A1BWH	C14-C13	2.76	1.42	1.36
2	B	401	A1BWH	O30-C29	-2.39	1.18	1.23
2	B	401	A1BWH	O34-C31	-2.26	1.38	1.43
2	A	401	A1BWH	O34-C31	-2.09	1.38	1.43
2	A	401	A1BWH	O01-C02	-2.05	1.19	1.23

All (31) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	401	A1BWH	F17-C16-C18	13.66	123.04	117.37
2	B	401	A1BWH	F17-C16-C18	13.64	123.03	117.37
2	B	401	A1BWH	C15-C16-C18	-9.76	117.57	123.17
2	A	401	A1BWH	C15-C16-C18	-9.30	117.83	123.17
2	B	401	A1BWH	C32-C31-C22	-8.43	101.26	112.08
2	B	401	A1BWH	O34-C31-C32	-8.03	90.78	109.03
2	A	401	A1BWH	C14-C15-C16	6.90	127.09	118.78
2	B	401	A1BWH	C14-C15-C16	6.16	126.19	118.78
2	A	401	A1BWH	O34-C31-C22	-5.89	98.27	109.88
2	B	401	A1BWH	C10-N19-C18	5.88	115.97	103.90
2	A	401	A1BWH	C10-N19-C18	5.67	115.55	103.90
2	B	401	A1BWH	O34-C31-C22	4.91	119.56	109.88
2	A	401	A1BWH	C32-C31-C22	4.35	117.66	112.08
2	A	401	A1BWH	C04-C05-C06	-3.98	114.17	119.71

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	401	A1BWH	C10-C11-C12	-3.82	101.79	106.55
2	A	401	A1BWH	C10-C11-C12	-3.65	102.00	106.55
2	B	401	A1BWH	O30-C29-N28	-3.55	117.60	122.41
2	B	401	A1BWH	C04-C05-C06	-3.49	114.85	119.71
2	B	401	A1BWH	C23-C24-C29	-3.45	104.36	111.03
2	A	401	A1BWH	O30-C29-N28	-3.39	117.82	122.41
2	B	401	A1BWH	C05-C04-C03	-3.39	109.96	114.52
2	A	401	A1BWH	O34-C31-C32	-3.38	101.35	109.03
2	A	401	A1BWH	C23-C22-C31	3.24	117.45	112.55
2	A	401	A1BWH	O33-C32-C31	3.02	117.49	111.16
2	A	401	A1BWH	C31-C22-N21	-2.93	104.48	109.97
2	B	401	A1BWH	C11-C12-C18	2.92	109.00	106.36
2	A	401	A1BWH	C11-C12-C18	2.90	108.98	106.36
2	B	401	A1BWH	C04-C05-C07	-2.46	116.29	119.71
2	B	401	A1BWH	C22-N21-C02	-2.45	118.99	123.25
2	A	401	A1BWH	C05-C04-C03	-2.22	111.53	114.52
2	A	401	A1BWH	C13-C14-C15	-2.20	117.61	121.00

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	401	A1BWH	C03-C04-C05-C06
2	A	401	A1BWH	O34-C31-C32-O33


There are no ring outliers.


1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	401	A1BWH	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient

equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	298/302 (98%)	0.59	29 (9%) 15 14	17, 27, 51, 72	0
1	B	296/302 (98%)	0.71	36 (12%) 10 9	15, 28, 59, 71	0
All	All	594/604 (98%)	0.65	65 (10%) 12 11	15, 28, 55, 72	0

All (65) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	299	VAL	7.5
1	A	190	LEU	6.3
1	B	249	ILE	5.4
1	B	281	THR	5.2
1	B	272	PHE	5.0
1	A	48	THR	4.6
1	B	234	VAL	4.4
1	A	47	THR	4.3
1	B	279	GLY	4.2
1	B	282	SER	3.8
1	B	242	VAL	3.8
1	A	192	VAL	3.7
1	B	217	TRP	3.7
1	A	170	CYS	3.6
1	B	283	LEU	3.6
1	B	47	THR	3.6
1	A	249	ILE	3.5
1	A	153	ASN	3.4
1	A	246	CYS	3.3
1	A	199	PHE	3.3
1	B	232	TRP	3.2
1	B	226	VAL	3.2
1	B	49	SER	3.2
1	B	269	HIS	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	242	VAL	3.0
1	B	278	LEU	3.0
1	B	280	TYR	3.0
1	B	241	VAL	2.9
1	B	277	ILE	2.9
1	A	50	THR	2.8
1	B	268	LEU	2.8
1	A	247	PHE	2.7
1	A	195	ALA	2.7
1	B	196	SER	2.7
1	B	276	GLN	2.7
1	B	228	ARG	2.7
1	B	252	ALA	2.7
1	B	48	THR	2.6
1	A	24	ASN	2.6
1	B	231	GLU	2.6
1	B	153	ASN	2.5
1	A	298	GLY	2.5
1	A	45	SER	2.5
1	A	106	ARG	2.4
1	A	63	HIS	2.4
1	A	196	SER	2.4
1	A	49	SER	2.4
1	A	154	GLY	2.3
1	B	243	ASN	2.2
1	A	189	THR	2.2
1	A	280	TYR	2.2
1	B	284	THR	2.2
1	B	270	LYS	2.2
1	B	237	GLY	2.2
1	B	71	ASN	2.2
1	A	73	PHE	2.2
1	A	256	VAL	2.1
1	A	228	ARG	2.1
1	B	225	ALA	2.1
1	A	164	LEU	2.1
1	A	188	PRO	2.0
1	B	164	LEU	2.0
1	A	133	TYR	2.0
1	B	297	TYR	2.0
1	B	245	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q < 0.9
2	A1BWH	B	401	34/34	0.92	0.09	19,23,32,41	0
2	A1BWH	A	401	34/34	0.93	0.08	22,27,36,39	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around A1BWH B 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.