



## Full wwPDB EM Validation Report ⓘ

Feb 17, 2026 – 04:45 PM EST

PDB ID : 9NFN / pdb\_00009nfn  
EMDB ID : EMD-49371  
Title : Nanotube of Y5 - (5 protomer)  
Authors : Das, A.; Conticello, V.  
Deposited on : 2025-02-21  
Resolution : 3.66 Å (reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev131  
Mogul : 2022.3.0, CSD as543be (2022)  
MolProbity : 4-5-2 with Phenix2.0  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.48

# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:  
*ELECTRON MICROSCOPY*



The reported resolution of this entry is 3.66 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.











Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	210492	15764	-
Ramachandran outliers	207382	16835	-
Sidechain outliers	206894	16415	-
Q-score	-	25397	11491 ( 3.16 - 4.16 )

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	0	8	 100%
1	1	8	 100%
1	2	8	 100%
1	3	8	 100%





Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
1	4	8	 100%
1	5	8	 100%
1	6	8	 100%
1	7	8	 100%
1	8	8	 100%
1	9	8	 100%
1	AA	8	 100%
1	AB	8	 100%
1	AC	8	 100%
1	AD	8	 100%
1	AE	8	 100%
1	AF	8	 100%
1	AG	8	 100%
1	AH	8	 100%
1	AI	8	 100%
1	AJ	8	 100%
1	AK	8	 100%
1	AL	8	 100%
1	AM	8	 100%
1	AN	8	 100%
1	AO	8	 100%
1	AP	8	 100%
1	AQ	8	 100%
1	AR	8	 100%
1	AS	8	 100%
















*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
1	AT	8	 100%
1	AU	8	 100%
1	AV	8	 100%
1	AW	8	 100%
1	AX	8	 100%
1	AY	8	 100%
1	AZ	8	 100%
1	Aa	8	 100%
1	Ab	8	 100%
1	Ac	8	 100%
1	Ad	8	 100%
1	Ae	8	 100%
1	Af	8	 100%
1	Ag	8	 100%
1	Ah	8	 100%
1	Ai	8	 100%
1	Aj	8	 100%
1	Ak	8	 100%
1	Al	8	 100%
1	Am	8	 100%
1	An	8	 100%
1	Ao	8	 100%
1	Ap	8	 100%
1	Aq	8	 100%
1	Ar	8	 100%

*Continued on next page...*

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	As	8	 100%
1	At	8	 100%
1	Au	8	 100%
1	Av	8	 12%  100%
1	Aw	8	 100%
1	f	8	 100%
1	g	8	 12%  100%
1	h	8	 100%
1	i	8	 100%
1	j	8	 100%
1	k	8	 100%
1	l	8	 100%
1	m	8	 100%
1	n	8	 100%
1	o	8	 100%
1	p	8	 100%
1	q	8	 100%
1	r	8	 100%
1	s	8	 100%
1	t	8	 12%  100%
1	u	8	 100%
1	v	8	 100%
1	w	8	 12%  100%
1	x	8	 100%
1	y	8	 100%

Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
1	z	8	 100%

## 2 Entry composition i

There is only 1 type of molecule in this entry. The entry contains 4640 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Y5.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
1	0	8	Total 58	C 41	N 9	O 8	0	1
1	1	8	Total 58	C 41	N 9	O 8	0	1
1	2	8	Total 58	C 41	N 9	O 8	0	1
1	3	8	Total 58	C 41	N 9	O 8	0	1
1	4	8	Total 58	C 41	N 9	O 8	0	1
1	5	8	Total 58	C 41	N 9	O 8	0	1
1	6	8	Total 58	C 41	N 9	O 8	0	1
1	7	8	Total 58	C 41	N 9	O 8	0	1
1	8	8	Total 58	C 41	N 9	O 8	0	1
1	9	8	Total 58	C 41	N 9	O 8	0	1
1	AA	8	Total 58	C 41	N 9	O 8	0	1
1	AB	8	Total 58	C 41	N 9	O 8	0	1
1	AC	8	Total 58	C 41	N 9	O 8	0	1
1	AD	8	Total 58	C 41	N 9	O 8	0	1
1	AE	8	Total 58	C 41	N 9	O 8	0	1
1	AF	8	Total 58	C 41	N 9	O 8	0	1
1	AG	8	Total 58	C 41	N 9	O 8	0	1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms				AltConf	Trace
1	AH	8	Total	C	N	O	0	1
			58	41	9	8		
1	AI	8	Total	C	N	O	0	1
			58	41	9	8		
1	AJ	8	Total	C	N	O	0	1
			58	41	9	8		
1	AK	8	Total	C	N	O	0	1
			58	41	9	8		
1	AL	8	Total	C	N	O	0	1
			58	41	9	8		
1	AM	8	Total	C	N	O	0	1
			58	41	9	8		
1	AN	8	Total	C	N	O	0	1
			58	41	9	8		
1	AO	8	Total	C	N	O	0	1
			58	41	9	8		
1	AP	8	Total	C	N	O	0	1
			58	41	9	8		
1	AQ	8	Total	C	N	O	0	1
			58	41	9	8		
1	AR	8	Total	C	N	O	0	1
			58	41	9	8		
1	AS	8	Total	C	N	O	0	1
			58	41	9	8		
1	AT	8	Total	C	N	O	0	1
			58	41	9	8		
1	AU	8	Total	C	N	O	0	1
			58	41	9	8		
1	AV	8	Total	C	N	O	0	1
			58	41	9	8		
1	AW	8	Total	C	N	O	0	1
			58	41	9	8		
1	AX	8	Total	C	N	O	0	1
			58	41	9	8		
1	AY	8	Total	C	N	O	0	1
			58	41	9	8		
1	AZ	8	Total	C	N	O	0	1
			58	41	9	8		
1	Aa	8	Total	C	N	O	0	1
			58	41	9	8		
1	Ab	8	Total	C	N	O	0	1
			58	41	9	8		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
1	Ac	8	58	41	9	8	0	1
1	Ad	8	58	41	9	8	0	1
1	Ae	8	58	41	9	8	0	1
1	Af	8	58	41	9	8	0	1
1	Ag	8	58	41	9	8	0	1
1	Ah	8	58	41	9	8	0	1
1	Ai	8	58	41	9	8	0	1
1	Aj	8	58	41	9	8	0	1
1	Ak	8	58	41	9	8	0	1
1	Al	8	58	41	9	8	0	1
1	Am	8	58	41	9	8	0	1
1	An	8	58	41	9	8	0	1
1	Ao	8	58	41	9	8	0	1
1	Ap	8	58	41	9	8	0	1
1	Aq	8	58	41	9	8	0	1
1	Ar	8	58	41	9	8	0	1
1	As	8	58	41	9	8	0	1
1	At	8	58	41	9	8	0	1
1	Au	8	58	41	9	8	0	1
1	Av	8	58	41	9	8	0	1
1	Aw	8	58	41	9	8	0	1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
1	f	8	58	41	9	8	0	1
1	g	8	58	41	9	8	0	1
1	h	8	58	41	9	8	0	1
1	i	8	58	41	9	8	0	1
1	j	8	58	41	9	8	0	1
1	k	8	58	41	9	8	0	1
1	l	8	58	41	9	8	0	1
1	m	8	58	41	9	8	0	1
1	n	8	58	41	9	8	0	1
1	o	8	58	41	9	8	0	1
1	p	8	58	41	9	8	0	1
1	q	8	58	41	9	8	0	1
1	r	8	58	41	9	8	0	1
1	s	8	58	41	9	8	0	1
1	t	8	58	41	9	8	0	1
1	u	8	58	41	9	8	0	1
1	v	8	58	41	9	8	0	1
1	w	8	58	41	9	8	0	1
1	x	8	58	41	9	8	0	1
1	y	8	58	41	9	8	0	1
1	z	8	58	41	9	8	0	1

### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Y5



- Molecule 1: Y5



There are no outlier residues recorded for this chain.

- Molecule 1: Y5



There are no outlier residues recorded for this chain.

- Molecule 1: Y5



There are no outlier residues recorded for this chain.

- Molecule 1: Y5



There are no outlier residues recorded for this chain.

- Molecule 1: Y5



There are no outlier residues recorded for this chain.

- Molecule 1: Y5



There are no outlier residues recorded for this chain.

- Molecule 1: Y5

Chain 7:  100%

There are no outlier residues recorded for this chain.

- Molecule 1: Y5

Chain 8:  100%

There are no outlier residues recorded for this chain.

- Molecule 1: Y5

Chain 9:  100%

There are no outlier residues recorded for this chain.

- Molecule 1: Y5

Chain AA:  100%

There are no outlier residues recorded for this chain.

- Molecule 1: Y5

Chain AB:  100%

There are no outlier residues recorded for this chain.

- Molecule 1: Y5

Chain AC:  12% 100%



- Molecule 1: Y5

Chain AD:  100%

There are no outlier residues recorded for this chain.

- Molecule 1: Y5

Chain AE:  100%

There are no outlier residues recorded for this chain.

- Molecule 1: Y5

Chain AF:  100%

There are no outlier residues recorded for this chain.

- Molecule 1: Y5

Chain AG:  100%

There are no outlier residues recorded for this chain.

- Molecule 1: Y5

Chain AH:  100%

There are no outlier residues recorded for this chain.

- Molecule 1: Y5

Chain AI:  100%

There are no outlier residues recorded for this chain.

- Molecule 1: Y5

Chain AJ:  100%

There are no outlier residues recorded for this chain.

- Molecule 1: Y5

Chain AK:  100%

There are no outlier residues recorded for this chain.

- Molecule 1: Y5

Chain AL:  100%

There are no outlier residues recorded for this chain.

- Molecule 1: Y5

Chain AM:  100%

There are no outlier residues recorded for this chain.

- Molecule 1: Y5

Chain AN:  100%

There are no outlier residues recorded for this chain.

- Molecule 1: Y5

Chain AO:  100%

There are no outlier residues recorded for this chain.

- Molecule 1: Y5



- Molecule 1: Y5



There are no outlier residues recorded for this chain.

- Molecule 1: Y5



There are no outlier residues recorded for this chain.

- Molecule 1: Y5



- Molecule 1: Y5



There are no outlier residues recorded for this chain.

- Molecule 1: Y5



There are no outlier residues recorded for this chain.

- Molecule 1: Y5



There are no outlier residues recorded for this chain.

- Molecule 1: Y5



There are no outlier residues recorded for this chain.

- Molecule 1: Y5



There are no outlier residues recorded for this chain.

- Molecule 1: Y5

Chain AY:  100%

There are no outlier residues recorded for this chain.

- Molecule 1: Y5

Chain AZ:  100%

There are no outlier residues recorded for this chain.

- Molecule 1: Y5

Chain Aa:  100%

There are no outlier residues recorded for this chain.

- Molecule 1: Y5

Chain Ab:  100%

There are no outlier residues recorded for this chain.

- Molecule 1: Y5

Chain Ac:  100%

There are no outlier residues recorded for this chain.

- Molecule 1: Y5

Chain Ad:  100%

There are no outlier residues recorded for this chain.

- Molecule 1: Y5

Chain Ae:  100%

There are no outlier residues recorded for this chain.

- Molecule 1: Y5

Chain Af:  12% 100%



- Molecule 1: Y5

Chain Ag:  100%

There are no outlier residues recorded for this chain.

- Molecule 1: Y5

Chain Ah:  100%

There are no outlier residues recorded for this chain.

- Molecule 1: Y5

Chain Ai:  12%  100%



- Molecule 1: Y5

Chain Aj:  100%

There are no outlier residues recorded for this chain.

- Molecule 1: Y5

Chain Ak:  12%  100%



- Molecule 1: Y5

Chain Al:  100%

There are no outlier residues recorded for this chain.

- Molecule 1: Y5

Chain Am:  100%

There are no outlier residues recorded for this chain.

- Molecule 1: Y5

Chain An:  100%

There are no outlier residues recorded for this chain.

- Molecule 1: Y5

Chain Ao:  100%

There are no outlier residues recorded for this chain.

- Molecule 1: Y5

Chain Ap:  100%

There are no outlier residues recorded for this chain.

- Molecule 1: Y5

Chain Aq:  100%

There are no outlier residues recorded for this chain.

- Molecule 1: Y5

Chain Ar:  100%

There are no outlier residues recorded for this chain.

- Molecule 1: Y5

Chain As:  100%

There are no outlier residues recorded for this chain.

- Molecule 1: Y5

Chain At:  100%

There are no outlier residues recorded for this chain.

- Molecule 1: Y5

Chain Au:  100%

There are no outlier residues recorded for this chain.

- Molecule 1: Y5

Chain Av:  100%



- Molecule 1: Y5

Chain Aw:  100%

There are no outlier residues recorded for this chain.

- Molecule 1: Y5

Chain f:  100%

There are no outlier residues recorded for this chain.

- Molecule 1: Y5



- Molecule 1: Y5



There are no outlier residues recorded for this chain.

- Molecule 1: Y5



There are no outlier residues recorded for this chain.

- Molecule 1: Y5



There are no outlier residues recorded for this chain.

- Molecule 1: Y5



There are no outlier residues recorded for this chain.

- Molecule 1: Y5



There are no outlier residues recorded for this chain.

- Molecule 1: Y5



There are no outlier residues recorded for this chain.

- Molecule 1: Y5



There are no outlier residues recorded for this chain.

- Molecule 1: Y5



There are no outlier residues recorded for this chain.

- Molecule 1: Y5

Chain p:  100%

There are no outlier residues recorded for this chain.

- Molecule 1: Y5

Chain q:  100%

There are no outlier residues recorded for this chain.

- Molecule 1: Y5

Chain r:  100%

There are no outlier residues recorded for this chain.

- Molecule 1: Y5

Chain s:  100%

There are no outlier residues recorded for this chain.

- Molecule 1: Y5

Chain t:   100%



- Molecule 1: Y5

Chain u:  100%

There are no outlier residues recorded for this chain.

- Molecule 1: Y5

Chain v:  100%

There are no outlier residues recorded for this chain.

- Molecule 1: Y5

Chain w:   100%



- Molecule 1: Y5

Chain x:  100%

There are no outlier residues recorded for this chain.

- Molecule 1: Y5

Chain y:  100%

There are no outlier residues recorded for this chain.

- Molecule 1: Y5

Chain z:  100%

There are no outlier residues recorded for this chain.

## 4 Experimental information

Property	Value	Source
EM reconstruction method	HELICAL	Depositor
Imposed symmetry	HELICAL, twist=-3.039°, rise=4.924 Å, axial sym=C5	Depositor
Number of segments used	64499	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TALOS ARCTICA	Depositor
Voltage (kV)	200	Depositor
Electron dose ( $e^-/\text{Å}^2$ )	57	Depositor
Minimum defocus (nm)	600	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOCONTINUUM (6k x 4k)	Depositor
Maximum map value	0.294	Depositor
Minimum map value	-0.101	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.013	Depositor
Recommended contour level	0.0588	Depositor
Map size (Å)	366.676, 366.676, 366.676	wwPDB
Map dimensions	436, 436, 436	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.84099996, 0.84099996, 0.84099996	Depositor

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NH2, ACE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	0	0.52	0/55	0.78	0/72
1	1	0.50	0/55	0.75	0/72
1	2	0.49	0/55	0.79	0/72
1	3	0.50	0/55	0.78	0/72
1	4	0.48	0/55	0.76	0/72
1	5	0.52	0/55	0.84	0/72
1	6	0.51	0/55	0.82	0/72
1	7	0.54	0/55	0.97	0/72
1	8	0.52	0/55	0.83	0/72
1	9	0.50	0/55	0.84	0/72
1	AA	0.48	0/55	0.93	0/72
1	AB	0.54	0/55	0.87	0/72
1	AC	0.51	0/55	0.75	0/72
1	AD	0.51	0/55	0.82	0/72
1	AE	0.51	0/55	0.73	0/72
1	AF	0.56	0/55	0.85	0/72
1	AG	0.55	0/55	0.79	0/72
1	AH	0.51	0/55	0.81	0/72
1	AI	0.54	0/55	0.80	0/72
1	AJ	0.51	0/55	0.88	0/72
1	AK	0.52	0/55	0.82	0/72
1	AL	0.50	0/55	0.82	0/72
1	AM	0.51	0/55	0.88	0/72
1	AN	0.53	0/55	0.82	0/72
1	AO	0.52	0/55	0.90	0/72
1	AP	0.55	0/55	0.77	0/72
1	AQ	0.49	0/55	0.86	0/72
1	AR	0.53	0/55	0.91	0/72
1	AS	0.50	0/55	0.76	0/72
1	AT	0.52	0/55	0.89	0/72
1	AU	0.51	0/55	0.77	0/72
1	AV	0.52	0/55	0.82	0/72

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	AW	0.53	0/55	0.79	0/72
1	AX	0.51	0/55	0.83	0/72
1	AY	0.52	0/55	0.79	0/72
1	AZ	0.48	0/55	0.77	0/72
1	Aa	0.52	0/55	0.89	0/72
1	Ab	0.53	0/55	0.83	0/72
1	Ac	0.52	0/55	0.99	0/72
1	Ad	0.52	0/55	0.92	0/72
1	Ae	0.54	0/55	0.86	0/72
1	Af	0.56	0/55	0.87	0/72
1	Ag	0.49	0/55	0.82	0/72
1	Ah	0.53	0/55	0.90	0/72
1	Ai	0.51	0/55	0.73	0/72
1	Aj	0.53	0/55	0.87	0/72
1	Ak	0.52	0/55	0.92	0/72
1	Al	0.50	0/55	0.82	0/72
1	Am	0.52	0/55	0.94	0/72
1	An	0.50	0/55	0.80	0/72
1	Ao	0.52	0/55	0.89	0/72
1	Ap	0.48	0/55	0.79	0/72
1	Aq	0.52	0/55	0.80	0/72
1	Ar	0.50	0/55	0.81	0/72
1	As	0.52	0/55	0.85	0/72
1	At	0.49	0/55	0.84	0/72
1	Au	0.49	0/55	0.83	0/72
1	Av	0.54	0/55	0.83	0/72
1	Aw	0.50	0/55	0.86	0/72
1	f	0.51	0/55	0.95	0/72
1	g	0.52	0/55	0.75	0/72
1	h	0.51	0/55	0.84	0/72
1	i	0.51	0/55	0.80	0/72
1	j	0.50	0/55	0.81	0/72
1	k	0.51	0/55	0.74	0/72
1	l	0.50	0/55	0.79	0/72
1	m	0.53	0/55	0.84	0/72
1	n	0.49	0/55	0.85	0/72
1	o	0.50	0/55	0.79	0/72
1	p	0.51	0/55	0.81	0/72
1	q	0.51	0/55	0.79	0/72
1	r	0.50	0/55	0.82	0/72
1	s	0.52	0/55	0.83	0/72
1	t	0.52	0/55	0.78	0/72
1	u	0.49	0/55	0.86	0/72

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	v	0.52	0/55	0.90	0/72
1	w	0.52	0/55	0.72	0/72
1	x	0.55	0/55	0.89	0/72
1	y	0.51	0/55	0.79	0/72
1	z	0.50	0/55	0.81	0/72
All	All	0.51	0/4400	0.83	0/5760

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	0	58	0	71	0	0
1	1	58	0	71	0	0
1	2	58	0	71	0	0
1	3	58	0	71	0	0
1	4	58	0	71	0	0
1	5	58	0	71	0	0
1	6	58	0	71	0	0
1	7	58	0	71	0	0
1	8	58	0	71	0	0
1	9	58	0	71	0	0
1	AA	58	0	71	0	0
1	AB	58	0	71	0	0
1	AC	58	0	71	0	0
1	AD	58	0	71	0	0
1	AE	58	0	71	0	0
1	AF	58	0	71	0	0
1	AG	58	0	71	0	0
1	AH	58	0	71	0	0
1	AI	58	0	71	0	0
1	AJ	58	0	71	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	AK	58	0	71	0	0
1	AL	58	0	71	0	0
1	AM	58	0	71	0	0
1	AN	58	0	71	0	0
1	AO	58	0	71	0	0
1	AP	58	0	71	0	0
1	AQ	58	0	71	0	0
1	AR	58	0	71	0	0
1	AS	58	0	71	0	0
1	AT	58	0	71	0	0
1	AU	58	0	71	0	0
1	AV	58	0	71	0	0
1	AW	58	0	71	0	0
1	AX	58	0	71	0	0
1	AY	58	0	71	0	0
1	AZ	58	0	71	0	0
1	Aa	58	0	71	0	0
1	Ab	58	0	71	0	0
1	Ac	58	0	71	0	0
1	Ad	58	0	71	0	0
1	Ae	58	0	71	0	0
1	Af	58	0	71	0	0
1	Ag	58	0	71	0	0
1	Ah	58	0	71	0	0
1	Ai	58	0	71	0	0
1	Aj	58	0	71	0	0
1	Ak	58	0	71	0	0
1	Al	58	0	71	0	0
1	Am	58	0	71	0	0
1	An	58	0	71	0	0
1	Ao	58	0	71	0	0
1	Ap	58	0	71	0	0
1	Aq	58	0	71	0	0
1	Ar	58	0	71	0	0
1	As	58	0	71	0	0
1	At	58	0	71	0	0
1	Au	58	0	71	0	0
1	Av	58	0	71	0	0
1	Aw	58	0	71	0	0
1	f	58	0	71	0	0
1	g	58	0	71	0	0
1	h	58	0	71	0	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	i	58	0	71	0	0
1	j	58	0	71	0	0
1	k	58	0	71	0	0
1	l	58	0	71	0	0
1	m	58	0	71	0	0
1	n	58	0	71	0	0
1	o	58	0	71	0	0
1	p	58	0	71	0	0
1	q	58	0	71	0	0
1	r	58	0	71	0	0
1	s	58	0	71	0	0
1	t	58	0	71	0	0
1	u	58	0	71	0	0
1	v	58	0	71	0	0
1	w	58	0	71	0	0
1	x	58	0	71	0	0
1	y	58	0	71	0	0
1	z	58	0	71	0	0
All	All	4640	0	5680	0	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 0.

There are no clashes within the asymmetric unit.

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	0	6/8 (75%)	5 (83%)	1 (17%)	0	100	100
1	1	6/8 (75%)	6 (100%)	0	0	100	100
1	2	6/8 (75%)	5 (83%)	1 (17%)	0	100	100

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	3	6/8 (75%)	6 (100%)	0	0	100	100
1	4	6/8 (75%)	5 (83%)	1 (17%)	0	100	100
1	5	6/8 (75%)	6 (100%)	0	0	100	100
1	6	6/8 (75%)	5 (83%)	1 (17%)	0	100	100
1	7	6/8 (75%)	6 (100%)	0	0	100	100
1	8	6/8 (75%)	5 (83%)	1 (17%)	0	100	100
1	9	6/8 (75%)	6 (100%)	0	0	100	100
1	AA	6/8 (75%)	6 (100%)	0	0	100	100
1	AB	6/8 (75%)	5 (83%)	1 (17%)	0	100	100
1	AC	6/8 (75%)	6 (100%)	0	0	100	100
1	AD	6/8 (75%)	5 (83%)	1 (17%)	0	100	100
1	AE	6/8 (75%)	6 (100%)	0	0	100	100
1	AF	6/8 (75%)	5 (83%)	1 (17%)	0	100	100
1	AG	6/8 (75%)	6 (100%)	0	0	100	100
1	AH	6/8 (75%)	5 (83%)	1 (17%)	0	100	100
1	AI	6/8 (75%)	6 (100%)	0	0	100	100
1	AJ	6/8 (75%)	5 (83%)	1 (17%)	0	100	100
1	AK	6/8 (75%)	6 (100%)	0	0	100	100
1	AL	6/8 (75%)	5 (83%)	1 (17%)	0	100	100
1	AM	6/8 (75%)	6 (100%)	0	0	100	100
1	AN	6/8 (75%)	5 (83%)	1 (17%)	0	100	100
1	AO	6/8 (75%)	6 (100%)	0	0	100	100
1	AP	6/8 (75%)	5 (83%)	1 (17%)	0	100	100
1	AQ	6/8 (75%)	6 (100%)	0	0	100	100
1	AR	6/8 (75%)	5 (83%)	1 (17%)	0	100	100
1	AS	6/8 (75%)	6 (100%)	0	0	100	100
1	AT	6/8 (75%)	5 (83%)	1 (17%)	0	100	100
1	AU	6/8 (75%)	6 (100%)	0	0	100	100
1	AV	6/8 (75%)	5 (83%)	1 (17%)	0	100	100
1	AW	6/8 (75%)	6 (100%)	0	0	100	100
1	AX	6/8 (75%)	5 (83%)	1 (17%)	0	100	100

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	AY	6/8 (75%)	6 (100%)	0	0	100	100
1	AZ	6/8 (75%)	5 (83%)	1 (17%)	0	100	100
1	Aa	6/8 (75%)	6 (100%)	0	0	100	100
1	Ab	6/8 (75%)	5 (83%)	1 (17%)	0	100	100
1	Ac	6/8 (75%)	6 (100%)	0	0	100	100
1	Ad	6/8 (75%)	5 (83%)	1 (17%)	0	100	100
1	Ae	6/8 (75%)	6 (100%)	0	0	100	100
1	Af	6/8 (75%)	5 (83%)	1 (17%)	0	100	100
1	Ag	6/8 (75%)	6 (100%)	0	0	100	100
1	Ah	6/8 (75%)	5 (83%)	1 (17%)	0	100	100
1	Ai	6/8 (75%)	6 (100%)	0	0	100	100
1	Aj	6/8 (75%)	5 (83%)	1 (17%)	0	100	100
1	Ak	6/8 (75%)	6 (100%)	0	0	100	100
1	Al	6/8 (75%)	5 (83%)	1 (17%)	0	100	100
1	Am	6/8 (75%)	6 (100%)	0	0	100	100
1	An	6/8 (75%)	5 (83%)	1 (17%)	0	100	100
1	Ao	6/8 (75%)	6 (100%)	0	0	100	100
1	Ap	6/8 (75%)	5 (83%)	1 (17%)	0	100	100
1	Aq	6/8 (75%)	6 (100%)	0	0	100	100
1	Ar	6/8 (75%)	5 (83%)	1 (17%)	0	100	100
1	As	6/8 (75%)	6 (100%)	0	0	100	100
1	At	6/8 (75%)	5 (83%)	1 (17%)	0	100	100
1	Au	6/8 (75%)	6 (100%)	0	0	100	100
1	Av	6/8 (75%)	5 (83%)	1 (17%)	0	100	100
1	Aw	6/8 (75%)	6 (100%)	0	0	100	100
1	f	6/8 (75%)	5 (83%)	1 (17%)	0	100	100
1	g	6/8 (75%)	6 (100%)	0	0	100	100
1	h	6/8 (75%)	5 (83%)	1 (17%)	0	100	100
1	i	6/8 (75%)	6 (100%)	0	0	100	100
1	j	6/8 (75%)	5 (83%)	1 (17%)	0	100	100
1	k	6/8 (75%)	6 (100%)	0	0	100	100

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	l	6/8 (75%)	5 (83%)	1 (17%)	0	100	100
1	m	6/8 (75%)	6 (100%)	0	0	100	100
1	n	6/8 (75%)	5 (83%)	1 (17%)	0	100	100
1	o	6/8 (75%)	6 (100%)	0	0	100	100
1	p	6/8 (75%)	5 (83%)	1 (17%)	0	100	100
1	q	6/8 (75%)	6 (100%)	0	0	100	100
1	r	6/8 (75%)	5 (83%)	1 (17%)	0	100	100
1	s	6/8 (75%)	6 (100%)	0	0	100	100
1	t	6/8 (75%)	5 (83%)	1 (17%)	0	100	100
1	u	6/8 (75%)	6 (100%)	0	0	100	100
1	v	6/8 (75%)	5 (83%)	1 (17%)	0	100	100
1	w	6/8 (75%)	6 (100%)	0	0	100	100
1	x	6/8 (75%)	5 (83%)	1 (17%)	0	100	100
1	y	6/8 (75%)	6 (100%)	0	0	100	100
1	z	6/8 (75%)	5 (83%)	1 (17%)	0	100	100
All	All	480/640 (75%)	440 (92%)	40 (8%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	0	6/6 (100%)	6 (100%)	0	100	100
1	1	6/6 (100%)	6 (100%)	0	100	100
1	2	6/6 (100%)	6 (100%)	0	100	100
1	3	6/6 (100%)	6 (100%)	0	100	100
1	4	6/6 (100%)	6 (100%)	0	100	100
1	5	6/6 (100%)	6 (100%)	0	100	100

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	6	6/6 (100%)	6 (100%)	0	100	100
1	7	6/6 (100%)	6 (100%)	0	100	100
1	8	6/6 (100%)	6 (100%)	0	100	100
1	9	6/6 (100%)	6 (100%)	0	100	100
1	AA	6/6 (100%)	6 (100%)	0	100	100
1	AB	6/6 (100%)	6 (100%)	0	100	100
1	AC	6/6 (100%)	6 (100%)	0	100	100
1	AD	6/6 (100%)	6 (100%)	0	100	100
1	AE	6/6 (100%)	6 (100%)	0	100	100
1	AF	6/6 (100%)	6 (100%)	0	100	100
1	AG	6/6 (100%)	6 (100%)	0	100	100
1	AH	6/6 (100%)	6 (100%)	0	100	100
1	AI	6/6 (100%)	6 (100%)	0	100	100
1	AJ	6/6 (100%)	6 (100%)	0	100	100
1	AK	6/6 (100%)	6 (100%)	0	100	100
1	AL	6/6 (100%)	6 (100%)	0	100	100
1	AM	6/6 (100%)	6 (100%)	0	100	100
1	AN	6/6 (100%)	6 (100%)	0	100	100
1	AO	6/6 (100%)	6 (100%)	0	100	100
1	AP	6/6 (100%)	6 (100%)	0	100	100
1	AQ	6/6 (100%)	6 (100%)	0	100	100
1	AR	6/6 (100%)	6 (100%)	0	100	100
1	AS	6/6 (100%)	6 (100%)	0	100	100
1	AT	6/6 (100%)	6 (100%)	0	100	100
1	AU	6/6 (100%)	6 (100%)	0	100	100
1	AV	6/6 (100%)	6 (100%)	0	100	100
1	AW	6/6 (100%)	6 (100%)	0	100	100
1	AX	6/6 (100%)	6 (100%)	0	100	100
1	AY	6/6 (100%)	6 (100%)	0	100	100
1	AZ	6/6 (100%)	6 (100%)	0	100	100
1	Aa	6/6 (100%)	6 (100%)	0	100	100

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	Ab	6/6 (100%)	6 (100%)	0	100	100
1	Ac	6/6 (100%)	6 (100%)	0	100	100
1	Ad	6/6 (100%)	6 (100%)	0	100	100
1	Ae	6/6 (100%)	6 (100%)	0	100	100
1	Af	6/6 (100%)	6 (100%)	0	100	100
1	Ag	6/6 (100%)	6 (100%)	0	100	100
1	Ah	6/6 (100%)	6 (100%)	0	100	100
1	Ai	6/6 (100%)	6 (100%)	0	100	100
1	Aj	6/6 (100%)	6 (100%)	0	100	100
1	Ak	6/6 (100%)	6 (100%)	0	100	100
1	Al	6/6 (100%)	6 (100%)	0	100	100
1	Am	6/6 (100%)	6 (100%)	0	100	100
1	An	6/6 (100%)	6 (100%)	0	100	100
1	Ao	6/6 (100%)	6 (100%)	0	100	100
1	Ap	6/6 (100%)	6 (100%)	0	100	100
1	Aq	6/6 (100%)	6 (100%)	0	100	100
1	Ar	6/6 (100%)	6 (100%)	0	100	100
1	As	6/6 (100%)	6 (100%)	0	100	100
1	At	6/6 (100%)	6 (100%)	0	100	100
1	Au	6/6 (100%)	6 (100%)	0	100	100
1	Av	6/6 (100%)	6 (100%)	0	100	100
1	Aw	6/6 (100%)	6 (100%)	0	100	100
1	f	6/6 (100%)	6 (100%)	0	100	100
1	g	6/6 (100%)	6 (100%)	0	100	100
1	h	6/6 (100%)	6 (100%)	0	100	100
1	i	6/6 (100%)	6 (100%)	0	100	100
1	j	6/6 (100%)	6 (100%)	0	100	100
1	k	6/6 (100%)	6 (100%)	0	100	100
1	l	6/6 (100%)	6 (100%)	0	100	100
1	m	6/6 (100%)	6 (100%)	0	100	100
1	n	6/6 (100%)	6 (100%)	0	100	100

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	o	6/6 (100%)	6 (100%)	0	100	100
1	p	6/6 (100%)	6 (100%)	0	100	100
1	q	6/6 (100%)	6 (100%)	0	100	100
1	r	6/6 (100%)	6 (100%)	0	100	100
1	s	6/6 (100%)	6 (100%)	0	100	100
1	t	6/6 (100%)	6 (100%)	0	100	100
1	u	6/6 (100%)	6 (100%)	0	100	100
1	v	6/6 (100%)	6 (100%)	0	100	100
1	w	6/6 (100%)	6 (100%)	0	100	100
1	x	6/6 (100%)	6 (100%)	0	100	100
1	y	6/6 (100%)	6 (100%)	0	100	100
1	z	6/6 (100%)	6 (100%)	0	100	100
All	All	480/480 (100%)	480 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-49371. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)

#### 6.1.1 Primary map




#### 6.1.2 Raw map




The images above show the map projected in three orthogonal directions.

## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 218




Y Index: 218




Z Index: 218


### 6.2.2 Raw map



X Index: 218



Y Index: 218




Z Index: 218


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 189




Y Index: 247




Z Index: 210


### 6.3.2 Raw map



X Index: 189



Y Index: 247




Z Index: 0


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)

### 6.4.1 Primary map




### 6.4.2 Raw map



The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.0588. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 478 nm<sup>3</sup>; this corresponds to an approximate mass of 432 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum [i](#)




\*Reported resolution corresponds to spatial frequency of 0.273 Å<sup>-1</sup>

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.273 Å<sup>-1</sup>

## 8.2 Resolution estimates [i](#)

Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.66	-	-
Author-provided FSC curve	3.66	3.86	3.68
Unmasked-calculated*	4.30	4.61	4.34

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.30 differs from the reported value 3.66 by more than 10 %

## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-49371 and PDB model 9NFN. Per-residue inclusion information can be found in section 3 on page 11.

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.0588 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.0588).

## 9.4 Atom inclusion [i](#)



At the recommended contour level, 100% of all backbone atoms, 95% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.0588) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9480	 0.4810
0	 0.9460	 0.4750
1	 0.9460	 0.4860
2	 0.9640	 0.4940
3	 0.9290	 0.4790
4	 0.9460	 0.4890
5	 0.9460	 0.4740
6	 0.9460	 0.4860
7	 0.9290	 0.4720
8	 0.9460	 0.4780
9	 0.9460	 0.4790
AA	 0.9460	 0.4730
AB	 0.9640	 0.4950
AC	 0.9460	 0.4630
AD	 0.9640	 0.4960
AE	 0.9290	 0.4720
AF	 0.9640	 0.5000
AG	 0.9290	 0.4790
AH	 0.9640	 0.4970
AI	 0.9290	 0.4640
AJ	 0.9460	 0.4920
AK	 0.9460	 0.4740
AL	 0.9460	 0.4940
AM	 0.9290	 0.4610
AN	 0.9460	 0.4890
AO	 0.9290	 0.4690
AP	 0.9460	 0.4800
AQ	 0.9640	 0.4720
AR	 0.9640	 0.4990
AS	 0.9460	 0.4550
AT	 0.9640	 0.4960
AU	 0.9290	 0.4710
AV	 0.9640	 0.4930
AW	 0.9290	 0.4720
AX	 0.9460	 0.4980



*Continued on next page...*

Continued from previous page...

Chain	Atom inclusion	Q-score
AY	 0.9290	 0.4730
AZ	 0.9460	 0.5010
Aa	 0.9460	 0.4700
Ab	 0.9460	 0.4940
Ac	 0.9640	 0.4660
Ad	 0.9460	 0.4930
Ae	 0.9290	 0.4640
Af	 0.9460	 0.4760
Ag	 0.9460	 0.4690
Ah	 0.9640	 0.4930
Ai	 0.9290	 0.4570
Aj	 0.9640	 0.4950
Ak	 0.9290	 0.4760
Al	 0.9640	 0.4970
Am	 0.9460	 0.4760
An	 0.9640	 0.4930
Ao	 0.9290	 0.4730
Ap	 0.9460	 0.4890
Aq	 0.9290	 0.4700
Ar	 0.9460	 0.4870
As	 0.9640	 0.4810
At	 0.9460	 0.4860
Au	 0.9460	 0.4720
Av	 0.9460	 0.4870
Aw	 0.9640	 0.4720
f	 0.9640	 0.4890
g	 0.9290	 0.4670
h	 0.9640	 0.4870
i	 0.9290	 0.4790
j	 0.9640	 0.4890
k	 0.9460	 0.4790
l	 0.9640	 0.4900
m	 0.9290	 0.4750
n	 0.9460	 0.4890
o	 0.9290	 0.4790
p	 0.9460	 0.4920
q	 0.9640	 0.4860
r	 0.9460	 0.4850
s	 0.9290	 0.4660
t	 0.9460	 0.4840
u	 0.9640	 0.4740
v	 0.9640	 0.4930

Continued on next page...

*Continued from previous page...*

Chain	Atom inclusion	Q-score
w	 0.9640	 0.4740
x	 0.9640	 0.4890
y	 0.9290	 0.4780
z	 0.9640	 0.4920