



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 3, 2026 – 08:41 PM EST

PDB ID : 9NLR / pdb_00009nlr
Title : Crystal structure of human glutamine synthetase in complex with ADP and phosphate
Authors : Lovell, S.; Battaile, K.P.; Jeitner, T.M.
Deposited on : 2025-03-03
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtrriage (Phenix) : 2.0
EDS : 3.0
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.48.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION






The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	5963 (2.30-2.30)
Clashscore	180529	6698 (2.30-2.30)
Ramachandran outliers	177936	6640 (2.30-2.30)
Sidechain outliers	177891	6640 (2.30-2.30)
RSRZ outliers	164620	5963 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	373	 2% 96%
1	B	373	 % 95%
1	C	373	 2% 96%
1	D	373	 % 95%
1	E	373	 2% 96%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	373	 2% 91% 7%
1	G	373	 % 93% 5%
1	H	373	 % 93% 5%
1	I	373	 % 95%
1	J	373	 3% 94%
1	K	373	 % 91% 5% 5%
1	L	373	 % 94%
1	M	373	 3% 94% 5%
1	N	373	 2% 96%
1	O	373	 % 95%
1	P	373	 2% 95%
1	Q	373	 3% 94%
1	R	373	 2% 94%
1	S	373	 5% 92% 5%
1	T	373	 3% 94%

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 59088 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Glutamine synthetase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	367	Total 2846	C 1794	N 502	O 528	S 22	0	0	0
1	B	370	Total 2897	C 1822	N 512	O 541	S 22	0	0	0
1	C	370	Total 2908	C 1828	N 514	O 544	S 22	0	0	0
1	D	370	Total 2903	C 1824	N 515	O 542	S 22	0	0	0
1	E	368	Total 2882	C 1813	N 508	O 539	S 22	0	0	0
1	F	366	Total 2864	C 1799	N 510	O 533	S 22	0	0	0
1	G	363	Total 2837	C 1779	N 505	O 531	S 22	0	0	0
1	H	366	Total 2857	C 1798	N 505	O 532	S 22	0	0	0
1	I	370	Total 2884	C 1813	N 512	O 537	S 22	0	0	0
1	J	359	Total 2791	C 1756	N 502	O 511	S 22	0	0	0
1	K	356	Total 2775	C 1743	N 494	O 516	S 22	0	0	0
1	L	368	Total 2842	C 1785	N 503	O 532	S 22	0	0	0
1	M	369	Total 2814	C 1767	N 502	O 523	S 22	0	0	0
1	N	367	Total 2829	C 1778	N 499	O 530	S 22	0	0	0
1	O	365	Total 2853	C 1791	N 511	O 529	S 22	0	0	0
1	P	362	Total 2806	C 1765	N 494	O 525	S 22	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
2	H	1	27	10	5	10	2	0	0
2	I	1	27	10	5	10	2	0	0
2	J	1	27	10	5	10	2	0	0
2	K	1	27	10	5	10	2	0	0
2	L	1	27	10	5	10	2	0	0
2	M	1	27	10	5	10	2	0	0
2	N	1	27	10	5	10	2	0	0
2	O	1	27	10	5	10	2	0	0
2	P	1	27	10	5	10	2	0	0
2	Q	1	27	10	5	10	2	0	0
2	R	1	27	10	5	10	2	0	0
2	S	1	27	10	5	10	2	0	0
2	T	1	27	10	5	10	2	0	0

- Molecule 3 is MANGANESE (II) ION (CCD ID: MN) (formula: Mn) (labeled as "Ligand of Interest" by depositor).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	3	Total 3	Mn 3	0	0
3	B	3	Total 3	Mn 3	0	0
3	C	3	Total 3	Mn 3	0	0
3	D	3	Total 3	Mn 3	0	0
3	E	3	Total 3	Mn 3	0	0
3	F	3	Total 3	Mn 3	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	G	3	Total 3	Mn 3	0	0
3	H	3	Total 3	Mn 3	0	0
3	I	3	Total 3	Mn 3	0	0
3	J	3	Total 3	Mn 3	0	0
3	K	3	Total 3	Mn 3	0	0
3	L	3	Total 3	Mn 3	0	0
3	M	3	Total 3	Mn 3	0	0
3	N	3	Total 3	Mn 3	0	0
3	O	3	Total 3	Mn 3	0	0
3	P	3	Total 3	Mn 3	0	0
3	Q	3	Total 3	Mn 3	0	0
3	R	3	Total 3	Mn 3	0	0
3	S	3	Total 3	Mn 3	0	0
3	T	3	Total 3	Mn 3	0	0

- Molecule 4 is PHOSPHATE ION (CCD ID: PO4) (formula: O₄P) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total O P 5 4 1	0	0
4	B	1	Total O P 5 4 1	0	0
4	C	1	Total O P 5 4 1	0	0
4	D	1	Total O P 5 4 1	0	0
4	E	1	Total O P 5 4 1	0	0
4	F	1	Total O P 5 4 1	0	0
4	G	1	Total O P 5 4 1	0	0
4	H	1	Total O P 5 4 1	0	0
4	I	1	Total O P 5 4 1	0	0
4	J	1	Total O P 5 4 1	0	0
4	K	1	Total O P 5 4 1	0	0
4	L	1	Total O P 5 4 1	0	0
4	M	1	Total O P 5 4 1	0	0
4	N	1	Total O P 5 4 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	O	1	Total	O	P	0	0
			5	4	1		
4	P	1	Total	O	P	0	0
			5	4	1		
4	Q	1	Total	O	P	0	0
			5	4	1		
4	R	1	Total	O	P	0	0
			5	4	1		
4	S	1	Total	O	P	0	0
			5	4	1		
4	T	1	Total	O	P	0	0
			5	4	1		

- Molecule 5 is SODIUM ION (CCD ID: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	Na	0	0
			1	1		
5	B	1	Total	Na	0	0
			1	1		
5	C	2	Total	Na	0	0
			2	2		
5	D	1	Total	Na	0	0
			1	1		
5	E	1	Total	Na	0	0
			1	1		
5	F	1	Total	Na	0	0
			1	1		
5	G	1	Total	Na	0	0
			1	1		
5	H	1	Total	Na	0	0
			1	1		
5	I	1	Total	Na	0	0
			1	1		
5	J	1	Total	Na	0	0
			1	1		
5	K	1	Total	Na	0	0
			1	1		
5	L	1	Total	Na	0	0
			1	1		
5	M	1	Total	Na	0	0
			1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	N	1	Total 1	Na 1	0	0
5	O	1	Total 1	Na 1	0	0
5	P	1	Total 1	Na 1	0	0
5	Q	1	Total 1	Na 1	0	0
5	R	1	Total 1	Na 1	0	0
5	S	1	Total 1	Na 1	0	0
5	T	1	Total 1	Na 1	0	0

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	97	Total 97	O 97	0	0
6	B	124	Total 124	O 124	0	0
6	C	135	Total 135	O 135	0	0
6	D	124	Total 124	O 124	0	0
6	E	112	Total 112	O 112	0	0
6	F	104	Total 104	O 104	0	0
6	G	110	Total 110	O 110	0	0
6	H	93	Total 93	O 93	0	0
6	I	111	Total 111	O 111	0	0
6	J	94	Total 94	O 94	0	0
6	K	80	Total 80	O 80	0	0
6	L	71	Total 71	O 71	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	M	52	Total 52	O 52	0	0
6	N	74	Total 74	O 74	0	0
6	O	91	Total 91	O 91	0	0
6	P	70	Total 70	O 70	0	0
6	Q	42	Total 42	O 42	0	0
6	R	43	Total 43	O 43	0	0
6	S	38	Total 38	O 38	0	0
6	T	60	Total 60	O 60	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Glutamine synthetase



- Molecule 1: Glutamine synthetase




- Molecule 1: Glutamine synthetase




- Molecule 1: Glutamine synthetase




- Molecule 1: Glutamine synthetase




- Molecule 1: Glutamine synthetase




- Molecule 1: Glutamine synthetase




- Molecule 1: Glutamine synthetase




- Molecule 1: Glutamine synthetase



- Molecule 1: Glutamine synthetase



- Molecule 1: Glutamine synthetase




- Molecule 1: Glutamine synthetase






- Molecule 1: Glutamine synthetase



- Molecule 1: Glutamine synthetase



- Molecule 1: Glutamine synthetase



- Molecule 1: Glutamine synthetase




- Molecule 1: Glutamine synthetase




- Molecule 1: Glutamine synthetase




- Molecule 1: Glutamine synthetase

Chain S:  5% 92% 5%



• Molecule 1: Glutamine synthetase

Chain T:  3% 94% 3%



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	92.08Å 213.50Å 199.94Å 90.00° 96.26° 90.00°	Depositor
Resolution (Å)	45.81 – 2.30 45.81 – 2.30	Depositor EDS
% Data completeness (in resolution range)	99.3 (45.81-2.30) 99.4 (45.81-2.30)	Depositor EDS
R_{merge}	0.13	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.93 (at 2.29Å)	Xtrriage
Refinement program	PHENIX (dev_5484: ???)	Depositor
R, R_{free}	0.181 , 0.215 0.185 , 0.217	Depositor DCC
R_{free} test set	16887 reflections (4.98%)	wwPDB-VP
Wilson B-factor (Å ²)	30.2	Xtrriage
Anisotropy	0.467	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 53.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	59088	wwPDB-VP
Average B, all atoms (Å ²)	39.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.95% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NA, MN, ADP, PO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.09	0/2923	0.26	0/3963
1	B	0.09	0/2976	0.25	0/4033
1	C	0.10	0/2987	0.25	0/4046
1	D	0.09	0/2982	0.26	0/4040
1	E	0.10	0/2959	0.26	0/4007
1	F	0.09	0/2940	0.25	0/3982
1	G	0.09	0/2911	0.25	0/3943
1	H	0.09	0/2935	0.25	0/3981
1	I	0.09	0/2963	0.25	0/4018
1	J	0.09	0/2865	0.25	0/3881
1	K	0.09	0/2848	0.23	0/3860
1	L	0.08	0/2918	0.24	0/3960
1	M	0.08	0/2888	0.23	0/3922
1	N	0.08	0/2904	0.23	0/3940
1	O	0.08	0/2928	0.24	0/3965
1	P	0.08	0/2880	0.23	0/3906
1	Q	0.08	0/2836	0.23	0/3850
1	R	0.08	0/2840	0.23	0/3860
1	S	0.08	0/2765	0.23	0/3755
1	T	0.08	0/2908	0.23	0/3947
All	All	0.09	0/58156	0.24	0/78859

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	G	0	1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	G	106	ARG	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2846	0	2686	6	0
1	B	2897	0	2741	11	0
1	C	2908	0	2760	9	0
1	D	2903	0	2757	10	0
1	E	2882	0	2735	7	0
1	F	2864	0	2720	19	0
1	G	2837	0	2705	13	0
1	H	2857	0	2691	14	0
1	I	2884	0	2719	10	0
1	J	2791	0	2659	7	0
1	K	2775	0	2635	11	0
1	L	2842	0	2666	11	0
1	M	2814	0	2627	12	0
1	N	2829	0	2661	6	0
1	O	2853	0	2720	6	0
1	P	2806	0	2639	6	0
1	Q	2762	0	2586	5	0
1	R	2766	0	2573	8	0
1	S	2695	0	2504	9	0
1	T	2831	0	2657	12	0
2	A	27	0	12	0	0
2	B	27	0	12	0	0
2	C	27	0	12	0	0
2	D	27	0	12	0	0
2	E	27	0	12	0	0
2	F	27	0	12	0	0
2	G	27	0	12	0	0
2	H	27	0	12	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	I	27	0	12	0	0
2	J	27	0	12	0	0
2	K	27	0	12	0	0
2	L	27	0	12	0	0
2	M	27	0	12	0	0
2	N	27	0	12	0	0
2	O	27	0	12	0	0
2	P	27	0	12	0	0
2	Q	27	0	12	0	0
2	R	27	0	12	0	0
2	S	27	0	12	0	0
2	T	27	0	12	0	0
3	A	3	0	0	0	0
3	B	3	0	0	0	0
3	C	3	0	0	0	0
3	D	3	0	0	0	0
3	E	3	0	0	0	0
3	F	3	0	0	0	0
3	G	3	0	0	0	0
3	H	3	0	0	0	0
3	I	3	0	0	0	0
3	J	3	0	0	0	0
3	K	3	0	0	0	0
3	L	3	0	0	0	0
3	M	3	0	0	0	0
3	N	3	0	0	0	0
3	O	3	0	0	0	0
3	P	3	0	0	0	0
3	Q	3	0	0	0	0
3	R	3	0	0	0	0
3	S	3	0	0	0	0
3	T	3	0	0	0	0
4	A	5	0	0	0	0
4	B	5	0	0	0	0
4	C	5	0	0	0	0
4	D	5	0	0	0	0
4	E	5	0	0	0	0
4	F	5	0	0	0	0
4	G	5	0	0	0	0
4	H	5	0	0	0	0
4	I	5	0	0	0	0
4	J	5	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	K	5	0	0	0	0
4	L	5	0	0	0	0
4	M	5	0	0	0	0
4	N	5	0	0	0	0
4	O	5	0	0	0	0
4	P	5	0	0	1	0
4	Q	5	0	0	0	0
4	R	5	0	0	0	0
4	S	5	0	0	0	0
4	T	5	0	0	0	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
5	C	2	0	0	0	0
5	D	1	0	0	0	0
5	E	1	0	0	0	0
5	F	1	0	0	0	0
5	G	1	0	0	0	0
5	H	1	0	0	0	0
5	I	1	0	0	0	0
5	J	1	0	0	0	0
5	K	1	0	0	0	0
5	L	1	0	0	0	0
5	M	1	0	0	0	0
5	N	1	0	0	0	0
5	O	1	0	0	0	0
5	P	1	0	0	0	0
5	Q	1	0	0	0	0
5	R	1	0	0	0	0
5	S	1	0	0	0	0
5	T	1	0	0	0	0
6	A	97	0	0	0	0
6	B	124	0	0	0	0
6	C	135	0	0	0	0
6	D	124	0	0	1	0
6	E	112	0	0	1	0
6	F	104	0	0	1	0
6	G	110	0	0	0	0
6	H	93	0	0	0	0
6	I	111	0	0	1	0
6	J	94	0	0	0	0
6	K	80	0	0	0	0
6	L	71	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	M	52	0	0	1	0
6	N	74	0	0	1	0
6	O	91	0	0	0	0
6	P	70	0	0	0	0
6	Q	42	0	0	0	0
6	R	43	0	0	0	0
6	S	38	0	0	0	0
6	T	60	0	0	2	0
All	All	59088	0	53681	170	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (170) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:9:LEU:HD12	6:I:532:HOH:O	1.89	0.72
1:F:169:ARG:NH1	6:F:501:HOH:O	2.24	0.70
1:E:169:ARG:NH1	6:E:501:HOH:O	2.24	0.69
1:S:258:THR:O	1:S:260:ALA:N	2.26	0.68
1:M:327:ARG:NH1	6:M:501:HOH:O	2.27	0.67
1:T:69:GLN:HB3	1:T:77:MET:HE2	1.77	0.67
1:L:76:ASP:OD1	1:M:319:ARG:NH1	2.32	0.63
1:H:176:VAL:HG21	1:H:202:TRP:CE3	2.35	0.62
1:D:176:VAL:HG21	1:D:202:TRP:CE3	2.35	0.62
1:F:74:ASN:OD1	1:G:327:ARG:NH2	2.31	0.61
1:F:176:VAL:HG21	1:F:202:TRP:CE3	2.36	0.60
1:M:18:MET:HA	1:M:18:MET:HE2	1.84	0.59
1:A:176:VAL:HG21	1:A:202:TRP:CE3	2.37	0.59
1:R:77:MET:HE3	1:R:103:LYS:HA	1.85	0.59
1:G:133:MET:HE2	1:G:252:CYS:SG	2.43	0.58
1:J:176:VAL:HG21	1:J:202:TRP:CE3	2.39	0.58
1:P:319:ARG:NH1	4:P:405:PO4:O4	2.36	0.58
1:B:299:ARG:NH2	1:B:341:ARG:O	2.37	0.58
1:F:299:ARG:NH2	1:F:341:ARG:O	2.37	0.57
1:P:176:VAL:HG21	1:P:202:TRP:CE3	2.41	0.56
1:M:176:VAL:HG21	1:M:202:TRP:CE3	2.40	0.56
1:F:69:GLN:HB3	1:F:77:MET:HE2	1.88	0.56
1:A:176:VAL:HG21	1:A:202:TRP:CD2	2.40	0.56
1:M:176:VAL:HG21	1:M:202:TRP:CD2	2.41	0.55
1:C:176:VAL:HG21	1:C:202:TRP:CE3	2.42	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:299:ARG:NH2	1:D:341:ARG:O	2.40	0.55
1:A:133:MET:HE2	1:A:252:CYS:SG	2.47	0.55
1:K:76:ASP:OD1	1:L:319:ARG:NH1	2.39	0.55
1:O:176:VAL:HG21	1:O:202:TRP:CE3	2.42	0.55
1:H:303:PHE:O	1:H:306:THR:OG1	2.23	0.54
1:L:176:VAL:HG21	1:L:202:TRP:CE3	2.42	0.54
1:I:176:VAL:HG21	1:I:202:TRP:CE3	2.43	0.54
1:F:176:VAL:HG21	1:F:202:TRP:CD2	2.43	0.54
1:G:59:GLU:OE2	1:G:106:ARG:NH2	2.41	0.54
1:K:91:LYS:HE3	1:O:20:LEU:HD23	1.89	0.54
1:B:30:TYR:HA	1:B:97:VAL:HG13	1.90	0.54
1:K:176:VAL:HG21	1:K:202:TRP:CE3	2.43	0.54
1:O:4:SER:O	1:O:7:SER:OG	2.27	0.53
1:B:176:VAL:HG21	1:B:202:TRP:CE3	2.44	0.52
1:M:280:ARG:NH2	1:M:365:GLY:O	2.40	0.52
1:F:308:ASN:OD1	1:F:309:ILE:N	2.43	0.52
1:C:176:VAL:HG21	1:C:202:TRP:CD2	2.45	0.52
1:S:81:PRO:HB3	1:S:97:VAL:HG21	1.90	0.52
1:D:133:MET:HE2	1:D:252:CYS:SG	2.49	0.52
1:O:291:LYS:HB3	1:O:294:LEU:HD12	1.92	0.52
1:M:133:MET:HE2	1:M:252:CYS:SG	2.50	0.51
1:Q:176:VAL:HG21	1:Q:202:TRP:CE3	2.45	0.51
1:A:13:ILE:HD11	1:B:11:LYS:HE3	1.92	0.51
1:E:299:ARG:NH2	1:E:341:ARG:O	2.43	0.51
1:I:176:VAL:HG21	1:I:202:TRP:CD2	2.47	0.50
1:H:299:ARG:NH2	1:H:341:ARG:O	2.45	0.50
1:P:176:VAL:HG21	1:P:202:TRP:CD2	2.46	0.50
1:K:176:VAL:HG21	1:K:202:TRP:CD2	2.47	0.50
1:L:30:TYR:HA	1:L:97:VAL:HG13	1.92	0.50
1:G:176:VAL:HG21	1:G:202:TRP:CD2	2.47	0.49
1:H:133:MET:HE2	1:H:252:CYS:SG	2.52	0.49
1:E:176:VAL:HG21	1:E:202:TRP:CE3	2.48	0.49
1:B:106:ARG:NH2	1:C:331:GLN:OE1	2.45	0.49
1:L:61:ASN:ND2	6:L:504:HOH:O	2.43	0.49
1:D:176:VAL:HG21	1:D:202:TRP:CD2	2.47	0.49
1:B:123:MET:HE1	1:B:371:TYR:CD2	2.47	0.49
1:D:69:GLN:HB3	1:D:77:MET:HE2	1.95	0.49
1:T:176:VAL:HG21	1:T:202:TRP:CE3	2.48	0.49
1:F:78:TYR:OH	1:G:327:ARG:HG2	2.12	0.49
1:H:76:ASP:OD2	1:I:327:ARG:NE	2.40	0.49
1:L:63:ASP:OD1	1:L:65:SER:OG	2.24	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:176:VAL:HG21	1:H:202:TRP:CD2	2.48	0.48
1:H:356:ILE:HG22	1:H:361:LEU:CD2	2.44	0.48
1:N:341:ARG:N	1:N:342:PRO:CD	2.77	0.48
1:O:341:ARG:N	1:O:342:PRO:CD	2.76	0.48
1:F:133:MET:HE2	1:F:252:CYS:SG	2.54	0.48
1:R:63:ASP:OD1	1:R:65:SER:OG	2.27	0.48
1:S:176:VAL:HG21	1:S:202:TRP:CE3	2.49	0.48
1:G:74:ASN:OD1	1:H:327:ARG:NH2	2.40	0.48
1:S:128:HIS:ND1	1:S:210:GLU:OE2	2.43	0.48
1:C:341:ARG:N	1:C:342:PRO:CD	2.77	0.47
1:R:341:ARG:N	1:R:342:PRO:CD	2.77	0.47
1:L:341:ARG:N	1:L:342:PRO:CD	2.78	0.47
1:T:299:ARG:NH2	1:T:341:ARG:O	2.47	0.47
1:C:25:LYS:NZ	1:C:48:ASP:OD1	2.46	0.47
1:K:275:GLU:O	1:K:278:SER:OG	2.30	0.46
1:Q:341:ARG:N	1:Q:342:PRO:CD	2.78	0.46
1:A:341:ARG:N	1:A:342:PRO:CD	2.79	0.46
1:F:341:ARG:N	1:F:342:PRO:CD	2.79	0.46
1:I:76:ASP:OD1	1:J:319:ARG:NH1	2.44	0.46
1:T:341:ARG:N	1:T:342:PRO:CD	2.78	0.46
1:J:176:VAL:HG21	1:J:202:TRP:CD2	2.50	0.46
1:J:341:ARG:N	1:J:342:PRO:CD	2.79	0.46
1:L:176:VAL:HG21	1:L:202:TRP:CD2	2.50	0.46
1:P:341:ARG:N	1:P:342:PRO:CD	2.78	0.46
1:B:176:VAL:HG21	1:B:202:TRP:CD2	2.50	0.46
1:E:341:ARG:N	1:E:342:PRO:CD	2.78	0.46
1:F:13:ILE:HD11	1:G:11:LYS:HG3	1.97	0.46
1:G:13:ILE:HD11	1:H:11:LYS:HG3	1.96	0.46
1:M:341:ARG:N	1:M:342:PRO:CD	2.79	0.46
1:G:341:ARG:N	1:G:342:PRO:CD	2.78	0.46
1:M:127:GLN:OE1	1:M:360:LEU:HD22	2.16	0.46
1:I:4:SER:O	1:I:7:SER:OG	2.34	0.46
1:L:214:MET:O	1:L:214:MET:HE3	2.15	0.46
1:D:341:ARG:N	1:D:342:PRO:CD	2.79	0.45
1:I:341:ARG:N	1:I:342:PRO:CD	2.79	0.45
1:S:341:ARG:N	1:S:342:PRO:CD	2.79	0.45
1:B:30:TYR:O	1:B:42:CYS:HA	2.17	0.45
1:H:341:ARG:N	1:H:342:PRO:CD	2.80	0.45
1:N:176:VAL:HG21	1:N:202:TRP:CD2	2.51	0.45
1:R:57:LEU:HD11	1:R:84:MET:SD	2.57	0.45
1:G:176:VAL:HG21	1:G:202:TRP:CE3	2.52	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:K:341:ARG:N	1:K:342:PRO:CD	2.79	0.45
1:D:210:GLU:OE2	6:D:501:HOH:O	2.21	0.45
1:O:176:VAL:HG21	1:O:202:TRP:CD2	2.52	0.44
1:C:77:MET:HE3	1:C:103:LYS:HA	1.99	0.44
1:P:11:LYS:HG3	1:T:13:ILE:HD11	1.99	0.44
1:B:341:ARG:N	1:B:342:PRO:CD	2.80	0.44
1:Q:40:LEU:HD13	1:Q:223:PHE:HB2	1.98	0.44
1:T:168:ASP:O	6:T:501:HOH:O	2.21	0.44
1:I:30:TYR:O	1:I:42:CYS:HA	2.18	0.44
1:G:104:TYR:HB2	1:H:327:ARG:CZ	2.48	0.43
1:K:214:MET:O	1:K:214:MET:HE3	2.18	0.43
1:G:258:THR:HG1	1:G:261:MET:HG3	1.83	0.43
1:B:78:TYR:OH	1:C:331:GLN:NE2	2.52	0.43
1:R:214:MET:HE3	1:R:214:MET:O	2.18	0.43
1:A:26:VAL:HG22	1:A:93:PRO:HG2	2.00	0.43
1:E:176:VAL:HG21	1:E:202:TRP:CD2	2.53	0.43
1:N:176:VAL:HG21	1:N:202:TRP:CE3	2.53	0.43
1:S:176:VAL:HG21	1:S:202:TRP:CD2	2.54	0.43
1:D:13:ILE:HD11	1:E:11:LYS:HE3	2.01	0.42
1:H:13:ILE:HD11	1:I:11:LYS:HE3	2.01	0.42
1:C:299:ARG:NH2	1:C:341:ARG:O	2.52	0.42
1:F:40:LEU:HD13	1:F:223:PHE:HB2	2.02	0.42
1:K:32:TRP:CE2	1:K:41:ARG:HB2	2.54	0.42
1:N:103:LYS:NZ	6:N:501:HOH:O	2.27	0.42
1:R:190:ILE:HA	1:R:206:ILE:HD13	2.02	0.42
1:F:11:LYS:HG3	1:J:13:ILE:HD11	2.02	0.42
1:P:86:ARG:NH2	1:P:92:ASP:OD2	2.46	0.42
1:R:176:VAL:HG21	1:R:202:TRP:CD2	2.54	0.42
1:F:276:LYS:NZ	1:F:362:ASN:OD1	2.37	0.42
1:R:7:SER:HB3	1:R:233:GLY:HA3	2.02	0.42
1:Q:176:VAL:HG21	1:Q:202:TRP:CD2	2.55	0.42
1:S:13:ILE:HD11	1:T:11:LYS:HG3	2.02	0.42
1:C:97:VAL:HG13	1:C:97:VAL:O	2.20	0.41
1:H:32:TRP:CE2	1:H:41:ARG:HB2	2.55	0.41
1:I:40:LEU:HD13	1:I:223:PHE:HB2	2.02	0.41
1:K:281:HIS:NE2	1:K:309:ILE:O	2.39	0.41
1:B:32:TRP:CE2	1:B:41:ARG:HB2	2.55	0.41
1:T:303:PHE:O	1:T:306:THR:OG1	2.36	0.41
1:G:30:TYR:O	1:G:42:CYS:HA	2.21	0.41
1:S:13:ILE:HD11	1:T:11:LYS:HE3	2.02	0.41
1:M:299:ARG:NH2	1:M:341:ARG:O	2.54	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:30:TYR:O	1:D:42:CYS:HA	2.21	0.41
1:S:274:ILE:CD1	1:S:325:ILE:HD11	2.50	0.41
1:F:214:MET:HE3	1:F:214:MET:O	2.21	0.41
1:F:277:LEU:HD23	1:F:358:THR:HG21	2.02	0.41
1:T:30:TYR:O	1:T:42:CYS:HA	2.21	0.41
1:D:97:VAL:O	1:D:97:VAL:HG13	2.20	0.41
1:F:327:ARG:HB3	1:J:78:TYR:OH	2.21	0.41
1:N:61:ASN:HA	1:N:77:MET:O	2.21	0.41
1:F:78:TYR:CE2	1:F:104:TYR:HA	2.57	0.40
1:L:276:LYS:NZ	1:L:362:ASN:OD1	2.35	0.40
1:Q:30:TYR:O	1:Q:42:CYS:HA	2.21	0.40
1:T:176:VAL:HG21	1:T:202:TRP:CD2	2.57	0.40
1:F:327:ARG:NH2	1:J:74:ASN:OD1	2.54	0.40
1:K:133:MET:HA	1:K:253:HIS:O	2.21	0.40
1:N:252:CYS:O	1:N:253:HIS:C	2.63	0.40
1:I:359:CYS:C	1:I:360:LEU:HD12	2.47	0.40
1:L:133:MET:HA	1:L:253:HIS:O	2.22	0.40
1:E:30:TYR:O	1:E:42:CYS:HA	2.21	0.40
1:K:61:ASN:HA	1:K:77:MET:O	2.22	0.40
1:M:57:LEU:HD13	1:M:97:VAL:HG21	2.03	0.40
1:M:366:ASP:N	1:M:366:ASP:OD1	2.52	0.40
1:T:169:ARG:NH1	6:T:512:HOH:O	2.54	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	363/373 (97%)	360 (99%)	3 (1%)	0	100	100
1	B	368/373 (99%)	365 (99%)	3 (1%)	0	100	100
1	C	368/373 (99%)	364 (99%)	4 (1%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	D	368/373 (99%)	363 (99%)	5 (1%)	0	100	100
1	E	364/373 (98%)	360 (99%)	4 (1%)	0	100	100
1	F	362/373 (97%)	356 (98%)	6 (2%)	0	100	100
1	G	361/373 (97%)	357 (99%)	4 (1%)	0	100	100
1	H	362/373 (97%)	357 (99%)	5 (1%)	0	100	100
1	I	368/373 (99%)	365 (99%)	3 (1%)	0	100	100
1	J	355/373 (95%)	352 (99%)	3 (1%)	0	100	100
1	K	352/373 (94%)	347 (99%)	5 (1%)	0	100	100
1	L	364/373 (98%)	359 (99%)	5 (1%)	0	100	100
1	M	365/373 (98%)	362 (99%)	3 (1%)	0	100	100
1	N	363/373 (97%)	358 (99%)	5 (1%)	0	100	100
1	O	361/373 (97%)	359 (99%)	2 (1%)	0	100	100
1	P	356/373 (95%)	353 (99%)	3 (1%)	0	100	100
1	Q	351/373 (94%)	349 (99%)	2 (1%)	0	100	100
1	R	360/373 (96%)	356 (99%)	4 (1%)	0	100	100
1	S	348/373 (93%)	344 (99%)	4 (1%)	0	100	100
1	T	363/373 (97%)	361 (99%)	2 (1%)	0	100	100
All	All	7222/7460 (97%)	7147 (99%)	75 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	294/314 (94%)	294 (100%)	0	100	100
1	B	302/314 (96%)	302 (100%)	0	100	100
1	C	305/314 (97%)	305 (100%)	0	100	100
1	D	305/314 (97%)	305 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	E	302/314 (96%)	302 (100%)	0	100	100
1	F	299/314 (95%)	299 (100%)	0	100	100
1	G	298/314 (95%)	298 (100%)	0	100	100
1	H	297/314 (95%)	297 (100%)	0	100	100
1	I	299/314 (95%)	299 (100%)	0	100	100
1	J	289/314 (92%)	289 (100%)	0	100	100
1	K	290/314 (92%)	290 (100%)	0	100	100
1	L	294/314 (94%)	294 (100%)	0	100	100
1	M	285/314 (91%)	285 (100%)	0	100	100
1	N	292/314 (93%)	292 (100%)	0	100	100
1	O	298/314 (95%)	298 (100%)	0	100	100
1	P	291/314 (93%)	291 (100%)	0	100	100
1	Q	282/314 (90%)	281 (100%)	1 (0%)	89	95
1	R	280/314 (89%)	280 (100%)	0	100	100
1	S	271/314 (86%)	271 (100%)	0	100	100
1	T	290/314 (92%)	290 (100%)	0	100	100
All	All	5863/6280 (93%)	5862 (100%)	1 (0%)	100	100

All (1) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	Q	361	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (32) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	69	GLN
1	C	310	ASN
1	D	69	GLN
1	E	8	HIS
1	E	69	GLN
1	F	69	GLN
1	G	61	ASN
1	G	69	GLN
1	G	115	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	G	310	ASN
1	H	10	ASN
1	H	248	ASN
1	I	69	GLN
1	I	246	ASN
1	J	282	GLN
1	J	362	ASN
1	K	8	HIS
1	K	282	GLN
1	K	308	ASN
1	L	310	ASN
1	M	69	GLN
1	N	8	HIS
1	N	69	GLN
1	O	8	HIS
1	P	69	GLN
1	P	248	ASN
1	Q	310	ASN
1	R	69	GLN
1	R	127	GLN
1	S	8	HIS
1	S	69	GLN
1	T	69	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 121 ligands modelled in this entry, 81 are monoatomic - leaving 40 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	PO4	Q	405	3,5	4,4,4	1.59	1 (25%)	6,6,6	0.46	0
4	PO4	L	405	3,5	4,4,4	1.59	1 (25%)	6,6,6	0.46	0
2	ADP	T	401	3	24,29,29	0.90	0	29,45,45	1.34	2 (6%)
2	ADP	H	401	3	24,29,29	0.94	1 (4%)	29,45,45	1.36	3 (10%)
4	PO4	I	405	3,5	4,4,4	1.59	1 (25%)	6,6,6	0.43	0
2	ADP	M	401	3	24,29,29	0.92	0	29,45,45	1.40	3 (10%)
2	ADP	F	401	3	24,29,29	0.91	0	29,45,45	1.38	4 (13%)
4	PO4	S	405	3,5	4,4,4	1.59	1 (25%)	6,6,6	0.46	0
2	ADP	Q	401	3	24,29,29	0.91	0	29,45,45	1.31	2 (6%)
2	ADP	P	401	3	24,29,29	0.91	1 (4%)	29,45,45	1.41	4 (13%)
4	PO4	E	405	3,5	4,4,4	1.58	1 (25%)	6,6,6	0.46	0
2	ADP	B	401	3	24,29,29	0.94	1 (4%)	29,45,45	1.34	2 (6%)
4	PO4	B	405	3,5	4,4,4	1.59	1 (25%)	6,6,6	0.53	0
2	ADP	C	401	3	24,29,29	0.93	1 (4%)	29,45,45	1.36	3 (10%)
4	PO4	R	405	3,5	4,4,4	1.56	1 (25%)	6,6,6	0.48	0
4	PO4	K	405	3,5	4,4,4	1.57	1 (25%)	6,6,6	0.44	0
2	ADP	S	401	3	24,29,29	0.92	0	29,45,45	1.37	3 (10%)
2	ADP	E	401	3	24,29,29	0.91	1 (4%)	29,45,45	1.42	4 (13%)
2	ADP	G	401	3	24,29,29	0.95	1 (4%)	29,45,45	1.43	4 (13%)
4	PO4	T	405	3,5	4,4,4	1.59	1 (25%)	6,6,6	0.45	0
2	ADP	O	401	3	24,29,29	0.92	0	29,45,45	1.41	3 (10%)
4	PO4	J	405	3,5	4,4,4	1.57	1 (25%)	6,6,6	0.47	0
4	PO4	P	405	3,5	4,4,4	1.56	1 (25%)	6,6,6	0.45	0
4	PO4	C	405	3,5	4,4,4	1.58	1 (25%)	6,6,6	0.54	0
2	ADP	L	401	3	24,29,29	0.93	1 (4%)	29,45,45	1.38	3 (10%)
2	ADP	K	401	3	24,29,29	0.94	2 (8%)	29,45,45	1.34	2 (6%)
4	PO4	D	405	3,5	4,4,4	1.54	1 (25%)	6,6,6	0.55	0
2	ADP	J	401	3	24,29,29	0.91	0	29,45,45	1.34	3 (10%)
2	ADP	D	401	3	24,29,29	0.92	1 (4%)	29,45,45	1.40	3 (10%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	PO4	A	405	3,5	4,4,4	1.57	1 (25%)	6,6,6	0.51	0
4	PO4	O	405	3,5	4,4,4	1.57	1 (25%)	6,6,6	0.48	0
2	ADP	R	401	3	24,29,29	0.90	1 (4%)	29,45,45	1.40	3 (10%)
2	ADP	I	401	3	24,29,29	0.94	2 (8%)	29,45,45	1.38	3 (10%)
2	ADP	N	401	3	24,29,29	0.93	1 (4%)	29,45,45	1.33	2 (6%)
4	PO4	H	405	3,5	4,4,4	1.55	1 (25%)	6,6,6	0.49	0
4	PO4	N	405	3,5	4,4,4	1.61	1 (25%)	6,6,6	0.45	0
4	PO4	F	405	3,5	4,4,4	1.57	1 (25%)	6,6,6	0.50	0
4	PO4	G	405	3,5	4,4,4	1.59	1 (25%)	6,6,6	0.47	0
2	ADP	A	401	3	24,29,29	0.94	1 (4%)	29,45,45	1.38	3 (10%)
4	PO4	M	405	3,5	4,4,4	1.60	1 (25%)	6,6,6	0.51	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ADP	T	401	3	-	4/12/32/32	0/3/3/3
2	ADP	H	401	3	-	3/12/32/32	0/3/3/3
2	ADP	M	401	3	-	3/12/32/32	0/3/3/3
2	ADP	F	401	3	-	4/12/32/32	0/3/3/3
2	ADP	Q	401	3	-	3/12/32/32	0/3/3/3
2	ADP	P	401	3	-	4/12/32/32	0/3/3/3
2	ADP	B	401	3	-	4/12/32/32	0/3/3/3
2	ADP	C	401	3	-	4/12/32/32	0/3/3/3
2	ADP	S	401	3	-	3/12/32/32	0/3/3/3
2	ADP	E	401	3	-	4/12/32/32	0/3/3/3
2	ADP	G	401	3	-	3/12/32/32	0/3/3/3
2	ADP	O	401	3	-	3/12/32/32	0/3/3/3
2	ADP	L	401	3	-	4/12/32/32	0/3/3/3
2	ADP	K	401	3	-	4/12/32/32	0/3/3/3
2	ADP	J	401	3	-	3/12/32/32	0/3/3/3
2	ADP	D	401	3	-	4/12/32/32	0/3/3/3
2	ADP	R	401	3	-	3/12/32/32	0/3/3/3
2	ADP	I	401	3	-	5/12/32/32	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ADP	N	401	3	-	5/12/32/32	0/3/3/3
2	ADP	A	401	3	-	5/12/32/32	0/3/3/3

All (35) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	N	405	PO4	P-O1	2.81	1.57	1.50
4	I	405	PO4	P-O1	2.80	1.57	1.50
4	G	405	PO4	P-O1	2.80	1.57	1.50
4	B	405	PO4	P-O1	2.79	1.57	1.50
4	M	405	PO4	P-O1	2.79	1.57	1.50
4	T	405	PO4	P-O1	2.78	1.57	1.50
4	S	405	PO4	P-O1	2.78	1.57	1.50
4	L	405	PO4	P-O1	2.78	1.57	1.50
4	Q	405	PO4	P-O1	2.78	1.57	1.50
4	J	405	PO4	P-O1	2.77	1.57	1.50
4	A	405	PO4	P-O1	2.76	1.57	1.50
4	E	405	PO4	P-O1	2.76	1.57	1.50
4	C	405	PO4	P-O1	2.75	1.57	1.50
4	F	405	PO4	P-O1	2.73	1.57	1.50
4	K	405	PO4	P-O1	2.73	1.57	1.50
4	O	405	PO4	P-O1	2.73	1.57	1.50
4	H	405	PO4	P-O1	2.73	1.57	1.50
4	R	405	PO4	P-O1	2.72	1.56	1.50
4	P	405	PO4	P-O1	2.70	1.56	1.50
4	D	405	PO4	P-O1	2.66	1.56	1.50
2	G	401	ADP	PA-O3A	2.38	1.62	1.59
2	K	401	ADP	PA-O3A	2.15	1.61	1.59
2	A	401	ADP	PA-O3A	2.14	1.61	1.59
2	C	401	ADP	PA-O3A	2.13	1.61	1.59
2	B	401	ADP	PA-O3A	2.13	1.61	1.59
2	D	401	ADP	PA-O3A	2.12	1.61	1.59
2	L	401	ADP	PA-O3A	2.10	1.61	1.59
2	E	401	ADP	PA-O3A	2.08	1.61	1.59
2	H	401	ADP	PA-O3A	2.06	1.61	1.59
2	I	401	ADP	O4'-C1'	2.04	1.43	1.40
2	N	401	ADP	O4'-C1'	2.03	1.43	1.40
2	P	401	ADP	PA-O3A	2.03	1.61	1.59
2	R	401	ADP	PA-O3A	2.03	1.61	1.59
2	K	401	ADP	O4'-C1'	2.02	1.43	1.40
2	I	401	ADP	PA-O3A	2.01	1.61	1.59

All (59) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	401	ADP	N3-C2-N1	-4.51	122.55	128.67
2	L	401	ADP	N3-C2-N1	-4.43	122.66	128.67
2	E	401	ADP	N3-C2-N1	-4.37	122.74	128.67
2	R	401	ADP	N3-C2-N1	-4.36	122.75	128.67
2	F	401	ADP	N3-C2-N1	-4.36	122.76	128.67
2	M	401	ADP	N3-C2-N1	-4.34	122.78	128.67
2	O	401	ADP	N3-C2-N1	-4.32	122.81	128.67
2	T	401	ADP	N3-C2-N1	-4.32	122.81	128.67
2	P	401	ADP	N3-C2-N1	-4.29	122.85	128.67
2	N	401	ADP	N3-C2-N1	-4.28	122.86	128.67
2	J	401	ADP	N3-C2-N1	-4.28	122.86	128.67
2	C	401	ADP	N3-C2-N1	-4.26	122.88	128.67
2	G	401	ADP	N3-C2-N1	-4.26	122.88	128.67
2	I	401	ADP	N3-C2-N1	-4.26	122.89	128.67
2	S	401	ADP	N3-C2-N1	-4.25	122.90	128.67
2	A	401	ADP	N3-C2-N1	-4.25	122.90	128.67
2	H	401	ADP	N3-C2-N1	-4.24	122.91	128.67
2	Q	401	ADP	N3-C2-N1	-4.24	122.92	128.67
2	K	401	ADP	N3-C2-N1	-4.21	122.96	128.67
2	B	401	ADP	N3-C2-N1	-4.17	123.01	128.67
2	G	401	ADP	C4-C5-N7	-2.85	106.32	109.34
2	H	401	ADP	C4-C5-N7	-2.79	106.39	109.34
2	K	401	ADP	C4-C5-N7	-2.79	106.39	109.34
2	J	401	ADP	C4-C5-N7	-2.79	106.39	109.34
2	P	401	ADP	C4-C5-N7	-2.77	106.42	109.34
2	C	401	ADP	C4-C5-N7	-2.76	106.42	109.34
2	I	401	ADP	C4-C5-N7	-2.76	106.42	109.34
2	O	401	ADP	C4-C5-N7	-2.74	106.44	109.34
2	L	401	ADP	C4-C5-N7	-2.74	106.44	109.34
2	Q	401	ADP	C4-C5-N7	-2.74	106.44	109.34
2	S	401	ADP	C4-C5-N7	-2.70	106.48	109.34
2	R	401	ADP	C4-C5-N7	-2.69	106.50	109.34
2	T	401	ADP	C4-C5-N7	-2.68	106.50	109.34
2	B	401	ADP	C4-C5-N7	-2.66	106.52	109.34
2	N	401	ADP	C4-C5-N7	-2.62	106.57	109.34
2	F	401	ADP	C4-C5-N7	-2.61	106.58	109.34
2	E	401	ADP	C4-C5-N7	-2.60	106.59	109.34
2	A	401	ADP	C4-C5-N7	-2.58	106.61	109.34
2	M	401	ADP	O4'-C1'-N9	2.57	112.15	108.75
2	M	401	ADP	C4-C5-N7	-2.54	106.65	109.34
2	O	401	ADP	O4'-C1'-N9	2.53	112.10	108.75
2	S	401	ADP	O4'-C1'-N9	2.45	111.99	108.75

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	401	ADP	C4-C5-N7	-2.42	106.78	109.34
2	D	401	ADP	C1'-N9-C4	-2.35	122.52	126.64
2	R	401	ADP	O4'-C1'-N9	2.34	111.85	108.75
2	A	401	ADP	O4'-C1'-N9	2.24	111.71	108.75
2	G	401	ADP	C1'-N9-C4	-2.22	122.73	126.64
2	E	401	ADP	O4'-C1'-N9	2.22	111.68	108.75
2	G	401	ADP	O4'-C1'-N9	2.20	111.67	108.75
2	C	401	ADP	O4'-C1'-N9	2.20	111.66	108.75
2	E	401	ADP	C1'-N9-C4	-2.20	122.78	126.64
2	P	401	ADP	C1'-N9-C4	-2.15	122.86	126.64
2	P	401	ADP	O4'-C1'-N9	2.11	111.54	108.75
2	F	401	ADP	C1'-N9-C4	-2.06	123.01	126.64
2	F	401	ADP	O4'-C1'-N9	2.03	111.44	108.75
2	L	401	ADP	O4'-C1'-N9	2.03	111.43	108.75
2	H	401	ADP	C1'-N9-C4	-2.03	123.08	126.64
2	J	401	ADP	C1'-N9-C4	-2.02	123.08	126.64
2	I	401	ADP	O4'-C1'-N9	2.00	111.40	108.75

There are no chirality outliers.

All (75) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	401	ADP	PA-O3A-PB-O2B
2	C	401	ADP	PA-O3A-PB-O2B
2	D	401	ADP	PA-O3A-PB-O2B
2	J	401	ADP	PA-O3A-PB-O2B
2	K	401	ADP	PA-O3A-PB-O2B
2	L	401	ADP	PA-O3A-PB-O2B
2	P	401	ADP	PA-O3A-PB-O2B
2	Q	401	ADP	PA-O3A-PB-O2B
2	S	401	ADP	PA-O3A-PB-O2B
2	T	401	ADP	PA-O3A-PB-O2B
2	A	401	ADP	O4'-C4'-C5'-O5'
2	B	401	ADP	O4'-C4'-C5'-O5'
2	F	401	ADP	O4'-C4'-C5'-O5'
2	H	401	ADP	O4'-C4'-C5'-O5'
2	J	401	ADP	O4'-C4'-C5'-O5'
2	L	401	ADP	O4'-C4'-C5'-O5'
2	N	401	ADP	O4'-C4'-C5'-O5'
2	Q	401	ADP	O4'-C4'-C5'-O5'
2	R	401	ADP	O4'-C4'-C5'-O5'
2	S	401	ADP	O4'-C4'-C5'-O5'

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	A	401	ADP	C3'-C4'-C5'-O5'
2	B	401	ADP	C3'-C4'-C5'-O5'
2	C	401	ADP	O4'-C4'-C5'-O5'
2	C	401	ADP	C3'-C4'-C5'-O5'
2	F	401	ADP	C3'-C4'-C5'-O5'
2	H	401	ADP	C3'-C4'-C5'-O5'
2	J	401	ADP	C3'-C4'-C5'-O5'
2	L	401	ADP	C3'-C4'-C5'-O5'
2	N	401	ADP	C3'-C4'-C5'-O5'
2	Q	401	ADP	C3'-C4'-C5'-O5'
2	R	401	ADP	C3'-C4'-C5'-O5'
2	S	401	ADP	C3'-C4'-C5'-O5'
2	D	401	ADP	O4'-C4'-C5'-O5'
2	D	401	ADP	C3'-C4'-C5'-O5'
2	E	401	ADP	O4'-C4'-C5'-O5'
2	E	401	ADP	C3'-C4'-C5'-O5'
2	G	401	ADP	O4'-C4'-C5'-O5'
2	K	401	ADP	O4'-C4'-C5'-O5'
2	M	401	ADP	O4'-C4'-C5'-O5'
2	M	401	ADP	C3'-C4'-C5'-O5'
2	O	401	ADP	O4'-C4'-C5'-O5'
2	P	401	ADP	O4'-C4'-C5'-O5'
2	P	401	ADP	C3'-C4'-C5'-O5'
2	T	401	ADP	O4'-C4'-C5'-O5'
2	G	401	ADP	C3'-C4'-C5'-O5'
2	K	401	ADP	C3'-C4'-C5'-O5'
2	O	401	ADP	C3'-C4'-C5'-O5'
2	T	401	ADP	C3'-C4'-C5'-O5'
2	I	401	ADP	O4'-C4'-C5'-O5'
2	I	401	ADP	C3'-C4'-C5'-O5'
2	I	401	ADP	PA-O3A-PB-O1B
2	A	401	ADP	PA-O3A-PB-O2B
2	G	401	ADP	PA-O3A-PB-O2B
2	O	401	ADP	PA-O3A-PB-O2B
2	R	401	ADP	PB-O3A-PA-O2A
2	F	401	ADP	PB-O3A-PA-O1A
2	E	401	ADP	PA-O3A-PB-O2B
2	F	401	ADP	PA-O3A-PB-O2B
2	I	401	ADP	PA-O3A-PB-O2B
2	I	401	ADP	PA-O3A-PB-O3B
2	N	401	ADP	PA-O3A-PB-O2B
2	A	401	ADP	PB-O3A-PA-O2A

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	B	401	ADP	PB-O3A-PA-O1A
2	D	401	ADP	PB-O3A-PA-O1A
2	E	401	ADP	PB-O3A-PA-O2A
2	H	401	ADP	PB-O3A-PA-O2A
2	K	401	ADP	PB-O3A-PA-O1A
2	M	401	ADP	PB-O3A-PA-O1A
2	N	401	ADP	PB-O3A-PA-O1A
2	N	401	ADP	PB-O3A-PA-O2A
2	A	401	ADP	PB-O3A-PA-O1A
2	C	401	ADP	PB-O3A-PA-O1A
2	L	401	ADP	PB-O3A-PA-O1A
2	P	401	ADP	PB-O3A-PA-O1A
2	T	401	ADP	PB-O3A-PA-O1A


There are no ring outliers.



1 monomer is involved in 1 short contact:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	P	405	PO4	1	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




































































































5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	367/373 (98%)	-0.23	7 (1%) 66 67	21, 30, 58, 74	0
1	B	370/373 (99%)	-0.27	2 (0%) 87 88	21, 29, 51, 72	0
1	C	370/373 (99%)	-0.30	6 (1%) 70 71	21, 30, 47, 76	0
1	D	370/373 (99%)	-0.26	5 (1%) 73 74	21, 31, 53, 74	0
1	E	368/373 (98%)	-0.29	6 (1%) 70 71	21, 28, 53, 89	0
1	F	366/373 (98%)	-0.08	9 (2%) 58 59	22, 33, 63, 85	0
1	G	363/373 (97%)	-0.29	5 (1%) 73 74	20, 30, 52, 73	0
1	H	366/373 (98%)	-0.14	1 (0%) 90 90	21, 35, 56, 74	0
1	I	370/373 (99%)	-0.20	2 (0%) 87 88	23, 34, 53, 63	0
1	J	359/373 (96%)	-0.09	10 (2%) 55 56	23, 34, 58, 86	0
1	K	356/373 (95%)	-0.07	4 (1%) 77 78	26, 38, 56, 85	0
1	L	368/373 (98%)	0.07	5 (1%) 73 74	27, 42, 65, 94	0
1	M	369/373 (98%)	0.27	11 (2%) 52 54	28, 44, 73, 94	0
1	N	367/373 (98%)	0.11	8 (2%) 62 63	27, 41, 66, 93	0
1	O	365/373 (97%)	-0.02	2 (0%) 87 88	28, 38, 59, 79	0
1	P	362/373 (97%)	0.10	6 (1%) 69 69	28, 42, 60, 79	0
1	Q	359/373 (96%)	0.30	11 (3%) 51 53	31, 47, 73, 102	0
1	R	364/373 (97%)	0.33	9 (2%) 58 59	32, 48, 72, 91	0
1	S	356/373 (95%)	0.45	18 (5%) 34 35	30, 54, 80, 93	0
1	T	367/373 (98%)	0.16	12 (3%) 49 51	28, 43, 68, 91	0
All	All	7302/7460 (97%)	-0.02	139 (1%) 66 67	20, 38, 66, 102	0

All (139) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	M	303	PHE	5.1
1	O	302	GLY	4.8
1	L	73	SER	4.3
1	E	78	TYR	4.3
1	Q	78	TYR	4.1
1	S	303	PHE	4.1
1	N	246	ASN	4.1
1	E	303	PHE	4.0
1	F	73	SER	3.8
1	A	303	PHE	3.8
1	E	74	ASN	3.8
1	G	303	PHE	3.7
1	Q	246	ASN	3.7
1	T	304	HIS	3.7
1	T	306	THR	3.7
1	R	246	ASN	3.6
1	S	265	ASN	3.6
1	P	78	TYR	3.6
1	F	303	PHE	3.5
1	S	301	THR	3.5
1	A	246	ASN	3.4
1	F	76	ASP	3.4
1	N	306	THR	3.3
1	R	307	SER	3.3
1	R	126	ASN	3.2
1	T	303	PHE	3.2
1	Q	301	THR	3.2
1	T	246	ASN	3.1
1	R	74	ASN	3.1
1	K	246	ASN	3.1
1	P	301	THR	3.1
1	M	126	ASN	3.1
1	N	302	GLY	3.0
1	J	73	SER	3.0
1	C	306	THR	3.0
1	Q	369	PHE	3.0
1	N	78	TYR	3.0
1	B	246	ASN	3.0
1	M	328	THR	2.9
1	A	78	TYR	2.9
1	N	365	GLY	2.9
1	K	73	SER	2.9
1	D	303	PHE	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	F	74	ASN	2.9
1	Q	364	THR	2.8
1	M	304	HIS	2.8
1	P	104	TYR	2.8
1	P	246	ASN	2.8
1	S	364	THR	2.8
1	L	303	PHE	2.7
1	T	78	TYR	2.7
1	A	301	THR	2.7
1	C	303	PHE	2.7
1	Q	104	TYR	2.7
1	S	309	ILE	2.6
1	Q	75	SER	2.6
1	J	304	HIS	2.6
1	D	72	GLY	2.6
1	E	302	GLY	2.6
1	S	260	ALA	2.6
1	S	246	ASN	2.6
1	B	303	PHE	2.6
1	S	71	GLU	2.6
1	O	246	ASN	2.6
1	P	310	ASN	2.6
1	S	264	GLU	2.5
1	J	306	THR	2.5
1	N	307	SER	2.5
1	T	70	SER	2.5
1	D	78	TYR	2.5
1	J	78	TYR	2.5
1	J	303	PHE	2.5
1	S	82	ALA	2.5
1	M	331	GLN	2.5
1	Q	370	GLN	2.5
1	L	371	TYR	2.5
1	Q	335	GLY	2.5
1	S	302	GLY	2.5
1	N	301	THR	2.5
1	Q	307	SER	2.4
1	R	71	GLU	2.4
1	E	246	ASN	2.4
1	D	71	GLU	2.4
1	I	275	GLU	2.4
1	S	283	TYR	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	F	71	GLU	2.3
1	R	59	GLU	2.3
1	S	75	SER	2.3
1	T	331	GLN	2.3
1	F	246	ASN	2.3
1	Q	371	TYR	2.3
1	G	275	GLU	2.3
1	T	265	ASN	2.3
1	T	75	SER	2.3
1	R	72	GLY	2.3
1	M	104	TYR	2.2
1	R	104	TYR	2.2
1	T	126	ASN	2.2
1	K	119	ARG	2.2
1	C	307	SER	2.2
1	G	301	THR	2.2
1	M	246	ASN	2.2
1	S	355	LEU	2.2
1	S	78	TYR	2.2
1	C	304	HIS	2.2
1	R	76	ASP	2.2
1	G	246	ASN	2.2
1	M	78	TYR	2.2
1	L	369	PHE	2.2
1	C	331	GLN	2.1
1	A	371	TYR	2.1
1	C	301	THR	2.1
1	F	78	TYR	2.1
1	S	269	TYR	2.1
1	S	126	ASN	2.1
1	E	301	THR	2.1
1	A	71	GLU	2.1
1	J	305	GLU	2.1
1	A	72	GLY	2.1
1	M	327	ARG	2.1
1	I	370	GLN	2.1
1	J	126	ASN	2.1
1	J	308	ASN	2.1
1	K	308	ASN	2.1
1	N	126	ASN	2.1
1	P	370	GLN	2.1
1	H	301	THR	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	S	258	THR	2.1
1	F	72	GLY	2.1
1	M	73	SER	2.1
1	J	74	ASN	2.1
1	J	362	ASN	2.1
1	F	327	ARG	2.0
1	T	369	PHE	2.0
1	L	126	ASN	2.0
1	M	71	GLU	2.0
1	T	328	THR	2.0
1	D	76	ASP	2.0
1	G	302	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	NA	Q	406	1/1	0.78	0.13	52,52,52,52	0
5	NA	B	406	1/1	0.87	0.12	36,36,36,36	0
5	NA	M	406	1/1	0.88	0.22	54,54,54,54	0
5	NA	J	406	1/1	0.88	0.18	40,40,40,40	0
5	NA	N	406	1/1	0.89	0.16	47,47,47,47	0
5	NA	C	407	1/1	0.89	0.07	35,35,35,35	0
5	NA	T	406	1/1	0.90	0.15	45,45,45,45	0
5	NA	R	406	1/1	0.91	0.18	48,48,48,48	0
5	NA	S	406	1/1	0.92	0.09	45,45,45,45	0
2	ADP	R	401	27/27	0.93	0.10	35,48,53,64	0
5	NA	E	406	1/1	0.94	0.13	37,37,37,37	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	ADP	S	401	27/27	0.95	0.09	41,55,64,67	0
2	ADP	T	401	27/27	0.95	0.09	30,47,55,60	0
5	NA	K	406	1/1	0.95	0.07	41,41,41,41	0
5	NA	L	406	1/1	0.95	0.09	39,39,39,39	0
5	NA	D	406	1/1	0.95	0.06	26,26,26,26	0
2	ADP	N	401	27/27	0.96	0.08	27,43,50,54	0
2	ADP	P	401	27/27	0.96	0.08	25,39,46,49	0
2	ADP	Q	401	27/27	0.96	0.08	37,48,54,62	0
5	NA	F	406	1/1	0.96	0.17	42,42,42,42	0
5	NA	I	406	1/1	0.96	0.07	37,37,37,37	0
2	ADP	A	401	27/27	0.96	0.08	20,29,36,39	0
2	ADP	I	401	27/27	0.96	0.07	24,33,38,39	0
2	ADP	J	401	27/27	0.96	0.07	27,33,37,39	0
4	PO4	M	405	5/5	0.96	0.06	29,36,36,41	0
4	PO4	N	405	5/5	0.96	0.06	32,34,37,40	0
5	NA	O	406	1/1	0.96	0.09	35,35,35,35	0
4	PO4	S	405	5/5	0.96	0.07	38,47,56,57	0
4	PO4	T	405	5/5	0.96	0.07	33,39,45,51	0
5	NA	A	406	1/1	0.96	0.05	31,31,31,31	0
2	ADP	M	401	27/27	0.96	0.09	31,45,55,60	0
2	ADP	D	401	27/27	0.97	0.07	21,27,34,36	0
4	PO4	Q	405	5/5	0.97	0.06	32,42,44,50	0
4	PO4	R	405	5/5	0.97	0.06	40,41,43,43	0
2	ADP	E	401	27/27	0.97	0.06	21,25,32,36	0
2	ADP	O	401	27/27	0.97	0.07	28,39,45,46	0
2	ADP	G	401	27/27	0.97	0.06	20,27,30,32	0
2	ADP	H	401	27/27	0.97	0.07	24,36,41,43	0
5	NA	P	406	1/1	0.97	0.05	41,41,41,41	0
2	ADP	B	401	27/27	0.97	0.06	19,28,32,39	0
2	ADP	C	401	27/27	0.97	0.07	22,27,32,35	0
2	ADP	K	401	27/27	0.97	0.07	22,33,40,41	0
2	ADP	L	401	27/27	0.97	0.07	27,39,45,47	0
2	ADP	F	401	27/27	0.98	0.06	20,33,37,38	0
3	MN	S	404	1/1	0.98	0.03	44,44,44,44	0
5	NA	C	406	1/1	0.98	0.06	25,25,25,25	0
4	PO4	O	405	5/5	0.98	0.05	28,30,34,36	0
4	PO4	P	405	5/5	0.98	0.05	24,37,42,42	0
4	PO4	F	405	5/5	0.98	0.05	26,28,28,29	0
4	PO4	J	405	5/5	0.98	0.05	29,29,30,34	0
5	NA	H	406	1/1	0.98	0.04	28,28,28,28	0
4	PO4	K	405	5/5	0.98	0.07	23,29,31,38	0
4	PO4	L	405	5/5	0.98	0.05	26,30,33,38	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	MN	F	402	1/1	0.99	0.03	28,28,28,28	0
3	MN	F	403	1/1	0.99	0.04	25,25,25,25	0
3	MN	I	403	1/1	0.99	0.02	30,30,30,30	0
3	MN	J	403	1/1	0.99	0.02	30,30,30,30	0
3	MN	J	404	1/1	0.99	0.02	27,27,27,27	0
3	MN	K	402	1/1	0.99	0.02	28,28,28,28	0
3	MN	K	403	1/1	0.99	0.02	34,34,34,34	0
3	MN	L	402	1/1	0.99	0.02	31,31,31,31	0
3	MN	M	402	1/1	0.99	0.02	35,35,35,35	0
3	MN	N	403	1/1	0.99	0.03	40,40,40,40	0
3	MN	O	402	1/1	0.99	0.02	32,32,32,32	0
3	MN	O	403	1/1	0.99	0.02	31,31,31,31	0
3	MN	Q	402	1/1	0.99	0.03	36,36,36,36	0
3	MN	Q	404	1/1	0.99	0.02	42,42,42,42	0
3	MN	R	402	1/1	0.99	0.02	42,42,42,42	0
3	MN	R	404	1/1	0.99	0.03	37,37,37,37	0
3	MN	S	402	1/1	0.99	0.03	40,40,40,40	0
3	MN	S	403	1/1	0.99	0.03	45,45,45,45	0
5	NA	G	406	1/1	0.99	0.09	33,33,33,33	0
3	MN	A	402	1/1	0.99	0.01	24,24,24,24	0
3	MN	T	402	1/1	0.99	0.03	38,38,38,38	0
3	MN	T	403	1/1	0.99	0.04	40,40,40,40	0
3	MN	T	404	1/1	0.99	0.02	38,38,38,38	0
4	PO4	A	405	5/5	0.99	0.04	24,26,28,28	0
4	PO4	B	405	5/5	0.99	0.04	24,25,27,33	0
4	PO4	C	405	5/5	0.99	0.04	25,26,26,28	0
4	PO4	D	405	5/5	0.99	0.04	22,24,27,30	0
4	PO4	E	405	5/5	0.99	0.05	22,23,31,32	0
3	MN	E	403	1/1	0.99	0.02	25,25,25,25	0
4	PO4	G	405	5/5	0.99	0.03	22,24,26,28	0
4	PO4	H	405	5/5	0.99	0.05	25,27,28,30	0
4	PO4	I	405	5/5	0.99	0.04	28,28,32,38	0
3	MN	C	402	1/1	1.00	0.01	23,23,23,23	0
3	MN	C	403	1/1	1.00	0.03	25,25,25,25	0
3	MN	C	404	1/1	1.00	0.02	23,23,23,23	0
3	MN	K	404	1/1	1.00	0.01	29,29,29,29	0
3	MN	D	402	1/1	1.00	0.01	24,24,24,24	0
3	MN	L	403	1/1	1.00	0.03	34,34,34,34	0
3	MN	L	404	1/1	1.00	0.02	29,29,29,29	0
3	MN	D	403	1/1	1.00	0.02	28,28,28,28	0
3	MN	M	403	1/1	1.00	0.03	37,37,37,37	0
3	MN	M	404	1/1	1.00	0.03	31,31,31,31	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	MN	N	402	1/1	1.00	0.01	37,37,37,37	0
3	MN	D	404	1/1	1.00	0.02	22,22,22,22	0
3	MN	N	404	1/1	1.00	0.02	31,31,31,31	0
3	MN	E	402	1/1	1.00	0.01	26,26,26,26	0
3	MN	A	403	1/1	1.00	0.02	27,27,27,27	0
3	MN	O	404	1/1	1.00	0.02	32,32,32,32	0
3	MN	P	402	1/1	1.00	0.01	37,37,37,37	0
3	MN	P	403	1/1	1.00	0.03	37,37,37,37	0
3	MN	P	404	1/1	1.00	0.02	34,34,34,34	0
3	MN	E	404	1/1	1.00	0.02	23,23,23,23	0
3	MN	Q	403	1/1	1.00	0.03	43,43,43,43	0
3	MN	A	404	1/1	1.00	0.01	21,21,21,21	0
3	MN	B	402	1/1	1.00	0.02	24,24,24,24	0
3	MN	R	403	1/1	1.00	0.02	39,39,39,39	0
3	MN	F	404	1/1	1.00	0.02	26,26,26,26	0
3	MN	G	402	1/1	1.00	0.01	23,23,23,23	0
3	MN	G	403	1/1	1.00	0.03	28,28,28,28	0
3	MN	G	404	1/1	1.00	0.01	23,23,23,23	0
3	MN	H	402	1/1	1.00	0.01	28,28,28,28	0
3	MN	H	403	1/1	1.00	0.04	29,29,29,29	0
3	MN	H	404	1/1	1.00	0.02	26,26,26,26	0
3	MN	I	402	1/1	1.00	0.01	27,27,27,27	0
3	MN	B	403	1/1	1.00	0.03	23,23,23,23	0
3	MN	I	404	1/1	1.00	0.01	28,28,28,28	0
3	MN	J	402	1/1	1.00	0.01	28,28,28,28	0
3	MN	B	404	1/1	1.00	0.01	23,23,23,23	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.


Electron density around ADP R 401:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around ADP S 401:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)













Electron density around ADP A 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ADP I 401:**


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around ADP J 401:




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)








Electron density around PO4 N 405:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PO4 S 405:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PO4 T 405:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ADP M 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ADP D 401:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PO4 Q 405:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PO4 R 405:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ADP E 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ADP O 401:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ADP G 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ADP H 401:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ADP B 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ADP C 401:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around ADP K 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around ADP L 401:**




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)








Electron density around PO4 O 405:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PO4 P 405:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PO4 F 405:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PO4 J 405:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PO4 K 405:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PO4 L 405:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PO4 A 405:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PO4 B 405:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PO4 C 405:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PO4 D 405:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PO4 E 405:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PO4 G 405:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around PO4 H 405:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.