Full wwPDB EM Validation Report ⓘ

Mar 23, 2026 – 02:55 PM EDT

PDB ID	:	9NVW / pdb_00009nvw
EMDB ID	:	EMD-49866
Title	:	Cryo-EM structure of rhesus antibody CH35-Apex1.08 in complex with HIV Env trimer Q23-APEX-GT2
Authors	:	Roark, R.S.; Shapiro, L.S.; Kwong, P.D.
Deposited on	:	2025-03-21
Resolution	:	3.30 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/EMValidationReportHelp
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references ⓘ) were used in the production of this report:

EMDB validation analysis	:	0.0.1.dev132
Mogul	:	2022.3.0, CSD as543be (2022)
MolProbity	:	4-5-2 with Phenix2.0
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
EM percentile statistics	:	202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ	:	1.9.13
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.48.1

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	210492	15764	-
Ramachandran outliers	207382	16835	-
Sidechain outliers	206894	16415	-
Q-score	-	25397	15087 (2.80 - 3.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion < 40%). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	H	246	5% 47% 7% 46%
2	L	214	47% 50%
3	b	478	6% 88% 5% 7%
3	d	478	87% 6% 7%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	f	478	
4	c	153	
4	e	153	
4	g	153	
5	A	2	
5	D	2	
5	F	2	
5	G	2	
5	J	2	
5	K	2	
5	M	2	
5	N	2	
5	O	2	
5	R	2	
5	S	2	
5	T	2	
5	U	2	
5	W	2	
5	X	2	
5	Y	2	
5	Z	2	
5	a	2	
5	k	2	
5	l	2	
5	n	2	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
5	o	2	
5	p	2	
5	q	2	
5	s	2	
6	B	3	
6	C	3	
6	I	3	
6	P	3	
6	V	3	
6	h	3	
6	j	3	
6	m	3	
7	E	5	
8	Q	5	
8	i	5	
8	r	5	

2 Entry composition (i)

There are 9 unique types of molecules in this entry. The entry contains 17222 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CH35-Apex1.08 heavy chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	H	134	Total	C	N	O	S	0	0
			1043	654	173	213	3		

- Molecule 2 is a protein called CH35-Apex1.08 kappa chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	L	107	Total	C	N	O	S	0	0
			823	520	137	163	3		

- Molecule 3 is a protein called HIV envelope gp120.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	b	444	Total	C	N	O	S	0	0
			3522	2217	622	654	29		
3	d	445	Total	C	N	O	S	0	0
			3530	2221	624	656	29		
3	f	444	Total	C	N	O	S	0	0
			3522	2217	622	654	29		

There are 60 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
b	31	ALA	VAL	conflict	UNP O55774
b	49	GLU	ASP	conflict	UNP O55774
b	132	ARG	THR	conflict	UNP O55774
b	153	GLU	GLY	conflict	UNP O55774
b	158	THR	SER	conflict	UNP O55774
b	201	CYS	ILE	conflict	UNP O55774
b	219	ALA	THR	conflict	UNP O55774
b	302	TYR	ASN	conflict	UNP O55774
b	320	MET	THR	conflict	UNP O55774
b	334	SER	THR	conflict	UNP O55774
b	433	CYS	ALA	conflict	UNP O55774

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
b	501	CYS	ALA	conflict	UNP O55774
b	508	GLY	ARG	conflict	UNP O55774
b	509	GLY	GLU	conflict	UNP O55774
b	510	GLY	LYS	conflict	UNP O55774
b	511	GLY	ARG	conflict	UNP O55774
b	512	SER	ALA	conflict	UNP O55774
b	513	GLY	VAL	conflict	UNP O55774
b	515	GLY	ILE	conflict	UNP O55774
b	517	SER	ALA	conflict	UNP O55774
d	31	ALA	VAL	conflict	UNP O55774
d	49	GLU	ASP	conflict	UNP O55774
d	132	ARG	THR	conflict	UNP O55774
d	153	GLU	GLY	conflict	UNP O55774
d	158	THR	SER	conflict	UNP O55774
d	201	CYS	ILE	conflict	UNP O55774
d	219	ALA	THR	conflict	UNP O55774
d	302	TYR	ASN	conflict	UNP O55774
d	320	MET	THR	conflict	UNP O55774
d	334	SER	THR	conflict	UNP O55774
d	433	CYS	ALA	conflict	UNP O55774
d	501	CYS	ALA	conflict	UNP O55774
d	508	GLY	ARG	conflict	UNP O55774
d	509	GLY	GLU	conflict	UNP O55774
d	510	GLY	LYS	conflict	UNP O55774
d	511	GLY	ARG	conflict	UNP O55774
d	512	SER	ALA	conflict	UNP O55774
d	513	GLY	VAL	conflict	UNP O55774
d	515	GLY	ILE	conflict	UNP O55774
d	517	SER	ALA	conflict	UNP O55774
f	31	ALA	VAL	conflict	UNP O55774
f	49	GLU	ASP	conflict	UNP O55774
f	132	ARG	THR	conflict	UNP O55774
f	153	GLU	GLY	conflict	UNP O55774
f	158	THR	SER	conflict	UNP O55774
f	201	CYS	ILE	conflict	UNP O55774
f	219	ALA	THR	conflict	UNP O55774
f	302	TYR	ASN	conflict	UNP O55774
f	320	MET	THR	conflict	UNP O55774
f	334	SER	THR	conflict	UNP O55774
f	433	CYS	ALA	conflict	UNP O55774
f	501	CYS	ALA	conflict	UNP O55774
f	508	GLY	ARG	conflict	UNP O55774

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
f	509	GLY	GLU	conflict	UNP O55774
f	510	GLY	LYS	conflict	UNP O55774
f	511	GLY	ARG	conflict	UNP O55774
f	512	SER	ALA	conflict	UNP O55774
f	513	GLY	VAL	conflict	UNP O55774
f	515	GLY	ILE	conflict	UNP O55774
f	517	SER	ALA	conflict	UNP O55774

- Molecule 4 is a protein called HIV envelope gp41 ectodomain.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	c	127	Total	C	N	O	S	0	0
			1026	650	184	187	5		
4	e	127	Total	C	N	O	S	0	0
			1026	650	184	187	5		
4	g	127	Total	C	N	O	S	0	0
			1026	650	184	187	5		

There are 27 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
c	519	ARG	PHE	conflict	UNP O55774
c	520	ARG	LEU	conflict	UNP O55774
c	533	ALA	THR	conflict	UNP O55774
c	551	PRO	GLN	conflict	UNP O55774
c	559	PRO	ILE	conflict	UNP O55774
c	569	GLY	THR	conflict	UNP O55774
c	605	CYS	THR	conflict	UNP O55774
c	636	GLY	ASN	conflict	UNP O55774
c	662	ALA	GLU	conflict	UNP O55774
e	519	ARG	PHE	conflict	UNP O55774
e	520	ARG	LEU	conflict	UNP O55774
e	533	ALA	THR	conflict	UNP O55774
e	551	PRO	GLN	conflict	UNP O55774
e	559	PRO	ILE	conflict	UNP O55774
e	569	GLY	THR	conflict	UNP O55774
e	605	CYS	THR	conflict	UNP O55774
e	636	GLY	ASN	conflict	UNP O55774
e	662	ALA	GLU	conflict	UNP O55774
g	519	ARG	PHE	conflict	UNP O55774
g	520	ARG	LEU	conflict	UNP O55774
g	533	ALA	THR	conflict	UNP O55774

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
g	551	PRO	GLN	conflict	UNP O55774
g	559	PRO	ILE	conflict	UNP O55774
g	569	GLY	THR	conflict	UNP O55774
g	605	CYS	THR	conflict	UNP O55774
g	636	GLY	ASN	conflict	UNP O55774
g	662	ALA	GLU	conflict	UNP O55774

- Molecule 5 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.

Mol	Chain	Residues	Atoms				AltConf	Trace
5	A	2	Total	C	N	O	0	0
			28	16	2	10		
5	D	2	Total	C	N	O	0	0
			28	16	2	10		
5	F	2	Total	C	N	O	0	0
			28	16	2	10		
5	G	2	Total	C	N	O	0	0
			28	16	2	10		
5	J	2	Total	C	N	O	0	0
			28	16	2	10		
5	K	2	Total	C	N	O	0	0
			28	16	2	10		
5	M	2	Total	C	N	O	0	0
			28	16	2	10		
5	N	2	Total	C	N	O	0	0
			28	16	2	10		
5	O	2	Total	C	N	O	0	0
			28	16	2	10		
5	R	2	Total	C	N	O	0	0
			28	16	2	10		
5	S	2	Total	C	N	O	0	0
			28	16	2	10		
5	T	2	Total	C	N	O	0	0
			28	16	2	10		
5	U	2	Total	C	N	O	0	0
			28	16	2	10		
5	W	2	Total	C	N	O	0	0
			28	16	2	10		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf	Trace
5	X	2	Total 28	C 16	N 2	O 10	0	0
5	Y	2	Total 28	C 16	N 2	O 10	0	0
5	Z	2	Total 28	C 16	N 2	O 10	0	0
5	a	2	Total 28	C 16	N 2	O 10	0	0
5	k	2	Total 28	C 16	N 2	O 10	0	0
5	l	2	Total 28	C 16	N 2	O 10	0	0
5	n	2	Total 28	C 16	N 2	O 10	0	0
5	o	2	Total 28	C 16	N 2	O 10	0	0
5	p	2	Total 28	C 16	N 2	O 10	0	0
5	q	2	Total 28	C 16	N 2	O 10	0	0
5	s	2	Total 28	C 16	N 2	O 10	0	0

- Molecule 6 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
6	B	3	Total 39	C 22	N 2	O 15	0	0
6	C	3	Total 39	C 22	N 2	O 15	0	0
6	I	3	Total 39	C 22	N 2	O 15	0	0
6	P	3	Total 39	C 22	N 2	O 15	0	0
6	V	3	Total 39	C 22	N 2	O 15	0	0
6	h	3	Total 39	C 22	N 2	O 15	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf	Trace
6	j	3	Total 39	C 22	N 2	O 15	0	0
6	m	3	Total 39	C 22	N 2	O 15	0	0

- Molecule 7 is an oligosaccharide called alpha-D-mannopyranose-(1-6)-alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
7	E	5	Total 61	C 34	N 2	O 25	0	0

- Molecule 8 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
8	Q	5	Total 61	C 34	N 2	O 25	0	0
8	i	5	Total 61	C 34	N 2	O 25	0	0
8	r	5	Total 61	C 34	N 2	O 25	0	0

- Molecule 9 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				AltConf
9	b	1	Total	C	N	O	0
			14	8	1	5	
9	b	1	Total	C	N	O	0
			14	8	1	5	
9	b	1	Total	C	N	O	0
			14	8	1	5	
9	b	1	Total	C	N	O	0
			14	8	1	5	
9	b	1	Total	C	N	O	0
			14	8	1	5	
9	b	1	Total	C	N	O	0
			14	8	1	5	
9	b	1	Total	C	N	O	0
			14	8	1	5	
9	b	1	Total	C	N	O	0
			14	8	1	5	
9	c	1	Total	C	N	O	0
			14	8	1	5	
9	c	1	Total	C	N	O	0
			14	8	1	5	
9	c	1	Total	C	N	O	0
			14	8	1	5	
9	d	1	Total	C	N	O	0
			14	8	1	5	
9	d	1	Total	C	N	O	0
			14	8	1	5	
9	d	1	Total	C	N	O	0
			14	8	1	5	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf
9	d	1	Total	C	N	O	0
			14	8	1	5	
9	d	1	Total	C	N	O	0
			14	8	1	5	
9	d	1	Total	C	N	O	0
			14	8	1	5	
9	d	1	Total	C	N	O	0
			14	8	1	5	
9	d	1	Total	C	N	O	0
			14	8	1	5	
9	e	1	Total	C	N	O	0
			14	8	1	5	
9	e	1	Total	C	N	O	0
			14	8	1	5	
9	e	1	Total	C	N	O	0
			14	8	1	5	
9	f	1	Total	C	N	O	0
			14	8	1	5	
9	f	1	Total	C	N	O	0
			14	8	1	5	
9	f	1	Total	C	N	O	0
			14	8	1	5	
9	f	1	Total	C	N	O	0
			14	8	1	5	
9	f	1	Total	C	N	O	0
			14	8	1	5	
9	f	1	Total	C	N	O	0
			14	8	1	5	
9	f	1	Total	C	N	O	0
			14	8	1	5	
9	g	1	Total	C	N	O	0
			14	8	1	5	
9	g	1	Total	C	N	O	0
			14	8	1	5	
9	g	1	Total	C	N	O	0
			14	8	1	5	

3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: CH35-Apex1.08 heavy chain

Chain H:



• Molecule 2: CH35-Apex1.08 kappa chain

Chain L:



• Molecule 3: HIV envelope gp120

Chain b:



• Molecule 3: HIV envelope gp120

Chain d:



• Molecule 3: HIV envelope gp120

Chain f:



• Molecule 4: HIV envelope gp41 ectodomain

Chain c:



• Molecule 4: HIV envelope gp41 ectodomain

Chain e:



• Molecule 4: HIV envelope gp41 ectodomain

Chain g:





• Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain A:

• Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain D:

• Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F:

• Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G:

• Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J:

• Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain K:

• Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain M:

• Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain N:

• Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain O:



• Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain R:

• Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain S:

• Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain T:



• Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain U:



• Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain W:



• Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain X:

• Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Y:



• Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Z:



• Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain a:

• Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain k:



• Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain l:



• Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain n:

• Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain o:

• Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain p:

• Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain q:



• Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain s:

• Molecule 6: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain B:

• Molecule 6: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain C:



• Molecule 6: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I:



• Molecule 6: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain P:



• Molecule 6: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain V:

• Molecule 6: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain h:

• Molecule 6: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain j:

• Molecule 6: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain m:

• Molecule 7: alpha-D-mannopyranose-(1-6)-alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E:

• Molecule 8: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Q:



• Molecule 8: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain i:



• Molecule 8: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain r:



4 Experimental information (i)

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	95000	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/Å^2$)	58	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	0.485	Depositor
Minimum map value	-0.180	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.014	Depositor
Recommended contour level	0.12	Depositor
Map size (Å)	318.72, 318.72, 318.72	wwPDB
Map dimensions	384, 384, 384	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.83, 0.83, 0.83	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MAN, NAG, TYS, BMA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#$\|Z\|>5$	RMSZ	#$\|Z\|>5$
1	H	0.13	0/1050	0.42	0/1429
2	L	0.14	0/844	0.44	0/1150
3	b	0.14	0/3598	0.42	1/4883 (0.0%)
3	d	0.19	0/3606	0.48	1/4894 (0.0%)
3	f	0.20	0/3598	0.49	2/4883 (0.0%)
4	c	0.15	0/1044	0.43	0/1410
4	e	0.14	0/1044	0.43	0/1410
4	g	0.14	0/1044	0.39	0/1410
All	All	0.17	0/15828	0.45	4/21469 (0.0%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
3	f	377	ASN	CB-CA-C	-6.87	100.51	110.06
3	f	378	CYS	CB-CA-C	-6.25	99.18	109.80
3	b	464	VAL	N-CA-C	-5.25	107.64	112.83
3	d	377	ASN	CB-CA-C	-5.20	101.36	109.84

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	H	1043	0	988	9	0
2	L	823	0	790	4	0
3	b	3522	0	3446	13	0
3	d	3530	0	3452	20	0
3	f	3522	0	3446	14	0
4	c	1026	0	1025	6	0
4	e	1026	0	1025	7	0
4	g	1026	0	1025	6	0
5	A	28	0	25	0	0
5	D	28	0	25	0	0
5	F	28	0	25	0	0
5	G	28	0	25	0	0
5	J	28	0	25	0	0
5	K	28	0	25	0	0
5	M	28	0	25	0	0
5	N	28	0	25	0	0
5	O	28	0	25	0	0
5	R	28	0	25	0	0
5	S	28	0	25	0	0
5	T	28	0	25	0	0
5	U	28	0	25	0	0
5	W	28	0	25	1	0
5	X	28	0	25	0	0
5	Y	28	0	25	0	0
5	Z	28	0	25	0	0
5	a	28	0	25	0	0
5	k	28	0	25	0	0
5	l	28	0	25	0	0
5	n	28	0	25	0	0
5	o	28	0	25	0	0
5	p	28	0	25	2	0
5	q	28	0	25	0	0
5	s	28	0	25	0	0
6	B	39	0	34	0	0
6	C	39	0	34	0	0
6	I	39	0	34	0	0
6	P	39	0	34	0	0
6	V	39	0	34	0	0
6	h	39	0	34	0	0
6	j	39	0	34	1	0
6	m	39	0	34	0	0
7	E	61	0	52	2	0
8	Q	61	0	52	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
8	i	61	0	52	0	0
8	r	61	0	52	1	0
9	b	112	0	104	0	0
9	c	42	0	39	0	0
9	d	112	0	104	2	0
9	e	42	0	39	0	0
9	f	98	0	91	1	0
9	g	42	0	39	0	0
All	All	17222	0	16718	72	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (72) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:d:95:MET:HE3	3:d:235:GLY:HA3	1.72	0.70
3:d:95:MET:HE1	3:d:273:ARG:HD3	1.80	0.64
3:d:54:CYS:SG	3:d:55:ALA:N	2.73	0.62
4:e:535:ILE:O	4:g:651:ASN:ND2	2.33	0.61
2:L:27:GLU:OE1	3:f:132:ARG:NH1	2.35	0.59
3:d:46:ARG:NH1	4:e:632:ASP:OD2	2.35	0.59
3:d:163:THR:HG23	3:d:165:LEU:H	1.69	0.58
5:p:1:NAG:H4	5:p:2:NAG:N2	2.20	0.57
1:H:19:LEU:HB3	1:H:91:LEU:HB3	1.88	0.56
1:H:99:THR:HG23	1:H:138:THR:HA	1.87	0.56
3:b:124:PRO:HG2	3:b:161:MET:HE1	1.88	0.55
3:b:356:LYS:NZ	3:b:461:ASP:OD1	2.40	0.54
4:g:655:LYS:NZ	4:g:659:GLU:OE2	2.39	0.53
5:p:1:NAG:H4	5:p:2:NAG:C7	2.39	0.52
3:d:55:ALA:HB3	3:d:216:HIS:HB2	1.91	0.52
1:H:38:ASP:HB2	1:H:107:GLU:HB2	1.93	0.51
3:d:496:VAL:O	4:e:631:TRP:NE1	2.32	0.51
4:g:617:LYS:NZ	4:g:626:MET:SD	2.80	0.51
2:L:90:GLU:N	2:L:90:GLU:OE1	2.39	0.51
1:H:106:ARG:NH2	7:E:4:MAN:O4	2.44	0.50
3:d:125:LEU:HA	3:d:161:MET:HE1	1.94	0.49
3:b:42:VAL:HG21	3:b:495:GLY:HA3	1.95	0.49
1:H:44:GLN:HB2	1:H:50:LEU:HD13	1.94	0.49
3:f:260:LEU:HD12	3:f:451:GLY:HA3	1.94	0.49
3:b:41:GLY:N	3:b:493:PRO:O	2.45	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:b:260:LEU:HD12	3:b:451:GLY:HA3	1.95	0.48
3:d:260:LEU:HD12	3:d:451:GLY:HA3	1.95	0.48
3:d:74:CYS:SG	3:d:75:VAL:N	2.87	0.48
3:b:163:THR:HG23	3:b:165:LEU:H	1.78	0.47
3:d:183:PRO:HA	3:d:191:TYR:HA	1.95	0.47
3:d:221:ALA:HB3	4:e:582:ALA:HB1	1.95	0.47
3:f:131:CYS:HA	3:f:157:CYS:HA	1.96	0.47
1:H:56:ILE:HG23	1:H:78:ILE:HG21	1.96	0.47
3:f:364:SER:HB2	9:f:607:NAG:H82	1.96	0.47
4:c:523:LEU:HA	4:c:540:GLN:HE21	1.80	0.47
3:f:173:TYR:CE2	6:j:1:NAG:H3	2.50	0.47
3:d:166:ARG:O	3:d:169:ARG:NH1	2.47	0.46
3:d:377:ASN:HB2	3:d:382:PHE:CE2	2.52	0.45
3:f:195:ASN:HD21	3:f:425:ASN:HD21	1.65	0.45
3:b:55:ALA:HB3	3:b:216:HIS:HB2	1.98	0.45
3:b:496:VAL:HG11	4:c:642:ILE:HD13	1.98	0.45
3:f:95:MET:HE2	3:f:96:TRP:CE2	2.52	0.44
2:L:20:THR:HG22	2:L:83:ILE:HA	2.00	0.44
3:d:88:ASN:N	9:d:605:NAG:O7	2.49	0.44
3:f:378:CYS:SG	3:f:379:GLY:N	2.90	0.43
1:H:123:ASP:OD1	1:H:124:GLY:N	2.52	0.43
4:e:596:TRP:HE1	4:e:647:GLU:HG3	1.83	0.43
3:f:376:PHE:HE1	3:f:385:CYS:SG	2.41	0.43
3:b:74:CYS:SG	3:b:75:VAL:N	2.91	0.43
3:d:382:PHE:CG	3:d:424:ILE:HD13	2.53	0.43
3:f:112:TRP:CG	3:f:427:TRP:HE1	2.37	0.43
4:c:660:LEU:HD23	3:f:501:CYS:HA	2.01	0.43
3:d:377:ASN:HD21	3:d:380:GLY:C	2.27	0.42
8:r:3:BMA:O2	8:r:4:MAN:H2	2.17	0.42
3:b:130:HIS:CD2	7:E:1:NAG:H83	2.54	0.42
4:c:535:ILE:O	4:e:651:ASN:ND2	2.52	0.42
3:d:257:THR:HG1	3:d:375:SER:H	1.64	0.42
4:g:523:LEU:HA	4:g:540:GLN:HE21	1.84	0.41
3:f:390:LEU:HG	3:f:416:LEU:HD21	2.02	0.41
1:H:40:SER:OG	1:H:52:TRP:NE1	2.51	0.41
3:d:402:ASN:ND2	9:d:602:NAG:O3	2.52	0.41
3:f:55:ALA:HB3	3:f:216:HIS:HB2	2.01	0.41
3:f:221:ALA:HB3	4:g:582:ALA:HB1	2.02	0.41
4:g:528:SER:HB3	4:g:532:ALA:HB3	2.03	0.41
3:d:46:ARG:NH2	4:e:632:ASP:OD1	2.52	0.41
3:b:83:GLU:OE1	3:b:229:LYS:NZ	2.45	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:c:639:THR:HA	4:c:642:ILE:HD12	2.02	0.41
5:W:1:NAG:H4	5:W:2:NAG:H2	1.76	0.41
2:L:53:LEU:C	2:L:54:ILE:HD13	2.47	0.41
3:b:131:CYS:HA	3:b:157:CYS:HA	2.02	0.40
1:H:13:LEU:HD11	1:H:94:VAL:HG11	2.04	0.40
3:b:84:ILE:HG12	4:c:521:GLY:HA3	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	H	131/246 (53%)	129 (98%)	2 (2%)	0	100	100
2	L	105/214 (49%)	98 (93%)	7 (7%)	0	100	100
3	b	436/478 (91%)	424 (97%)	12 (3%)	0	100	100
3	d	437/478 (91%)	426 (98%)	11 (2%)	0	100	100
3	f	436/478 (91%)	424 (97%)	12 (3%)	0	100	100
4	c	123/153 (80%)	122 (99%)	1 (1%)	0	100	100
4	e	123/153 (80%)	120 (98%)	3 (2%)	0	100	100
4	g	123/153 (80%)	120 (98%)	3 (2%)	0	100	100
All	All	1914/2353 (81%)	1863 (97%)	51 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	H	113/211 (54%)	113 (100%)	0	100	100
2	L	92/189 (49%)	92 (100%)	0	100	100
3	b	397/420 (94%)	397 (100%)	0	100	100
3	d	398/420 (95%)	398 (100%)	0	100	100
3	f	397/420 (94%)	397 (100%)	0	100	100
4	c	110/128 (86%)	110 (100%)	0	100	100
4	e	110/128 (86%)	110 (100%)	0	100	100
4	g	110/128 (86%)	110 (100%)	0	100	100
All	All	1727/2044 (84%)	1727 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
3	b	33	ASN
3	b	66	HIS
3	b	72	HIS
3	b	94	ASN
3	b	130	HIS
3	b	185	ASN
3	b	187	ASN
3	d	377	ASN
3	d	478	ASN
4	e	651	ASN
3	f	82	GLN
3	f	99	ASN
3	f	130	HIS
4	g	543	GLN
4	g	590	GLN
4	g	651	ASN

5.3.3 RNA

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
1	TYS	H	118	1	15,16,17	1.62	2 (13%)	15,22,24	0.84	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	TYS	H	118	1	-	3/10/11/13	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	H	118	TYS	OH-S	5.15	1.68	1.58
1	H	118	TYS	OH-CZ	-3.18	1.37	1.42

There are no bond angle outliers.

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	H	118	TYS	CZ-OH-S-O1
1	H	118	TYS	CZ-OH-S-O2
1	H	118	TYS	CZ-OH-S-O3

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates (i)

94 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
5	NAG	A	1	5,3	14,14,15	0.67	0	17,19,21	0.88	1 (5%)
5	NAG	A	2	5	14,14,15	0.71	0	17,19,21	0.88	0
6	NAG	B	1	6,3	14,14,15	0.71	0	17,19,21	0.82	0
6	NAG	B	2	6	14,14,15	0.69	0	17,19,21	1.42	1 (5%)
6	BMA	B	3	6	11,11,12	0.88	0	15,15,17	2.32	4 (26%)
6	NAG	C	1	6,3	14,14,15	0.72	0	17,19,21	0.87	0
6	NAG	C	2	6	14,14,15	0.71	0	17,19,21	0.88	1 (5%)
6	BMA	C	3	6	11,11,12	0.86	0	15,15,17	2.27	4 (26%)
5	NAG	D	1	5,3	14,14,15	0.72	0	17,19,21	0.84	0
5	NAG	D	2	5	14,14,15	0.70	0	17,19,21	1.40	1 (5%)
7	NAG	E	1	7,3	14,14,15	0.69	0	17,19,21	0.84	0
7	NAG	E	2	7	14,14,15	0.71	0	17,19,21	1.42	2 (11%)
7	BMA	E	3	7	11,11,12	0.97	1 (9%)	15,15,17	2.72	6 (40%)
7	MAN	E	4	7	11,11,12	0.68	0	15,15,17	1.31	1 (6%)
7	MAN	E	5	7	11,11,12	0.70	0	15,15,17	1.17	1 (6%)
5	NAG	F	1	5,3	14,14,15	0.72	0	17,19,21	1.46	1 (5%)
5	NAG	F	2	5	14,14,15	0.71	0	17,19,21	1.40	1 (5%)
5	NAG	G	1	5,3	14,14,15	0.68	0	17,19,21	1.03	1 (5%)
5	NAG	G	2	5	14,14,15	0.79	0	17,19,21	1.17	1 (5%)
6	NAG	I	1	6,3	14,14,15	0.76	0	17,19,21	1.19	2 (11%)
6	NAG	I	2	6	14,14,15	0.83	1 (7%)	17,19,21	1.33	2 (11%)
6	BMA	I	3	6	11,11,12	0.87	0	15,15,17	2.38	3 (20%)
5	NAG	J	1	5,3	14,14,15	0.73	0	17,19,21	1.52	2 (11%)
5	NAG	J	2	5	14,14,15	0.71	0	17,19,21	0.86	0
5	NAG	K	1	5,3	14,14,15	0.72	0	17,19,21	0.87	0
5	NAG	K	2	5	14,14,15	0.80	1 (7%)	17,19,21	1.54	2 (11%)
5	NAG	M	1	5,3	14,14,15	0.71	0	17,19,21	0.98	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\|>2$	Counts	RMSZ	$\#\|Z\|>2$
5	NAG	M	2	5	14,14,15	0.74	0	17,19,21	0.94	1 (5%)
5	NAG	N	1	5,3	14,14,15	0.73	0	17,19,21	0.94	1 (5%)
5	NAG	N	2	5	14,14,15	0.71	0	17,19,21	1.39	1 (5%)
5	NAG	O	1	5,3	14,14,15	0.71	0	17,19,21	0.86	0
5	NAG	O	2	5	14,14,15	0.70	0	17,19,21	0.82	0
6	NAG	P	1	6,3	14,14,15	0.71	0	17,19,21	0.85	1 (5%)
6	NAG	P	2	6	14,14,15	0.68	0	17,19,21	1.43	2 (11%)
6	BMA	P	3	6	11,11,12	0.86	0	15,15,17	2.34	4 (26%)
8	NAG	Q	1	8,3	14,14,15	0.74	0	17,19,21	0.88	0
8	NAG	Q	2	8	14,14,15	0.72	0	17,19,21	0.94	1 (5%)
8	BMA	Q	3	8	11,11,12	0.82	0	15,15,17	2.35	5 (33%)
8	MAN	Q	4	8	11,11,12	0.65	0	15,15,17	1.37	1 (6%)
8	MAN	Q	5	8	11,11,12	0.73	0	15,15,17	1.29	1 (6%)
5	NAG	R	1	5,3	14,14,15	0.71	0	17,19,21	0.82	0
5	NAG	R	2	5	14,14,15	0.72	0	17,19,21	1.40	1 (5%)
5	NAG	S	1	5,3	14,14,15	0.74	0	17,19,21	0.96	0
5	NAG	S	2	5	14,14,15	0.71	0	17,19,21	0.84	1 (5%)
5	NAG	T	1	5,3	14,14,15	0.71	0	17,19,21	1.47	2 (11%)
5	NAG	T	2	5	14,14,15	0.71	0	17,19,21	1.41	1 (5%)
5	NAG	U	1	5,3	14,14,15	0.69	0	17,19,21	1.35	3 (17%)
5	NAG	U	2	5	14,14,15	0.82	1 (7%)	17,19,21	1.21	1 (5%)
6	NAG	V	1	6,3	14,14,15	0.72	0	17,19,21	1.04	1 (5%)
6	NAG	V	2	6	14,14,15	0.81	0	17,19,21	1.29	1 (5%)
6	BMA	V	3	6	11,11,12	0.87	0	15,15,17	2.34	3 (20%)
5	NAG	W	1	5,3	14,14,15	0.72	0	17,19,21	1.87	4 (23%)
5	NAG	W	2	5	14,14,15	0.81	1 (7%)	17,19,21	0.97	0
5	NAG	X	1	5,3	14,14,15	0.69	0	17,19,21	0.88	0
5	NAG	X	2	5	14,14,15	0.71	0	17,19,21	1.40	1 (5%)
5	NAG	Y	1	5,3	14,14,15	0.73	0	17,19,21	0.97	1 (5%)
5	NAG	Y	2	5	14,14,15	0.73	0	17,19,21	0.98	1 (5%)
5	NAG	Z	1	5,3	14,14,15	0.72	0	17,19,21	1.17	2 (11%)
5	NAG	Z	2	5	14,14,15	0.74	0	17,19,21	1.43	2 (11%)
5	NAG	a	1	5,3	14,14,15	0.70	0	17,19,21	0.86	1 (5%)
5	NAG	a	2	5	14,14,15	0.70	0	17,19,21	0.84	0
6	NAG	h	1	6,3	14,14,15	0.69	0	17,19,21	0.80	0
6	NAG	h	2	6	14,14,15	0.70	0	17,19,21	1.43	2 (11%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\|>2$	Counts	RMSZ	$\#\|Z\|>2$
6	BMA	h	3	6	11,11,12	0.88	0	15,15,17	2.33	4 (26%)
8	NAG	i	1	8,3	14,14,15	0.73	0	17,19,21	0.95	0
8	NAG	i	2	8	14,14,15	0.72	0	17,19,21	1.00	1 (5%)
8	BMA	i	3	8	11,11,12	0.83	0	15,15,17	2.28	4 (26%)
8	MAN	i	4	8	11,11,12	0.34	0	15,15,17	0.50	0
8	MAN	i	5	8	11,11,12	0.29	0	15,15,17	0.52	0
6	NAG	j	1	6,3	14,14,15	0.40	0	17,19,21	0.67	0
6	NAG	j	2	6	14,14,15	0.41	0	17,19,21	1.22	3 (17%)
6	BMA	j	3	6	11,11,12	0.32	0	15,15,17	0.56	0
5	NAG	k	1	5,3	14,14,15	0.36	0	17,19,21	0.71	1 (5%)
5	NAG	k	2	5	14,14,15	0.39	0	17,19,21	0.73	1 (5%)
5	NAG	l	1	5,3	14,14,15	0.39	0	17,19,21	0.60	0
5	NAG	l	2	5	14,14,15	0.38	0	17,19,21	0.56	0
6	NAG	m	1	6,3	14,14,15	0.40	0	17,19,21	0.54	0
6	NAG	m	2	6	14,14,15	0.38	0	17,19,21	0.65	1 (5%)
6	BMA	m	3	6	11,11,12	0.28	0	15,15,17	0.65	0
5	NAG	n	1	5,3	14,14,15	0.38	0	17,19,21	0.66	0
5	NAG	n	2	5	14,14,15	0.38	0	17,19,21	0.60	0
5	NAG	o	1	5,3	14,14,15	0.37	0	17,19,21	0.50	0
5	NAG	o	2	5	14,14,15	0.37	0	17,19,21	0.68	1 (5%)
5	NAG	p	1	5,3	14,14,15	0.37	0	17,19,21	0.58	0
5	NAG	p	2	5	14,14,15	0.43	0	17,19,21	0.98	1 (5%)
5	NAG	q	1	5,3	14,14,15	0.39	0	17,19,21	0.46	0
5	NAG	q	2	5	14,14,15	0.37	0	17,19,21	0.63	0
8	NAG	r	1	8,3	14,14,15	0.39	0	17,19,21	0.77	1 (5%)
8	NAG	r	2	8	14,14,15	0.41	0	17,19,21	0.97	2 (11%)
8	BMA	r	3	8	11,11,12	0.41	0	15,15,17	0.82	0
8	MAN	r	4	8	11,11,12	0.36	0	15,15,17	0.59	0
8	MAN	r	5	8	11,11,12	0.33	0	15,15,17	0.52	0
5	NAG	s	1	5,3	14,14,15	0.40	0	17,19,21	0.72	0
5	NAG	s	2	5	14,14,15	0.37	0	17,19,21	0.72	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	A	1	5,3	-	0/6/23/26	0/1/1/1
5	NAG	A	2	5	-	0/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	NAG	B	1	6,3	-	0/6/23/26	0/1/1/1
6	NAG	B	2	6	-	2/6/23/26	0/1/1/1
6	BMA	B	3	6	-	0/2/19/22	0/1/1/1
6	NAG	C	1	6,3	-	0/6/23/26	0/1/1/1
6	NAG	C	2	6	-	0/6/23/26	0/1/1/1
6	BMA	C	3	6	-	0/2/19/22	0/1/1/1
5	NAG	D	1	5,3	-	0/6/23/26	0/1/1/1
5	NAG	D	2	5	-	2/6/23/26	0/1/1/1
7	NAG	E	1	7,3	-	0/6/23/26	0/1/1/1
7	NAG	E	2	7	-	2/6/23/26	0/1/1/1
7	BMA	E	3	7	-	0/2/19/22	0/1/1/1
7	MAN	E	4	7	-	1/2/19/22	0/1/1/1
7	MAN	E	5	7	-	0/2/19/22	0/1/1/1
5	NAG	F	1	5,3	-	2/6/23/26	0/1/1/1
5	NAG	F	2	5	-	3/6/23/26	0/1/1/1
5	NAG	G	1	5,3	-	0/6/23/26	0/1/1/1
5	NAG	G	2	5	-	1/6/23/26	0/1/1/1
6	NAG	I	1	6,3	-	0/6/23/26	0/1/1/1
6	NAG	I	2	6	-	0/6/23/26	0/1/1/1
6	BMA	I	3	6	-	1/2/19/22	0/1/1/1
5	NAG	J	1	5,3	-	2/6/23/26	0/1/1/1
5	NAG	J	2	5	-	0/6/23/26	0/1/1/1
5	NAG	K	1	5,3	-	0/6/23/26	0/1/1/1
5	NAG	K	2	5	-	3/6/23/26	0/1/1/1
5	NAG	M	1	5,3	-	0/6/23/26	0/1/1/1
5	NAG	M	2	5	-	1/6/23/26	0/1/1/1
5	NAG	N	1	5,3	-	0/6/23/26	0/1/1/1
5	NAG	N	2	5	-	3/6/23/26	0/1/1/1
5	NAG	O	1	5,3	-	0/6/23/26	0/1/1/1
5	NAG	O	2	5	-	0/6/23/26	0/1/1/1
6	NAG	P	1	6,3	-	0/6/23/26	0/1/1/1
6	NAG	P	2	6	-	2/6/23/26	0/1/1/1
6	BMA	P	3	6	-	0/2/19/22	0/1/1/1
8	NAG	Q	1	8,3	-	0/6/23/26	0/1/1/1
8	NAG	Q	2	8	-	0/6/23/26	0/1/1/1
8	BMA	Q	3	8	-	0/2/19/22	0/1/1/1
8	MAN	Q	4	8	-	1/2/19/22	0/1/1/1
8	MAN	Q	5	8	-	2/2/19/22	0/1/1/1
5	NAG	R	1	5,3	-	0/6/23/26	0/1/1/1
5	NAG	R	2	5	-	2/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	S	1	5,3	-	0/6/23/26	0/1/1/1
5	NAG	S	2	5	-	1/6/23/26	0/1/1/1
5	NAG	T	1	5,3	-	2/6/23/26	0/1/1/1
5	NAG	T	2	5	-	3/6/23/26	0/1/1/1
5	NAG	U	1	5,3	-	0/6/23/26	0/1/1/1
5	NAG	U	2	5	-	1/6/23/26	0/1/1/1
6	NAG	V	1	6,3	-	0/6/23/26	0/1/1/1
6	NAG	V	2	6	-	0/6/23/26	0/1/1/1
6	BMA	V	3	6	-	1/2/19/22	0/1/1/1
5	NAG	W	1	5,3	-	2/6/23/26	0/1/1/1
5	NAG	W	2	5	-	0/6/23/26	0/1/1/1
5	NAG	X	1	5,3	-	0/6/23/26	0/1/1/1
5	NAG	X	2	5	-	3/6/23/26	0/1/1/1
5	NAG	Y	1	5,3	-	0/6/23/26	0/1/1/1
5	NAG	Y	2	5	-	1/6/23/26	0/1/1/1
5	NAG	Z	1	5,3	-	0/6/23/26	0/1/1/1
5	NAG	Z	2	5	-	3/6/23/26	0/1/1/1
5	NAG	a	1	5,3	-	0/6/23/26	0/1/1/1
5	NAG	a	2	5	-	0/6/23/26	0/1/1/1
6	NAG	h	1	6,3	-	0/6/23/26	0/1/1/1
6	NAG	h	2	6	-	2/6/23/26	0/1/1/1
6	BMA	h	3	6	-	0/2/19/22	0/1/1/1
8	NAG	i	1	8,3	-	0/6/23/26	0/1/1/1
8	NAG	i	2	8	-	0/6/23/26	0/1/1/1
8	BMA	i	3	8	-	1/2/19/22	0/1/1/1
8	MAN	i	4	8	-	0/2/19/22	0/1/1/1
8	MAN	i	5	8	-	0/2/19/22	0/1/1/1
6	NAG	j	1	6,3	-	0/6/23/26	0/1/1/1
6	NAG	j	2	6	-	3/6/23/26	0/1/1/1
6	BMA	j	3	6	-	0/2/19/22	0/1/1/1
5	NAG	k	1	5,3	-	1/6/23/26	0/1/1/1
5	NAG	k	2	5	-	2/6/23/26	0/1/1/1
5	NAG	l	1	5,3	-	2/6/23/26	0/1/1/1
5	NAG	l	2	5	-	1/6/23/26	0/1/1/1
6	NAG	m	1	6,3	-	0/6/23/26	0/1/1/1
6	NAG	m	2	6	-	1/6/23/26	0/1/1/1
6	BMA	m	3	6	-	0/2/19/22	0/1/1/1
5	NAG	n	1	5,3	-	2/6/23/26	0/1/1/1
5	NAG	n	2	5	-	0/6/23/26	0/1/1/1
5	NAG	o	1	5,3	-	0/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	o	2	5	-	3/6/23/26	0/1/1/1
5	NAG	p	1	5,3	-	0/6/23/26	0/1/1/1
5	NAG	p	2	5	-	1/6/23/26	0/1/1/1
5	NAG	q	1	5,3	-	0/6/23/26	0/1/1/1
5	NAG	q	2	5	-	3/6/23/26	0/1/1/1
8	NAG	r	1	8,3	-	0/6/23/26	0/1/1/1
8	NAG	r	2	8	-	1/6/23/26	0/1/1/1
8	BMA	r	3	8	-	2/2/19/22	0/1/1/1
8	MAN	r	4	8	-	1/2/19/22	0/1/1/1
8	MAN	r	5	8	-	0/2/19/22	0/1/1/1
5	NAG	s	1	5,3	-	1/6/23/26	0/1/1/1
5	NAG	s	2	5	-	1/6/23/26	0/1/1/1

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	E	3	BMA	C2-C3	2.52	1.56	1.52
5	W	2	NAG	C1-C2	2.11	1.55	1.52
5	K	2	NAG	C1-C2	2.06	1.55	1.52
5	U	2	NAG	C1-C2	2.05	1.55	1.52
6	I	2	NAG	C1-C2	2.02	1.55	1.52

All (104) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
7	E	3	BMA	C1-O5-C5	7.97	122.87	112.19
6	I	3	BMA	C1-O5-C5	7.44	122.16	112.19
6	V	3	BMA	C1-O5-C5	7.30	121.97	112.19
6	P	3	BMA	C1-O5-C5	7.17	121.79	112.19
6	h	3	BMA	C1-O5-C5	7.17	121.79	112.19
6	B	3	BMA	C1-O5-C5	7.07	121.66	112.19
8	i	3	BMA	C1-O5-C5	6.94	121.48	112.19
6	C	3	BMA	C1-O5-C5	6.85	121.37	112.19
8	Q	3	BMA	C1-O5-C5	6.61	121.04	112.19
8	Q	4	MAN	C1-O5-C5	4.31	117.96	112.19
6	h	2	NAG	C2-N2-C7	4.24	128.58	122.90
5	F	1	NAG	C2-N2-C7	4.23	128.56	122.90
7	E	4	MAN	C1-O5-C5	4.22	117.85	112.19
5	W	1	NAG	C2-N2-C7	4.22	128.56	122.90
6	B	2	NAG	C2-N2-C7	4.22	128.55	122.90
5	T	1	NAG	C2-N2-C7	4.20	128.53	122.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
5	J	1	NAG	C2-N2-C7	4.19	128.51	122.90
6	P	2	NAG	C2-N2-C7	4.18	128.51	122.90
5	N	2	NAG	C2-N2-C7	4.16	128.47	122.90
5	F	2	NAG	C2-N2-C7	4.15	128.47	122.90
5	T	2	NAG	C2-N2-C7	4.15	128.46	122.90
5	R	2	NAG	C2-N2-C7	4.15	128.46	122.90
5	D	2	NAG	C2-N2-C7	4.14	128.45	122.90
5	X	2	NAG	C2-N2-C7	4.13	128.43	122.90
7	E	2	NAG	C2-N2-C7	4.09	128.38	122.90
5	Z	2	NAG	C2-N2-C7	4.01	128.28	122.90
5	K	2	NAG	C2-N2-C7	3.85	128.06	122.90
8	Q	5	MAN	C1-O5-C5	3.57	116.97	112.19
7	E	5	MAN	C1-O5-C5	3.50	116.88	112.19
5	p	2	NAG	C1-C2-N2	3.44	115.86	110.43
5	W	1	NAG	O4-C4-C3	-3.44	102.27	110.38
6	V	2	NAG	C1-O5-C5	3.33	116.65	112.19
7	E	3	BMA	O2-C2-C3	3.32	117.03	110.15
8	Q	3	BMA	C3-C4-C5	3.31	116.23	110.23
6	j	2	NAG	C2-N2-C7	3.17	127.14	122.90
5	U	1	NAG	O5-C1-C2	-3.15	106.41	111.29
5	G	2	NAG	C1-O5-C5	3.11	116.36	112.19
7	E	3	BMA	C3-C4-C5	3.10	115.86	110.23
6	I	2	NAG	C1-O5-C5	3.07	116.31	112.19
5	U	2	NAG	C1-O5-C5	3.05	116.27	112.19
5	W	1	NAG	O5-C1-C2	-2.94	106.74	111.29
5	K	2	NAG	C1-O5-C5	2.93	116.11	112.19
5	Z	1	NAG	O5-C1-C2	-2.91	106.79	111.29
5	Y	1	NAG	O5-C1-C2	-2.78	107.00	111.29
6	I	3	BMA	C2-C3-C4	2.77	115.74	110.86
6	V	3	BMA	C2-C3-C4	2.74	115.67	110.86
6	j	2	NAG	C1-C2-N2	2.72	114.73	110.43
6	B	3	BMA	C2-C3-C4	2.72	115.65	110.86
6	P	3	BMA	C2-C3-C4	2.72	115.64	110.86
6	h	3	BMA	C2-C3-C4	2.69	115.60	110.86
6	C	3	BMA	C2-C3-C4	2.69	115.59	110.86
5	U	1	NAG	O3-C3-C2	-2.69	103.82	109.40
6	B	3	BMA	C3-C4-C5	2.68	115.10	110.23
6	P	3	BMA	C3-C4-C5	2.68	115.09	110.23
6	h	3	BMA	C3-C4-C5	2.66	115.06	110.23
6	C	3	BMA	C3-C4-C5	2.65	115.04	110.23
5	G	1	NAG	O5-C1-C2	-2.65	107.19	111.29
8	Q	3	BMA	C2-C3-C4	2.64	115.50	110.86

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
7	E	3	BMA	O3-C3-C4	2.63	116.59	110.38
8	i	3	BMA	C2-C3-C4	2.61	115.46	110.86
6	I	1	NAG	O3-C3-C2	-2.57	104.06	109.40
5	Y	2	NAG	C1-O5-C5	2.54	115.58	112.19
8	Q	3	BMA	O4-C4-C3	-2.47	104.54	110.38
7	E	3	BMA	C2-C3-C4	2.46	115.19	110.86
5	N	1	NAG	O5-C1-C2	-2.43	107.54	111.29
7	E	3	BMA	O4-C4-C3	-2.41	104.70	110.38
6	I	2	NAG	C1-C2-N2	2.40	114.22	110.43
6	V	1	NAG	O5-C1-C2	-2.40	107.58	111.29
8	i	3	BMA	C3-C4-C5	2.37	114.53	110.23
6	I	1	NAG	O5-C1-C2	-2.35	107.66	111.29
6	I	3	BMA	C3-C4-C5	2.34	114.47	110.23
5	J	1	NAG	O5-C1-C2	-2.33	107.69	111.29
5	U	1	NAG	O3-C3-C4	2.32	115.85	110.38
6	V	3	BMA	C3-C4-C5	2.32	114.44	110.23
5	M	2	NAG	C1-O5-C5	2.30	115.26	112.19
6	j	2	NAG	C1-O5-C5	2.27	115.23	112.19
6	C	2	NAG	O5-C1-C2	-2.25	107.81	111.29
5	s	2	NAG	C2-N2-C7	2.24	125.90	122.90
8	r	2	NAG	C1-C2-N2	2.23	113.95	110.43
5	W	1	NAG	C4-C3-C2	2.22	114.27	111.02
8	r	2	NAG	C2-N2-C7	2.17	125.81	122.90
5	Z	2	NAG	C1-O5-C5	2.17	115.09	112.19
5	T	1	NAG	O5-C1-C2	-2.17	107.94	111.29
5	a	1	NAG	O5-C1-C2	-2.16	107.95	111.29
5	k	1	NAG	C2-N2-C7	2.16	125.80	122.90
5	Z	1	NAG	C1-C2-N2	2.16	113.83	110.43
8	r	1	NAG	C1-O5-C5	2.11	115.02	112.19
5	S	2	NAG	O5-C1-C2	-2.10	108.03	111.29
5	o	2	NAG	C2-N2-C7	2.08	125.69	122.90
5	k	2	NAG	C2-N2-C7	2.07	125.68	122.90
6	C	3	BMA	O4-C4-C3	-2.06	105.53	110.38
8	i	2	NAG	O4-C4-C3	-2.05	105.54	110.38
8	Q	3	BMA	O5-C5-C4	2.05	115.81	110.83
8	Q	2	NAG	O4-C4-C3	-2.04	105.56	110.38
5	A	1	NAG	O5-C1-C2	-2.04	108.14	111.29
6	B	3	BMA	O4-C4-C3	-2.03	105.59	110.38
6	P	3	BMA	O4-C4-C3	-2.03	105.60	110.38
6	h	2	NAG	O5-C1-C2	-2.03	108.16	111.29
6	P	1	NAG	O5-C1-C2	-2.03	108.16	111.29
6	h	3	BMA	O4-C4-C3	-2.02	105.61	110.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
6	m	2	NAG	C2-N2-C7	2.01	125.60	122.90
8	i	3	BMA	O3-C3-C2	-2.01	105.94	110.05
7	E	2	NAG	C1-O5-C5	2.01	114.88	112.19
6	P	2	NAG	O5-C1-C2	-2.01	108.18	111.29

There are no chirality outliers.

All (75) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	j	2	NAG	C1-C2-N2-C7
6	j	2	NAG	C8-C7-N2-C2
6	j	2	NAG	O7-C7-N2-C2
8	r	3	BMA	O5-C5-C6-O6
8	i	3	BMA	O5-C5-C6-O6
8	Q	5	MAN	C4-C5-C6-O6
8	r	3	BMA	C4-C5-C6-O6
5	l	1	NAG	C8-C7-N2-C2
5	o	2	NAG	O5-C5-C6-O6
5	G	2	NAG	O5-C5-C6-O6
5	p	2	NAG	O5-C5-C6-O6
5	s	1	NAG	O5-C5-C6-O6
8	r	4	MAN	O5-C5-C6-O6
5	U	2	NAG	O5-C5-C6-O6
5	q	2	NAG	O5-C5-C6-O6
5	F	2	NAG	O5-C5-C6-O6
5	M	2	NAG	O5-C5-C6-O6
5	K	2	NAG	O5-C5-C6-O6
5	l	2	NAG	O5-C5-C6-O6
5	T	2	NAG	O5-C5-C6-O6
5	k	2	NAG	O5-C5-C6-O6
5	N	2	NAG	O5-C5-C6-O6
5	Y	2	NAG	O5-C5-C6-O6
5	X	2	NAG	O5-C5-C6-O6
5	Z	2	NAG	O5-C5-C6-O6
5	S	2	NAG	O5-C5-C6-O6
5	l	1	NAG	O7-C7-N2-C2
5	D	2	NAG	C1-C2-N2-C7
5	F	2	NAG	C1-C2-N2-C7
5	J	1	NAG	C1-C2-N2-C7
5	K	2	NAG	C1-C2-N2-C7
5	R	2	NAG	C1-C2-N2-C7
5	T	2	NAG	C1-C2-N2-C7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
5	W	1	NAG	C1-C2-N2-C7
5	X	2	NAG	C1-C2-N2-C7
5	Z	2	NAG	C1-C2-N2-C7
6	B	2	NAG	C1-C2-N2-C7
6	P	2	NAG	C1-C2-N2-C7
6	h	2	NAG	C1-C2-N2-C7
8	Q	5	MAN	O5-C5-C6-O6
6	V	3	BMA	O5-C5-C6-O6
5	F	1	NAG	C3-C2-N2-C7
5	J	1	NAG	C3-C2-N2-C7
5	K	2	NAG	C3-C2-N2-C7
5	N	2	NAG	C3-C2-N2-C7
5	T	1	NAG	C3-C2-N2-C7
5	W	1	NAG	C3-C2-N2-C7
5	k	1	NAG	C3-C2-N2-C7
5	k	2	NAG	C3-C2-N2-C7
5	n	1	NAG	C3-C2-N2-C7
5	o	2	NAG	C3-C2-N2-C7
5	q	2	NAG	C3-C2-N2-C7
5	s	2	NAG	C3-C2-N2-C7
6	B	2	NAG	C3-C2-N2-C7
6	P	2	NAG	C3-C2-N2-C7
6	h	2	NAG	C3-C2-N2-C7
6	m	2	NAG	C3-C2-N2-C7
7	E	2	NAG	C3-C2-N2-C7
8	r	2	NAG	C3-C2-N2-C7
6	I	3	BMA	O5-C5-C6-O6
5	F	1	NAG	C1-C2-N2-C7
5	N	2	NAG	C1-C2-N2-C7
5	T	1	NAG	C1-C2-N2-C7
5	n	1	NAG	C1-C2-N2-C7
5	o	2	NAG	C1-C2-N2-C7
5	q	2	NAG	C1-C2-N2-C7
7	E	2	NAG	C1-C2-N2-C7
5	D	2	NAG	C3-C2-N2-C7
5	F	2	NAG	C3-C2-N2-C7
5	R	2	NAG	C3-C2-N2-C7
5	T	2	NAG	C3-C2-N2-C7
5	X	2	NAG	C3-C2-N2-C7
5	Z	2	NAG	C3-C2-N2-C7
7	E	4	MAN	C4-C5-C6-O6
8	Q	4	MAN	O5-C5-C6-O6

There are no ring outliers.

9 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	r	4	MAN	1	0
5	W	2	NAG	1	0
5	p	1	NAG	2	0
8	r	3	BMA	1	0
5	W	1	NAG	1	0
5	p	2	NAG	2	0
7	E	4	MAN	1	0
6	j	1	NAG	1	0
7	E	1	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.

Oligosaccharide Chain A



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain D



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain F



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain G



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain J



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain K



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain M



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain N



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain O



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain R



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain S



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain T



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain U



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain W



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain X



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain Y



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain Z



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain a



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain k



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain l



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain n



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain o



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain p



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain q



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain s



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain B



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain C



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain I



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain P



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain V



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain h



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain j



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain m



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain E



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain Q



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain i



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain r



5.6 Ligand geometry (i)

32 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
9	NAG	e	702	4	14,14,15	0.72	0	17,19,21	0.94	1 (5%)
9	NAG	d	608	3	14,14,15	0.74	0	17,19,21	1.12	1 (5%)
9	NAG	f	607	3	14,14,15	0.38	0	17,19,21	0.48	0
9	NAG	b	608	3	14,14,15	0.71	0	17,19,21	1.04	2 (11%)
9	NAG	g	701	4	14,14,15	0.72	0	17,19,21	0.88	1 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\|>2$	Counts	RMSZ	$\#\|Z\|>2$
9	NAG	e	703	4	14,14,15	0.71	0	17,19,21	0.82	0
9	NAG	g	703	4	14,14,15	0.70	0	17,19,21	0.85	0
9	NAG	g	702	4	14,14,15	0.69	0	17,19,21	0.82	0
9	NAG	d	601	3	14,14,15	0.70	0	17,19,21	0.80	0
9	NAG	d	605	3	14,14,15	0.78	0	17,19,21	1.32	2 (11%)
9	NAG	f	606	3	14,14,15	0.40	0	17,19,21	0.47	0
9	NAG	c	701	4	14,14,15	0.68	0	17,19,21	0.85	0
9	NAG	d	602	3	14,14,15	0.68	0	17,19,21	1.42	1 (5%)
9	NAG	c	702	4	14,14,15	0.68	0	17,19,21	0.84	0
9	NAG	b	603	3	14,14,15	0.70	0	17,19,21	0.83	0
9	NAG	f	601	3	14,14,15	0.71	0	17,19,21	0.86	0
9	NAG	f	603	3	14,14,15	0.39	0	17,19,21	0.76	1 (5%)
9	NAG	c	703	4	14,14,15	0.70	0	17,19,21	0.78	0
9	NAG	d	604	3	14,14,15	0.72	0	17,19,21	0.85	0
9	NAG	b	604	3	14,14,15	0.72	0	17,19,21	0.81	0
9	NAG	d	606	3	14,14,15	0.71	0	17,19,21	0.75	0
9	NAG	f	602	3	14,14,15	0.69	0	17,19,21	0.82	0
9	NAG	b	606	3	14,14,15	0.70	0	17,19,21	0.76	0
9	NAG	f	604	3	14,14,15	0.38	0	17,19,21	0.54	0
9	NAG	d	603	3	14,14,15	0.72	0	17,19,21	0.84	0
9	NAG	b	601	3	14,14,15	0.71	0	17,19,21	0.82	0
9	NAG	e	701	4	14,14,15	0.70	0	17,19,21	0.89	1 (5%)
9	NAG	d	607	3	14,14,15	0.69	0	17,19,21	0.97	1 (5%)
9	NAG	b	607	3	14,14,15	0.71	0	17,19,21	0.94	1 (5%)
9	NAG	b	605	3	14,14,15	0.68	0	17,19,21	1.43	1 (5%)
9	NAG	b	602	3	14,14,15	0.83	1 (7%)	17,19,21	1.73	3 (17%)
9	NAG	f	605	3	14,14,15	0.38	0	17,19,21	0.58	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	NAG	e	702	4	-	0/6/23/26	0/1/1/1
9	NAG	d	608	3	-	0/6/23/26	0/1/1/1
9	NAG	f	607	3	-	0/6/23/26	0/1/1/1
9	NAG	b	608	3	-	3/6/23/26	0/1/1/1
9	NAG	g	701	4	-	0/6/23/26	0/1/1/1
9	NAG	e	703	4	-	0/6/23/26	0/1/1/1
9	NAG	g	703	4	-	0/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	NAG	g	702	4	-	0/6/23/26	0/1/1/1
9	NAG	d	601	3	-	0/6/23/26	0/1/1/1
9	NAG	d	605	3	-	0/6/23/26	0/1/1/1
9	NAG	f	606	3	-	0/6/23/26	0/1/1/1
9	NAG	c	701	4	-	0/6/23/26	0/1/1/1
9	NAG	d	602	3	-	4/6/23/26	0/1/1/1
9	NAG	c	702	4	-	0/6/23/26	0/1/1/1
9	NAG	b	603	3	-	0/6/23/26	0/1/1/1
9	NAG	f	601	3	-	0/6/23/26	0/1/1/1
9	NAG	f	603	3	-	1/6/23/26	0/1/1/1
9	NAG	c	703	4	-	0/6/23/26	0/1/1/1
9	NAG	d	604	3	-	0/6/23/26	0/1/1/1
9	NAG	b	604	3	-	0/6/23/26	0/1/1/1
9	NAG	d	606	3	-	1/6/23/26	0/1/1/1
9	NAG	f	602	3	-	0/6/23/26	0/1/1/1
9	NAG	b	606	3	-	0/6/23/26	0/1/1/1
9	NAG	f	604	3	-	0/6/23/26	0/1/1/1
9	NAG	d	603	3	-	0/6/23/26	0/1/1/1
9	NAG	b	601	3	-	0/6/23/26	0/1/1/1
9	NAG	e	701	4	-	0/6/23/26	0/1/1/1
9	NAG	d	607	3	-	1/6/23/26	0/1/1/1
9	NAG	b	607	3	-	2/6/23/26	0/1/1/1
9	NAG	b	605	3	-	3/6/23/26	0/1/1/1
9	NAG	b	602	3	-	2/6/23/26	0/1/1/1
9	NAG	f	605	3	-	0/6/23/26	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	b	602	NAG	C1-C2	2.06	1.55	1.52

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
9	d	602	NAG	C2-N2-C7	4.29	128.64	122.90
9	b	605	NAG	C2-N2-C7	4.07	128.36	122.90
9	b	602	NAG	C2-N2-C7	3.70	127.86	122.90
9	b	602	NAG	C1-O5-C5	3.54	116.94	112.19
9	d	605	NAG	C1-O5-C5	3.39	116.73	112.19
9	d	608	NAG	C1-O5-C5	2.99	116.19	112.19
9	d	607	NAG	C1-O5-C5	2.66	115.76	112.19

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
9	b	608	NAG	C1-O5-C5	2.51	115.55	112.19
9	b	607	NAG	C2-N2-C7	2.47	126.21	122.90
9	f	603	NAG	C1-O5-C5	2.45	115.47	112.19
9	e	702	NAG	C1-O5-C5	2.39	115.39	112.19
9	b	602	NAG	O7-C7-N2	2.37	126.16	121.98
9	d	605	NAG	C2-N2-C7	2.29	125.97	122.90
9	b	608	NAG	C2-N2-C7	2.25	125.92	122.90
9	e	701	NAG	C1-O5-C5	2.09	114.98	112.19
9	g	701	NAG	C1-O5-C5	2.02	114.89	112.19

There are no chirality outliers.

All (17) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
9	b	607	NAG	C8-C7-N2-C2
9	b	607	NAG	O7-C7-N2-C2
9	b	608	NAG	C8-C7-N2-C2
9	b	608	NAG	O7-C7-N2-C2
9	b	605	NAG	O5-C5-C6-O6
9	b	608	NAG	O5-C5-C6-O6
9	d	606	NAG	O5-C5-C6-O6
9	d	607	NAG	O5-C5-C6-O6
9	f	603	NAG	C3-C2-N2-C7
9	d	602	NAG	C1-C2-N2-C7
9	d	602	NAG	C4-C5-C6-O6
9	b	605	NAG	C3-C2-N2-C7
9	d	602	NAG	O5-C5-C6-O6
9	b	602	NAG	C1-C2-N2-C7
9	b	605	NAG	C1-C2-N2-C7
9	b	602	NAG	C3-C2-N2-C7
9	d	602	NAG	C3-C2-N2-C7

There are no ring outliers.

3 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
9	f	607	NAG	1	0
9	d	605	NAG	1	0
9	d	602	NAG	1	0

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

6 Map visualisation

This section contains visualisations of the EMDB entry EMD-49866. These allow visual inspection of the internal detail of the map and identification of artifacts.

Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections

6.1.1 Primary map



X



Y



Z

6.1.2 Raw map



X



Y



Z

The images above show the map projected in three orthogonal directions.

6.2 Central slices (i)

6.2.1 Primary map



X Index: 192



Y Index: 192



Z Index: 192

6.2.2 Raw map



X Index: 192



Y Index: 192



Z Index: 192

The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices (i)

6.3.1 Primary map



X Index: 191



Y Index: 174



Z Index: 203

6.3.2 Raw map



X Index: 191



Y Index: 174



Z Index: 203

The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) (i)

6.4.1 Primary map


X


Y


Z

6.4.2 Raw map


X


Y


Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views (i)

6.5.1 Primary map



X Y Z

The images above show the 3D surface view of the map at the recommended contour level 0.12. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map

X Y Z

These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.

6.6 Mask visualisation (i)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis

This section contains the results of statistical analysis of the map.

7.1 Map-value distribution



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.

7.2 Volume estimate



The volume at the recommended contour level is 101 nm^3; this corresponds to an approximate mass of 91 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum (i)



*Reported resolution corresponds to spatial frequency of 0.303 Å^{-1}

8 Fourier-Shell correlation

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC



*Reported resolution corresponds to spatial frequency of 0.303 Å^{-1}

8.2 Resolution estimates (i)

Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.30	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	4.02	7.06	4.08

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.02 differs from the reported value 3.3 by more than 10 %

9 Map-model fit

This section contains information regarding the fit between EMDB map EMD-49866 and PDB model 9NVW. Per-residue inclusion information can be found in section 3 on page 13.

9.1 Map-model overlay



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.12 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model (i)



X Y Z

The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model (i)



X Y Z

The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.12).

9.4 Atom inclusion (i)



At the recommended contour level, 86% of all backbone atoms, 71% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.12) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.7060	0.4650
A	0.5000	0.4520
B	0.4620	0.4680
C	0.7440	0.4600
D	0.5000	0.4790
E	0.5900	0.4080
F	0.3570	0.4370
G	0.4290	0.4110
H	0.7050	0.4680
I	0.3850	0.3970
J	0.5000	0.3040
K	0.2140	0.3160
L	0.7280	0.4800
M	0.3930	0.3610
N	0.3210	0.3450
O	0.5360	0.4480
P	0.4620	0.4140
Q	0.5250	0.4600
R	0.5360	0.4460
S	0.2140	0.3430
T	0.5000	0.4470
U	0.4640	0.4500
V	0.3080	0.3990
W	0.3930	0.3720
X	0.2500	0.4220
Y	0.3570	0.3420
Z	0.3210	0.3800
a	0.4640	0.4510
b	0.7630	0.4790
c	0.5860	0.4100
d	0.7650	0.4800
e	0.6330	0.4390
f	0.7560	0.4790
g	0.6110	0.4340
h	0.4360	0.4270

Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
i	0.5410	0.4760
j	0.4100	0.4330
k	0.5360	0.4800
l	0.4290	0.4400
m	0.3330	0.4200
n	0.3930	0.4000
o	0.2500	0.4250
p	0.2860	0.3700
q	0.2860	0.4120
r	0.8360	0.4990
s	0.8930	0.4870