



# Full wwPDB X-ray Structure Validation Report ⓘ

Nov 25, 2025 – 02:30 PM EST

PDB ID : 9OZO / pdb\_00009ozo  
Title : Structure of phospholipase D BetaIB1i from Sicarius terrosus venom, H47N mutant bound to product and substrate sphingolipids at 2.2 Å resolution from a 2-day old crystal  
Authors : Sundman, A.K.; Montfort, W.R.; Binford, G.J.; Cordes, M.H.  
Deposited on : 2025-06-05  
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0  
Mogul : 2022.3.0, CSD as543be (2022)  
Xtrriage (Phenix) : 2.0  
EDS : 3.0  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
CCP4 : 9.0.010 (Gargrove)  
Density-Fitness : 1.0.12  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.46


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	164625	5791 (2.20-2.20)
Clashscore	180529	6634 (2.20-2.20)
Ramachandran outliers	177936	6560 (2.20-2.20)
Sidechain outliers	177891	6561 (2.20-2.20)
RSRZ outliers	164620	5791 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	301	 80% 12% 8%
1	B	301	 78% 14% 8%

## 2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 5772 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Dermonecrotic toxin StSicTox-betaIB1i.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	278	Total	C	N	O	S	0	16	0
			2325	1466	397	454	8			
1	B	278	Total	C	N	O	S	0	19	0
			2344	1480	399	457	8			

There are 46 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-22	MET	-	expression tag	UNP A0A0D4WV12
A	-21	LYS	-	expression tag	UNP A0A0D4WV12
A	-20	HIS	-	expression tag	UNP A0A0D4WV12
A	-19	HIS	-	expression tag	UNP A0A0D4WV12
A	-18	HIS	-	expression tag	UNP A0A0D4WV12
A	-17	HIS	-	expression tag	UNP A0A0D4WV12
A	-16	HIS	-	expression tag	UNP A0A0D4WV12
A	-15	HIS	-	expression tag	UNP A0A0D4WV12
A	-14	HIS	-	expression tag	UNP A0A0D4WV12
A	-13	HIS	-	expression tag	UNP A0A0D4WV12
A	-12	GLY	-	expression tag	UNP A0A0D4WV12
A	-11	GLY	-	expression tag	UNP A0A0D4WV12
A	-10	LEU	-	expression tag	UNP A0A0D4WV12
A	-9	VAL	-	expression tag	UNP A0A0D4WV12
A	-8	PRO	-	expression tag	UNP A0A0D4WV12
A	-7	ARG	-	expression tag	UNP A0A0D4WV12
A	-6	GLY	-	expression tag	UNP A0A0D4WV12
A	-5	SER	-	expression tag	UNP A0A0D4WV12
A	-4	HIS	-	expression tag	UNP A0A0D4WV12
A	-3	GLY	-	expression tag	UNP A0A0D4WV12
A	-2	GLY	-	expression tag	UNP A0A0D4WV12
A	-1	SER	-	expression tag	UNP A0A0D4WV12
A	47	ASN	HIS	engineered mutation	UNP A0A0D4WV12
B	-22	MET	-	expression tag	UNP A0A0D4WV12
B	-21	LYS	-	expression tag	UNP A0A0D4WV12

*Continued on next page...*

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	-20	HIS	-	expression tag	UNP A0A0D4WV12
B	-19	HIS	-	expression tag	UNP A0A0D4WV12
B	-18	HIS	-	expression tag	UNP A0A0D4WV12
B	-17	HIS	-	expression tag	UNP A0A0D4WV12
B	-16	HIS	-	expression tag	UNP A0A0D4WV12
B	-15	HIS	-	expression tag	UNP A0A0D4WV12
B	-14	HIS	-	expression tag	UNP A0A0D4WV12
B	-13	HIS	-	expression tag	UNP A0A0D4WV12
B	-12	GLY	-	expression tag	UNP A0A0D4WV12
B	-11	GLY	-	expression tag	UNP A0A0D4WV12
B	-10	LEU	-	expression tag	UNP A0A0D4WV12
B	-9	VAL	-	expression tag	UNP A0A0D4WV12
B	-8	PRO	-	expression tag	UNP A0A0D4WV12
B	-7	ARG	-	expression tag	UNP A0A0D4WV12
B	-6	GLY	-	expression tag	UNP A0A0D4WV12
B	-5	SER	-	expression tag	UNP A0A0D4WV12
B	-4	HIS	-	expression tag	UNP A0A0D4WV12
B	-3	GLY	-	expression tag	UNP A0A0D4WV12
B	-2	GLY	-	expression tag	UNP A0A0D4WV12
B	-1	SER	-	expression tag	UNP A0A0D4WV12
B	47	ASN	HIS	engineered mutation	UNP A0A0D4WV12

- Molecule 2 is 2-aminoethyl (2S,3R,4E)-2-dodecanamido-3-hydroxyheptadec-4-en-1-yl hydrogen (S)-phosphate (CCD ID: A1A43) (formula: C<sub>31</sub>H<sub>63</sub>N<sub>2</sub>O<sub>6</sub>P) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
2	A	1	Total 40	C 31	N 2	O 6	P 1	0	0
2	A	1	Total 40	C 31	N 2	O 6	P 1	0	0
2	B	1	Total 40	C 31	N 2	O 6	P 1	0	0
2	B	1	Total 40	C 31	N 2	O 6	P 1	0	0

- Molecule 3 is N-{(2S,4R,5S)-2-hydroxy-2-oxo-4-[(1E,7Z)-tetradeca-1,7-dien-1-yl]-1,3,2lambda 5 -dioxaphosphinan-5-yl}dodecanamide (CCD ID: A1A44) (formula: C<sub>29</sub>H<sub>56</sub>NO<sub>5</sub>P) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
3	A	1	Total 36	C 29	N 1	O 5	P 1	0	0
3	B	1	Total 36	C 29	N 1	O 5	P 1	0	0


- Molecule 4 is SODIUM ION (CCD ID: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Na		
4	A	1	Total 1	Na 1	0	0
4	B	1	Total 1	Na 1	0	0

- Molecule 5 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total Mg 1 1	0	0
5	B	1	Total Mg 1 1	0	0

- Molecule 6 is (4S)-2-METHYL-2,4-PENTANEDIOL (CCD ID: MPD) (formula: C<sub>6</sub>H<sub>14</sub>O<sub>2</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total C O 8 6 2	0	0
6	A	1	Total C O 8 6 2	0	0

- Molecule 7 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	427	Total O 427 427	0	14
7	B	424	Total O 424 424	0	5



## 4 Data and refinement statistics

Property	Value	Source
Space group	I 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	79.81Å 105.14Å 108.09Å 90.00° 93.68° 90.00°	Depositor
Resolution (Å)	24.43 – 2.20 24.43 – 2.20	Depositor EDS
% Data completeness (in resolution range)	99.8 (24.43-2.20) 99.8 (24.43-2.20)	Depositor EDS
$R_{merge}$	0.16	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.58 (at 2.19Å)	Xtrriage
Refinement program	REFMAC 5.8.0425	Depositor
R, $R_{free}$	0.152 , 0.199 0.160 , 0.204	Depositor DCC
$R_{free}$ test set	2395 reflections (5.30%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	17.8	Xtrriage
Anisotropy	0.088	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 57.9	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	5772	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	24.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.08% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: A1A44, MPD, A1A43, NA, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.60	0/2410	1.00	2/3254 (0.1%)
1	B	0.60	0/2438	0.99	3/3291 (0.1%)
All	All	0.60	0/4848	1.00	5/6545 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	3

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	91	ASP	CA-CB-CG	5.63	118.23	112.60
1	B	25	ASP	CA-CB-CG	5.46	118.06	112.60
1	B	239	ARG	CB-CA-C	-5.30	101.99	110.79
1	A	278	LYS	CB-CA-C	-5.24	100.14	110.10
1	B	207	GLN	CB-CA-C	-5.15	102.79	110.88

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	44	ARG	Sidechain
1	B	84[A]	ARG	Sidechain
1	B	84[B]	ARG	Sidechain

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2325	0	2290	29	0
1	B	2344	0	2317	35	0
2	A	80	0	0	0	0
2	B	80	0	0	0	0
3	A	36	0	0	0	0
3	B	36	0	0	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
6	A	16	0	28	0	0
7	A	427	0	0	11	2
7	B	424	0	0	12	1
All	All	5772	0	4635	61	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (61) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:274[B]:ASN:OD1	1:B:277[B]:GLU:HG3	1.72	0.90
1:A:150[B]:LYS:HE3	7:A:621[B]:HOH:O	1.81	0.80
1:A:170:GLU:OE1	7:A:401:HOH:O	2.11	0.68
1:A:11:HIS:CD2	1:A:246[B]:MET:HE3	2.32	0.65
1:A:226:TRP:HB2	1:A:246[B]:MET:HE2	1.78	0.64
1:B:272[B]:ASP:OD2	7:B:402:HOH:O	2.16	0.62
1:B:84[B]:ARG:NH1	7:B:407:HOH:O	2.34	0.60
1:A:11:HIS:HD2	1:A:246[B]:MET:HE3	1.67	0.58
1:B:274[B]:ASN:CG	1:B:277[B]:GLU:HG3	2.29	0.57
1:B:120:ARG:NH2	1:B:152[B]:GLU:OE1	2.35	0.56
1:A:150[B]:LYS:CE	7:A:621[B]:HOH:O	2.49	0.55
1:B:70:ILE:HG21	1:B:88:LEU:HD11	1.88	0.55
1:A:146[B]:LYS:NZ	7:A:415:HOH:O	2.39	0.54
1:B:4:ARG:NH2	7:B:401:HOH:O	2.40	0.54

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:120:ARG:HH12	1:B:152[B]:GLU:HG2	1.74	0.53
1:A:150[B]:LYS:HG3	7:A:621[B]:HOH:O	2.08	0.52
1:B:87[A]:LEU:HD11	1:B:130:VAL:HG23	1.92	0.52
1:B:120:ARG:HH12	1:B:152[B]:GLU:CG	2.22	0.52
1:B:84[A]:ARG:NH1	7:B:412:HOH:O	2.36	0.52
1:B:180:GLU:OE1	7:B:403:HOH:O	2.19	0.52
1:A:150[B]:LYS:HG3	1:A:155[B]:ASP:HB3	1.92	0.52
1:A:65[A]:LYS:NZ	7:A:421:HOH:O	2.43	0.52
1:A:193:GLY:HA3	1:A:226:TRP:O	2.10	0.51
1:B:84[B]:ARG:HG3	7:B:412:HOH:O	2.10	0.51
1:A:87[A]:LEU:HD11	1:A:130:VAL:HG23	1.93	0.50
1:B:150[B]:LYS:NZ	7:B:420:HOH:O	2.41	0.50
1:A:150[B]:LYS:CD	7:A:621[B]:HOH:O	2.59	0.50
1:B:159:TYR:OH	1:B:186:GLU:OE1	2.27	0.50
1:B:170:GLU:HB2	7:B:404:HOH:O	2.13	0.49
1:B:151[A]:LYS:NZ	7:B:411:HOH:O	2.35	0.47
1:B:33:ASP:O	1:B:45:THR:HA	2.14	0.47
1:B:95:ASN:N	1:B:96:PRO:CD	2.77	0.47
1:B:170:GLU:OE1	7:B:404:HOH:O	2.20	0.47
1:A:185:ARG:HD2	1:A:219:TYR:OH	2.14	0.47
1:B:26:GLY:HA2	1:B:84[A]:ARG:HH21	1.80	0.47
1:B:84[B]:ARG:NH1	7:B:431:HOH:O	2.47	0.47
1:A:65[B]:LYS:HE2	1:A:65[B]:LYS:HB3	1.74	0.46
1:A:188:ILE:CD1	1:A:219:TYR:HA	2.46	0.46
1:A:33:ASP:O	1:A:45:THR:HA	2.16	0.45
1:B:33:ASP:CG	1:B:47:ASN:HD22	2.25	0.45
1:B:274[B]:ASN:OD1	1:B:277[B]:GLU:CG	2.56	0.45
1:B:135:THR:HA	1:B:170:GLU:OE1	2.17	0.44
1:A:239:ARG:HD2	7:A:432:HOH:O	2.17	0.44
1:A:95:ASN:N	1:A:96:PRO:CD	2.81	0.44
1:B:4:ARG:HD3	7:B:709:HOH:O	2.17	0.43
1:B:45:THR:O	1:B:60:SER:HA	2.18	0.43
1:A:96:PRO:HB3	1:B:58:THR:HB	2.00	0.43
1:A:45:THR:O	1:A:60:SER:HA	2.18	0.43
1:A:120:ARG:NH1	1:A:152[B]:GLU:OE1	2.47	0.43
1:A:62:LYS:HE3	7:A:763:HOH:O	2.19	0.43
1:B:202:ASP:O	1:B:206:LYS:HG3	2.19	0.42
1:B:226:TRP:CB	1:B:246[A]:MET:HB3	2.50	0.42
1:A:35:GLU:OE2	1:B:35:GLU:OE2	2.38	0.42
1:B:185:ARG:HD2	1:B:219:TYR:OH	2.19	0.42
1:A:192:ASP:O	1:A:225:THR:HA	2.19	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:203:ASN:ND2	7:A:444:HOH:O	2.53	0.41
1:B:212:ARG:HD3	1:B:212:ARG:C	2.46	0.41
1:B:84[B]:ARG:NH2	1:B:268:LEU:HD21	2.36	0.41
1:A:207[B]:GLN:NE2	7:A:446:HOH:O	2.54	0.41
1:A:118:TRP:HH2	1:A:162:ILE:HD11	1.85	0.40
1:A:58:THR:HB	1:B:96:PRO:HB3	2.04	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:A:646:HOH:O	7:A:646:HOH:O[2_556]	2.10	0.10
7:A:771:HOH:O	7:B:716:HOH:O[4_455]	2.14	0.06

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	292/301 (97%)	284 (97%)	8 (3%)	0	100	100
1	B	295/301 (98%)	287 (97%)	7 (2%)	1 (0%)	37	42
All	All	587/602 (98%)	571 (97%)	15 (3%)	1 (0%)	44	52

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	134	GLU

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar

resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	258/259 (100%)	255 (99%)	3 (1%)	67	80
1	B	261/259 (101%)	258 (99%)	3 (1%)	70	82
All	All	519/518 (100%)	513 (99%)	6 (1%)	67	80

All (6) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	ASP
1	A	32	LEU
1	A	50	PRO
1	B	29	SER
1	B	260	ARG
1	B	265	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	47	ASN
1	A	203	ASN
1	B	47	ASN
1	B	203	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry

Of 12 ligands modelled in this entry, 4 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	A1A44	B	303	5	35,36,36	0.93	2 (5%)	36,42,42	0.93	3 (8%)
2	A1A43	A	302	-	38,39,39	0.38	0	41,44,44	0.88	3 (7%)
6	MPD	A	306	-	7,7,7	0.26	0	9,10,10	0.84	0
2	A1A43	B	301	-	38,39,39	0.35	0	41,44,44	0.65	0
6	MPD	A	307	-	7,7,7	0.18	0	9,10,10	0.60	0
2	A1A43	A	301	-	38,39,39	0.37	0	41,44,44	0.61	1 (2%)
3	A1A44	A	303	5	35,36,36	0.97	2 (5%)	36,42,42	1.04	3 (8%)
2	A1A43	B	302	-	38,39,39	0.41	0	41,44,44	0.80	2 (4%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	A1A44	B	303	5	-	19/29/44/44	0/1/1/1
2	A1A43	A	302	-	-	20/44/44/44	-
6	MPD	A	306	-	-	2/5/5/5	-
2	A1A43	B	301	-	-	10/44/44/44	-
6	MPD	A	307	-	-	2/5/5/5	-
2	A1A43	A	301	-	-	10/44/44/44	-
3	A1A44	A	303	5	-	13/29/44/44	0/1/1/1
2	A1A43	B	302	-	-	23/44/44/44	-

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	303	A1A44	P1-O1	3.95	1.64	1.57

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	303	A1A44	P1-O1	3.74	1.64	1.57
3	B	303	A1A44	P1-O4	3.26	1.61	1.57
3	A	303	A1A44	P1-O4	3.22	1.61	1.57

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	303	A1A44	O1-C15-C17	3.58	115.28	109.53
3	A	303	A1A44	O2-P1-O3	2.83	117.27	108.56
3	B	303	A1A44	O1-C15-C17	2.83	114.07	109.53
2	A	302	A1A43	O6-C15-C16	2.61	114.74	107.85
3	B	303	A1A44	O2-P1-O3	2.54	116.38	108.56
3	A	303	A1A44	C17-N1-C18	2.45	127.49	123.40
3	B	303	A1A44	O2-P1-O1	2.18	112.11	107.04
2	B	302	A1A43	C17-C16-N2	2.15	112.72	109.66
2	A	302	A1A43	C15-C16-N2	2.14	113.29	109.66
2	B	302	A1A43	C17-C16-C15	2.12	117.63	112.90
2	A	302	A1A43	C17-C16-N2	-2.09	106.68	109.66
2	A	301	A1A43	C16-N2-C20	2.08	126.87	123.40

There are no chirality outliers.

All (99) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	302	A1A43	C14-C15-C16-C17
2	A	302	A1A43	C14-C15-C16-N2
2	A	302	A1A43	O6-C15-C16-C17
2	A	302	A1A43	O6-C15-C16-N2
2	A	302	A1A43	C15-C16-C17-O1
2	A	302	A1A43	N2-C16-C17-O1
2	A	302	A1A43	C17-O1-P1-O3
2	A	302	A1A43	C17-O1-P1-O4
2	B	302	A1A43	C14-C15-C16-C17
2	B	302	A1A43	C14-C15-C16-N2
2	B	302	A1A43	O6-C15-C16-C17
2	B	302	A1A43	O6-C15-C16-N2
2	B	302	A1A43	C15-C16-C17-O1
2	B	302	A1A43	N2-C16-C17-O1
2	B	302	A1A43	C17-O1-P1-O2
2	B	302	A1A43	C17-O1-P1-O3
2	B	302	A1A43	C17-O1-P1-O4
2	B	302	A1A43	C20-C21-C22-C23

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>Atoms</b>
2	B	302	A1A43	C11-C10-C9-C8
2	B	301	A1A43	C2-C3-C4-C5
2	B	302	A1A43	C10-C11-C12-C13
2	B	301	A1A43	C6-C7-C8-C9
2	B	301	A1A43	C28-C29-C30-C31
2	A	302	A1A43	C2-C3-C4-C5
2	A	301	A1A43	C6-C7-C8-C9
2	A	301	A1A43	C27-C28-C29-C30
3	A	303	A1A44	C4-C5-C6-C7
2	A	301	A1A43	C3-C4-C5-C6
2	B	302	A1A43	C4-C5-C6-C7
2	A	302	A1A43	C4-C5-C6-C7
2	B	302	A1A43	C21-C22-C23-C24
2	A	302	A1A43	C25-C26-C27-C28
3	B	303	A1A44	C3-C4-C5-C6
3	B	303	A1A44	C24-C25-C26-C27
2	A	302	A1A43	C22-C23-C24-C25
2	A	302	A1A43	C5-C6-C7-C8
3	B	303	A1A44	C21-C22-C23-C24
3	A	303	A1A44	C18-C19-C20-C21
2	B	302	A1A43	C1-C2-C3-C4
3	A	303	A1A44	C2-C3-C4-C5
2	A	301	A1A43	C4-C5-C6-C7
2	B	301	A1A43	C5-C6-C7-C8
3	B	303	A1A44	C7-C8-C9-C10
2	B	302	A1A43	C22-C23-C24-C25
2	B	302	A1A43	C5-C6-C7-C8
2	A	301	A1A43	C7-C8-C9-C10
2	A	302	A1A43	C9-C10-C11-C12
3	B	303	A1A44	C20-C21-C22-C23
2	B	301	A1A43	C10-C11-C12-C13
3	B	303	A1A44	C2-C3-C4-C5
3	B	303	A1A44	C19-C20-C21-C22
3	B	303	A1A44	C11-C10-C9-C8
3	B	303	A1A44	C4-C5-C6-C7
2	A	302	A1A43	C28-C29-C30-C31
2	A	301	A1A43	C22-C23-C24-C25
3	B	303	A1A44	C23-C24-C25-C26
2	B	302	A1A43	C25-C26-C27-C28
2	B	302	A1A43	C6-C7-C8-C9
3	A	303	A1A44	C26-C27-C28-C29
2	B	301	A1A43	C9-C10-C11-C12

*Continued on next page...*


*Continued from previous page...*




Mol	Chain	Res	Type	Atoms
3	A	303	A1A44	C13-C14-C15-O1
3	B	303	A1A44	C18-C19-C20-C21
3	A	303	A1A44	C13-C14-C15-C17
3	B	303	A1A44	C13-C14-C15-C17
3	B	303	A1A44	C5-C6-C7-C8
2	B	301	A1A43	C3-C4-C5-C6
2	B	302	A1A43	C27-C28-C29-C30
3	B	303	A1A44	C9-C10-C11-C12
3	A	303	A1A44	C19-C20-C21-C22
2	A	302	A1A43	C23-C24-C25-C26
3	B	303	A1A44	C6-C7-C8-C9
6	A	306	MPD	C2-C3-C4-C5
6	A	307	MPD	C2-C3-C4-C5
3	A	303	A1A44	C11-C12-C13-C14
2	B	301	A1A43	C22-C23-C24-C25
2	A	302	A1A43	C13-C14-C15-C16
2	A	302	A1A43	C17-C16-N2-C20
2	A	301	A1A43	C25-C26-C27-C28
3	A	303	A1A44	C6-C7-C8-C9
3	A	303	A1A44	C22-C23-C24-C25
3	B	303	A1A44	C11-C12-C13-C14
3	A	303	A1A44	C11-C10-C9-C8
2	B	301	A1A43	C24-C25-C26-C27
3	B	303	A1A44	C26-C27-C28-C29
2	A	302	A1A43	C6-C7-C8-C9
2	B	302	A1A43	C26-C27-C28-C29
3	B	303	A1A44	C25-C26-C27-C28
2	A	302	A1A43	C3-C4-C5-C6
2	B	302	A1A43	C11-C12-C13-C14
3	A	303	A1A44	C25-C26-C27-C28
2	A	301	A1A43	C2-C3-C4-C5
3	B	303	A1A44	C13-C14-C15-O1
2	B	301	A1A43	C27-C28-C29-C30
6	A	307	MPD	C2-C3-C4-O4
2	A	301	A1A43	C10-C11-C12-C13
6	A	306	MPD	CM-C2-C3-C4
2	B	302	A1A43	C13-C14-C15-O6
3	A	303	A1A44	C3-C4-C5-C6
2	A	301	A1A43	C23-C24-C25-C26


There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	278/301 (92%)	-0.81	0 100 100	7, 18, 33, 63	16 (5%)
1	B	278/301 (92%)	-0.83	0 100 100	6, 17, 30, 61	19 (6%)
All	All	556/602 (92%)	-0.82	0 100 100	6, 17, 33, 63	35 (6%)

There are no RSRZ outliers to report.

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
6	MPD	A	307	8/8	0.79	0.32	80,90,91,92	0
6	MPD	A	306	8/8	0.86	0.18	53,65,77,79	0
3	A1A44	A	303	36/36	0.87	0.16	33,55,94,96	0
3	A1A44	B	303	36/36	0.87	0.17	29,55,127,130	0
2	A1A43	A	302	40/40	0.88	0.21	30,78,114,116	0
2	A1A43	B	302	40/40	0.89	0.21	24,76,102,106	0
2	A1A43	A	301	40/40	0.95	0.12	15,45,118,121	0

*Continued on next page...*

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
4	NA	B	304	1/1	0.95	0.09	36,36,36,36	0
4	NA	A	304	1/1	0.96	0.11	39,39,39,39	0
2	A1A43	B	301	40/40	0.96	0.13	13,41,113,116	0
5	MG	B	305	1/1	0.99	0.03	5,5,5,5	0
5	MG	A	305	1/1	1.00	0.01	4,4,4,4	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






**Electron density around A1A44 B 303:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around A1A43 A 302:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





**Electron density around A1A43 B 302:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around A1A43 A 301:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around A1A43 B 301:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers [i](#)

There are no such residues in this entry.