



Full wwPDB EM Validation Report ⓘ

Sep 22, 2026 – 12:24 PM EDT

PDB ID : 9PB3 / pdb_00009pb3
EMDB ID : EMD-71452
Title : ARP of SWI/SNF of PIC-Med-SWI/SNF
Authors : Yang, C.; Nagai, S.; Chen, D.-H.
Deposited on : 2025-06-26
Resolution : 4.00 Å (reported)
Based on initial models : 7egp, 7c4j

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev133
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.50

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 4.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	7587 (3.50 - 4.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	H	1703	 28% 45% 7% 48%
2	J	157	 16% 78% 12% 10%
3	K	477	 79% 8% 13%
4	L	467	

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 8029 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Transcription regulatory protein SNF2.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	H	71	Total	C	N	O	S	0	0
			599	366	127	105	1		

- Molecule 2 is a protein called Regulator of Ty1 transposition protein 102.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	J	82	Total	C	N	O	S	0	0
			711	450	123	135	3		

- Molecule 3 is a protein called Actin-related protein 7.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	K	431	Total	C	N	O	S	0	0
			3453	2213	563	658	19		


- Molecule 4 is a protein called Actin-like protein ARP9.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	L	406	Total	C	N	O	S	0	0
			3266	2095	533	630	8		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Transcription regulatory protein SNF2




● Molecule 2: Regulator of Ty1 transposition protein 102



ILE
PRO
GLY
LEU
SER
SER
ALA
GLY
VAL
ASN
ASN
ASP
THR
LYS
GLU
SER
SER
LYS
ASP
VAL
LYS
MET
ASN


• Molecule 3: Actin-related protein 7

Chain K: 



• Molecule 4: Actin-like protein ARP9

Chain L: 



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	144924	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	40.8	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	64000	Depositor
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	0.309	Depositor
Minimum map value	-0.219	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.009	Depositor
Recommended contour level	0.0391	Depositor
Map size (Å)	224.0, 224.0, 224.0	wwPDB
Map dimensions	160, 160, 160	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.4, 1.4, 1.4	Depositor

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	H	1.88	15/603 (2.5%)	2.21	23/795 (2.9%)
2	J	0.52	1/728 (0.1%)	0.63	0/978
3	K	0.59	9/3525 (0.3%)	0.74	9/4769 (0.2%)
4	L	0.33	2/3333 (0.1%)	0.55	1/4517 (0.0%)
All	All	0.69	27/8189 (0.3%)	0.86	33/11059 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	H	0	2
3	K	0	3
All	All	0	5

All (27) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	H	608	MET	SD-CE	-19.91	1.29	1.79
3	K	91	TYR	CZ-OH	-15.01	1.06	1.38
1	H	590	GLU	CA-C	14.94	1.72	1.52
1	H	594	LEU	CG-CD2	13.30	1.96	1.52
1	H	595	GLU	CD-OE2	-12.59	1.01	1.25
1	H	590	GLU	CB-CG	-12.39	1.15	1.52
1	H	594	LEU	CB-CG	-11.34	1.30	1.53
1	H	590	GLU	CD-OE2	11.29	1.46	1.25
1	H	600	GLU	CD-OE1	-10.40	1.05	1.25
3	K	303	LEU	CG-CD1	-9.01	1.22	1.52
3	K	201	ILE	CG1-CD1	-8.50	1.18	1.51
1	H	590	GLU	N-CA	-8.46	1.35	1.46
1	H	592	LEU	CG-CD1	7.97	1.78	1.52
1	H	592	LEU	CG-CD2	-7.81	1.26	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	J	1	MET	SD-CE	-7.61	1.60	1.79
1	H	592	LEU	CB-CG	-7.29	1.38	1.53
4	L	183	LEU	CG-CD1	-7.07	1.29	1.52
1	H	592	LEU	CA-C	-6.96	1.43	1.52
3	K	402	GLU	CD-OE2	-6.80	1.12	1.25
1	H	590	GLU	CA-CB	-6.53	1.42	1.53
3	K	195	GLU	CD-OE1	-6.30	1.13	1.25
3	K	237	GLN	CG-CD	-5.91	1.37	1.52
3	K	228	ILE	CG1-CD1	-5.89	1.28	1.51
4	L	320	ILE	CG1-CD1	-5.71	1.29	1.51
3	K	91	TYR	CD2-CE2	-5.42	1.22	1.38
1	H	594	LEU	CA-CB	-5.27	1.44	1.53
3	K	147	LEU	CB-CG	-5.25	1.43	1.53

All (33) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	H	590	GLU	CA-CB-CG	32.91	179.92	114.10
1	H	590	GLU	N-CA-CB	28.51	158.68	110.49
3	K	91	TYR	CE1-CZ-OH	-14.87	75.29	119.90
1	H	590	GLU	CB-CA-C	-14.29	81.97	110.42
1	H	594	LEU	CB-CG-CD2	-12.17	74.19	110.70
1	H	594	LEU	CB-CA-C	11.96	132.58	110.70
1	H	592	LEU	CB-CG-CD2	11.26	144.48	110.70
1	H	594	LEU	CD1-CG-CD2	-11.16	86.24	110.80
1	H	594	LEU	CA-CB-CG	10.70	153.76	116.30
1	H	592	LEU	CD1-CG-CD2	-9.34	90.26	110.80
1	H	600	GLU	CG-CD-OE1	-7.59	100.94	118.40
4	L	306	ILE	N-CA-C	-7.49	106.01	113.20
1	H	590	GLU	N-CA-C	-6.97	95.95	110.80
3	K	443	MET	CG-SD-CE	-6.95	85.61	100.90
3	K	97	VAL	CA-C-O	-6.94	113.92	121.28
3	K	195	GLU	CG-CD-OE1	-6.75	102.86	118.40
1	H	590	GLU	CG-CD-OE2	-6.73	102.92	118.40
1	H	592	LEU	N-CA-CB	6.72	121.85	110.49
1	H	592	LEU	N-CA-C	6.49	124.62	110.80
1	H	600	GLU	CG-CD-OE2	6.39	133.10	118.40
3	K	91	TYR	OH-CZ-CE2	6.27	138.72	119.90
1	H	589	HIS	CA-C-N	6.15	133.28	121.54
1	H	589	HIS	C-N-CA	6.15	133.28	121.54
1	H	596	ARG	CA-C-O	-5.98	114.55	120.82
3	K	91	TYR	CE1-CZ-CE2	5.85	132.00	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	K	147	LEU	CD1-CG-CD2	5.73	123.42	110.80
1	H	590	GLU	OE1-CD-OE2	-5.55	109.59	122.90
1	H	590	GLU	CB-CG-CD	5.54	122.02	112.60
3	K	147	LEU	CB-CG-CD2	5.52	127.25	110.70
1	H	594	LEU	N-CA-CB	-5.31	102.28	110.20
1	H	595	GLU	OE1-CD-OE2	-5.28	110.23	122.90
3	K	195	GLU	CG-CD-OE2	5.11	130.16	118.40
1	H	592	LEU	CB-CG-CD1	-5.03	95.62	110.70

There are no chirality outliers.

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	H	590	GLU	Sidechain
1	H	596	ARG	Mainchain
3	K	191	PHE	Mainchain
3	K	91	TYR	Sidechain
3	K	98	SER	Mainchain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	H	599	0	639	26	0
2	J	711	0	695	13	0
3	K	3453	0	3449	42	0
4	L	3266	0	3264	20	0
All	All	8029	0	8047	97	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (97) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:592:LEU:CG	1:H:592:LEU:CD1	1.78	1.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:594:LEU:CD2	1:H:594:LEU:HB2	1.35	1.56
1:H:594:LEU:CD2	1:H:594:LEU:CG	1.96	1.43
1:H:594:LEU:CD2	1:H:594:LEU:CB	2.04	1.36
1:H:592:LEU:CD1	1:H:592:LEU:CD2	2.19	1.21
1:H:594:LEU:HB2	1:H:594:LEU:HD23	1.32	1.06
1:H:592:LEU:CD1	1:H:592:LEU:CB	2.36	1.02
1:H:594:LEU:CD2	1:H:594:LEU:CD1	2.38	1.01
4:L:430:LEU:HA	4:L:433:GLN:HE21	1.25	0.99
1:H:594:LEU:CD2	1:H:594:LEU:HD13	1.99	0.92
1:H:592:LEU:CD1	1:H:592:LEU:HD22	2.02	0.87
4:L:333:ILE:HG23	4:L:409:LEU:HD13	1.57	0.84
3:K:237:GLN:HG2	3:K:307:TYR:HE1	1.45	0.79
3:K:237:GLN:HG3	3:K:402:GLU:OE2	1.88	0.73
1:H:594:LEU:HB2	1:H:594:LEU:HD22	1.61	0.67
3:K:237:GLN:HG2	3:K:307:TYR:CE1	2.30	0.65
3:K:262:GLU:O	3:K:266:GLN:NE2	2.30	0.64
1:H:592:LEU:HA	1:H:595:GLU:HG3	1.80	0.62
2:J:1:MET:HE2	2:J:5:THR:HB	1.82	0.62
3:K:36:ILE:HG23	3:K:54:MET:HE3	1.82	0.61
3:K:429:MET:HG3	4:L:321:ASP:HB2	1.82	0.61
3:K:201:ILE:HG13	3:K:202:LYS:HG2	1.83	0.61
1:H:592:LEU:CD2	1:H:592:LEU:HD11	2.24	0.60
3:K:202:LYS:HB3	3:K:207:MET:CE	2.32	0.59
2:J:59:ARG:O	2:J:59:ARG:NH1	2.37	0.58
1:H:601:ALA:O	1:H:605:LEU:HB2	2.04	0.58
3:K:145:ILE:HD13	3:K:395:THR:HG21	1.85	0.57
3:K:291:LEU:HD23	3:K:298:THR:HG22	1.85	0.57
3:K:36:ILE:HG22	3:K:67:VAL:HG22	1.87	0.57
3:K:202:LYS:HB3	3:K:207:MET:HE3	1.86	0.56
3:K:108:MET:HE1	3:K:138:ILE:HD12	1.88	0.56
3:K:237:GLN:CD	3:K:303:LEU:HD11	2.31	0.55
1:H:594:LEU:CB	1:H:594:LEU:HD22	2.23	0.55
3:K:140:ILE:HG22	3:K:142:PRO:HD2	1.90	0.54
3:K:235:MET:HE1	3:K:290:PHE:HB2	1.90	0.54
2:J:28:ASP:HA	2:J:61:LYS:HZ2	1.72	0.53
4:L:98:ASN:HB3	4:L:101:ALA:HB2	1.90	0.53
2:J:59:ARG:HH22	3:K:134:PRO:HG3	1.74	0.52
4:L:322:ASP:HB3	4:L:325:LYS:HG2	1.92	0.52
3:K:196:ARG:HD3	3:K:197:LEU:HB2	1.91	0.51
3:K:390:THR:O	3:K:422:THR:OG1	2.26	0.50
4:L:54:HIS:CD2	4:L:56:THR:O	2.65	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:K:224:ALA:HA	3:K:228:ILE:HD13	1.92	0.50
2:J:89:ARG:NH2	2:J:93:LYS:HD2	2.27	0.50
4:L:189:MET:HE3	4:L:305:LEU:HD12	1.93	0.49
1:H:629:PHE:O	1:H:633:LEU:HD23	2.13	0.48
2:J:28:ASP:C	2:J:61:LYS:HG3	2.39	0.48
2:J:7:ILE:HG13	2:J:8:THR:HG23	1.96	0.48
2:J:89:ARG:CZ	2:J:93:LYS:HB3	2.43	0.48
3:K:207:MET:HE2	3:K:207:MET:N	2.29	0.47
2:J:27:TYR:CE2	2:J:61:LYS:HD2	2.49	0.47
1:H:592:LEU:CD1	1:H:592:LEU:HB2	2.41	0.47
3:K:243:LEU:O	3:K:247:GLU:HB2	2.14	0.47
1:H:593:LYS:HA	1:H:593:LYS:HD3	1.58	0.47
2:J:89:ARG:HH21	2:J:93:LYS:HD2	1.80	0.47
3:K:91:TYR:CE2	3:K:99:PRO:HD3	2.49	0.46
3:K:149:MET:HE3	3:K:149:MET:HA	1.97	0.46
4:L:457:LYS:HB2	4:L:461:ALA:HB2	1.98	0.46
4:L:54:HIS:NE2	4:L:57:ASN:HA	2.30	0.46
3:K:107:THR:HG22	3:K:139:VAL:HB	1.97	0.46
3:K:404:MET:HE3	3:K:404:MET:HA	1.98	0.46
1:H:594:LEU:HD13	1:H:594:LEU:HD22	1.92	0.45
3:K:239:SER:HB3	3:K:307:TYR:CZ	2.51	0.45
3:K:238:VAL:HG21	3:K:404:MET:SD	2.56	0.45
2:J:88:ASP:OD2	2:J:90:ARG:NH2	2.50	0.45
1:H:623:LYS:O	1:H:627:LEU:HD23	2.18	0.44
4:L:283:THR:HG22	4:L:293:LYS:HB3	1.98	0.44
3:K:389:LEU:HG	3:K:421:LEU:HB3	1.99	0.44
3:K:206:ASP:C	3:K:207:MET:HE2	2.43	0.44
3:K:197:LEU:HD12	3:K:197:LEU:HA	1.82	0.44
3:K:226:THR:HG23	3:K:227:TRP:HD1	1.83	0.44
4:L:327:LYS:NZ	4:L:405:THR:H	2.17	0.43
4:L:363:GLU:HA	4:L:366:LYS:HG2	2.01	0.43
2:J:28:ASP:O	2:J:61:LYS:HG3	2.19	0.43
1:H:610:LYS:HA	1:H:613:ILE:HG12	2.00	0.43
3:K:262:GLU:C	3:K:266:GLN:HE22	2.27	0.42
3:K:38:ARG:HB3	3:K:65:ASP:HB3	2.02	0.42
1:H:633:LEU:HD11	4:L:438:GLN:HG2	2.02	0.42
4:L:189:MET:HE3	4:L:305:LEU:CD1	2.48	0.42
4:L:205:TRP:HZ3	4:L:213:LEU:HD22	1.84	0.42
3:K:243:LEU:HD11	3:K:307:TYR:HB3	2.02	0.42
4:L:111:LEU:HB2	4:L:137:ILE:HG21	2.02	0.42
2:J:1:MET:HB2	2:J:1:MET:HE3	1.81	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:K:446:LEU:HA	3:K:447:PRO:HD3	1.85	0.41
3:K:321:ASP:OD1	3:K:321:ASP:N	2.53	0.41
4:L:286:ASP:OD1	4:L:290:ASN:N	2.44	0.41
3:K:192:GLN:O	3:K:196:ARG:HB2	2.20	0.41
3:K:65:ASP:OD1	3:K:65:ASP:N	2.54	0.41
1:H:592:LEU:HB3	1:H:593:LYS:NZ	2.36	0.41
4:L:369:ARG:NH2	4:L:372:GLU:HB3	2.35	0.41
3:K:386:SER:O	3:K:390:THR:OG1	2.31	0.40
1:H:605:LEU:HD21	3:K:152:SER:HB2	2.02	0.40
1:H:636:THR:O	1:H:640:LEU:HD23	2.21	0.40
4:L:313:VAL:HA	4:L:316:THR:HG22	2.04	0.40
3:K:189:LEU:O	3:K:193:VAL:HG12	2.21	0.40
4:L:161:ILE:HG22	4:L:334:ILE:HB	2.02	0.40
1:H:589:HIS:O	1:H:593:LYS:HG2	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	H	69/1703 (4%)	66 (96%)	2 (3%)	1 (1%)	9	39
2	J	78/157 (50%)	72 (92%)	6 (8%)	0	100	100
3	K	427/477 (90%)	403 (94%)	24 (6%)	0	100	100
4	L	400/467 (86%)	386 (96%)	12 (3%)	2 (0%)	24	60
All	All	974/2804 (35%)	927 (95%)	44 (4%)	3 (0%)	37	70

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
4	L	304	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	H	592	LEU
4	L	57	ASN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	H	63/1520 (4%)	63 (100%)	0	100	100
2	J	80/140 (57%)	80 (100%)	0	100	100
3	K	381/420 (91%)	381 (100%)	0	100	100
4	L	370/423 (88%)	370 (100%)	0	100	100
All	All	894/2503 (36%)	894 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	H	589	HIS
3	K	209	ASN
3	K	230	GLN
3	K	261	GLN
3	K	266	GLN
3	K	445	ASN
4	L	167	HIS
4	L	179	GLN
4	L	433	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-71452. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 80




Y Index: 80




Z Index: 80


6.2.2 Raw map



X Index: 80



Y Index: 80




Z Index: 80


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 81




Y Index: 82




Z Index: 73


6.3.2 Raw map



X Index: 88



Y Index: 83




Z Index: 74


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.0391. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_71452_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 58 nm³; this corresponds to an approximate mass of 53 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.250 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.250 $\text{\AA}^{-1}$

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	4.00	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	4.09	4.43	4.12

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-71452 and PDB model 9PB3. Per-residue inclusion information can be found in section [3](#) on page [4](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.0391 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.0391).

9.4 Atom inclusion [i](#)



At the recommended contour level, 70% of all backbone atoms, 61% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.0391) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.6100	0.3420
H	0.5290	0.2860
J	0.4040	0.2280
K	0.6480	0.3530
L	0.6270	0.3670

