



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 11, 2026 – 10:09 PM EDT

PDB ID : 9PKI / pdb_00009pki
Title : Phenylalanine ammonia-lyase from *Joinvillea ascendens* in complex with tyrosine
Authors : Morris, J.S.; Jez, J.M.
Deposited on : 2025-07-14
Resolution : 2.75 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.015 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.50


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.75 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1009 (2.76-2.76)
Clashscore	190562	1044 (2.76-2.76)
Ramachandran outliers	187476	1024 (2.76-2.76)
Sidechain outliers	187428	1024 (2.76-2.76)
RSRZ outliers	180081	1009 (2.76-2.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	718	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	TYR	A	801	-	-	X	-

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 5316 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Phenylalanine ammonia-lyase from *Joinvillea ascendens* in complex with tyrosine.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	685	5226	3291	913	997	25	0	8	0

- Molecule 2 is TYROSINE (CCD ID: TYR) (formula: $C_9H_{11}NO_3$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
2	A	1	13	9	1	3	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	77	Total	O	0	0
			77	77		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Phenylalanine ammonia-lyase from *Joinvillea ascendens* in complex with tyrosine



4 Data and refinement statistics

Property	Value	Source
Space group	P 62 2 2	Depositor
Cell constants a, b, c, α , β , γ	210.16Å 210.16Å 110.46Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	70.24 – 2.75 70.24 – 2.75	Depositor EDS
% Data completeness (in resolution range)	99.7 (70.24-2.75) 99.7 (70.24-2.75)	Depositor EDS
R_{merge}	0.15	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.99 (at 2.03Å)	Xtriage
Refinement program	PHENIX 1.18.2_3874: ???, REFMAC 5	Depositor
R, R_{free}	0.198 , 0.235 0.217 , 0.233	Depositor DCC
R_{free} test set	4618 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	42.0	Xtriage
Anisotropy	0.045	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 32.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.52$, $\langle L^2 \rangle = 0.35$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	5316	wwPDB-VP
Average B, all atoms (Å ²)	66.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.77% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.15	10/5315 (0.2%)	1.42	24/7195 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	22

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	209	ASP	C-N	12.50	1.49	1.33
1	A	204	ILE	C-N	12.28	1.50	1.33
1	A	82	ALA	C-O	8.59	1.34	1.24
1	A	360[B]	SER	CA-C	-8.53	1.42	1.52
1	A	360[B]	SER	N-CA	8.38	1.55	1.46
1	A	658[A]	GLU	N-CA	5.83	1.58	1.46
1	A	658[B]	GLU	N-CA	5.83	1.58	1.46
1	A	81	ALA	C-O	5.51	1.31	1.24
1	A	479	PRO	C-O	-5.43	1.17	1.23
1	A	196	PRO	C-O	-5.02	1.18	1.23

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	637[A]	GLU	N-CA-C	14.20	128.04	111.71
1	A	637[B]	GLU	N-CA-C	14.20	128.04	111.71
1	A	360[B]	SER	N-CA-C	13.44	132.11	113.57

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	82	ALA	CA-C-N	10.89	136.18	120.82
1	A	82	ALA	C-N-CA	10.89	136.18	120.82
1	A	468[A]	SER	N-CA-C	10.44	122.66	111.28
1	A	468[B]	SER	N-CA-C	10.44	122.66	111.28
1	A	658[A]	GLU	N-CA-C	9.96	132.01	110.80
1	A	658[B]	GLU	N-CA-C	9.96	132.01	110.80
1	A	437[A]	ASP	N-CA-C	8.71	129.35	110.80
1	A	437[B]	ASP	N-CA-C	8.71	129.35	110.80
1	A	275[A]	THR	CA-C-O	8.21	129.13	120.42
1	A	82	ALA	O-C-N	8.16	132.50	123.27
1	A	195	THR	N-CA-C	7.94	119.64	109.72
1	A	204	ILE	O-C-N	6.91	128.45	122.16
1	A	624[A]	THR	CA-C-O	6.26	127.05	120.42
1	A	624[B]	THR	CA-C-O	6.26	127.05	120.42
1	A	115	VAL	N-CA-C	-6.09	105.79	111.45
1	A	313	LYS	N-CA-C	-5.53	106.70	113.50
1	A	360[B]	SER	CA-C-N	-5.30	115.35	121.08
1	A	360[B]	SER	C-N-CA	-5.30	115.35	121.08
1	A	83	ALA	CA-C-O	-5.15	115.04	120.92
1	A	119	PHE	N-CA-CB	-5.10	102.54	110.29
1	A	457	TYR	CB-CA-C	5.05	119.10	110.56

There are no chirality outliers.

All (22) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	125	ARG	Sidechain
1	A	135	ARG	Sidechain
1	A	161	ARG	Sidechain
1	A	167	ARG	Sidechain
1	A	179	ARG	Sidechain
1	A	234	ARG	Sidechain
1	A	354	ARG	Sidechain
1	A	358	ARG	Sidechain
1	A	360[B]	SER	Mainchain
1	A	372	ARG	Sidechain
1	A	380	ARG	Sidechain
1	A	468[A]	SER	Mainchain
1	A	468[B]	SER	Mainchain
1	A	50	ARG	Sidechain
1	A	576	ARG	Sidechain
1	A	631	ARG	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	A	637[A]	GLU	Mainchain
1	A	637[B]	GLU	Mainchain
1	A	658[A]	GLU	Mainchain
1	A	658[B]	GLU	Mainchain
1	A	683	ARG	Sidechain
1	A	83	ALA	Mainchain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5226	0	5254	213	1
2	A	13	0	8	9	0
3	A	77	0	0	16	0
All	All	5316	0	5262	213	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 20.

All (213) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:48:VAL:O	1:A:52:VAL:HG23	1.37	1.21
1:A:668:VAL:O	1:A:674:THR:OG1	1.59	1.19
1:A:167:ARG:NH1	1:A:261:ALA:O	1.79	1.15
1:A:713:ASN:ND2	1:A:715:GLU:HG3	1.60	1.12
1:A:168:ILE:HD11	1:A:186:ILE:HG22	1.25	1.10
1:A:310:HIS:CD2	1:A:322:ALA:CB	2.42	1.03
1:A:311:LYS:NZ	3:A:902:HOH:O	1.91	1.00
1:A:168:ILE:HD11	1:A:186:ILE:CG2	1.91	0.99
1:A:161:ARG:NH1	1:A:190:LEU:O	1.97	0.97
1:A:298:MET:O	1:A:441:ASN:ND2	1.97	0.97
1:A:631:ARG:NH1	3:A:901:HOH:O	1.87	0.94
1:A:713:ASN:HD22	1:A:715:GLU:HG3	1.28	0.93
1:A:608:ASN:HB3	1:A:612:GLU:HG2	1.52	0.92
1:A:647:ASN:HB3	1:A:649:THR:HG23	1.51	0.92

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:355:TYR:O	1:A:359:THR:OG1	1.87	0.90
1:A:413:MET:HA	1:A:413:MET:HE2	1.54	0.90
1:A:264:ASN:HD21	2:A:801:TYR:HB2	1.40	0.87
1:A:113:TYR:CE2	2:A:801:TYR:HB3	2.10	0.86
1:A:173:GLN:OE1	3:A:903:HOH:O	1.92	0.86
1:A:345:ASP:OD2	1:A:576:ARG:NH2	2.08	0.86
1:A:414:ASP:OD2	1:A:481:THR:OG1	1.93	0.85
1:A:310:HIS:CD2	1:A:322:ALA:HB1	2.09	0.84
1:A:113:TYR:HA	1:A:117:THR:HB	1.59	0.83
1:A:111:ASP:N	1:A:111:ASP:OD1	2.11	0.82
1:A:636:LYS:N	1:A:636:LYS:HD3	1.93	0.82
1:A:91:SER:HB3	1:A:94:ARG:NH1	1.94	0.82
1:A:680:GLU:OE1	3:A:904:HOH:O	1.98	0.82
1:A:113:TYR:HE2	2:A:801:TYR:HB3	1.45	0.81
1:A:426:LEU:O	1:A:430:GLN:HG3	1.81	0.81
1:A:612:GLU:OE2	1:A:619:VAL:N	2.12	0.80
1:A:96:LYS:NZ	1:A:100:ASP:OD2	2.14	0.80
1:A:198:LEU:HD22	1:A:215:TYR:HB2	1.63	0.80
1:A:551:ALA:O	1:A:622:LYS:HE3	1.83	0.77
1:A:205:THR:O	1:A:496:SER:OG	2.01	0.77
1:A:414:ASP:OD1	1:A:417:ARG:NH2	2.17	0.77
1:A:495:ASN:HD22	1:A:497:LEU:HD13	1.49	0.77
1:A:260:LEU:O	1:A:264:ASN:HB2	1.84	0.77
1:A:310:HIS:CD2	1:A:322:ALA:HB2	2.21	0.76
1:A:301:LYS:HB2	1:A:301:LYS:HZ2	1.50	0.75
1:A:563:ALA:O	1:A:566:SER:OG	2.03	0.75
1:A:39:GLU:HG2	1:A:376:LYS:HD2	1.69	0.74
1:A:257:LYS:O	1:A:257:LYS:HG3	1.87	0.73
1:A:345:ASP:CG	1:A:576:ARG:NH2	2.47	0.72
1:A:234:ARG:NH1	1:A:240:GLU:OE2	2.21	0.72
1:A:107:MET:SD	1:A:107:MET:N	2.63	0.72
1:A:91:SER:HB3	1:A:94:ARG:HH12	1.53	0.71
1:A:647:ASN:CB	1:A:649:THR:HG23	2.18	0.71
1:A:257:LYS:HE2	1:A:389:PRO:O	1.90	0.71
1:A:586:PRO:O	3:A:906:HOH:O	2.08	0.70
1:A:427:MET:HE1	1:A:516:SER:OG	1.92	0.69
1:A:160:THR:O	1:A:164:MET:HG3	1.93	0.69
1:A:690:ASN:O	1:A:694:VAL:HG23	1.92	0.69
1:A:63:GLU:HG2	1:A:63:GLU:O	1.91	0.68
1:A:307:HIS:NE2	1:A:311:LYS:HB2	2.08	0.67
1:A:449:GLY:CA	1:A:676:TYR:OH	2.42	0.67

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:153:HIS:HD2	3:A:912:HOH:O	1.76	0.67
1:A:647:ASN:HB3	1:A:649:THR:CG2	2.23	0.67
1:A:114:GLY:HA3	1:A:260:LEU:HD11	1.76	0.67
1:A:307:HIS:CD2	1:A:311:LYS:HB2	2.30	0.66
1:A:345:ASP:OD1	1:A:576:ARG:NH2	2.28	0.66
1:A:307:HIS:CE1	1:A:716:PRO:HG3	2.30	0.66
1:A:495:ASN:HD22	1:A:497:LEU:CD1	2.09	0.64
1:A:307:HIS:ND1	1:A:716:PRO:HG3	2.12	0.64
1:A:642:ARG:NE	3:A:905:HOH:O	1.98	0.63
1:A:47:GLU:OE2	1:A:372:ARG:NH2	2.23	0.63
1:A:91:SER:CB	1:A:94:ARG:NH1	2.62	0.63
1:A:417:ARG:HD2	1:A:476:LEU:O	1.99	0.62
1:A:201:ARG:NH1	3:A:912:HOH:O	2.29	0.62
1:A:310:HIS:HD2	1:A:322:ALA:HB1	1.61	0.61
1:A:98:SER:HB3	1:A:174:GLY:O	2.00	0.61
1:A:138:ILE:N	1:A:138:ILE:HD13	2.16	0.61
1:A:206:MDO:O3	1:A:210:LEU:N	2.33	0.61
1:A:94:ARG:HD3	1:A:173:GLN:O	2.00	0.61
1:A:465:ALA:O	1:A:468[A]:SER:OG	2.10	0.61
1:A:407:THR:N	1:A:408:PRO:CD	2.64	0.60
1:A:451:ARG:HH11	1:A:451:ARG:HG3	1.67	0.60
1:A:232:ASP:OD2	1:A:234:ARG:HG2	2.01	0.60
1:A:310:HIS:HD2	1:A:322:ALA:CB	2.09	0.59
1:A:437[B]:ASP:HA	1:A:440:ASN:OD1	2.03	0.59
1:A:48:VAL:O	1:A:52:VAL:CG2	2.31	0.59
1:A:561:HIS:O	1:A:564:ARG:HG2	2.03	0.58
1:A:114:GLY:HA2	1:A:119:PHE:CE1	2.38	0.58
1:A:114:GLY:HA2	1:A:119:PHE:HE1	1.69	0.58
1:A:160:THR:HG23	1:A:198:LEU:HG	1.86	0.58
1:A:125:ARG:NH2	3:A:914:HOH:O	2.36	0.57
1:A:112:SER:HB2	1:A:115:VAL:HG21	1.86	0.57
1:A:127:THR:OG1	1:A:129:GLU:OE1	2.22	0.57
1:A:632:ALA:O	1:A:636:LYS:HE3	2.04	0.57
1:A:168:ILE:CD1	1:A:186:ILE:HG22	2.17	0.57
1:A:381:GLU:O	1:A:384:SER:OG	2.21	0.57
1:A:259:GLY:O	1:A:263:VAL:HG22	2.05	0.57
1:A:298:MET:HE1	1:A:439:TYR:O	2.04	0.57
1:A:247:ILE:HG22	1:A:249:HIS:CE1	2.40	0.56
1:A:113:TYR:HA	1:A:117:THR:CB	2.33	0.56
1:A:264:ASN:ND2	2:A:801:TYR:HB2	2.17	0.56
1:A:301:LYS:HB2	1:A:301:LYS:NZ	2.20	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:197:CYS:C	1:A:198:LEU:HD23	2.29	0.56
1:A:713:ASN:HD22	1:A:715:GLU:CG	2.09	0.56
1:A:195:THR:O	1:A:229:VAL:N	2.28	0.56
1:A:203:THR:CG2	1:A:499:LEU:HD23	2.36	0.55
1:A:113:TYR:CZ	2:A:801:TYR:HB3	2.41	0.55
1:A:105:SER:HB2	1:A:110:THR:CG2	2.36	0.55
1:A:449:GLY:O	1:A:676:TYR:OH	2.22	0.54
1:A:406:GLY:O	1:A:496:SER:HB2	2.08	0.54
1:A:551:ALA:O	1:A:622:LYS:CE	2.53	0.54
1:A:164:MET:O	1:A:168:ILE:HG13	2.07	0.54
1:A:203:THR:HG21	1:A:499:LEU:HD23	1.90	0.54
1:A:240:GLU:O	1:A:244:ILE:HG13	2.08	0.54
1:A:499:LEU:O	1:A:499:LEU:HD12	2.08	0.54
1:A:449:GLY:HA3	1:A:676:TYR:CZ	2.44	0.53
1:A:620:PHE:O	1:A:623:ILE:HG13	2.08	0.53
1:A:170:THR:C	3:A:903:HOH:O	2.51	0.53
1:A:656:ILE:O	1:A:659:CYS:HB2	2.09	0.52
1:A:496:SER:O	3:A:908:HOH:O	2.19	0.52
1:A:662:TYR:N	1:A:663:PRO:CD	2.72	0.52
1:A:60:VAL:HG21	1:A:75:VAL:HG23	1.91	0.52
1:A:301:LYS:NZ	1:A:301:LYS:CB	2.72	0.52
1:A:493:ASP:N	1:A:493:ASP:OD1	2.39	0.52
1:A:675:GLU:N	1:A:688:GLU:OE1	2.33	0.52
1:A:605:ALA:O	1:A:612:GLU:HG3	2.09	0.52
1:A:29:ASP:OD2	1:A:35:LYS:N	2.41	0.52
1:A:458:GLY:HA2	3:A:915:HOH:O	2.09	0.52
1:A:495:ASN:ND2	1:A:497:LEU:HD13	2.22	0.52
1:A:291:SER:HB2	1:A:325:MET:HE2	1.92	0.51
1:A:594:MET:HG2	3:A:906:HOH:O	2.08	0.51
1:A:551:ALA:HB1	1:A:625:LYS:HD3	1.93	0.51
1:A:669:ARG:HA	1:A:674:THR:OG1	2.10	0.51
1:A:335:MET:HE2	1:A:335:MET:HA	1.93	0.51
1:A:703:ASP:HB2	1:A:704:PRO:HD3	1.92	0.51
1:A:446:ASN:ND2	3:A:907:HOH:O	2.16	0.51
1:A:449:GLY:HA3	1:A:676:TYR:OH	2.10	0.51
1:A:557:VAL:O	1:A:557:VAL:HG23	2.11	0.50
1:A:112:SER:HB2	1:A:115:VAL:CG2	2.41	0.50
1:A:56:ARG:NE	1:A:79:GLU:OE1	2.42	0.50
1:A:113:TYR:OH	2:A:801:TYR:HB3	2.12	0.50
1:A:162:ALA:O	1:A:166:VAL:HG23	2.11	0.50
1:A:219:LEU:HA	1:A:226:SER:OG	2.12	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:436:ASN:HB2	3:A:917:HOH:O	2.12	0.49
1:A:537:LYS:CA	1:A:579:LEU:HD13	2.42	0.49
1:A:136:GLU:HA	1:A:136:GLU:OE1	2.12	0.49
1:A:299:THR:HG22	1:A:299:THR:O	2.11	0.49
1:A:385:VAL:HG11	1:A:390:LEU:HD22	1.95	0.49
1:A:75:VAL:O	1:A:161:ARG:NH2	2.41	0.48
1:A:197:CYS:O	1:A:198:LEU:HD23	2.13	0.48
1:A:39:GLU:CG	1:A:376:LYS:HD2	2.43	0.48
1:A:636:LYS:N	1:A:636:LYS:CD	2.72	0.48
1:A:56:ARG:NH1	1:A:703:ASP:OD1	2.46	0.48
1:A:113:TYR:HH	2:A:801:TYR:HB3	1.79	0.47
1:A:114:GLY:HA3	1:A:260:LEU:CD1	2.43	0.47
1:A:451:ARG:HG3	1:A:451:ARG:NH1	2.28	0.47
1:A:105:SER:HA	1:A:108:ASN:HB3	1.97	0.46
1:A:230:ALA:O	1:A:233:GLY:N	2.42	0.46
1:A:242:PHE:HA	1:A:247:ILE:HG13	1.97	0.46
1:A:168:ILE:CD1	1:A:186:ILE:CG2	2.77	0.46
1:A:495:ASN:ND2	1:A:497:LEU:CD1	2.75	0.46
1:A:413:MET:HE2	1:A:413:MET:CA	2.38	0.46
1:A:521:ILE:HD11	1:A:692:VAL:CG2	2.46	0.46
1:A:198:LEU:CD2	1:A:215:TYR:HB2	2.41	0.46
1:A:113:TYR:HH	2:A:801:TYR:CB	2.29	0.45
1:A:347:LEU:HD12	1:A:347:LEU:N	2.32	0.45
1:A:556:THR:OG1	1:A:616:THR:HG22	2.17	0.45
1:A:137:LEU:HA	1:A:140:PHE:CE2	2.51	0.45
1:A:168:ILE:HD11	1:A:186:ILE:HG21	1.90	0.45
1:A:294:PHE:CE1	1:A:298:MET:HG3	2.51	0.45
1:A:260:LEU:HD23	1:A:260:LEU:HA	1.81	0.44
1:A:376:LYS:HA	1:A:376:LYS:HD3	1.75	0.44
1:A:113:TYR:HD1	1:A:117:THR:CG2	2.29	0.44
1:A:574:ILE:O	3:A:909:HOH:O	2.21	0.44
1:A:92:ARG:NH2	1:A:184:GLU:OE2	2.51	0.44
1:A:504:LYS:HA	1:A:504:LYS:HD3	1.75	0.44
1:A:611:ALA:O	1:A:617:THR:OG1	2.32	0.44
1:A:106:MET:HE2	1:A:256:PRO:CG	2.48	0.43
1:A:376:LYS:O	1:A:380:ARG:HG3	2.18	0.43
1:A:211:VAL:N	1:A:212:PRO:HD2	2.33	0.43
1:A:417:ARG:CD	1:A:476:LEU:O	2.64	0.43
1:A:64:GLY:HA2	1:A:169:ASN:O	2.19	0.43
1:A:431:PHE:C	1:A:431:PHE:CD1	2.96	0.43
1:A:168:ILE:CG1	1:A:186:ILE:HG21	2.48	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:167:ARG:HA	1:A:167:ARG:HE	1.84	0.43
1:A:195:THR:HA	1:A:196:PRO:HD3	1.79	0.43
1:A:260:LEU:O	1:A:264:ASN:CB	2.60	0.43
1:A:307:HIS:ND1	1:A:716:PRO:CG	2.79	0.43
1:A:225:ASN:O	1:A:227:VAL:HG23	2.19	0.43
1:A:537:LYS:N	1:A:579:LEU:HD13	2.34	0.43
1:A:636:LYS:HD3	1:A:636:LYS:H	1.79	0.43
1:A:113:TYR:OH	2:A:801:TYR:CG	2.70	0.42
1:A:64:GLY:HA2	1:A:169:ASN:OD1	2.19	0.42
1:A:130:GLY:O	1:A:134:GLN:HG2	2.18	0.42
1:A:134:GLN:NE2	1:A:257:LYS:H	2.17	0.42
1:A:55:PHE:CE2	1:A:79:GLU:HG3	2.54	0.42
1:A:141:LEU:HD23	1:A:141:LEU:HA	1.79	0.42
1:A:277:LEU:HD13	1:A:375:THR:HA	2.01	0.42
1:A:668:VAL:C	1:A:674:THR:OG1	2.50	0.42
1:A:103:MET:SD	1:A:256:PRO:HD2	2.59	0.42
1:A:113:TYR:CD1	1:A:117:THR:HG22	2.55	0.42
1:A:337:LEU:HD12	1:A:337:LEU:O	2.19	0.41
1:A:213:LEU:HD23	1:A:213:LEU:HA	1.88	0.41
1:A:201:ARG:HH11	1:A:201:ARG:HG3	1.85	0.41
1:A:247:ILE:CG2	1:A:249:HIS:CE1	3.03	0.41
1:A:305:THR:HA	1:A:310:HIS:HE2	1.86	0.41
1:A:406:GLY:C	1:A:496:SER:HB2	2.45	0.41
1:A:69:ILE:HD13	1:A:375:THR:HG23	2.02	0.41
1:A:356:ALA:HB3	1:A:433:GLU:OE2	2.20	0.41
1:A:402:GLY:HA2	1:A:404:PHE:CZ	2.55	0.41
1:A:528:ASP:OD1	1:A:665:TYR:OH	2.27	0.41
1:A:570:LEU:O	1:A:574:ILE:HG13	2.21	0.40
1:A:413:MET:HA	1:A:413:MET:CE	2.31	0.40
1:A:544:VAL:HG21	1:A:574:ILE:HD11	2.03	0.40
1:A:555:ASN:HD21	1:A:559:ASP:HB2	1.86	0.40
1:A:634:LEU:N	1:A:635:PRO:CD	2.85	0.40
1:A:113:TYR:HD1	1:A:117:THR:HG21	1.86	0.40
1:A:633:THR:O	1:A:637[B]:GLU:HG3	2.21	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:433:GLU:OE2	1:A:493:ASP:OD2[4_445]	1.89	0.31

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	681/718 (95%)	670 (98%)	10 (2%)	1 (0%)	48 71

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	346	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	554/574 (96%)	494 (89%)	60 (11%)	6 12

All (60) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	35	LYS
1	A	50	ARG
1	A	68	ARG
1	A	87	LEU
1	A	90	SER
1	A	94	ARG
1	A	96	LYS
1	A	102	VAL
1	A	107	MET
1	A	110	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	111	ASP
1	A	112	SER
1	A	115	VAL
1	A	117	THR
1	A	125	ARG
1	A	128	LYS
1	A	138	ILE
1	A	195	THR
1	A	198	LEU
1	A	229	VAL
1	A	243	LYS
1	A	247	ILE
1	A	249	HIS
1	A	264	ASN
1	A	275[A]	THR
1	A	301	LYS
1	A	309	THR
1	A	324	ILE
1	A	339	LYS
1	A	341	LEU
1	A	344	LEU
1	A	358	ARG
1	A	372	ARG
1	A	379	GLU
1	A	387	ASP
1	A	397	LYS
1	A	454	SER
1	A	481	THR
1	A	486	SER
1	A	493	ASP
1	A	494	VAL
1	A	495	ASN
1	A	497	LEU
1	A	501	SER
1	A	503	ARG
1	A	510	ASP
1	A	541	LYS
1	A	557	VAL
1	A	568	LYS
1	A	579	LEU
1	A	633	THR
1	A	636	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	637[A]	GLU
1	A	637[B]	GLU
1	A	649	THR
1	A	655	ARG
1	A	657	LYS
1	A	674	THR
1	A	715	GLU
1	A	719	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	173	GLN
1	A	255	GLN
1	A	264	ASN
1	A	327	HIS
1	A	446	ASN
1	A	489	GLN
1	A	495	ASN
1	A	654	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	MDO	A	206	1	11,13,14	3.82	3 (27%)	15,18,20	4.46	9 (60%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	MDO	A	206	1	-	0/4/23/24	0/1/1/1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	206	MDO	O2-C2	11.50	1.46	1.23
1	A	206	MDO	C2-N3	-3.12	1.32	1.40
1	A	206	MDO	CA3-C3	2.54	1.58	1.49

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	206	MDO	CB-CA1-C1	-9.63	97.90	111.43
1	A	206	MDO	O2-C2-CA2	-8.82	125.39	131.02
1	A	206	MDO	CB-CA1-N1	4.95	126.63	109.98
1	A	206	MDO	CA2-C2-N3	4.83	107.56	103.50
1	A	206	MDO	CA1-C1-N3	4.64	130.17	124.69
1	A	206	MDO	N3-C1-N2	-4.23	108.15	111.48
1	A	206	MDO	CA2-N2-C1	3.80	108.80	105.39
1	A	206	MDO	C3-CA3-N3	-3.32	104.87	112.43
1	A	206	MDO	C2-CA2-N2	-2.61	107.08	108.95

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	206	MDO	1	0

5.5 Carbohydrates

There are no oligosaccharides in this entry.

5.6 Ligand geometry

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	TYR	A	801	-	12,13,13	1.04	0	13,17,17	0.80	1 (7%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	TYR	A	801	-	-	6/8/8/8	0/1/1/1

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	801	TYR	OXT-C-O	-2.33	118.80	124.08

There are no chirality outliers.

All (6) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	801	TYR	C-CA-CB-CG
2	A	801	TYR	OXT-C-CA-N
2	A	801	TYR	CA-CB-CG-CD1
2	A	801	TYR	CA-CB-CG-CD2
2	A	801	TYR	O-C-CA-N
2	A	801	TYR	N-CA-CB-CG

There are no ring outliers.

1 monomer is involved in 9 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	801	TYR	9	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	684/718 (95%)	0.21	33 (4%) 35 35	33, 63, 97, 138	5 (0%)

All (33) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	347	LEU	9.2
1	A	121	ALA	7.0
1	A	128	LYS	5.9
1	A	118	GLY	5.4
1	A	720	CYS	5.0
1	A	107	MET	4.5
1	A	346	PRO	4.4
1	A	113	TYR	4.4
1	A	125	ARG	4.3
1	A	116	THR	4.2
1	A	344	LEU	4.1
1	A	120	GLY	4.0
1	A	27	HIS	4.0
1	A	115	VAL	3.9
1	A	127	THR	3.6
1	A	119	PHE	3.5
1	A	129	GLU	3.2
1	A	117	THR	3.2
1	A	114	GLY	3.0
1	A	111	ASP	2.8
1	A	80	ALA	2.8
1	A	82	ALA	2.8
1	A	81	ALA	2.6
1	A	126	ARG	2.5
1	A	352	GLN	2.5
1	A	28	ALA	2.5
1	A	112	SER	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	109	GLY	2.4
1	A	402	GLY	2.3
1	A	264	ASN	2.2
1	A	131	GLY	2.2
1	A	387	ASP	2.1
1	A	657	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	MDO	A	206	13/14	0.89	0.13	53,62,68,73	0

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	TYR	A	801	13/13	0.82	0.26	90,94,114,115	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers ⓘ

There are no such residues in this entry.